

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, State government, 2009

Nature	Nature code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		75,840	2,090	8,780	23,350	17,570	9,820	5,240	9,000
Traumatic injuries and disorders	0	71,250	1,950	8,460	22,060	16,750	9,360	5,080	7,580
Traumatic injuries and disorders, unspecified	00	3,110	40	240	890	520	490	220	720
Traumatic injuries to bones, nerves, spinal cord	01	3,930	110	570	1,170	780	460	320	520
Dislocations	011	500	—	70	130	80	150	20	60
Fractures	012	3,280	110	480	1,010	650	310	270	450
Traumatic injuries to nerves, except the spinal cord	014	20	—	—	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	120	—	—	20	60	—	20	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	30,360	990	3,860	8,730	7,700	3,720	2,080	3,270
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	350	60	100	50	40	30	40	40
Sprains, strains, tears	021	29,830	930	3,740	8,670	7,620	3,680	2,030	3,160
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	180	—	20	—	40	—	20	80
Open wounds	03	2,870	60	220	1,010	640	470	240	220
Open wounds, unspecified	030	30	—	—	—	20	—	—	—
Amputations	031	70	—	—	50	—	—	—	—
Amputations, fingertip	0311	30	—	—	30	—	—	—	—
Amputations, except fingertip	0319	40	—	—	20	—	—	—	—
Animal or insect bites	032	310	—	—	110	90	50	30	—
Avulsions	033	60	—	—	30	—	—	—	—
Cuts, lacerations	034	2,050	60	180	710	440	350	190	130
Punctures, except bites	037	340	—	30	110	60	70	—	70
Surface wounds and bruises	04	11,100	220	1,040	3,720	2,980	1,570	680	880
Abrasions, scratches	041	810	30	90	200	300	120	50	20
Bruises, contusions	043	9,890	190	930	3,390	2,570	1,440	590	780
Foreign bodies (superficial splinters, chips)	044	330	—	—	120	70	—	40	80
Multiple surface wounds and bruises ..	048	30	—	—	—	20	—	—	—
Surface wounds and bruises, n.e.c.	049	30	—	—	—	—	—	—	—
Burns	05	620	—	40	250	140	40	90	50
Chemical burns	051	120	—	—	50	20	20	—	—
Electrical burns	052	40	—	—	—	—	—	—	—
Heat burns, scalds	053	460	—	30	180	100	20	80	40
Intracranial injuries	06	560	—	20	140	300	30	40	50
Concussions	062	550	—	20	130	300	30	40	50
Effects of environmental conditions	07	110	—	—	80	—	—	—	—
Effects of reduced temperature	071	20	—	—	—	—	—	—	—
Effects of heat and light	072	90	—	—	70	—	—	—	—
Heat fatigue	0723	60	—	—	50	—	—	—	—
Effects of heat and light, n.e.c.	0729	20	—	—	20	—	—	—	—
Multiple traumatic injuries and disorders ..	08	4,410	90	570	1,190	1,150	860	320	240
Multiple traumatic injuries and disorders, unspecified	080	250	—	—	40	140	30	—	—

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Cuts, abrasions, bruises	081	600	—	110	230	140	40	40	40
Sprains and bruises	082	2,330	60	250	570	500	630	200	120
Fractures and burns	083	100	—	—	—	—	—	—	—
Fractures and other injuries	084	360	20	20	80	110	50	40	40
Other combinations of traumatic injuries and disorders, n.e.c.	089	770	—	160	170	250	110	50	20
Other traumatic injuries and disorders	09	14,180	430	1,900	4,890	2,530	1,710	1,100	1,620
Asphyxiations/strangulations, suffocations	091	120	—	—	—	—	—	—	110
Electrocutions, electric shocks	093	60	—	—	40	—	—	—	—
Other poisonings and toxic effects	095	420	—	60	160	90	50	—	40
Animal or insect bites and stings, venomous	0951	270	—	50	120	40	40	—	20
Other poisonings and toxic effects, n.e.c.	0959	140	—	20	40	50	—	—	—
Nonspecified injuries and disorders	097	13,510	390	1,830	4,660	2,410	1,650	1,090	1,480
Crushing injuries	0971	450	—	20	240	50	80	—	40
Back pain, hurt back	0972	2,880	90	430	1,080	410	270	240	370
Soreness, pain, hurt, except the back	0973	8,410	290	1,170	2,990	1,380	1,170	720	690
Multiple nonspecified injuries and disorders	0978	1,160	—	200	320	350	60	120	90
Nonspecified injuries and disorders, n.e.c.	0979	600	—	—	20	210	70	—	280
Other traumatic injuries and disorders, n.e.c.	099	60	—	—	—	—	—	—	—
Systemic diseases and disorders	1	2,150	70	170	580	380	90	60	820
Systemic diseases and disorders, unspecified	10	30	—	—	—	—	—	—	20
Nervous system and sense organs diseases	12	700	—	30	250	130	—	20	270
Disorders of the peripheral nervous system	124	640	—	20	230	100	—	—	260
Carpal tunnel syndrome	1241	620	—	20	220	100	—	—	260
Disorders of the eye, adnexa, vision	125	50	—	—	20	30	—	—	—
Conjunctivitis non-viral	1252	40	—	—	—	30	—	—	—
Circulatory system diseases	13	120	—	—	—	—	—	20	80
Hypertensive disease	132	80	—	—	—	—	—	—	—
Respiratory system diseases	14	110	—	—	20	20	—	—	70
Pneumonia, influenza	143	70	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	20	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	440	20	40	160	70	20	—	110
Hernia	153	440	20	40	160	70	20	—	110
Hernia, unspecified	1530	130	—	—	—	20	—	—	70
Inguinal hernia	1531	240	—	20	130	30	20	—	40
Hernia, n.e.c.	1539	50	—	—	20	20	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	400	50	60	70	60	—	—	150

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Dorsopathies	172	80	—	—	20	—	—	—	—
Sciatica	1721	20	—	—	20	—	—	—	—
Dorsopathies, n.e.c.	1729	50	—	—	—	—	—	—	—
Rheumatism, except the back	173	320	—	50	50	60	—	—	140
Tendonitis	1733	100	—	20	—	—	—	—	50
Tenosynovitis	1734	40	—	—	—	30	—	—	—
Rheumatism, except the back, n.e.c.	1739	160	—	30	30	—	—	—	80
Disorders of the skin and subcutaneous tissue	18	350	—	30	60	90	40	—	110
Infections of the skin and subcutaneous tissue	181	100	—	—	30	—	—	—	40
Infections of the skin and subcutaneous tissue, unspecified ..	1810	60	—	—	20	—	—	—	20
Cellulitis and abscess	1812	20	—	—	—	—	—	—	—
Dermatitis	182	230	—	20	40	80	20	—	70
Dermatitis, unspecified	1820	30	—	—	—	—	—	—	20
Contact dermatitis, unspecified	1822	20	—	—	—	—	—	—	—
Allergic contact dermatitis	1823	130	—	—	30	50	—	—	50
Irritant contact dermatitis	1824	30	—	—	—	20	—	—	—
Infectious and parasitic diseases	2	200	—	30	30	—	40	—	70
Bacterial diseases	21	60	—	—	—	—	—	—	30
Other bacterial diseases	219	40	—	—	—	—	—	—	30
Other bacterial diseases, n.e.c.	2199	40	—	—	—	—	—	—	30
Viral diseases	22	80	—	—	30	—	30	—	20
Viral diseases, unspecified	220	40	—	—	30	—	—	—	—
Viral diseases of the conjunctiva	226	40	—	—	—	—	30	—	20
Viral conjunctivitis (ophthalmia)	2262	40	—	—	—	—	30	—	20
Other arthropod-borne diseases	23	20	—	—	—	—	—	—	20
Other infectious and parasitic diseases ...	29	30	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	30	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	1,120	40	70	310	300	210	60	130
Symptoms	41	1,070	40	70	290	290	210	60	110
General symptoms	411	340	—	—	120	60	100	—	40
General symptoms, unspecified	4110	30	—	—	20	—	—	—	—
Loss of consciousness not heat related	4111	80	—	—	20	40	—	—	—
Dizziness	4114	30	—	—	20	—	—	—	—
Non-specified allergic reaction	4115	60	—	—	20	—	—	—	—
Multiple general symptoms	4118	20	—	—	20	—	—	—	—
General symptoms, n.e.c.	4119	120	—	—	20	—	70	—	20
Symptoms involving skin and other integumentary tissue	413	330	—	30	100	50	70	30	—
Edema (including dropsy)	4131	300	—	30	80	50	70	30	—
Symptoms involving head and neck ...	414	30	—	—	—	—	—	—	—
Headache, except migraine	4141	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Symptoms involving head and neck, n.e.c.	4149	20	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	300	—	40	40	170	30	—	30
Symptoms involving respiratory system and chest, unspecified	4160	70	—	—	30	—	—	—	—
Chest pain	4164	170	—	—	—	140	—	—	—
Multiple symptoms involving respiratory system and chest	4168	20	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	40	—	—	—	—	—	—	—
Multiple symptoms	418	30	—	—	—	—	—	—	30
Other symptoms, n.e.c.	419	20	—	—	—	—	—	—	—
Abnormal findings	42	20	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	20	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	20	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	760	—	50	220	100	70	40	270
Mental disorders or syndromes	52	740	—	50	220	100	60	40	260
Anxiety, stress, neurotic disorders	521	740	—	50	220	100	60	40	260
Anxiety, stress, neurotic disorders, unspecified	5210	290	—	—	70	50	—	—	150
Post-traumatic anxiety acute	5211	180	—	20	40	40	50	—	—
Neurotic reaction to stress	5214	230	—	—	100	20	—	20	90
Multiple anxiety, stress, neurotic disorders	5218	40	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	160	—	—	110	—	—	—	20
Nonclassifiable	9999	120	—	—	40	—	20	—	40

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies