

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, State government, 2009

Part of body	Part of body code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		75,840	2,090	8,780	23,350	17,570	9,820	5,240	9,000
Head	0	5,540	50	410	1,710	1,450	990	410	520
Head, unspecified	00	1,160	—	80	370	290	260	100	70
Cranial region, including skull	01	900	—	40	230	320	40	60	200
Brain	011	590	—	20	160	300	30	40	50
Scalp	012	220	—	20	30	20	—	—	140
Skull	013	40	—	—	—	—	—	—	—
Multiple cranial region locations	018	40	—	—	40	—	—	—	—
Ear(s)	02	40	—	—	30	—	—	—	—
Face	03	3,280	40	300	1,030	770	650	240	250
Face, unspecified	030	710	—	60	300	150	110	30	40
Forehead	031	210	—	30	60	50	40	20	—
Eye(s)	032	1,350	30	60	480	360	220	80	140
Nose, nasal cavity	033	330	—	80	110	60	60	—	—
Nose, except internal location of diseases or disorders	0330	320	—	80	100	60	60	—	—
Cheek(s)	034	130	—	—	20	—	60	—	—
Jaw/chin	035	140	—	40	—	30	20	30	20
Mouth	036	100	—	—	—	50	20	—	—
Mouth, unspecified	0360	40	—	—	—	—	—	—	—
Lip(s)	0361	40	—	—	—	30	—	—	—
Tooth(teeth)	0363	20	—	—	—	—	—	—	—
Multiple face locations	038	270	—	—	40	60	90	40	20
Face, n.e.c.	039	40	—	—	—	—	—	—	—
Multiple head locations	08	160	—	—	60	60	30	—	—
Neck, including throat	1	1,560	90	100	290	550	270	50	220
Neck, except internal location of diseases or disorders	10	1,550	80	100	280	550	270	50	220
Trunk	2	21,940	590	3,000	6,510	4,840	2,520	1,500	2,990
Trunk, unspecified	20	90	—	—	40	40	—	—	—
Shoulder, including clavicle, scapula	21	4,670	110	770	1,370	830	660	280	650
Chest, including ribs, internal organs	22	1,850	40	140	450	500	160	260	290
Chest, except internal location of diseases or disorders	220	1,450	40	110	410	320	130	240	190
Internal chest location, unspecified	221	210	—	—	—	150	30	—	—
Heart	223	20	—	—	—	—	—	—	—
Lung(s), pleura	225	100	—	20	30	—	—	—	20
Multiple internal chest locations	228	70	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	12,650	350	1,750	3,840	2,670	1,440	900	1,680
Back, including spine, spinal cord, unspecified	230	5,180	120	660	1,490	1,180	610	380	740
Lumbar region	231	5,920	190	900	1,900	1,190	720	360	670
Thoracic region	232	710	30	120	130	210	30	30	150
Sacral region	233	40	—	—	40	—	—	—	—
Coccygeal region	234	100	—	—	30	—	20	30	—
Multiple back regions	238	630	—	60	240	80	40	100	100

See footnotes at end of table.

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Back, including spine, spinal cord, n.e.c.	239	80	—	—	—	—	30	—	20
Abdomen	24	1,040	20	110	300	410	50	—	140
Abdomen, except internal location of diseases or disorders	240	600	—	70	130	340	30	—	20
Internal abdominal location, unspecified	241	160	—	—	30	30	—	—	70
Intestines, peritoneum	245	260	—	20	130	40	20	—	50
Intestines, peritoneum, unspecified	2450	200	—	20	70	40	20	—	50
Peritoneum	2451	60	—	—	60	—	—	—	—
Pelvic region	25	1,070	60	100	290	230	150	30	200
Pelvic region, unspecified	250	20	—	—	—	—	—	—	—
Hip(s)	251	620	20	40	200	150	60	—	120
Buttock(s)	253	100	—	—	—	20	60	—	—
Groin	254	310	40	30	70	50	30	—	70
External reproductive tract structures ..	255	20	—	—	—	—	—	—	—
Multiple trunk locations	28	550	—	120	200	140	40	20	20
Trunk, n.e.c.	29	20	—	—	—	—	—	—	—
Upper extremities	3	11,880	370	1,500	3,850	2,330	1,490	890	1,440
Upper extremities, unspecified	30	40	—	20	20	—	—	—	—
Arm(s)	31	2,660	70	360	730	570	380	180	380
Arm(s), unspecified	310	1,020	—	110	300	250	110	70	170
Upper arm(s)	311	240	—	20	90	30	30	—	50
Elbow(s)	312	810	40	110	200	160	180	60	60
Forearm(s)	313	290	—	50	80	40	50	—	60
Multiple arm(s) locations	318	290	—	70	60	80	—	40	30
Wrist(s)	32	2,450	70	320	690	360	240	250	510
Hand(s), except finger(s)	33	1,980	110	270	480	380	280	300	150
Finger(s), fingernail(s)	34	3,400	110	360	1,400	690	430	140	270
Multiple upper extremities locations	38	1,330	—	150	540	320	160	30	120
Multiple upper extremities locations, unspecified	380	30	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	270	—	70	120	40	—	—	—
Hand(s) and wrist(s)	382	310	—	—	150	100	20	—	20
Hand(s) and arm(s)	383	180	—	—	60	30	30	—	30
Multiple upper extremities locations, n.e.c.	389	540	—	60	210	130	100	—	50
Upper extremities, n.e.c.	39	20	—	—	—	—	—	—	—
Lower extremities	4	16,640	440	1,930	5,010	4,380	2,090	1,150	1,650
Leg(s)	41	10,270	240	1,210	3,070	2,660	1,230	830	1,020
Leg(s), unspecified	410	780	30	110	220	140	40	170	70
Thigh(s)	411	300	—	30	150	30	70	—	20
Knee(s)	412	8,290	180	1,010	2,360	2,200	1,060	600	890
Lower leg(s)	413	590	30	30	260	160	40	40	40
Multiple leg(s) locations	418	270	—	40	70	110	20	20	—
Leg(s), n.e.c.	419	40	—	—	—	—	—	—	—
Ankle(s)	42	3,190	80	330	990	1,060	310	170	260
Foot(feet), except toe(s)	43	1,680	40	150	520	360	330	60	230

See footnotes at end of table.

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, State government, 2009 — Continued

Part of body	Part of body code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Foot(feet), except toe(s), unspecified ..	430	1,480	30	150	450	310	260	60	220
Sole	432	130	—	—	60	—	40	—	—
Heel(s)	4323	120	—	—	60	—	40	—	—
Multiple foot(feet) locations	438	60	—	—	—	—	30	—	—
Toe(s), toenail(s)	44	380	—	40	160	90	20	60	—
Multiple lower extremities locations	48	990	90	90	270	210	200	20	120
Multiple lower extremities locations, unspecified	480	50	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	50	—	—	20	—	—	—	—
Foot(feet) and ankle(s)	482	260	—	—	100	70	20	—	50
Foot(feet) and toe(s)	483	50	—	—	40	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	570	60	50	90	130	160	20	60
Lower extremities, n.e.c.	49	120	—	110	—	—	—	—	—
Body systems	5	1,930	20	100	620	260	220	60	650
Multiple body parts	8	15,770	510	1,700	5,290	3,630	2,170	1,170	1,300
Nonclassifiable	9999	560	20	40	80	120	60	—	230

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies