

TABLE S105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, State government 2009

| Part of body | Part of body code ³ | State government ⁴ | Gender | |
|--|--------------------------------|-------------------------------|--------|-------|
| | | | Men | Women |
| Total | | 180.0 | 218.9 | 150.8 |
| Head | 0 | 13.2 | 16.1 | 10.9 |
| Head, unspecified | 00 | 2.8 | 3.6 | 2.1 |
| Cranial region, including skull | 01 | 2.1 | 1.6 | 2.5 |
| Brain | 011 | 1.4 | 1.1 | 1.7 |
| Scalp | 012 | .5 | .3 | .7 |
| Skull | 013 | .1 | — | .1 |
| Multiple cranial region locations | 018 | .1 | .2 | — |
| Ear(s) | 02 | .1 | .1 | .1 |
| Face | 03 | 7.8 | 10.4 | 5.8 |
| Face, unspecified | 030 | 1.7 | 2.2 | 1.3 |
| Forehead | 031 | .5 | .7 | .4 |
| Eye(s) | 032 | 3.2 | 4.5 | 2.2 |
| Nose, nasal cavity | 033 | .8 | 1.1 | .6 |
| Nose, except internal location of diseases or disorders | 0330 | .8 | 1.1 | .5 |
| Cheek(s) | 034 | .3 | .5 | .1 |
| Jaw/chin | 035 | .3 | .4 | .2 |
| Mouth | 036 | .2 | .2 | .2 |
| Mouth, unspecified | 0360 | .1 | .2 | — |
| Lip(s) | 0361 | .1 | — | .2 |
| Tooth(teeth) | 0363 | .1 | — | — |
| Multiple face locations | 038 | .6 | .8 | .5 |
| Face, n.e.c. | 039 | .1 | — | .2 |
| Multiple head locations | 08 | .4 | .3 | .5 |
| Neck, including throat | 1 | 3.7 | 3.6 | 3.7 |
| Neck, except internal location of diseases or disorders | 10 | 3.7 | 3.6 | 3.7 |
| Trunk | 2 | 52.1 | 67.9 | 40.3 |
| Trunk, unspecified | 20 | .2 | .2 | .2 |
| Shoulder, including clavicle, scapula | 21 | 11.1 | 14.2 | 8.8 |
| Chest, including ribs, internal organs | 22 | 4.4 | 6.5 | 2.8 |
| Chest, except internal location of diseases or disorders | 220 | 3.4 | 5.5 | 1.9 |
| Internal chest location, unspecified | 221 | .5 | .4 | .5 |
| Heart | 223 | .1 | .1 | — |
| Lung(s), pleura | 225 | .2 | .2 | .3 |
| Multiple internal chest locations | 228 | .2 | — | — |
| Back, including spine, spinal cord | 23 | 30.0 | 37.3 | 24.6 |
| Back, including spine, spinal cord, unspecified | 230 | 12.3 | 14.9 | 10.4 |
| Lumbar region | 231 | 14.0 | 19.1 | 10.2 |
| Thoracic region | 232 | 1.7 | 1.7 | 1.7 |
| Sacral region | 233 | .1 | .2 | — |
| Coccygeal region | 234 | .2 | .1 | .3 |
| Multiple back regions | 238 | 1.5 | 1.1 | 1.8 |
| Back, including spine, spinal cord, n.e.c. | 239 | .2 | .2 | .2 |
| Abdomen | 24 | 2.5 | 4.4 | 1.0 |
| Abdomen, except internal location of diseases or disorders | 240 | 1.4 | 2.1 | .9 |
| Internal abdominal location, unspecified | 241 | .4 | .8 | — |
| Intestines, peritoneum | 245 | .6 | 1.4 | — |

See footnotes at end of table.

TABLE S105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, State government 2009 — Continued

| Part of body | Part of body code ³ | State government ⁴ | Gender | |
|---|--------------------------------|-------------------------------|-------------|-------------|
| | | | Men | Women |
| Intestines, peritoneum, unspecified | 2450 | 0.5 | 1.0 | — |
| Peritoneum | 2451 | .2 | .4 | — |
| Pelvic region | 25 | 2.5 | 3.5 | 1.9 |
| Pelvic region, unspecified | 250 | (⁵) | — | — |
| Hip(s) | 251 | 1.5 | 1.7 | 1.3 |
| Buttock(s) | 253 | .2 | .1 | .3 |
| Groin | 254 | .7 | 1.6 | .1 |
| External reproductive tract structures | 255 | (⁵) | — | — |
| Multiple trunk locations | 28 | 1.3 | 1.8 | 1.0 |
| Trunk, n.e.c. | 29 | (⁵) | — | — |
| Upper extremities | 3 | 28.2 | 34.8 | 23.3 |
| Upper extremities, unspecified | 30 | .1 | — | .1 |
| Arm(s) | 31 | 6.3 | 7.3 | 5.6 |
| Arm(s), unspecified | 310 | 2.4 | 2.1 | 2.7 |
| Upper arm(s) | 311 | .6 | 1.0 | .3 |
| Elbow(s) | 312 | 1.9 | 2.5 | 1.5 |
| Forearm(s) | 313 | .7 | .8 | .6 |
| Multiple arm(s) locations | 318 | .7 | .8 | .6 |
| Wrist(s) | 32 | 5.8 | 4.7 | 6.7 |
| Hand(s), except finger(s) | 33 | 4.7 | 6.1 | 3.6 |
| Finger(s), fingernail(s) | 34 | 8.1 | 12.4 | 4.9 |
| Multiple upper extremities locations | 38 | 3.2 | 4.2 | 2.4 |
| Multiple upper extremities locations, unspecified | 380 | .1 | — | — |
| Hand(s) and finger(s) | 381 | .6 | .6 | .7 |
| Hand(s) and wrist(s) | 382 | .7 | 1.0 | .6 |
| Hand(s) and arm(s) | 383 | .4 | .4 | .4 |
| Multiple upper extremities locations, n.e.c. | 389 | 1.3 | 2.1 | .7 |
| Upper extremities, n.e.c. | 39 | .1 | .1 | — |
| Lower extremities | 4 | 39.5 | 51.8 | 30.1 |
| Leg(s) | 41 | 24.4 | 35.1 | 16.3 |
| Leg(s), unspecified | 410 | 1.8 | 2.5 | 1.3 |
| Thigh(s) | 411 | .7 | 1.2 | .3 |
| Knee(s) | 412 | 19.7 | 28.5 | 13.1 |
| Lower leg(s) | 413 | 1.4 | 2.1 | .9 |
| Multiple leg(s) locations | 418 | .6 | .9 | .5 |
| Leg(s), n.e.c. | 419 | .1 | — | — |
| Ankle(s) | 42 | 7.6 | 8.5 | 6.9 |
| Foot(feet), except toe(s) | 43 | 4.0 | 4.5 | 3.5 |
| Foot(feet), except toe(s), unspecified | 430 | 3.5 | 4.0 | 3.0 |
| Sole | 432 | .3 | .3 | .3 |
| Heel(s) | 4323 | .3 | .3 | .3 |
| Multiple foot(feet) locations | 438 | .2 | .2 | — |
| Toe(s), toenail(s) | 44 | .9 | 1.4 | .6 |
| Multiple lower extremities locations | 48 | 2.3 | 2.3 | 2.4 |
| Multiple lower extremities locations, unspecified | 480 | .1 | — | .2 |
| Foot(feet) and leg(s) | 481 | .1 | — | .2 |
| Foot(feet) and ankle(s) | 482 | .6 | .6 | .6 |
| Foot(feet) and toe(s) | 483 | .1 | — | .2 |

See footnotes at end of table.

TABLE S105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, State government 2009 — Continued

| Part of body | Part of body code ³ | State government ⁴ | Gender | |
|---|--------------------------------|-------------------------------|--------|-------|
| | | | Men | Women |
| Multiple lower extremities locations, n.e.c. | 489 | 1.4 | 1.4 | 1.3 |
| Lower extremities, n.e.c. | 49 | .3 | — | .5 |
| Body systems | 5 | 4.6 | 5.7 | 3.8 |
| Multiple body parts | 8 | 37.4 | 37.2 | 37.7 |
| Nonclassifiable | 9999 | 1.3 | 1.7 | 1.0 |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in

days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies