

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009

Private sector

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Total	964,990	100.0	8	363,930	100.0	6	596,930	100.0	9
Occupation:									
Management, business, and financial occupations ...	26,240	2.7	5	14,980	4.1	4	11,240	1.9	5
Professional and related occupations	80,460	8.3	5	59,250	16.3	5	21,160	3.5	6
Service occupations	236,760	24.5	6	147,680	40.6	6	88,760	14.9	6
Sales and related occupations	68,290	7.1	8	40,250	11.1	8	28,020	4.7	10
Office and administrative support occupations	68,990	7.1	7	42,250	11.6	6	26,610	4.5	8
Farming, fishing, and forestry occupations	11,410	1.2	7	2,400	.7	6	9,010	1.5	7
Construction and extraction occupations	90,060	9.3	12	1,360	.4	9	88,120	14.8	12
Installation, maintenance, and repair occupations	84,290	8.7	10	2,400	.7	15	81,390	13.6	10
Production occupations	108,470	11.2	9	27,400	7.5	10	81,020	13.6	8
Transportation and material moving occupations	187,930	19.5	12	25,460	7.0	12	160,780	26.9	11
Age:									
Under 14	20	(³)	5	—	—	—	—	—	—
14 - 15	160	(³)	18	40	(³)	3	120	(³)	21
16 - 19	22,330	2.3	4	9,240	2.5	3	13,080	2.2	4
20 - 24	91,780	9.5	5	33,330	9.2	5	58,340	9.8	5
25 - 34	209,670	21.7	6	71,980	19.8	5	137,040	23.0	7
35 - 44	231,750	24.0	9	81,450	22.4	7	149,440	25.0	10
45 - 54	236,030	24.5	11	95,020	26.1	8	140,110	23.5	13
55 - 64	132,110	13.7	12	56,150	15.4	9	75,270	12.6	15
65 and over	27,620	2.9	13	11,330	3.1	13	16,260	2.7	13
Race or ethnic origin:									
White only	412,730	42.8	7	146,340	40.2	5	266,320	44.6	8
Hispanic or Latino only	125,790	13.0	8	37,310	10.3	7	88,450	14.8	8
Black only	78,840	8.2	7	39,300	10.8	6	39,510	6.6	8
Asian only	12,630	1.3	7	5,810	1.6	8	6,810	1.1	7
American Indian or Alaskan Native only	3,950	.4	7	1,680	.5	5	2,270	.4	10
Native Hawaiian or Pacific Islander only	3,110	.3	10	1,200	.3	5	1,900	.3	16
Multi-race	1,360	.1	3	1,010	.3	2	350	.1	8
Hispanic or Latino and other race	520	.1	8	150	(³)	3	370	.1	9
Length of service with employer:									
Less than 3 months	78,750	8.2	6	27,080	7.4	4	51,660	8.7	7
3 - 11 months	169,300	17.5	6	65,310	17.9	5	103,970	17.4	7
1 - 5 years	379,030	39.3	7	146,650	40.3	6	232,270	38.9	9
More than 5 years	324,950	33.7	10	121,120	33.3	8	203,690	34.1	12
Day of week:									
Sunday	62,360	6.5	8	30,060	8.3	7	31,570	5.3	10
Monday	172,520	17.9	8	61,960	17.0	7	110,120	18.4	9
Tuesday	175,380	18.2	7	63,090	17.3	6	111,200	18.6	8
Wednesday	166,830	17.3	7	60,440	16.6	6	105,780	17.7	8
Thursday	162,140	16.8	8	56,940	15.6	6	104,580	17.5	10
Friday	148,920	15.4	9	56,580	15.5	7	92,030	15.4	11

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

Private sector

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Day of week:									
Saturday	76,860	8.0	8	34,860	9.6	6	41,670	7.0	10
Time of event:									
12:01 A.M. to 4:00 A.M.	29,860	3.1	11	11,640	3.2	8	17,870	3.0	12
4:01 A.M. to 8:00 A.M.	92,820	9.6	9	34,110	9.4	7	58,290	9.8	10
8:01 A.M. to 12:00 noon	284,150	29.4	8	95,980	26.4	6	187,300	31.4	9
12:01 P.M. to 4:00 P.M.	219,180	22.7	7	79,370	21.8	6	139,060	23.3	8
4:01 P.M. to 8:00 P.M.	101,650	10.5	7	47,010	12.9	6	54,160	9.1	8
8:01 P.M. to 12:00 midnight	54,510	5.6	7	24,390	6.7	6	29,810	5.0	9
Hours on the job before event occurred:									
Before shift began	6,680	.7	7	4,750	1.3	6	1,920	.3	10
Less than 1 hour	78,320	8.1	7	32,870	9.0	6	45,440	7.6	7
1 hour to less than 2 hours	94,510	9.8	7	35,260	9.7	6	59,230	9.9	9
2 hours to less than 4 hours	202,270	21.0	7	74,820	20.6	6	127,400	21.3	10
4 hours to less than 6 hours	152,730	15.8	7	58,320	16.0	7	94,390	15.8	8
6 hours to less than 8 hours	135,230	14.0	7	47,440	13.0	6	87,760	14.7	9
8 hours to less than 10 hours	65,860	6.8	8	23,160	6.4	6	42,680	7.1	9
10 hours to less than 12 hours	15,860	1.6	8	5,750	1.6	7	10,100	1.7	10
12 hours to less than 16 hours	5,790	.6	10	2,140	.6	6	3,650	.6	12
More than 16 hours	730	.1	18	280	.1	7	450	.1	38
Nature of injury, illness:									
Sprains, strains, tears	379,340	39.3	9	148,250	40.7	7	229,380	38.4	10
Fractures	75,070	7.8	30	24,060	6.6	23	50,690	8.5	33
Cuts, lacerations, punctures	87,450	9.1	4	20,390	5.6	3	66,820	11.2	4
Cuts, lacerations	75,890	7.9	4	17,480	4.8	3	58,180	9.7	4
Punctures	11,570	1.2	3	2,910	.8	2	8,640	1.4	4
Amputations	5,930	.6	21	1,380	.4	17	4,530	.8	21
Bruises, contusions	82,690	8.6	4	38,250	10.5	4	43,930	7.4	4
Heat burns, scalds	14,710	1.5	5	5,170	1.4	3	9,510	1.6	6
Chemical burns	4,740	.5	3	900	.2	2	3,830	.6	3
Carpal tunnel syndrome	9,150	.9	21	5,830	1.6	19	3,310	.6	25
Tendonitis	3,480	.4	14	2,030	.6	25	1,450	.2	10
Multiple traumatic injuries and disorders	38,820	4.0	9	16,890	4.6	7	21,920	3.7	12
With fractures, burns, and other injuries	9,660	1.0	16	2,990	.8	11	6,670	1.1	23
With sprains and bruises	14,160	1.5	10	7,780	2.1	7	6,380	1.1	14
Soreness, pain, including back	102,580	10.6	8	44,250	12.2	6	58,270	9.8	10
Back pain only	32,690	3.4	8	13,140	3.6	6	19,540	3.3	8
All other natures	161,040	16.7	7	56,520	15.5	5	103,310	17.3	9
Event or exposure:									
Contact with objects and equipment	254,680	26.4	5	69,770	19.2	4	184,280	30.9	6
Struck by object	130,030	13.5	5	35,850	9.9	4	93,860	15.7	5
Struck against object	64,430	6.7	5	21,120	5.8	4	43,130	7.2	6
Caught in or compressed by equipment or objects	43,400	4.5	9	9,530	2.6	6	33,810	5.7	10

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

Private sector

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Event or exposure:									
Fall to lower level	63,320	6.6	14	18,730	5.1	7	44,060	7.4	20
Fall on same level	141,120	14.6	10	79,940	22.0	7	61,010	10.2	13
Slip, trip, loss of balance without fall	32,490	3.4	8	13,270	3.6	7	19,180	3.2	10
Overexertion	227,260	23.6	10	85,500	23.5	7	141,200	23.7	12
Overexertion in lifting	116,530	12.1	10	41,210	11.3	7	75,270	12.6	12
Repetitive motion	30,790	3.2	20	17,040	4.7	20	13,700	2.3	20
Exposure to harmful substances or environments	42,870	4.4	3	16,900	4.6	3	25,820	4.3	3
Transportation incidents	42,180	4.4	10	11,540	3.2	8	30,300	5.1	10
Highway accident	26,480	2.7	10	7,950	2.2	7	18,290	3.1	10
Fires and explosions	1,920	.2	9	270	.1	1	1,650	.3	9
Assaults and violent acts	22,720	2.4	4	14,160	3.9	4	8,530	1.4	5
By person(s)	15,450	1.6	5	10,030	2.8	5	5,390	.9	7
By animal	6,670	.7	2	3,900	1.1	2	2,770	.5	3
All other events	105,650	10.9	10	36,820	10.1	8	67,210	11.3	11
Part of body affected:									
Head	64,590	6.7	3	20,810	5.7	3	43,510	7.3	2
Eye(s)	23,720	2.5	2	4,080	1.1	2	19,580	3.3	2
Neck, including throat	11,860	1.2	6	5,170	1.4	6	6,580	1.1	6
Trunk	324,130	33.6	10	116,350	32.0	7	206,580	34.6	11
Shoulder, including clavicle, scapula	67,730	7.0	22	24,520	6.7	15	42,890	7.2	27
Back, including spine, spinal cord	195,150	20.2	7	76,450	21.0	6	118,040	19.8	8
Upper extremities	220,730	22.9	7	79,180	21.8	6	140,870	23.6	7
Arm(s)	45,600	4.7	8	16,420	4.5	6	28,970	4.9	10
Wrist(s)	40,220	4.2	14	21,020	5.8	15	19,090	3.2	14
Hand(s), except finger(s)	39,040	4.0	5	11,390	3.1	4	27,560	4.6	6
Finger(s), fingernail(s)	82,460	8.5	5	24,820	6.8	3	57,400	9.6	6
Lower extremities	214,220	22.2	10	77,590	21.3	7	135,690	22.7	13
Knee(s)	83,730	8.7	14	31,500	8.7	10	51,820	8.7	18
Ankle(s)	49,050	5.1	8	19,440	5.3	6	29,370	4.9	10
Foot, toe	41,800	4.3	8	13,570	3.7	5	28,110	4.7	10
Body systems	16,420	1.7	3	9,450	2.6	4	6,950	1.2	3
Multiple body parts	105,510	10.9	10	52,720	14.5	7	52,650	8.8	13
All other parts of body	7,530	.8	7	2,660	.7	7	4,090	.7	8
Source of injury, illness:									
Chemicals and chemical products	14,350	1.5	3	5,730	1.6	2	8,620	1.4	3
Containers	114,230	11.8	10	40,380	11.1	7	73,760	12.4	11
Furniture and fixtures	38,760	4.0	6	19,020	5.2	5	19,720	3.3	7
Machinery	57,080	5.9	8	13,810	3.8	5	43,250	7.2	10
Parts and materials	85,520	8.9	7	8,470	2.3	5	76,890	12.9	8
Floors, walkways, ground surfaces	195,080	20.2	11	95,310	26.2	8	99,180	16.6	15
Handtools	43,810	4.5	4	8,940	2.5	3	34,660	5.8	5
Vehicles	81,880	8.5	10	20,850	5.7	8	60,600	10.2	11
Person, injured or ill worker	138,800	14.4	11	57,200	15.7	10	81,500	13.7	12
Bodily motion or position of injured, ill worker	130,950	13.6	11	53,500	14.7	10	77,350	13.0	12

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

Private sector

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Source of injury, illness:									
Person, other than injured or ill worker	61,640	6.4	6	49,780	13.7	6	11,820	2.0	7
Health care patient	51,500	5.3	6	43,830	12.0	6	7,630	1.3	5
All other sources	133,850	13.9	5	44,440	12.2	4	86,940	14.6	5

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

State government

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Total	75,840	100.0	9	36,220	100.0	8	39,410	100.0	9
Occupation:									
Management, business, and financial occupations ...	2,680	3.5	3	1,780	4.9	3	900	2.3	4
Professional and related occupations	14,750	19.4	8	9,990	27.6	8	4,690	11.9	7
Service occupations	40,520	53.4	11	17,470	48.2	11	22,990	58.3	11
Sales and related occupations	510	.7	5	400	1.1	5	110	.3	6
Office and administrative support occupations	5,440	7.2	5	4,340	12.0	5	1,090	2.8	8
Farming, fishing, and forestry occupations	580	.8	6	70	.2	6	510	1.3	6
Construction and extraction occupations	4,300	5.7	8	170	.5	12	4,120	10.5	8
Installation, maintenance, and repair occupations	2,430	3.2	9	40	.1	6	2,380	6.0	9
Production occupations	770	1.0	33	190	.5	37	580	1.5	29
Transportation and material moving occupations	3,730	4.9	6	1,680	4.6	7	2,010	5.1	6
Age:									
16 - 19	340	.4	5	150	.4	4	200	.5	11
20 - 24	3,260	4.3	4	1,490	4.1	5	1,760	4.5	4
25 - 34	14,000	18.5	10	6,180	17.1	9	7,800	19.8	10
35 - 44	18,770	24.7	8	8,130	22.4	7	10,610	26.9	8
45 - 54	23,010	30.3	10	12,060	33.3	10	10,940	27.8	9
55 - 64	12,600	16.6	8	6,660	18.4	7	5,890	14.9	10
65 and over	1,640	2.2	7	890	2.5	6	750	1.9	8
Race or ethnic origin:									
White only	21,010	27.7	8	9,980	27.6	9	11,030	28.0	7
Hispanic or Latino only	2,160	2.8	11	920	2.5	9	1,240	3.1	15
Black only	10,000	13.2	6	6,680	18.4	5	3,320	8.4	6
Asian only	480	.6	6	360	1.0	6	120	.3	5
American Indian or Alaskan Native only	220	.3	11	110	.3	11	110	.3	16
Native Hawaiian or Pacific Islander only	100	.1	3	40	.1	7	60	.2	2
Hispanic or Latino and other race	30	(³)	3	20	.1	15	—	—	—
Length of service with employer:									
Less than 3 months	1,780	2.3	6	1,120	3.1	5	670	1.7	12
3 - 11 months	4,510	5.9	6	2,340	6.5	8	2,170	5.5	6
1 - 5 years	23,890	31.5	8	12,060	33.3	7	11,830	30.0	9
More than 5 years	44,170	58.2	10	20,120	55.5	9	24,010	60.9	10
Day of week:									
Sunday	5,550	7.3	11	2,850	7.9	10	2,650	6.7	12
Monday	12,960	17.1	9	5,850	16.2	8	7,090	18.0	10
Tuesday	14,550	19.2	10	7,360	20.3	11	7,160	18.2	10
Wednesday	13,880	18.3	7	6,380	17.6	6	7,460	18.9	7
Thursday	12,920	17.0	6	6,240	17.2	5	6,640	16.8	7
Friday	10,110	13.3	11	4,820	13.3	10	5,280	13.4	12
Saturday	5,870	7.7	9	2,720	7.5	8	3,130	7.9	10

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

State government

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Time of event:									
12:01 A.M. to 4:00 A.M.	2,090	2.8	19	910	2.5	20	1,180	3.0	14
4:01 A.M. to 8:00 A.M.	8,780	11.6	9	4,620	12.8	9	4,150	10.5	9
8:01 A.M. to 12:00 noon	23,350	30.8	8	11,120	30.7	8	12,190	30.9	9
12:01 P.M. to 4:00 P.M.	17,570	23.2	7	7,900	21.8	7	9,630	24.4	8
4:01 P.M. to 8:00 P.M.	9,820	12.9	8	5,090	14.1	7	4,720	12.0	10
8:01 P.M. to 12:00 midnight	5,240	6.9	11	2,250	6.2	11	2,990	7.6	14
Hours on the job before event occurred:									
Before shift began	1,080	1.4	5	760	2.1	5	330	.8	9
Less than 1 hour	8,140	10.7	9	3,950	10.9	6	4,200	10.7	10
1 hour to less than 2 hours	8,030	10.6	9	3,790	10.5	7	4,240	10.8	11
2 hours to less than 4 hours	17,680	23.3	10	8,230	22.7	11	9,420	23.9	9
4 hours to less than 6 hours	12,660	16.7	8	5,980	16.5	6	6,670	16.9	9
6 hours to less than 8 hours	11,640	15.3	8	5,290	14.6	8	6,340	16.1	7
8 hours to less than 10 hours	4,120	5.4	8	2,050	5.7	9	2,070	5.3	7
10 hours to less than 12 hours	1,260	1.7	11	640	1.8	15	630	1.6	8
12 hours to less than 16 hours	800	1.1	6	510	1.4	5	290	.7	7
More than 16 hours	80	.1	5	50	.1	5	30	.1	21
Nature of injury, illness:									
Sprains, strains, tears	29,830	39.3	11	13,180	36.4	9	16,550	42.0	13
Fractures	3,280	4.3	19	1,490	4.1	17	1,780	4.5	23
Cuts, lacerations, punctures	2,390	3.2	3	690	1.9	4	1,690	4.3	3
Cuts, lacerations	2,050	2.7	3	530	1.5	4	1,520	3.9	3
Punctures	340	.4	5	160	.4	4	170	.4	6
Amputations	70	.1	17	—	—	—	70	.2	17
Bruises, contusions	9,890	13.0	5	5,220	14.4	4	4,640	11.8	6
Heat burns, scalds	460	.6	7	280	.8	5	180	.5	13
Chemical burns	120	.2	2	80	.2	2	40	.1	2
Carpal tunnel syndrome	620	.8	31	420	1.2	31	190	.5	22
Tendonitis	100	.1	5	90	.2	6	—	—	—
Multiple traumatic injuries and disorders	4,410	5.8	9	2,430	6.7	9	1,980	5.0	9
With fractures, burns, and other injuries	460	.6	3	260	.7	8	200	.5	3
With sprains and bruises	2,330	3.1	10	1,400	3.9	9	930	2.4	15
Soreness, pain, including back	11,290	14.9	13	6,180	17.1	15	5,100	12.9	10
Back pain only	2,880	3.8	9	1,230	3.4	8	1,650	4.2	9
All other natures	13,380	17.6	7	6,150	17.0	5	7,180	18.2	9
Event or exposure:									
Contact with objects and equipment	11,290	14.9	6	4,430	12.2	5	6,800	17.3	6
Struck by object	5,630	7.4	6	2,210	6.1	6	3,370	8.6	6
Struck against object	3,520	4.6	6	1,510	4.2	4	2,000	5.1	6
Caught in or compressed by equipment or objects	1,160	1.5	9	430	1.2	4	720	1.8	16
Fall to lower level	3,330	4.4	13	1,800	5.0	11	1,520	3.9	15
Fall on same level	12,730	16.8	8	7,850	21.7	7	4,850	12.3	10
Slip, trip, loss of balance without fall	3,980	5.2	9	1,480	4.1	6	2,470	6.3	18

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

State government

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Event or exposure:									
Overexertion	14,560	19.2	13	7,090	19.6	16	7,470	19.0	11
Overexertion in lifting	6,020	7.9	14	3,030	8.4	18	2,980	7.6	9
Repetitive motion	1,740	2.3	20	1,200	3.3	27	530	1.3	12
Exposure to harmful substances or environments	2,750	3.6	5	1,250	3.5	3	1,500	3.8	7
Transportation incidents	4,500	5.9	6	1,880	5.2	5	2,610	6.6	7
Highway accident	3,310	4.4	6	1,260	3.5	4	2,050	5.2	6
Fires and explosions	120	.2	6	40	.1	7	80	.2	4
Assaults and violent acts	12,200	16.1	10	5,530	15.3	8	6,660	16.9	11
By person(s)	10,640	14.0	9	4,900	13.5	8	5,740	14.6	10
By animal	210	.3	3	110	.3	2	90	.2	5
All other events	8,650	11.4	10	3,660	10.1	8	4,930	12.5	10
Part of body affected:									
Head	5,540	7.3	3	2,620	7.2	4	2,900	7.4	3
Eye(s)	1,350	1.8	3	540	1.5	3	820	2.1	3
Neck, including throat	1,560	2.1	5	900	2.5	5	650	1.6	7
Trunk	21,940	28.9	10	9,670	26.7	10	12,230	31.0	10
Shoulder, including clavicle, scapula	4,670	6.2	20	2,110	5.8	21	2,550	6.5	19
Back, including spine, spinal cord	12,650	16.7	8	5,900	16.3	9	6,710	17.0	7
Upper extremities	11,880	15.7	10	5,590	15.4	9	6,270	15.9	11
Arm(s)	2,660	3.5	7	1,350	3.7	10	1,310	3.3	6
Wrist(s)	2,450	3.2	16	1,600	4.4	18	850	2.2	12
Hand(s), except finger(s)	1,980	2.6	8	860	2.4	5	1,100	2.8	10
Finger(s), fingernail(s)	3,400	4.5	7	1,160	3.2	5	2,230	5.7	8
Lower extremities	16,640	21.9	10	7,230	20.0	7	9,320	23.6	13
Knee(s)	8,290	10.9	14	3,150	8.7	9	5,120	13.0	18
Ankle(s)	3,190	4.2	7	1,660	4.6	7	1,530	3.9	8
Foot, toe	2,060	2.7	6	970	2.7	6	1,050	2.7	5
Body systems	1,930	2.5	7	900	2.5	6	1,030	2.6	7
Multiple body parts	15,770	20.8	10	9,050	25.0	10	6,700	17.0	10
All other parts of body	570	.8	6	250	.7	6	310	.8	4
Source of injury, illness:									
Chemicals and chemical products	660	.9	2	420	1.2	1	240	.6	3
Containers	4,650	6.1	15	2,310	6.4	18	2,330	5.9	7
Furniture and fixtures	2,880	3.8	8	1,410	3.9	5	1,470	3.7	10
Machinery	1,770	2.3	6	610	1.7	4	1,130	2.9	7
Parts and materials	2,190	2.9	7	270	.7	5	1,920	4.9	9
Floors, walkways, ground surfaces	17,240	22.7	9	9,900	27.3	7	7,320	18.6	12
Handtools	1,590	2.1	6	450	1.2	8	1,130	2.9	5
Vehicles	6,270	8.3	6	2,460	6.8	5	3,810	9.7	8
Person, injured or ill worker	12,250	16.2	12	5,490	15.2	12	6,700	17.0	11
Bodily motion or position of injured, ill worker	10,980	14.5	10	4,960	13.7	9	5,970	15.1	11
Person, other than injured or ill worker	16,930	22.3	11	8,970	24.8	10	7,940	20.1	11
Health care patient	10,840	14.3	9	7,290	20.1	10	3,550	9.0	8
All other sources	9,410	12.4	6	3,940	10.9	5	5,430	13.8	6

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

Local government

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Total	197,660	100.0	8	77,470	100.0	7	118,560	100.0	10
Occupation:									
Management, business, and financial occupations ...	2,860	1.4	6	1,550	2.0	6	1,310	1.1	7
Professional and related occupations	38,670	19.6	5	30,150	38.9	5	8,490	7.2	8
Service occupations	101,800	51.5	10	29,850	38.5	9	71,730	60.5	10
Sales and related occupations	320	.2	5	180	.2	5	140	.1	5
Office and administrative support occupations	8,830	4.5	5	7,150	9.2	5	1,530	1.3	6
Farming, fishing, and forestry occupations	180	.1	5	70	.1	4	100	.1	10
Construction and extraction occupations	11,960	6.1	11	680	.9	49	11,230	9.5	10
Installation, maintenance, and repair occupations	8,490	4.3	10	320	.4	20	8,170	6.9	10
Production occupations	3,560	1.8	9	290	.4	3	3,270	2.8	10
Transportation and material moving occupations	19,630	9.9	11	7,100	9.2	14	12,530	10.6	9
Age:									
14 - 15	60	(³)	1	—	—	—	50	(³)	1
16 - 19	1,940	1.0	2	660	.9	3	1,270	1.1	2
20 - 24	6,800	3.4	4	2,780	3.6	3	4,020	3.4	5
25 - 34	32,730	16.6	6	11,600	15.0	6	21,130	17.8	6
35 - 44	52,020	26.3	8	17,370	22.4	6	34,590	29.2	9
45 - 54	56,730	28.7	10	23,170	29.9	7	33,550	28.3	11
55 - 64	31,570	16.0	9	15,820	20.4	7	15,750	13.3	11
65 and over	5,290	2.7	10	3,010	3.9	10	2,280	1.9	12
Race or ethnic origin:									
White only	78,150	39.5	6	30,200	39.0	5	47,890	40.4	7
Hispanic or Latino only	12,740	6.4	10	4,790	6.2	7	7,940	6.7	12
Black only	12,970	6.6	8	6,590	8.5	8	6,370	5.4	9
Asian only	1,050	.5	10	450	.6	13	600	.5	9
American Indian or Alaskan Native only	920	.5	5	350	.5	6	570	.5	5
Native Hawaiian or Pacific Islander only	490	.2	8	110	.1	7	390	.3	8
Multi-race	90	(³)	10	—	—	—	80	.1	10
Hispanic or Latino and other race	20	(³)	2	—	—	—	—	—	—
Length of service with employer:									
Less than 3 months	4,270	2.2	4	2,380	3.1	3	1,900	1.6	6
3 - 11 months	11,830	6.0	6	5,340	6.9	6	6,490	5.5	7
1 - 5 years	57,050	28.9	7	25,830	33.3	6	31,210	26.3	7
More than 5 years	114,850	58.1	9	40,890	52.8	7	73,910	62.3	10
Day of week:									
Sunday	10,790	5.5	7	3,570	4.6	5	7,120	6.0	8
Monday	36,280	18.4	7	15,120	19.5	7	21,010	17.7	7
Tuesday	38,080	19.3	7	14,450	18.7	6	22,450	18.9	9
Wednesday	32,200	16.3	6	13,230	17.1	5	18,930	16.0	8
Thursday	40,080	20.3	11	15,150	19.6	8	24,920	21.0	15
Friday	28,160	14.2	10	12,690	16.4	10	15,390	13.0	10
Saturday	12,080	6.1	7	3,260	4.2	9	8,750	7.4	7

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

Local government

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Time of event:									
12:01 A.M. to 4:00 A.M.	5,970	3.0	10	1,910	2.5	7	4,060	3.4	10
4:01 A.M. to 8:00 A.M.	20,590	10.4	8	7,900	10.2	7	12,680	10.7	8
8:01 A.M. to 12:00 noon	60,130	30.4	6	26,730	34.5	5	33,400	28.2	8
12:01 P.M. to 4:00 P.M.	41,060	20.8	7	18,640	24.1	6	22,380	18.9	8
4:01 P.M. to 8:00 P.M.	20,210	10.2	10	7,000	9.0	9	13,210	11.1	11
8:01 P.M. to 12:00 midnight	11,000	5.6	8	2,780	3.6	13	8,210	6.9	7
Hours on the job before event occurred:									
Before shift began	2,180	1.1	4	1,400	1.8	4	780	.7	5
Less than 1 hour	18,680	9.5	7	8,930	11.5	6	9,750	8.2	8
1 hour to less than 2 hours	20,110	10.2	8	8,700	11.2	5	11,420	9.6	10
2 hours to less than 4 hours	40,660	20.6	7	16,090	20.8	6	24,570	20.7	8
4 hours to less than 6 hours	26,760	13.5	7	11,900	15.4	7	14,850	12.5	7
6 hours to less than 8 hours	26,360	13.3	8	10,220	13.2	6	16,100	13.6	9
8 hours to less than 10 hours	11,190	5.7	8	4,740	6.1	12	6,450	5.4	6
10 hours to less than 12 hours	6,750	3.4	14	1,090	1.4	7	5,650	4.8	15
12 hours to less than 16 hours	2,080	1.1	7	410	.5	3	1,670	1.4	10
More than 16 hours	730	.4	11	40	.1	7	700	.6	11
Nature of injury, illness:									
Sprains, strains, tears	84,000	42.5	10	30,400	39.2	8	53,510	45.1	12
Fractures	11,810	6.0	22	5,750	7.4	18	6,020	5.1	28
Cuts, lacerations, punctures	7,610	3.9	4	2,180	2.8	2	5,430	4.6	4
Cuts, lacerations	6,850	3.5	4	2,000	2.6	2	4,850	4.1	5
Punctures	760	.4	3	180	.2	2	580	.5	3
Amputations	260	.1	18	80	.1	15	180	.2	20
Bruises, contusions	20,710	10.5	5	10,110	13.1	5	10,400	8.8	6
Heat burns, scalds	2,650	1.3	5	1,200	1.5	4	1,420	1.2	8
Chemical burns	610	.3	2	290	.4	1	320	.3	3
Carpal tunnel syndrome	1,020	.5	21	710	.9	20	300	.3	22
Tendonitis	430	.2	27	180	.2	21	260	.2	27
Multiple traumatic injuries and disorders	9,320	4.7	6	4,590	5.9	5	4,720	4.0	7
With fractures, burns, and other injuries	1,280	.6	36	500	.6	12	780	.7	47
With sprains and bruises	4,380	2.2	5	2,340	3.0	6	2,040	1.7	5
Soreness, pain, including back	23,790	12.0	6	8,810	11.4	5	14,970	12.6	7
Back pain only	5,910	3.0	9	2,030	2.6	8	3,880	3.3	9
All other natures	35,450	17.9	7	13,170	17.0	7	21,020	17.7	10
Event or exposure:									
Contact with objects and equipment	33,060	16.7	5	13,030	16.8	5	19,950	16.8	5
Struck by object	16,250	8.2	5	6,430	8.3	5	9,780	8.2	5
Struck against object	11,220	5.7	5	4,800	6.2	5	6,390	5.4	6
Caught in or compressed by equipment or objects	3,580	1.8	6	1,180	1.5	9	2,410	2.0	5
Fall to lower level	12,400	6.3	8	5,190	6.7	6	7,210	6.1	9
Fall on same level	32,780	16.6	7	19,600	25.3	5	12,990	11.0	10
Slip, trip, loss of balance without fall	8,460	4.3	8	3,260	4.2	7	5,200	4.4	11

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

Local government

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Event or exposure:									
Overexertion	35,740	18.1	10	12,720	16.4	8	22,970	19.4	11
Overexertion in lifting	16,860	8.5	10	5,880	7.6	9	10,940	9.2	10
Repetitive motion	3,670	1.9	24	1,990	2.6	29	1,680	1.4	22
Exposure to harmful substances or environments	9,130	4.6	3	3,500	4.5	3	5,570	4.7	3
Transportation incidents	13,650	6.9	13	3,880	5.0	16	9,730	8.2	11
Highway accident	9,330	4.7	12	3,000	3.9	28	6,280	5.3	9
Fires and explosions	390	.2	9	20	(³)	49	380	.3	9
Assaults and violent acts	16,930	8.6	11	6,260	8.1	6	10,670	9.0	15
By person(s)	14,900	7.5	12	5,480	7.1	6	9,420	7.9	17
By animal	1,700	.9	5	720	.9	6	970	.8	5
All other events	31,460	15.9	10	8,030	10.4	10	22,210	18.7	12
Part of body affected:									
Head	10,870	5.5	3	4,400	5.7	3	6,470	5.5	3
Eye(s)	2,840	1.4	2	830	1.1	2	2,010	1.7	2
Neck, including throat	3,140	1.6	10	1,110	1.4	4	2,030	1.7	17
Trunk	60,290	30.5	10	20,000	25.8	10	40,160	33.9	10
Shoulder, including clavicle, scapula	14,410	7.3	25	4,650	6.0	23	9,760	8.2	25
Back, including spine, spinal cord	34,580	17.5	8	11,830	15.3	7	22,710	19.2	8
Upper extremities	33,360	16.9	8	13,940	18.0	8	19,300	16.3	8
Arm(s)	8,350	4.2	11	3,500	4.5	11	4,780	4.0	11
Wrist(s)	7,460	3.8	12	4,190	5.4	12	3,270	2.8	13
Hand(s), except finger(s)	6,210	3.1	5	2,220	2.9	6	3,990	3.4	5
Finger(s), fingernail(s)	8,320	4.2	6	2,710	3.5	5	5,560	4.7	8
Lower extremities	50,960	25.8	10	20,100	25.9	7	30,820	26.0	11
Knee(s)	22,560	11.4	11	7,850	10.1	9	14,670	12.4	12
Ankle(s)	12,550	6.3	6	5,230	6.8	6	7,320	6.2	6
Foot, toe	6,660	3.4	7	3,320	4.3	5	3,350	2.8	10
Body systems	4,140	2.1	5	1,460	1.9	3	2,670	2.3	6
Multiple body parts	32,610	16.5	7	15,990	20.6	5	16,460	13.9	12
All other parts of body	2,290	1.2	1	450	.6	15	660	.6	6
Source of injury, illness:									
Chemicals and chemical products	2,220	1.1	2	1,260	1.6	1	960	.8	2
Containers	11,430	5.8	9	4,980	6.4	11	6,410	5.4	9
Furniture and fixtures	7,590	3.8	7	3,860	5.0	7	3,700	3.1	7
Machinery	4,160	2.1	7	1,360	1.8	3	2,810	2.4	11
Parts and materials	7,450	3.8	8	810	1.0	5	6,650	5.6	8
Floors, walkways, ground surfaces	47,780	24.2	9	24,710	31.9	6	22,880	19.3	11
Handtools	4,970	2.5	7	840	1.1	3	4,120	3.5	7
Vehicles	20,730	10.5	11	6,370	8.2	11	14,270	12.0	9
Person, injured or ill worker	32,500	16.4	12	10,150	13.1	11	22,300	18.8	12
Bodily motion or position of injured, ill worker	30,490	15.4	12	9,530	12.3	11	20,920	17.6	12
Person, other than injured or ill worker	25,440	12.9	11	12,100	15.6	7	13,330	11.2	15
Health care patient	6,930	3.5	7	4,730	6.1	7	2,190	1.8	7
All other sources	33,390	16.9	5	11,040	14.3	5	21,140	17.8	6

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Total	1,238,490	100.0	8	477,620	100.0	7	754,910	100.0	9
Occupation:									
Management, business, and financial occupations ...	31,780	2.6	5	18,310	3.8	4	13,450	1.8	5
Professional and related occupations	133,890	10.8	6	99,380	20.8	5	34,330	4.5	6
Service occupations	379,070	30.6	7	195,000	40.8	7	183,470	24.3	8
Sales and related occupations	69,130	5.6	8	40,830	8.5	8	28,270	3.7	10
Office and administrative support occupations	83,260	6.7	7	53,750	11.3	6	29,230	3.9	8
Farming, fishing, and forestry occupations	12,160	1.0	7	2,540	.5	6	9,620	1.3	7
Construction and extraction occupations	106,330	8.6	12	2,220	.5	15	103,470	13.7	12
Installation, maintenance, and repair occupations	95,210	7.7	10	2,760	.6	15	91,940	12.2	10
Production occupations	112,800	9.1	9	27,880	5.8	10	84,870	11.2	9
Transportation and material moving occupations	211,290	17.1	12	34,230	7.2	13	175,320	23.2	11
Age:									
Under 14	70	(³)	13	30	(³)	180	40	(³)	13
14 - 15	230	(³)	3	50	(³)	3	170	(³)	3
16 - 19	24,610	2.0	4	10,050	2.1	3	14,550	1.9	4
20 - 24	101,830	8.2	5	37,600	7.9	4	64,120	8.5	5
25 - 34	256,400	20.7	6	89,760	18.8	5	165,960	22.0	7
35 - 44	302,540	24.4	9	106,950	22.4	7	194,630	25.8	10
45 - 54	315,770	25.5	10	130,260	27.3	8	184,610	24.5	12
55 - 64	176,280	14.2	11	78,640	16.5	8	96,900	12.8	14
65 and over	34,540	2.8	12	15,230	3.2	11	19,280	2.6	13
Race or ethnic origin:									
White only	511,890	41.3	7	186,530	39.1	5	325,240	43.1	8
Hispanic or Latino only	140,690	11.4	8	43,020	9.0	7	97,620	12.9	8
Black only	101,800	8.2	7	52,570	11.0	6	49,200	6.5	8
Asian only	14,160	1.1	7	6,620	1.4	8	7,530	1.0	7
American Indian or Alaskan Native only	5,090	.4	7	2,140	.4	5	2,950	.4	9
Native Hawaiian or Pacific Islander only	3,700	.3	8	1,350	.3	5	2,350	.3	10
Multi-race	1,460	.1	4	1,030	.2	2	440	.1	10
Hispanic or Latino and other race	560	(³)	5	180	(³)	3	380	.1	9
Length of service with employer:									
Less than 3 months	84,810	6.8	6	30,570	6.4	4	54,220	7.2	7
3 - 11 months	185,640	15.0	6	72,990	15.3	6	112,630	14.9	6
1 - 5 years	459,970	37.1	7	184,530	38.6	6	275,310	36.5	8
More than 5 years	483,970	39.1	10	182,130	38.1	8	301,610	40.0	11
Day of week:									
Sunday	78,690	6.4	8	36,480	7.6	7	41,330	5.5	9
Monday	221,750	17.9	8	82,930	17.4	7	138,220	18.3	8
Tuesday	228,000	18.4	7	84,890	17.8	6	140,810	18.7	8
Wednesday	212,910	17.2	7	80,050	16.8	6	132,160	17.5	8
Thursday	215,140	17.4	9	78,340	16.4	7	136,140	18.0	10
Friday	187,190	15.1	10	74,090	15.5	7	112,690	14.9	10

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Day of week:									
Saturday	94,810	7.7	8	40,840	8.6	7	53,550	7.1	9
Time of event:									
12:01 A.M. to 4:00 A.M.	37,920	3.1	11	14,460	3.0	9	23,110	3.1	12
4:01 A.M. to 8:00 A.M.	122,200	9.9	8	46,630	9.8	7	75,130	10.0	10
8:01 A.M. to 12:00 noon	367,630	29.7	7	133,830	28.0	6	232,880	30.8	9
12:01 P.M. to 4:00 P.M.	277,810	22.4	7	105,910	22.2	6	171,070	22.7	8
4:01 P.M. to 8:00 P.M.	131,680	10.6	8	59,100	12.4	6	72,080	9.5	9
8:01 P.M. to 12:00 midnight	70,750	5.7	7	29,420	6.2	7	41,010	5.4	9
Hours on the job before event occurred:									
Before shift began	9,940	.8	6	6,910	1.4	5	3,030	.4	8
Less than 1 hour	105,140	8.5	7	45,750	9.6	6	59,390	7.9	8
1 hour to less than 2 hours	122,650	9.9	7	47,740	10.0	6	74,890	9.9	9
2 hours to less than 4 hours	260,610	21.0	7	99,140	20.8	6	161,390	21.4	9
4 hours to less than 6 hours	192,150	15.5	7	76,210	16.0	7	115,910	15.4	8
6 hours to less than 8 hours	173,230	14.0	7	62,960	13.2	6	110,200	14.6	8
8 hours to less than 10 hours	81,180	6.6	8	29,950	6.3	7	51,210	6.8	8
10 hours to less than 12 hours	23,870	1.9	10	7,480	1.6	7	16,380	2.2	11
12 hours to less than 16 hours	8,670	.7	9	3,060	.6	6	5,610	.7	11
More than 16 hours	1,540	.1	12	360	.1	7	1,180	.2	19
Nature of injury, illness:									
Sprains, strains, tears	493,170	39.8	10	191,820	40.2	8	299,430	39.7	10
Fractures	90,160	7.3	30	31,310	6.6	22	58,490	7.7	32
Cuts, lacerations, punctures	97,460	7.9	4	23,260	4.9	3	73,940	9.8	4
Cuts, lacerations	84,790	6.8	4	20,010	4.2	3	64,550	8.6	4
Punctures	12,670	1.0	3	3,250	.7	2	9,390	1.2	4
Amputations	6,260	.5	20	1,460	.3	17	4,780	.6	21
Bruises, contusions	113,280	9.1	4	53,580	11.2	4	58,960	7.8	5
Heat burns, scalds	17,820	1.4	5	6,640	1.4	3	11,110	1.5	7
Chemical burns	5,480	.4	3	1,270	.3	2	4,200	.6	3
Carpal tunnel syndrome	10,780	.9	21	6,970	1.5	20	3,800	.5	24
Tendonitis	4,010	.3	14	2,300	.5	22	1,710	.2	10
Multiple traumatic injuries and disorders	52,550	4.2	8	23,910	5.0	6	28,620	3.8	10
With fractures, burns, and other injuries	11,410	.9	17	3,760	.8	11	7,650	1.0	23
With sprains and bruises	20,870	1.7	8	11,520	2.4	7	9,350	1.2	10
Soreness, pain, including back	137,660	11.1	8	59,240	12.4	6	78,350	10.4	9
Back pain only	41,490	3.4	8	16,390	3.4	6	25,070	3.3	9
All other natures	209,870	16.9	7	75,840	15.9	5	131,510	17.4	9
Event or exposure:									
Contact with objects and equipment	299,030	24.1	5	87,230	18.3	4	211,030	28.0	6
Struck by object	151,900	12.3	5	44,480	9.3	4	107,020	14.2	5
Struck against object	79,170	6.4	5	27,430	5.7	4	51,520	6.8	6
Caught in or compressed by equipment or objects	48,140	3.9	9	11,140	2.3	6	36,940	4.9	10

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Event or exposure:									
Fall to lower level	79,050	6.4	13	25,710	5.4	7	52,790	7.0	18
Fall on same level	186,630	15.1	9	107,400	22.5	7	78,860	10.4	12
Slip, trip, loss of balance without fall	44,920	3.6	8	18,010	3.8	7	26,850	3.6	10
Overexertion	277,560	22.4	10	105,310	22.0	8	171,630	22.7	12
Overexertion in lifting	139,410	11.3	10	50,130	10.5	8	89,190	11.8	11
Repetitive motion	36,190	2.9	21	20,230	4.2	21	15,900	2.1	21
Exposure to harmful substances or environments	54,750	4.4	3	21,650	4.5	3	32,890	4.4	3
Transportation incidents	60,330	4.9	10	17,300	3.6	8	42,640	5.6	10
Highway accident	39,130	3.2	10	12,220	2.6	9	26,620	3.5	10
Fires and explosions	2,430	.2	9	330	.1	1	2,100	.3	9
Assaults and violent acts	51,850	4.2	7	25,940	5.4	5	25,860	3.4	10
By person(s)	41,000	3.3	8	20,410	4.3	5	20,550	2.7	12
By animal	8,570	.7	3	4,730	1.0	2	3,840	.5	3
All other events	145,760	11.8	10	48,510	10.2	8	94,350	12.5	11
Part of body affected:									
Head	81,000	6.5	3	27,830	5.8	3	52,870	7.0	3
Eye(s)	27,920	2.3	2	5,450	1.1	2	22,410	3.0	2
Neck, including throat	16,560	1.3	6	7,180	1.5	5	9,260	1.2	7
Trunk	406,370	32.8	10	146,030	30.6	8	258,980	34.3	11
Shoulder, including clavicle, scapula	86,810	7.0	22	31,280	6.5	17	55,200	7.3	27
Back, including spine, spinal cord	242,380	19.6	7	94,180	19.7	7	147,460	19.5	8
Upper extremities	265,980	21.5	7	98,710	20.7	7	166,450	22.0	7
Arm(s)	56,620	4.6	8	21,270	4.5	7	35,060	4.6	10
Wrist(s)	50,120	4.0	14	26,810	5.6	14	23,210	3.1	14
Hand(s), except finger(s)	47,230	3.8	5	14,470	3.0	5	32,650	4.3	6
Finger(s), fingernail(s)	94,170	7.6	5	28,700	6.0	4	65,200	8.6	6
Lower extremities	281,820	22.8	10	104,910	22.0	7	175,840	23.3	12
Knee(s)	114,580	9.3	14	42,490	8.9	10	71,610	9.5	16
Ankle(s)	64,800	5.2	8	26,340	5.5	6	38,210	5.1	9
Foot, toe	50,530	4.1	8	17,850	3.7	5	32,510	4.3	10
Body systems	22,490	1.8	4	11,820	2.5	4	10,650	1.4	4
Multiple body parts	153,890	12.4	9	77,760	16.3	7	75,810	10.0	12
All other parts of body	10,390	.8	5	3,370	.7	7	5,060	.7	8
Source of injury, illness:									
Chemicals and chemical products	17,230	1.4	2	7,400	1.5	2	9,820	1.3	3
Containers	130,320	10.5	10	47,660	10.0	8	82,500	10.9	11
Furniture and fixtures	49,240	4.0	6	24,290	5.1	6	24,880	3.3	7
Machinery	63,010	5.1	8	15,770	3.3	5	47,180	6.2	10
Parts and materials	95,160	7.7	8	9,550	2.0	5	85,460	11.3	8
Floors, walkways, ground surfaces	260,100	21.0	10	129,920	27.2	7	129,380	17.1	14
Handtools	50,360	4.1	4	10,240	2.1	3	39,910	5.3	5
Vehicles	108,880	8.8	10	29,680	6.2	8	78,680	10.4	10
Person, injured or ill worker	183,540	14.8	11	72,840	15.3	10	110,490	14.6	12
Bodily motion or position of injured, ill worker	172,420	13.9	11	67,990	14.2	10	104,230	13.8	12

See footnotes at end of table.

TABLE 1. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and gender, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Female			Male		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Source of injury, illness:									
Person, other than injured or ill worker	104,000	8.4	7	70,850	14.8	7	33,080	4.4	11
Health care patient	69,270	5.6	7	55,840	11.7	7	13,370	1.8	6
All other sources	176,650	14.3	5	59,420	12.4	5	113,510	15.0	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

³ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies