

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009

Private sector

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools					
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
	Total	964,990	100.0	8	30,790	100.0	20	3,910	100.0	14	5,060	100.0	17	11,180	100.0
Occupation:															
Management, business, and financial occupations	26,240	2.7	5	1,280	4.2	12	730	18.7	7	80	1.6	92	140	1.3	17
Professional and related occupations	80,460	8.3	5	2,080	6.8	24	400	10.2	14	470	9.3	25	460	4.1	16
Service occupations	236,760	24.5	6	3,540	11.5	20	90	2.3	29	530	10.5	5	1,450	13.0	31
Sales and related occupations	68,290	7.1	8	1,660	5.4	21	270	6.9	14	170	3.4	16	680	6.1	30
Office and administrative support occupations	68,990	7.1	7	5,310	17.2	18	2,320	59.3	16	380	7.5	19	1,020	9.1	14
Farming, fishing, and forestry occupations	11,410	1.2	7	180	.6	10	–	–	–	40	.8	33	90	.8	7
Construction and extraction occupations	90,060	9.3	12	2,480	8.1	25	–	–	–	1,040	20.6	10	930	8.3	69
Installation, maintenance, and repair occupations	84,290	8.7	10	1,750	5.7	25	20	.5	30	550	10.9	30	410	3.7	10
Production occupations	108,470	11.2	9	8,740	28.4	18	40	1.0	28	1,600	31.6	17	3,860	34.5	15
Transportation and material moving occupations	187,930	19.5	12	3,690	12.0	30	40	1.0	31	200	4.0	10	2,140	19.1	35
Age:															
Under 14	20	(³)	5	–	–	–	–	–	–	–	–	–	–	–	–
14 - 15	160	(³)	18	–	–	–	–	–	–	–	–	–	–	–	–
16 - 19	22,330	2.3	4	190	.6	12	–	–	–	20	.4	7	50	.4	6
20 - 24	91,780	9.5	5	1,400	4.5	8	140	3.6	17	150	3.0	4	610	5.5	9
25 - 34	209,670	21.7	6	5,470	17.8	14	710	18.2	17	1,400	27.7	10	1,540	13.8	12
35 - 44	231,750	24.0	9	8,090	26.3	22	960	24.6	14	1,160	22.9	47	3,200	28.6	23
45 - 54	236,030	24.5	11	9,700	31.5	21	1,360	34.8	14	1,450	28.7	17	3,470	31.0	23
55 - 64	132,110	13.7	12	5,180	16.8	25	640	16.4	8	760	15.0	23	2,080	18.6	41
65 and over	27,620	2.9	13	420	1.4	28	50	1.3	38	70	1.4	19	190	1.7	19
Race or ethnic origin:															
White only	412,730	42.8	7	13,500	43.8	16	1,550	39.6	9	1,990	39.3	14	5,380	48.1	19
Hispanic or Latino only	125,790	13.0	8	2,850	9.3	22	230	5.9	35	270	5.3	24	1,110	9.9	22
Black only	78,840	8.2	7	2,430	7.9	18	430	11.0	4	280	5.5	28	920	8.2	17
Asian only	12,630	1.3	7	970	3.2	42	60	1.5	30	370	7.3	180	180	1.6	11
American Indian or Alaskan Native only	3,950	.4	7	100	.3	16	–	–	–	–	–	–	30	.3	9
Native Hawaiian or Pacific Islander only	3,110	.3	10	130	.4	75	60	1.5	163	–	–	–	20	.2	7
Multi-race	1,360	.1	3	–	–	–	–	–	–	–	–	–	–	–	–

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

Private sector

Characteristic	Total			Repetitive motion												
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools			Repetitive placing, grasping, or moving objects, except tools			
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	
																Number
Race or ethnic origin:																
Hispanic or Latino and other race	520	0.1	8	70	0.2	1	—	—	—	—	—	—	—	—	—	—
Gender:																
Male	596,930	61.9	9	13,700	44.5	20	520	13.3	4	2,980	58.9	13	5,400	48.3	22	
Female	363,930	37.7	6	17,040	55.3	20	3,380	86.4	15	2,070	40.9	25	5,750	51.4	23	
Length of service with employer:																
Less than 3 months	78,750	8.2	6	1,030	3.3	5	30	.8	2	120	2.4	10	420	3.8	14	
3 - 11 months	169,300	17.5	6	2,670	8.7	11	220	5.6	10	480	9.5	12	1,080	9.7	10	
1 - 5 years	379,030	39.3	7	10,140	32.9	23	1,370	35.0	20	1,460	28.9	28	3,740	33.5	20	
More than 5 years	324,950	33.7	10	16,660	54.1	21	2,270	58.1	12	2,960	58.5	19	5,900	52.8	25	
Day of week:																
Sunday	62,360	6.5	8	1,310	4.3	20	140	3.6	3	350	6.9	180	430	3.8	11	
Monday	172,520	17.9	8	7,070	23.0	24	880	22.5	10	1,160	22.9	25	2,730	24.4	26	
Tuesday	175,380	18.2	7	5,240	17.0	22	800	20.5	10	630	12.5	25	2,240	20.0	25	
Wednesday	166,830	17.3	7	6,490	21.1	15	730	18.7	13	1,270	25.1	10	2,380	21.3	15	
Thursday	162,140	16.8	8	5,000	16.2	19	640	16.4	14	810	16.0	14	1,510	13.5	20	
Friday	148,920	15.4	9	4,320	14.0	23	560	14.3	19	650	12.8	11	1,540	13.8	28	
Saturday	76,860	8.0	8	1,360	4.4	16	150	3.8	15	210	4.2	12	350	3.1	7	
Time of event:																
12:01 A.M. to 4:00 A.M.	29,860	3.1	11	430	1.4	48	20	.5	35	60	1.2	41	190	1.7	41	
4:01 A.M. to 8:00 A.M.	92,820	9.6	9	1,970	6.4	19	300	7.7	5	340	6.7	47	740	6.6	14	
8:01 A.M. to 12:00 noon	284,150	29.4	8	5,450	17.7	23	490	12.5	21	700	13.8	13	2,780	24.9	34	
12:01 P.M. to 4:00 P.M.	219,180	22.7	7	3,240	10.5	18	360	9.2	20	480	9.5	10	1,320	11.8	18	
4:01 P.M. to 8:00 P.M.	101,650	10.5	7	1,130	3.7	12	80	2.0	12	140	2.8	9	470	4.2	11	
8:01 P.M. to 12:00 midnight	54,510	5.6	7	1,010	3.3	21	40	1.0	3	90	1.8	26	500	4.5	14	
Hours on the job before event occurred:																
Before shift began	6,680	.7	7	20	.1	78	—	—	—	—	—	—	—	—	—	
Less than 1 hour	78,320	8.1	7	1,630	5.3	26	270	6.9	16	240	4.7	31	590	5.3	27	
1 hour to less than 2 hours	94,510	9.8	7	1,440	4.7	20	150	3.8	28	170	3.4	13	560	5.0	21	
2 hours to less than 4 hours	202,270	21.0	7	3,490	11.3	21	220	5.6	35	540	10.7	14	1,860	16.6	23	
4 hours to less than 6 hours	152,730	15.8	7	2,670	8.7	23	210	5.4	17	470	9.3	10	1,300	11.6	23	
6 hours to less than 8 hours	135,230	14.0	7	1,740	5.7	16	140	3.6	31	160	3.2	14	840	7.5	14	
8 hours to less than 10 hours	65,860	6.8	8	1,270	4.1	16	140	3.6	3	110	2.2	14	520	4.7	8	
10 hours to less than 12 hours	15,860	1.6	8	240	.8	12	—	—	—	30	.6	9	70	.6	19	
12 hours to less than 16 hours	5,790	.6	10	160	.5	63	—	—	—	20	.4	1	100	.9	80	

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

Private sector

Characteristic	Total			Repetitive motion											
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools			Repetitive placing, grasping, or moving objects, except tools		
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Hours on the job before event occurred:															
More than 16 hours	730	0.1	18	—	—	—	—	—	—	—	—	—	—	—	—
Nature of injury, illness:															
Sprains, strains, tears	379,340	39.3	9	8,870	28.8	17	510	13.0	21	1,210	23.9	15	3,700	33.1	17
Fractures	75,070	7.8	30	—	—	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations, punctures	87,450	9.1	4	—	—	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations	75,890	7.9	4	—	—	—	—	—	—	—	—	—	—	—	—
Punctures	11,570	1.2	3	—	—	—	—	—	—	—	—	—	—	—	—
Amputations	5,930	.6	21	—	—	—	—	—	—	—	—	—	—	—	—
Bruises, contusions	82,690	8.6	4	—	—	—	—	—	—	—	—	—	—	—	—
Heat burns, scalds	14,710	1.5	5	—	—	—	—	—	—	—	—	—	—	—	—
Chemical burns	4,740	.5	3	—	—	—	—	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	9,150	.9	21	9,140	29.7	21	2,020	51.7	15	1,620	32.0	14	2,800	25.0	31
Tendonitis	3,480	.4	14	2,210	7.2	17	200	5.1	27	760	15.0	25	740	6.6	18
Multiple traumatic injuries and disorders	38,820	4.0	9	—	—	—	—	—	—	—	—	—	—	—	—
With fractures, burns, and other injuries	9,660	1.0	16	—	—	—	—	—	—	—	—	—	—	—	—
With sprains and bruises	14,160	1.5	10	—	—	—	—	—	—	—	—	—	—	—	—
Soreness, pain, including back	102,580	10.6	8	5,220	17.0	29	570	14.6	18	710	14.0	53	2,070	18.5	27
Back pain only	32,690	3.4	8	450	1.5	7	—	—	—	—	—	—	230	2.1	5
All other natures	161,040	16.7	7	5,360	17.4	20	590	15.1	4	760	15.0	18	1,870	16.7	23
Part of body affected:															
Head	64,590	6.7	3	20	.1	113	—	—	—	—	—	—	—	—	—
Eye(s)	23,720	2.5	2	—	—	—	—	—	—	—	—	—	—	—	—
Neck, including throat	11,860	1.2	6	280	.9	8	30	.8	21	—	—	—	110	1.0	8
Trunk	324,130	33.6	10	7,110	23.1	18	120	3.1	79	1,010	20.0	10	3,170	28.4	17
Shoulder, including clavicle, scapula	67,730	7.0	22	3,370	10.9	28	90	2.3	23	670	13.2	12	1,480	13.2	30
Back, including spine, spinal cord	195,150	20.2	7	2,930	9.5	9	30	.8	94	290	5.7	3	1,330	11.9	10
Upper extremities	220,730	22.9	7	19,950	64.8	20	3,580	91.6	13	3,720	73.5	21	6,540	58.5	26
Arm(s)	45,600	4.7	8	3,010	9.8	31	360	9.2	23	560	11.1	80	970	8.7	21
Wrist(s)	40,220	4.2	14	12,100	39.3	19	2,460	62.9	15	2,120	41.9	13	3,890	34.8	30
Hand(s), except finger(s)	39,040	4.0	5	1,590	5.2	21	280	7.2	4	620	12.3	25	330	3.0	18
Finger(s), fingernail(s)	82,460	8.5	5	1,430	4.6	13	160	4.1	5	230	4.5	16	700	6.3	8
Lower extremities	214,220	22.2	10	1,080	3.5	15	—	—	—	30	.6	15	280	2.5	21
Knee(s)	83,730	8.7	14	690	2.2	15	—	—	—	20	.4	15	180	1.6	14
Ankle(s)	49,050	5.1	8	90	.3	3	—	—	—	—	—	—	20	.2	1

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

Private sector

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools					
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
	Part of body affected:														
Foot, toe	41,800	4.3	8	150	0.5	13	—	—	—	—	—	—	—	—	—
Body systems	16,420	1.7	3	70	.2	160	—	—	—	—	—	—	—	—	—
Multiple body parts	105,510	10.9	10	2,140	7.0	31	180	4.6	24	280	5.5	20	1,030	9.2	43
All other parts of body	7,530	.8	7	140	.5	38	—	—	—	—	—	—	40	.4	26
Source of injury, illness:															
Chemicals and chemical products ...	14,350	1.5	3	—	—	—	—	—	—	—	—	—	—	—	—
Containers	114,230	11.8	10	—	—	—	—	—	—	—	—	—	—	—	—
Furniture and fixtures	38,760	4.0	6	—	—	—	—	—	—	—	—	—	—	—	—
Machinery	57,080	5.9	8	—	—	—	—	—	—	—	—	—	—	—	—
Parts and materials	85,520	8.9	7	—	—	—	—	—	—	—	—	—	—	—	—
Floors, walkways, ground surfaces ..	195,080	20.2	11	—	—	—	—	—	—	—	—	—	—	—	—
Handtools	43,810	4.5	4	—	—	—	—	—	—	—	—	—	—	—	—
Vehicles	81,880	8.5	10	—	—	—	—	—	—	—	—	—	—	—	—
Person, injured or ill worker	138,800	14.4	11	30,780	100.0	20	3,910	100.0	14	5,060	100.0	17	11,180	100.0	22
Bodily motion or position of injured, ill worker	130,950	13.6	11	30,780	100.0	20	3,910	100.0	14	5,060	100.0	17	11,180	100.0	22
Person, other than injured or ill worker	61,640	6.4	6	—	—	—	—	—	—	—	—	—	—	—	—
Health care patient	51,500	5.3	6	—	—	—	—	—	—	—	—	—	—	—	—
All other sources	133,850	13.9	5	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

State government

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools					
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
	Total	75,840	100.0	9	1,740	100.0	20	620	100.0	14	180	100.0	24	370	100.0
Occupation:															
Management, business, and financial occupations	2,680	3.5	3	270	15.5	5	250	40.3	4	-	-	-	-	-	-
Professional and related occupations	14,750	19.4	8	250	14.4	28	50	8.1	5	-	-	-	80	21.6	6
Service occupations	40,520	53.4	11	450	25.9	28	40	6.5	34	60	33.3	14	110	29.7	33
Sales and related occupations	510	.7	5	30	1.7	40	-	-	-	-	-	-	20	5.4	88
Office and administrative support occupations	5,440	7.2	5	500	28.7	18	280	45.2	18	30	16.7	23	80	21.6	29
Farming, fishing, and forestry occupations	580	.8	6	-	-	-	-	-	-	-	-	-	-	-	-
Construction and extraction occupations	4,300	5.7	8	120	6.9	42	-	-	-	70	38.9	42	20	5.4	37
Installation, maintenance, and repair occupations	2,430	3.2	9	40	2.3	17	-	-	-	-	-	-	-	-	-
Production occupations	770	1.0	33	50	2.9	1	-	-	-	-	-	-	40	10.8	1
Transportation and material moving occupations	3,730	4.9	6	20	1.1	5	-	-	-	-	-	-	20	5.4	5
Age:															
16 - 19	340	.4	5	-	-	-	-	-	-	-	-	-	-	-	-
20 - 24	3,260	4.3	4	-	-	-	-	-	-	-	-	-	-	-	-
25 - 34	14,000	18.5	10	160	9.2	9	30	4.8	18	20	11.1	7	70	18.9	17
35 - 44	18,770	24.7	8	410	23.6	26	150	24.2	4	30	16.7	51	80	21.6	29
45 - 54	23,010	30.3	10	660	37.9	17	270	43.5	14	50	27.8	6	160	43.2	22
55 - 64	12,600	16.6	8	380	21.8	33	160	25.8	14	80	44.4	42	40	10.8	10
65 and over	1,640	2.2	7	20	1.1	48	-	-	-	-	-	-	-	-	-
Race or ethnic origin:															
White only	21,010	27.7	8	450	25.9	20	220	35.5	15	50	27.8	14	50	13.5	29
Hispanic or Latino only	2,160	2.8	11	70	4.0	5	30	4.8	3	-	-	-	-	-	-
Black only	10,000	13.2	6	160	9.2	7	60	9.7	3	-	-	-	60	16.2	10
Asian only	480	.6	6	-	-	-	-	-	-	-	-	-	-	-	-
American Indian or Alaskan Native only	220	.3	11	-	-	-	-	-	-	-	-	-	-	-	-
Native Hawaiian or Pacific Islander only	100	.1	3	20	1.1	1	-	-	-	-	-	-	-	-	-
Hispanic or Latino and other race	30	(³)	3	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

State government

Characteristic	Total			Repetitive motion												
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools			Repetitive placing, grasping, or moving objects, except tools			
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	
																Number
Gender:																
Male	39,410	52.0	9	530	30.5	12	90	14.5	3	120	66.7	42	170	45.9	16	
Female	36,220	47.8	8	1,200	69.0	27	530	85.5	14	60	33.3	23	200	54.1	35	
Length of service with employer:																
Less than 3 months	1,780	2.3	6	—	—	—	—	—	—	—	—	—	—	—	—	
3 - 11 months	4,510	5.9	6	80	4.6	4	40	6.5	1	—	—	—	—	—	—	
1 - 5 years	23,890	31.5	8	540	31.0	18	210	33.9	10	70	38.9	7	80	21.6	37	
More than 5 years	44,170	58.2	10	1,030	59.2	23	370	59.7	14	110	61.1	42	280	75.7	22	
Day of week:																
Sunday	5,550	7.3	11	100	5.7	10	40	6.5	1	—	—	—	—	—	—	
Monday	12,960	17.1	9	280	16.1	12	140	22.6	14	20	11.1	81	80	21.6	1	
Tuesday	14,550	19.2	10	450	25.9	28	140	22.6	5	40	22.2	7	90	24.3	7	
Wednesday	13,880	18.3	7	230	13.2	32	70	11.3	31	—	—	—	50	13.5	33	
Thursday	12,920	17.0	6	330	19.0	26	130	21.0	3	60	33.3	42	60	16.2	59	
Friday	10,110	13.3	11	310	17.8	31	100	16.1	31	40	22.2	14	60	16.2	105	
Saturday	5,870	7.7	9	40	2.3	33	—	—	—	—	—	—	20	5.4	21	
Time of event:																
12:01 A.M. to 4:00 A.M.	2,090	2.8	19	—	—	—	—	—	—	—	—	—	—	—	—	
4:01 A.M. to 8:00 A.M.	8,780	11.6	9	90	5.2	7	70	11.3	5	—	—	—	—	—	—	
8:01 A.M. to 12:00 noon	23,350	30.8	8	430	24.7	31	150	24.2	31	40	22.2	14	140	37.8	37	
12:01 P.M. to 4:00 P.M.	17,570	23.2	7	230	13.2	16	70	11.3	14	30	16.7	6	70	18.9	49	
4:01 P.M. to 8:00 P.M.	9,820	12.9	8	30	1.7	20	—	—	—	—	—	—	—	—	—	
8:01 P.M. to 12:00 midnight	5,240	6.9	11	20	1.1	14	—	—	—	—	—	—	20	5.4	14	
Hours on the job before event occurred:																
Before shift began	1,080	1.4	5	—	—	—	—	—	—	—	—	—	—	—	—	
Less than 1 hour	8,140	10.7	9	130	7.5	9	90	14.5	7	—	—	—	—	—	—	
1 hour to less than 2 hours	8,030	10.6	9	60	3.4	71	30	4.8	71	—	—	—	—	—	—	
2 hours to less than 4 hours	17,680	23.3	10	230	13.2	29	80	12.9	31	20	11.1	10	80	21.6	4	
4 hours to less than 6 hours	12,660	16.7	8	160	9.2	44	30	4.8	28	20	11.1	14	100	27.0	59	
6 hours to less than 8 hours	11,640	15.3	8	130	7.5	14	50	8.1	14	—	—	—	30	8.1	16	
8 hours to less than 10 hours	4,120	5.4	8	40	2.3	23	—	—	—	—	—	—	—	—	—	
10 hours to less than 12 hours	1,260	1.7	11	20	1.1	64	—	—	—	—	—	—	—	—	—	
12 hours to less than 16 hours	800	1.1	6	—	—	—	—	—	—	—	—	—	—	—	—	
More than 16 hours	80	.1	5	—	—	—	—	—	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

State government

Characteristic	Total			Repetitive motion											
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools			Repetitive placing, grasping, or moving objects, except tools		
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Nature of injury, illness:															
Sprains, strains, tears	29,830	39.3	11	440	25.3	21	90	14.5	4	80	44.4	14	120	32.4	42
Fractures	3,280	4.3	19	—	—	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations, punctures	2,390	3.2	3	—	—	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations	2,050	2.7	3	—	—	—	—	—	—	—	—	—	—	—	—
Punctures	340	.4	5	—	—	—	—	—	—	—	—	—	—	—	—
Amputations	70	.1	17	—	—	—	—	—	—	—	—	—	—	—	—
Bruises, contusions	9,890	13.0	5	—	—	—	—	—	—	—	—	—	—	—	—
Heat burns, scalds	460	.6	7	—	—	—	—	—	—	—	—	—	—	—	—
Chemical burns	120	.2	2	—	—	—	—	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	620	.8	31	620	35.6	31	290	46.8	28	60	33.3	42	130	35.1	22
Tendonitis	100	.1	5	70	4.0	4	20	3.2	4	—	—	—	—	—	—
Multiple traumatic injuries and disorders	4,410	5.8	9	—	—	—	—	—	—	—	—	—	—	—	—
With fractures, burns, and other injuries	460	.6	3	—	—	—	—	—	—	—	—	—	—	—	—
With sprains and bruises	2,330	3.1	10	—	—	—	—	—	—	—	—	—	—	—	—
Soreness, pain, including back	11,290	14.9	13	230	13.2	39	40	6.5	3	—	—	—	50	13.5	1
Back pain only	2,880	3.8	9	—	—	—	—	—	—	—	—	—	—	—	—
All other natures	13,380	17.6	7	380	21.8	10	180	29.0	2	20	11.1	23	60	16.2	10
Part of body affected:															
Head	5,540	7.3	3	—	—	—	—	—	—	—	—	—	—	—	—
Eye(s)	1,350	1.8	3	—	—	—	—	—	—	—	—	—	—	—	—
Neck, including throat	1,560	2.1	5	40	2.3	1	30	4.8	1	—	—	—	—	—	—
Trunk	21,940	28.9	10	240	13.8	33	—	—	—	50	27.8	14	100	27.0	55
Shoulder, including clavicle, scapula	4,670	6.2	20	140	8.0	55	—	—	—	—	—	—	70	18.9	95
Back, including spine, spinal cord	12,650	16.7	8	100	5.7	10	—	—	—	40	22.2	7	30	8.1	1
Upper extremities	11,880	15.7	10	1,190	68.4	28	500	80.6	16	100	55.6	42	240	64.9	22
Arm(s)	2,660	3.5	7	210	12.1	55	40	6.5	5	—	—	—	20	5.4	14
Wrist(s)	2,450	3.2	16	710	40.8	30	340	54.8	26	80	44.4	42	140	37.8	22
Hand(s), except finger(s)	1,980	2.6	8	50	2.9	19	20	3.2	4	—	—	—	20	5.4	20
Finger(s), fingernail(s)	3,400	4.5	7	80	4.6	14	50	8.1	5	—	—	—	—	—	—
Lower extremities	16,640	21.9	10	40	2.3	17	—	—	—	—	—	—	—	—	—
Knee(s)	8,290	10.9	14	40	2.3	17	—	—	—	—	—	—	—	—	—
Ankle(s)	3,190	4.2	7	—	—	—	—	—	—	—	—	—	—	—	—
Foot, toe	2,060	2.7	6	—	—	—	—	—	—	—	—	—	—	—	—
Body systems	1,930	2.5	7	—	—	—	—	—	—	—	—	—	—	—	—
Multiple body parts	15,770	20.8	10	190	10.9	9	50	8.1	2	—	—	—	30	8.1	6
All other parts of body	570	.8	6	20	1.1	1	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

State government

Characteristic	Total			Repetitive motion												
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools			Repetitive placing, grasping, or moving objects, except tools			
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	
																Number
Source of injury, illness:																
Chemicals and chemical products ...	660	0.9	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Containers	4,650	6.1	15	—	—	—	—	—	—	—	—	—	—	—	—	—
Furniture and fixtures	2,880	3.8	8	—	—	—	—	—	—	—	—	—	—	—	—	—
Machinery	1,770	2.3	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Parts and materials	2,190	2.9	7	—	—	—	—	—	—	—	—	—	—	—	—	—
Floors, walkways, ground surfaces ..	17,240	22.7	9	—	—	—	—	—	—	—	—	—	—	—	—	—
Handtools	1,590	2.1	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Vehicles	6,270	8.3	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Person, injured or ill worker	12,250	16.2	12	1,740	100.0	20	620	100.0	14	180	100.0	24	370	100.0	23	
Bodily motion or position of injured, ill worker	10,980	14.5	10	1,740	100.0	20	620	100.0	14	180	100.0	24	370	100.0	23	
Person, other than injured or ill worker	16,930	22.3	11	—	—	—	—	—	—	—	—	—	—	—	—	—
Health care patient	10,840	14.3	9	—	—	—	—	—	—	—	—	—	—	—	—	—
All other sources	9,410	12.4	6	—	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

Local government

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools					
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
	Total	197,660	100.0	8	3,670	100.0	24	590	100.0	15	780	100.0	72	1,160	100.0
Occupation:															
Management, business, and financial occupations	2,860	1.4	6	110	3.0	18	90	15.3	18	—	—	—	—	—	—
Professional and related occupations	38,670	19.6	5	420	11.4	15	200	33.9	15	—	—	—	80	6.9	6
Service occupations	101,800	51.5	10	1,270	34.6	22	70	11.9	16	300	38.5	49	470	40.5	22
Sales and related occupations	320	.2	5	20	.5	2	—	—	—	—	—	—	—	—	—
Office and administrative support occupations	8,830	4.5	5	480	13.1	20	230	39.0	20	30	3.8	3	40	3.4	14
Farming, fishing, and forestry occupations	180	.1	5	20	.5	5	—	—	—	—	—	—	—	—	—
Construction and extraction occupations	11,960	6.1	11	600	16.3	72	—	—	—	390	50.0	72	80	6.9	21
Installation, maintenance, and repair occupations	8,490	4.3	10	230	6.3	21	—	—	—	40	5.1	21	150	12.9	39
Production occupations	3,560	1.8	9	70	1.9	35	—	—	—	—	—	—	20	1.7	5
Transportation and material moving occupations	19,630	9.9	11	450	12.3	26	—	—	—	—	—	—	300	25.9	9
Age:															
14 - 15	60	(³)	1	—	—	—	—	—	—	—	—	—	—	—	—
16 - 19	1,940	1.0	2	—	—	—	—	—	—	—	—	—	—	—	—
20 - 24	6,800	3.4	4	20	.5	63	—	—	—	—	—	—	—	—	—
25 - 34	32,730	16.6	6	260	7.1	28	—	—	—	40	5.1	19	130	11.2	7
35 - 44	52,020	26.3	8	1,050	28.6	52	90	15.3	11	400	51.3	72	300	25.9	22
45 - 54	56,730	28.7	10	1,040	28.3	20	220	37.3	16	150	19.2	7	270	23.3	18
55 - 64	31,570	16.0	9	1,210	33.0	22	250	42.4	15	190	24.4	49	440	37.9	22
65 and over	5,290	2.7	10	40	1.1	12	20	3.4	10	—	—	—	—	—	—
Race or ethnic origin:															
White only	78,150	39.5	6	1,690	46.0	22	250	42.4	15	430	55.1	72	620	53.4	22
Hispanic or Latino only	12,740	6.4	10	230	6.3	15	50	8.5	97	—	—	—	40	3.4	2
Black only	12,970	6.6	8	260	7.1	30	50	8.5	7	—	—	—	190	16.4	30
Asian only	1,050	.5	10	30	.8	13	—	—	—	—	—	—	—	—	—
American Indian or Alaskan Native only	920	.5	5	—	—	—	—	—	—	—	—	—	—	—	—
Native Hawaiian or Pacific Islander only	490	.2	8	—	—	—	—	—	—	—	—	—	—	—	—
Multi-race	90	(³)	10	—	—	—	—	—	—	—	—	—	—	—	—
Hispanic or Latino and other race	20	(³)	2	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

Local government

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools					
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
	Gender:														
Male	118,560	60.0	10	1,680	45.8	22	40	6.8	16	400	51.3	49	610	52.6	22
Female	77,470	39.2	7	1,990	54.2	29	560	94.9	15	380	48.7	72	550	47.4	19
Length of service with employer:															
Less than 3 months	4,270	2.2	4	50	1.4	130	—	—	—	—	—	—	—	—	—
3 - 11 months	11,830	6.0	6	90	2.5	48	—	—	—	—	—	—	40	3.4	48
1 - 5 years	57,050	28.9	7	990	27.0	18	210	35.6	15	240	30.8	49	330	28.4	11
More than 5 years	114,850	58.1	9	2,470	67.3	28	370	62.7	18	530	67.9	72	780	67.2	22
Day of week:															
Sunday	10,790	5.5	7	160	4.4	2	—	—	—	—	—	—	90	7.8	2
Monday	36,280	18.4	7	810	22.1	28	250	42.4	15	40	5.1	96	250	21.6	30
Tuesday	38,080	19.3	7	580	15.8	22	40	6.8	15	100	12.8	14	250	21.6	22
Wednesday	32,200	16.3	6	720	19.6	30	90	15.3	16	230	29.5	49	200	17.2	22
Thursday	40,080	20.3	11	890	24.3	69	90	15.3	16	350	44.9	72	220	19.0	21
Friday	28,160	14.2	10	390	10.6	12	110	18.6	23	40	5.1	8	110	9.5	6
Saturday	12,080	6.1	7	120	3.3	48	20	3.4	8	—	—	—	40	3.4	48
Time of event:															
12:01 A.M. to 4:00 A.M.	5,970	3.0	10	—	—	—	—	—	—	—	—	—	—	—	—
4:01 A.M. to 8:00 A.M.	20,590	10.4	8	130	3.5	28	20	3.4	23	—	—	—	20	1.7	28
8:01 A.M. to 12:00 noon	60,130	30.4	6	590	16.1	16	50	8.5	20	150	19.2	16	250	21.6	11
12:01 P.M. to 4:00 P.M.	41,060	20.8	7	640	17.4	22	60	10.2	29	190	24.4	49	310	26.7	22
4:01 P.M. to 8:00 P.M.	20,210	10.2	10	100	2.7	5	—	—	—	30	3.8	5	40	3.4	2
8:01 P.M. to 12:00 midnight	11,000	5.6	8	40	1.1	19	—	—	—	—	—	—	—	—	—
Hours on the job before event occurred:															
Before shift began	2,180	1.1	4	—	—	—	—	—	—	—	—	—	—	—	—
Less than 1 hour	18,680	9.5	7	170	4.6	70	50	8.5	97	—	—	—	20	1.7	28
1 hour to less than 2 hours	20,110	10.2	8	150	4.1	6	—	—	—	—	—	—	90	7.8	6
2 hours to less than 4 hours	40,660	20.6	7	380	10.4	5	40	6.8	20	110	14.1	8	130	11.2	2
4 hours to less than 6 hours	26,760	13.5	7	230	6.3	19	—	—	—	60	7.7	79	130	11.2	19
6 hours to less than 8 hours	26,360	13.3	8	480	13.1	22	20	3.4	29	190	24.4	49	230	19.8	22
8 hours to less than 10 hours	11,190	5.7	8	60	1.6	12	—	—	—	—	—	—	—	—	—
10 hours to less than 12 hours	6,750	3.4	14	—	—	—	—	—	—	—	—	—	—	—	—
12 hours to less than 16 hours	2,080	1.1	7	—	—	—	—	—	—	—	—	—	—	—	—
More than 16 hours	730	.4	11	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

Local government

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools					
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Nature of injury, illness:															
Sprains, strains, tears	84,000	42.5	10	1,410	38.4	22	50	8.5	32	310	39.7	49	640	55.2	22
Fractures	11,810	6.0	22	—	—	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations, punctures	7,610	3.9	4	—	—	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations	6,850	3.5	4	—	—	—	—	—	—	—	—	—	—	—	—
Punctures	760	.4	3	—	—	—	—	—	—	—	—	—	—	—	—
Amputations	260	.1	18	—	—	—	—	—	—	—	—	—	—	—	—
Bruises, contusions	20,710	10.5	5	—	—	—	—	—	—	—	—	—	—	—	—
Heat burns, scalds	2,650	1.3	5	—	—	—	—	—	—	—	—	—	—	—	—
Chemical burns	610	.3	2	—	—	—	—	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	1,020	.5	21	1,020	27.8	21	430	72.9	15	80	10.3	21	160	13.8	30
Tendonitis	430	.2	27	140	3.8	11	20	3.4	29	20	2.6	5	60	5.2	48
Multiple traumatic injuries and disorders	9,320	4.7	6	—	—	—	—	—	—	—	—	—	—	—	—
With fractures, burns, and other injuries	1,280	.6	36	—	—	—	—	—	—	—	—	—	—	—	—
With sprains and bruises	4,380	2.2	5	—	—	—	—	—	—	—	—	—	—	—	—
Soreness, pain, including back	23,790	12.0	6	320	8.7	5	—	—	—	60	7.7	5	140	12.1	4
Back pain only	5,910	3.0	9	60	1.6	2	—	—	—	—	—	—	—	—	—
All other natures	35,450	17.9	7	780	21.3	72	80	13.6	11	310	39.7	72	160	13.8	49
Part of body affected:															
Head	10,870	5.5	3	—	—	—	—	—	—	—	—	—	—	—	—
Eye(s)	2,840	1.4	2	—	—	—	—	—	—	—	—	—	—	—	—
Neck, including throat	3,140	1.6	10	60	1.6	13	—	—	—	—	—	—	50	4.3	13
Trunk	60,290	30.5	10	1,370	37.3	38	—	—	—	500	64.1	72	550	47.4	22
Shoulder, including clavicle, scapula	14,410	7.3	25	780	21.3	49	—	—	—	450	57.7	72	220	19.0	40
Back, including spine, spinal cord	34,580	17.5	8	510	13.9	22	—	—	—	30	3.8	28	320	27.6	22
Upper extremities	33,360	16.9	8	1,850	50.4	21	570	96.6	15	250	32.1	21	450	38.8	28
Arm(s)	8,350	4.2	11	260	7.1	10	20	3.4	11	60	7.7	96	110	9.5	5
Wrist(s)	7,460	3.8	12	1,080	29.4	21	440	74.6	15	110	14.1	21	180	15.5	30
Hand(s), except finger(s)	6,210	3.1	5	80	2.2	11	20	3.4	32	—	—	—	30	2.6	1
Finger(s), fingernail(s)	8,320	4.2	6	120	3.3	14	40	6.8	10	—	—	—	30	2.6	14
Lower extremities	50,960	25.8	10	150	4.1	34	—	—	—	—	—	—	—	—	—
Knee(s)	22,560	11.4	11	130	3.5	34	—	—	—	—	—	—	—	—	—
Ankle(s)	12,550	6.3	6	20	.5	8	—	—	—	—	—	—	—	—	—
Foot, toe	6,660	3.4	7	—	—	—	—	—	—	—	—	—	—	—	—
Body systems	4,140	2.1	5	—	—	—	—	—	—	—	—	—	—	—	—
Multiple body parts	32,610	16.5	7	210	5.7	11	20	3.4	153	20	2.6	180	90	7.8	2
All other parts of body	2,290	1.2	1	30	.8	6	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

Local government

Characteristic	Total			Repetitive motion											
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools			Repetitive placing, grasping, or moving objects, except tools		
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Source of injury, illness:															
Chemicals and chemical products ...	2,220	1.1	2	—	—	—	—	—	—	—	—	—	—	—	—
Containers	11,430	5.8	9	—	—	—	—	—	—	—	—	—	—	—	—
Furniture and fixtures	7,590	3.8	7	—	—	—	—	—	—	—	—	—	—	—	—
Machinery	4,160	2.1	7	—	—	—	—	—	—	—	—	—	—	—	—
Parts and materials	7,450	3.8	8	—	—	—	—	—	—	—	—	—	—	—	—
Floors, walkways, ground surfaces ..	47,780	24.2	9	—	—	—	—	—	—	—	—	—	—	—	—
Handtools	4,970	2.5	7	—	—	—	—	—	—	—	—	—	—	—	—
Vehicles	20,730	10.5	11	—	—	—	—	—	—	—	—	—	—	—	—
Person, injured or ill worker	32,500	16.4	12	3,670	100.0	24	590	100.0	15	780	100.0	72	1,160	100.0	22
Bodily motion or position of injured, ill worker	30,490	15.4	12	3,670	100.0	24	590	100.0	15	780	100.0	72	1,160	100.0	22
Person, other than injured or ill worker	25,440	12.9	11	—	—	—	—	—	—	—	—	—	—	—	—
Health care patient	6,930	3.5	7	—	—	—	—	—	—	—	—	—	—	—	—
All other sources	33,390	16.9	5	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools					
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Total	1,238,490	100.0	8	36,190	100.0	21	5,120	100.0	15	6,020	100.0	22	12,710	100.0	22
Occupation:															
Management, business, and financial occupations	31,780	2.6	5	1,670	4.6	13	1,060	20.7	10	80	1.3	92	160	1.3	17
Professional and related occupations	133,890	10.8	6	2,750	7.6	21	650	12.7	15	480	8.0	25	620	4.9	13
Service occupations	379,070	30.6	7	5,260	14.5	22	200	3.9	22	890	14.8	12	2,030	16.0	26
Sales and related occupations	69,130	5.6	8	1,710	4.7	21	280	5.5	14	170	2.8	16	710	5.6	30
Office and administrative support occupations	83,260	6.7	7	6,290	17.4	18	2,820	55.1	17	440	7.3	19	1,140	9.0	15
Farming, fishing, and forestry occupations	12,160	1.0	7	190	.5	8	—	—	—	60	1.0	10	90	.7	7
Construction and extraction occupations	106,330	8.6	12	3,200	8.8	37	—	—	—	1,500	24.9	25	1,030	8.1	52
Installation, maintenance, and repair occupations	95,210	7.7	10	2,030	5.6	24	20	.4	30	590	9.8	25	570	4.5	13
Production occupations	112,800	9.1	9	8,850	24.5	18	40	.8	30	1,600	26.6	17	3,910	30.8	14
Transportation and material moving occupations	211,290	17.1	12	4,160	11.5	29	40	.8	31	210	3.5	11	2,450	19.3	30
Age:															
Under 14	70	(³)	13	—	—	—	—	—	—	—	—	—	—	—	—
14 - 15	230	(³)	3	—	—	—	—	—	—	—	—	—	—	—	—
16 - 19	24,610	2.0	4	190	.5	12	—	—	—	20	.3	7	50	.4	6
20 - 24	101,830	8.2	5	1,420	3.9	9	140	2.7	17	150	2.5	4	610	4.8	9
25 - 34	256,400	20.7	6	5,890	16.3	14	750	14.6	18	1,460	24.3	10	1,740	13.7	12
35 - 44	302,540	24.4	9	9,550	26.4	25	1,200	23.4	13	1,590	26.4	61	3,580	28.2	23
45 - 54	315,770	25.5	10	11,410	31.5	21	1,850	36.1	15	1,660	27.6	15	3,900	30.7	23
55 - 64	176,280	14.2	11	6,770	18.7	24	1,060	20.7	15	1,020	16.9	35	2,560	20.1	29
65 and over	34,540	2.8	12	490	1.4	28	70	1.4	17	70	1.2	19	200	1.6	22
Race or ethnic origin:															
White only	511,890	41.3	7	15,640	43.2	17	2,010	39.3	11	2,470	41.0	17	6,040	47.5	20
Hispanic or Latino only	140,690	11.4	8	3,150	8.7	22	310	6.1	34	280	4.7	20	1,160	9.1	22
Black only	101,800	8.2	7	2,850	7.9	19	540	10.5	5	300	5.0	25	1,180	9.3	21
Asian only	14,160	1.1	7	1,010	2.8	41	80	1.6	13	370	6.1	180	180	1.4	11
American Indian or Alaskan Native only	5,090	.4	7	110	.3	17	—	—	—	—	—	—	30	.2	9
Native Hawaiian or Pacific Islander only	3,700	.3	8	150	.4	33	60	1.2	163	—	—	—	30	.2	2
Multi-race	1,460	.1	4	20	.1	96	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools					
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Race or ethnic origin:															
Hispanic or Latino and other race	560	(³)	5	70	0.2	1	—	—	—	—	—	—	—	—	—
Gender:															
Male	754,910	61.0	9	15,900	43.9	21	660	12.9	5	3,500	58.1	14	6,180	48.6	22
Female	477,620	38.6	7	20,230	55.9	21	4,460	87.1	15	2,510	41.7	25	6,500	51.1	23
Length of service with employer:															
Less than 3 months	84,810	6.8	6	1,090	3.0	6	30	.6	2	120	2.0	10	420	3.3	16
3 - 11 months	185,640	15.0	6	2,840	7.8	12	280	5.5	8	500	8.3	12	1,120	8.8	10
1 - 5 years	459,970	37.1	7	11,680	32.3	22	1,790	35.0	16	1,770	29.4	30	4,150	32.7	19
More than 5 years	483,970	39.1	10	20,170	55.7	22	3,010	58.8	14	3,600	59.8	23	6,960	54.8	23
Day of week:															
Sunday	78,690	6.4	8	1,570	4.3	14	180	3.5	3	370	6.1	180	540	4.2	8
Monday	221,750	17.9	8	8,160	22.5	23	1,270	24.8	15	1,220	20.3	25	3,060	24.1	26
Tuesday	228,000	18.4	7	6,260	17.3	22	990	19.3	10	760	12.6	21	2,580	20.3	22
Wednesday	212,910	17.2	7	7,440	20.6	17	890	17.4	15	1,510	25.1	10	2,630	20.7	18
Thursday	215,140	17.4	9	6,210	17.2	22	860	16.8	14	1,220	20.3	35	1,780	14.0	22
Friday	187,190	15.1	10	5,020	13.9	23	770	15.0	20	730	12.1	11	1,710	13.5	28
Saturday	94,810	7.7	8	1,530	4.2	19	170	3.3	15	220	3.7	12	410	3.2	9
Time of event:															
12:01 A.M. to 4:00 A.M.	37,920	3.1	11	430	1.2	48	20	.4	35	60	1.0	41	200	1.6	41
4:01 A.M. to 8:00 A.M.	122,200	9.9	8	2,190	6.1	19	400	7.8	7	350	5.8	44	770	6.1	16
8:01 A.M. to 12:00 noon	367,630	29.7	7	6,470	17.9	23	690	13.5	25	890	14.8	14	3,170	24.9	28
12:01 P.M. to 4:00 P.M.	277,810	22.4	7	4,120	11.4	21	500	9.8	19	700	11.6	14	1,700	13.4	22
4:01 P.M. to 8:00 P.M.	131,680	10.6	8	1,260	3.5	12	90	1.8	13	180	3.0	9	510	4.0	9
8:01 P.M. to 12:00 midnight	70,750	5.7	7	1,070	3.0	21	40	.8	3	90	1.5	26	530	4.2	14
Hours on the job before event occurred:															
Before shift began	9,940	.8	6	30	.1	81	—	—	—	—	—	—	—	—	—
Less than 1 hour	105,140	8.5	7	1,940	5.4	27	420	8.2	16	250	4.2	31	610	4.8	28
1 hour to less than 2 hours	122,650	9.9	7	1,650	4.6	19	190	3.7	31	180	3.0	13	670	5.3	18
2 hours to less than 4 hours	260,610	21.0	7	4,110	11.4	18	340	6.6	31	670	11.1	13	2,080	16.4	20
4 hours to less than 6 hours	192,150	15.5	7	3,060	8.5	23	240	4.7	16	560	9.3	14	1,520	12.0	23
6 hours to less than 8 hours	173,230	14.0	7	2,350	6.5	21	210	4.1	22	360	6.0	43	1,100	8.7	17
8 hours to less than 10 hours	81,180	6.6	8	1,360	3.8	16	150	2.9	3	120	2.0	17	540	4.2	9
10 hours to less than 12 hours	23,870	1.9	10	270	.7	12	20	.4	13	40	.7	13	70	.6	24
12 hours to less than 16 hours	8,670	.7	9	160	.4	63	—	—	—	20	.3	1	100	.8	80

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools					
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Hours on the job before event occurred:															
More than 16 hours	1,540	0.1	12	—	—	—	—	—	—	—	—	—	—	—	—
Nature of injury, illness:															
Sprains, strains, tears	493,170	39.8	10	10,710	29.6	19	640	12.5	21	1,610	26.7	20	4,460	35.1	19
Fractures	90,160	7.3	30	—	—	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations, punctures	97,460	7.9	4	—	—	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations	84,790	6.8	4	—	—	—	—	—	—	—	—	—	—	—	—
Punctures	12,670	1.0	3	—	—	—	—	—	—	—	—	—	—	—	—
Amputations	6,260	.5	20	—	—	—	—	—	—	—	—	—	—	—	—
Bruises, contusions	113,280	9.1	4	—	—	—	—	—	—	—	—	—	—	—	—
Heat burns, scalds	17,820	1.4	5	—	—	—	—	—	—	—	—	—	—	—	—
Chemical burns	5,480	.4	3	—	—	—	—	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	10,780	.9	21	10,770	29.8	21	2,750	53.7	15	1,770	29.4	14	3,090	24.3	30
Tendonitis	4,010	.3	14	2,410	6.7	16	250	4.9	25	780	13.0	25	810	6.4	19
Multiple traumatic injuries and disorders	52,550	4.2	8	—	—	—	—	—	—	—	—	—	—	—	—
With fractures, burns, and other injuries	11,410	.9	17	—	—	—	—	—	—	—	—	—	—	—	—
With sprains and bruises	20,870	1.7	8	—	—	—	—	—	—	—	—	—	—	—	—
Soreness, pain, including back	137,660	11.1	8	5,760	15.9	26	630	12.3	16	770	12.8	42	2,260	17.8	22
Back pain only	41,490	3.4	8	520	1.4	7	—	—	—	—	—	—	250	2.0	5
All other natures	209,870	16.9	7	6,520	18.0	20	850	16.6	5	1,090	18.1	32	2,090	16.4	23
Part of body affected:															
Head	81,000	6.5	3	20	.1	113	—	—	—	—	—	—	—	—	—
Eye(s)	27,920	2.3	2	—	—	—	—	—	—	—	—	—	—	—	—
Neck, including throat	16,560	1.3	6	380	1.1	8	60	1.2	2	20	.3	14	160	1.3	8
Trunk	406,370	32.8	10	8,720	24.1	22	140	2.7	84	1,570	26.1	23	3,820	30.1	22
Shoulder, including clavicle, scapula	86,810	7.0	22	4,300	11.9	34	110	2.1	34	1,130	18.8	49	1,770	13.9	31
Back, including spine, spinal cord	242,380	19.6	7	3,540	9.8	10	30	.6	94	360	6.0	4	1,680	13.2	12
Upper extremities	265,980	21.5	7	22,990	63.5	21	4,640	90.6	15	4,070	67.6	22	7,240	57.0	26
Arm(s)	56,620	4.6	8	3,480	9.6	31	420	8.2	14	630	10.5	82	1,090	8.6	19
Wrist(s)	50,120	4.0	14	13,890	38.4	20	3,240	63.3	15	2,300	38.2	14	4,210	33.1	30
Hand(s), except finger(s)	47,230	3.8	5	1,720	4.8	20	310	6.1	4	640	10.6	25	380	3.0	18
Finger(s), fingernail(s)	94,170	7.6	5	1,640	4.5	13	250	4.9	10	240	4.0	13	750	5.9	9
Lower extremities	281,820	22.8	10	1,270	3.5	16	—	—	—	30	.5	15	280	2.2	21
Knee(s)	114,580	9.3	14	860	2.4	18	—	—	—	20	.3	15	190	1.5	14
Ankle(s)	64,800	5.2	8	100	.3	7	—	—	—	—	—	—	20	.2	1

See footnotes at end of table.

TABLE 2. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and repetitive motion, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Repetitive motion									Repetitive placing, grasping, or moving objects, except tools		
	Number	Percent	Median days away from work ²	Total			Typing or keyentry			Repetitive use of tools			Number	Percent	Median days away from work ²
				Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²			
Part of body affected:															
Foot, toe	50,530	4.1	8	160	0.4	13	—	—	—	—	—	—	—	—	—
Body systems	22,490	1.8	4	90	.2	106	—	—	—	—	—	—	—	—	—
Multiple body parts	153,890	12.4	9	2,540	7.0	21	240	4.7	16	310	5.1	23	1,150	9.0	34
All other parts of body	10,390	.8	5	190	.5	26	—	—	—	20	.3	12	60	.5	8
Source of injury, illness:															
Chemicals and chemical products ...	17,230	1.4	2	—	—	—	—	—	—	—	—	—	—	—	—
Containers	130,320	10.5	10	—	—	—	—	—	—	—	—	—	—	—	—
Furniture and fixtures	49,240	4.0	6	—	—	—	—	—	—	—	—	—	—	—	—
Machinery	63,010	5.1	8	—	—	—	—	—	—	—	—	—	—	—	—
Parts and materials	95,160	7.7	8	—	—	—	—	—	—	—	—	—	—	—	—
Floors, walkways, ground surfaces ..	260,100	21.0	10	—	—	—	—	—	—	—	—	—	—	—	—
Handtools	50,360	4.1	4	—	—	—	—	—	—	—	—	—	—	—	—
Vehicles	108,880	8.8	10	—	—	—	—	—	—	—	—	—	—	—	—
Person, injured or ill worker	183,540	14.8	11	36,180	100.0	21	5,120	100.0	15	6,020	100.0	22	12,710	100.0	22
Bodily motion or position of injured, ill worker	172,420	13.9	11	36,180	100.0	21	5,120	100.0	15	6,020	100.0	22	12,710	100.0	22
Person, other than injured or ill worker	104,000	8.4	7	—	—	—	—	—	—	—	—	—	—	—	—
Health care patient	69,270	5.6	7	—	—	—	—	—	—	—	—	—	—	—	—
All other sources	176,650	14.3	5	—	—	—	—	—	—	—	—	—	—	—	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

³ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies