

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009

Private sector

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shoot-ing	Squeez-ing, pinch-ing, scratch-ing, twisting	Stab-bing	Threats or verbal assaults
Total	964,990	22,720	15,450	590	7,260	160	1,290	150	100
Occupation:									
Management, business, and financial occupations ...	26,240	510	280	—	110	20	—	—	—
Professional and related occupations	80,460	5,910	4,380	260	2,160	—	420	20	20
Service occupations	236,760	10,590	8,000	310	4,030	20	800	100	—
Sales and related occupations	68,290	1,650	1,360	—	210	40	—	20	30
Office and administrative support occupations	68,990	650	250	—	120	—	20	—	—
Farming, fishing, and forestry occupations	11,410	670	120	—	110	—	—	—	—
Construction and extraction occupations	90,060	300	160	—	80	—	—	—	—
Installation, maintenance, and repair occupations	84,290	630	70	—	30	—	—	—	—
Production occupations	108,470	250	120	—	70	—	—	—	—
Transportation and material moving occupations	187,930	1,490	660	—	290	60	20	—	—
Age:									
Under 14	20	—	—	—	—	—	—	—	—
14 - 15	160	—	—	—	—	—	—	—	—
16 - 19	22,330	860	370	—	210	—	30	—	—
20 - 24	91,780	2,770	2,160	130	750	—	200	30	—
25 - 34	209,670	6,320	4,220	270	2,040	60	310	50	30
35 - 44	231,750	5,260	3,180	80	1,530	40	260	40	20
45 - 54	236,030	4,660	3,250	60	1,570	20	330	30	20
55 - 64	132,110	2,200	1,840	30	980	40	130	—	—
65 and over	27,620	360	250	—	130	—	—	—	—
Race or ethnic origin:									
White only	412,730	9,560	5,670	220	2,770	30	580	30	40
Hispanic or Latino only	125,790	1,910	1,150	140	540	—	70	—	20
Black only	78,840	3,350	2,780	90	1,440	60	250	—	—
Asian only	12,630	270	230	—	120	—	40	—	—
American Indian or Alaskan Native only	3,950	80	50	—	20	—	—	—	—
Native Hawaiian or Pacific Islander only	3,110	30	20	—	—	—	—	—	—
Multi-race	1,360	—	—	—	—	—	—	—	—
Hispanic or Latino and other race	520	—	—	—	—	—	—	—	—
Gender:									
Male	596,930	8,530	5,390	160	2,420	140	130	140	40
Female	363,930	14,160	10,030	430	4,830	20	1,160	20	60
Length of service with employer:									
Less than 3 months	78,750	1,780	990	60	500	—	120	—	—
3 - 11 months	169,300	5,370	4,080	220	2,120	70	280	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

Private sector

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shoot-ing	Squeez-ing, pinch-ing, scratch-ing, twisting	Stab-bing	Threats or verbal assaults
Length of service with employer:									
1 - 5 years	379,030	10,280	6,510	220	3,140	20	570	80	50
More than 5 years	324,950	5,100	3,690	100	1,460	60	310	50	30
Day of week:									
Sunday	62,360	1,680	1,410	50	700	60	120	20	20
Monday	172,520	3,390	2,400	100	1,290	—	170	30	—
Tuesday	175,380	3,760	2,290	120	1,120	30	260	—	20
Wednesday	166,830	4,140	2,550	110	1,350	—	180	30	30
Thursday	162,140	4,130	2,910	110	1,020	—	220	20	—
Friday	148,920	3,180	2,240	60	940	30	150	—	—
Saturday	76,860	2,430	1,660	40	840	30	190	40	—
Time of event:									
12:01 A.M. to 4:00 A.M.	29,860	1,900	1,810	—	580	—	130	—	—
4:01 A.M. to 8:00 A.M.	92,820	1,600	1,250	30	580	—	160	—	20
8:01 A.M. to 12:00 noon	284,150	5,730	2,970	190	1,480	20	260	40	—
12:01 P.M. to 4:00 P.M.	219,180	4,410	3,030	90	1,610	30	190	—	20
4:01 P.M. to 8:00 P.M.	101,650	3,290	2,670	150	1,370	—	240	60	—
8:01 P.M. to 12:00 midnight ..	54,510	1,800	1,610	70	830	70	140	20	—
Hours on the job before event occurred:									
Before shift began	6,680	90	90	—	70	—	—	—	—
Less than 1 hour	78,320	1,670	1,190	40	580	—	100	20	30
1 hour to less than 2 hours ..	94,510	2,170	1,410	90	760	—	110	20	—
2 hours to less than 4 hours ..	202,270	4,780	3,140	130	1,510	30	300	20	—
4 hours to less than 6 hours ..	152,730	4,480	3,620	110	1,450	60	310	70	—
6 hours to less than 8 hours ..	135,230	3,090	2,280	70	1,320	—	200	—	—
8 hours to less than 10 hours ..	65,860	1,440	850	—	420	—	50	—	—
10 hours to less than 12 hours ..	15,860	390	290	20	110	—	20	—	—
12 hours to less than 16 hours ..	5,790	170	120	—	50	—	20	—	—
More than 16 hours	730	—	—	—	—	—	—	—	—
Nature of injury, illness:									
Sprains, strains, tears	379,340	4,050	3,740	—	1,200	—	640	—	—
Fractures	75,070	1,500	1,220	—	500	—	30	—	—
Cuts, lacerations, punctures ..	87,450	1,100	610	120	210	—	—	140	—
Cuts, lacerations	75,890	490	400	20	210	—	—	40	—
Punctures	11,570	610	210	100	—	—	—	110	—
Amputations	5,930	50	—	—	—	—	—	—	—
Bruises, contusions	82,690	3,520	3,080	30	2,260	—	120	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

Private sector

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shooting	Squeezing, pinching, scratching, twisting	Stabbing	Threats or verbal assaults
Nature of injury, illness:									
Heat burns, scalds	14,710	—	—	—	—	—	—	—	—
Chemical burns	4,740	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	9,150	—	—	—	—	—	—	—	—
Tendonitis	3,480	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	38,820	1,730	1,650	20	770	—	80	—	—
With fractures, burns, and other injuries	9,660	260	250	—	140	—	—	—	—
With sprains and bruises	14,160	750	740	—	220	—	40	—	—
Soreness, pain, including back	102,580	2,020	1,940	—	1,090	—	180	—	—
Back pain only	32,690	290	280	—	160	—	—	—	—
All other natures	161,040	8,720	3,190	380	1,230	160	230	—	90
Part of body affected:									
Head	64,590	3,690	3,260	—	2,000	20	40	—	—
Eye(s)	23,720	340	290	—	190	—	40	—	—
Neck, including throat	11,860	500	460	—	180	—	70	—	—
Trunk	324,130	3,770	3,420	30	1,780	30	130	40	—
Shoulder, including clavicle, scapula	67,730	890	840	—	260	—	80	—	—
Back, including spine, spinal cord	195,150	1,370	1,230	—	520	—	20	—	—
Upper extremities	220,730	7,330	3,080	500	730	—	850	30	—
Arm(s)	45,600	1,980	850	240	320	—	140	—	—
Wrist(s)	40,220	890	750	30	120	—	310	—	—
Hand(s), except finger(s)	39,040	1,590	480	90	130	—	120	—	—
Finger(s), fingernail(s)	82,460	2,400	720	120	100	—	190	—	—
Lower extremities	214,220	2,770	1,360	—	770	70	50	—	—
Knee(s)	83,730	1,050	680	—	390	—	20	—	—
Ankle(s)	49,050	450	190	—	90	—	—	—	—
Foot, toe	41,800	150	70	—	30	—	—	—	—
Body systems	16,420	470	460	—	100	—	—	—	90
Multiple body parts	105,510	3,710	3,250	—	1,640	20	140	40	—
All other parts of body	7,530	470	170	30	60	—	—	—	—
Source of injury, illness:									
Chemicals and chemical products	14,350	—	—	—	—	—	—	—	—
Containers	114,230	90	80	—	30	—	—	—	—
Furniture and fixtures	38,760	60	60	—	20	—	—	—	—
Machinery	57,080	40	40	—	30	—	—	—	—
Parts and materials	85,520	—	—	—	—	—	—	—	—
Floors, walkways, ground surfaces	195,080	260	250	—	60	—	20	—	—
Handtools	43,810	140	130	—	—	—	—	100	—
Vehicles	81,880	40	30	—	—	—	—	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

Private sector

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shooting	Squeezing, pinching, scratching, twisting	Stabbing	Threats or verbal assaults
Source of injury, illness:									
Person, injured or ill worker	138,800	80	20	—	—	—	—	—	—
Bodily motion or position of injured, ill worker	130,950	—	—	—	—	—	—	—	—
Person, other than injured or ill worker	61,640	13,880	13,400	590	6,750	—	1,260	40	100
Health care patient	51,500	9,030	8,720	400	4,510	—	1,160	—	—
All other sources	133,850	8,100	1,420	—	340	160	—	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

State government

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shoot-ing	Squeez-ing, pinch-ing, scratch-ing, twisting	Stab-bing	Threats or verbal assaults
Total	75,840	12,200	10,640	200	4,190	—	720	60	70
Occupation:									
Management, business, and financial occupations ...	2,680	140	90	—	20	—	—	—	—
Professional and related occupations	14,750	3,930	3,320	110	1,730	—	400	—	30
Service occupations	40,520	8,010	7,160	90	2,400	—	310	50	—
Sales and related occupations	510	—	—	—	—	—	—	—	—
Office and administrative support occupations	5,440	50	40	—	—	—	—	—	—
Farming, fishing, and forestry occupations	580	20	—	—	—	—	—	—	—
Construction and extraction occupations	4,300	—	—	—	—	—	—	—	—
Installation, maintenance, and repair occupations	2,430	—	—	—	—	—	—	—	—
Production occupations	770	—	—	—	—	—	—	—	—
Transportation and material moving occupations	3,730	30	30	—	20	—	—	—	—
Age:									
16 - 19	340	30	—	—	—	—	—	—	—
20 - 24	3,260	740	710	—	340	—	80	—	—
25 - 34	14,000	2,570	2,310	—	930	—	130	—	—
35 - 44	18,770	3,550	2,980	30	910	—	110	—	—
45 - 54	23,010	3,340	2,860	140	1,020	—	270	50	40
55 - 64	12,600	1,350	1,180	20	640	—	80	—	—
65 and over	1,640	110	110	—	90	—	—	—	—
Race or ethnic origin:									
White only	21,010	2,710	2,600	40	870	—	160	—	—
Hispanic or Latino only	2,160	330	300	—	110	—	—	—	50
Black only	10,000	1,800	1,790	20	730	—	40	—	—
Asian only	480	30	30	—	20	—	—	—	—
American Indian or Alaskan Native only	220	50	50	—	—	—	—	—	—
Native Hawaiian or Pacific Islander only	100	—	—	—	—	—	—	—	—
Hispanic or Latino and other race	30	—	—	—	—	—	—	—	—
Gender:									
Male	39,410	6,660	5,740	100	1,960	—	270	40	50
Female	36,220	5,530	4,900	100	2,230	—	450	20	20
Length of service with employer:									
Less than 3 months	1,780	270	260	—	80	—	70	—	—
3 - 11 months	4,510	860	790	—	400	—	60	—	—
1 - 5 years	23,890	3,770	3,170	40	1,340	—	110	—	40
More than 5 years	44,170	7,130	6,260	150	2,330	—	450	50	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

State government

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shoot-ing	Squeez-ing, pinch-ing, scratch-ing, twisting	Stab-bing	Threats or verbal assaults
Day of week:									
Sunday	5,550	1,410	1,310	—	560	—	170	—	—
Monday	12,960	1,600	1,390	40	430	—	100	—	—
Tuesday	14,550	1,960	1,640	—	680	—	30	20	—
Wednesday	13,880	2,340	2,010	60	740	—	90	—	—
Thursday	12,920	1,810	1,590	40	700	—	130	—	—
Friday	10,110	1,500	1,420	20	640	—	110	—	—
Saturday	5,870	1,580	1,290	40	430	—	90	—	—
Time of event:									
12:01 A.M. to 4:00 A.M.	2,090	310	300	—	130	—	20	—	—
4:01 A.M. to 8:00 A.M.	8,780	1,450	1,260	30	580	—	190	—	—
8:01 A.M. to 12:00 noon	23,350	3,200	2,700	100	1,070	—	130	—	50
12:01 P.M. to 4:00 P.M.	17,570	2,610	2,430	50	930	—	150	—	—
4:01 P.M. to 8:00 P.M.	9,820	2,460	2,300	20	910	—	170	—	—
8:01 P.M. to 12:00 midnight ..	5,240	1,180	1,060	—	380	—	50	—	—
Hours on the job before event occurred:									
Before shift began	1,080	40	40	—	—	—	—	—	—
Less than 1 hour	8,140	1,220	1,040	20	430	—	20	—	—
1 hour to less than 2 hours ..	8,030	1,660	1,490	—	850	—	200	—	—
2 hours to less than 4 hours ..	17,680	2,870	2,790	90	1,060	—	180	—	—
4 hours to less than 6 hours ..	12,660	2,240	1,810	20	590	—	110	—	50
6 hours to less than 8 hours ..	11,640	1,860	1,750	50	610	—	70	—	—
8 hours to less than 10 hours ..	4,120	650	590	—	250	—	40	—	—
10 hours to less than 12 hours ..	1,260	140	130	—	50	—	—	—	—
12 hours to less than 16 hours ..	800	220	130	—	70	—	—	—	—
More than 16 hours	80	30	30	—	—	—	—	—	—
Nature of injury, illness:									
Sprains, strains, tears	29,830	3,200	2,740	—	640	—	230	—	—
Fractures	3,280	570	380	—	90	—	110	—	—
Cuts, lacerations, punctures ..	2,390	260	250	50	20	—	—	50	—
Cuts, lacerations	2,050	160	150	—	20	—	—	—	—
Punctures	340	100	100	40	—	—	—	50	—
Amputations	70	—	—	—	—	—	—	—	—
Bruises, contusions	9,890	2,980	2,760	—	1,770	—	100	—	—
Heat burns, scalds	460	—	—	—	—	—	—	—	—
Chemical burns	120	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	620	—	—	—	—	—	—	—	—
Tendonitis	100	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

State government

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shooting	Squeezing, pinching, scratching, twisting	Stabbing	Threats or verbal assaults
Nature of injury, illness:									
Multiple traumatic injuries and disorders	4,410	1,350	1,270	—	600	—	30	—	—
With fractures, burns, and other injuries	460	70	40	—	20	—	—	—	—
With sprains and bruises	2,330	740	700	—	400	—	—	—	—
Soreness, pain, including back	11,290	1,930	1,650	—	720	—	60	—	—
Back pain only	2,880	260	260	—	50	—	—	—	—
All other natures	13,380	1,890	1,580	130	340	—	190	—	70
Part of body affected:									
Head	5,540	1,900	1,730	—	1,260	—	140	—	—
Eye(s)	1,350	260	240	—	210	—	—	—	—
Neck, including throat	1,560	490	410	—	90	—	70	—	—
Trunk	21,940	2,460	2,240	—	820	—	80	—	—
Shoulder, including clavicle, scapula	4,670	620	610	—	190	—	—	—	—
Back, including spine, spinal cord	12,650	1,020	980	—	200	—	60	—	—
Upper extremities	11,880	2,020	1,690	170	250	—	290	—	—
Arm(s)	2,660	470	440	90	90	—	—	—	—
Wrist(s)	2,450	240	240	—	40	—	50	—	—
Hand(s), except finger(s)	1,980	490	440	50	40	—	130	—	—
Finger(s), fingernail(s)	3,400	580	340	20	—	—	90	—	—
Lower extremities	16,640	1,740	1,470	—	650	—	50	—	—
Knee(s)	8,290	1,160	990	—	430	—	20	—	—
Ankle(s)	3,190	150	140	—	70	—	—	—	—
Foot, toe	2,060	50	50	—	—	—	—	—	—
Body systems	1,930	130	130	—	—	—	—	—	70
Multiple body parts	15,770	3,350	2,930	—	1,100	—	100	30	—
All other parts of body	570	120	50	—	20	—	—	—	—
Source of injury, illness:									
Chemicals and chemical products	660	—	—	—	—	—	—	—	—
Containers	4,650	60	60	—	—	—	—	—	—
Furniture and fixtures	2,880	60	60	—	—	—	—	—	—
Machinery	1,770	—	—	—	—	—	—	—	—
Parts and materials	2,190	—	—	—	—	—	—	—	—
Floors, walkways, ground surfaces	17,240	540	540	—	60	—	—	—	—
Handtools	1,590	40	40	—	—	—	—	30	—
Vehicles	6,270	50	50	—	—	—	—	—	—
Person, injured or ill worker	12,250	—	—	—	—	—	—	—	—
Bodily motion or position of injured, ill worker	10,980	—	—	—	—	—	—	—	—
Person, other than injured or ill worker	16,930	10,880	9,530	200	4,030	—	700	—	70
Health care patient	10,840	6,580	5,680	130	2,970	—	620	—	50

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

State government

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shooting	Squeezing, pinching, scratching, twisting	Stabbing	Threats or verbal assaults
Source of injury, illness: All other sources	9,410	530	330	—	70	—	—	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

Local government

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shoot-ing	Squeez-ing, pinch-ing, scratch-ing, twisting	Stab-bing	Threats or verbal assaults
Total	197,660	16,930	14,900	610	3,780	110	370	30	100
Occupation:									
Management, business, and financial occupations ...	2,860	60	60	—	20	—	—	—	—
Professional and related occupations	38,670	3,700	3,560	70	1,620	—	260	—	—
Service occupations	101,800	11,930	10,450	540	2,000	100	100	30	40
Sales and related occupations	320	—	—	—	—	—	—	—	—
Office and administrative support occupations	8,830	250	180	—	50	—	—	—	—
Farming, fishing, and forestry occupations	180	—	—	—	—	—	—	—	—
Construction and extraction occupations	11,960	110	—	—	—	—	—	—	—
Installation, maintenance, and repair occupations	8,490	240	230	—	—	—	—	—	—
Production occupations	3,560	40	—	—	—	—	—	—	—
Transportation and material moving occupations	19,630	590	400	—	90	—	—	—	50
Age:									
14 - 15	60	—	—	—	—	—	—	—	—
16 - 19	1,940	70	30	—	30	—	—	—	—
20 - 24	6,800	950	880	280	300	30	—	—	—
25 - 34	32,730	4,010	3,700	160	870	40	60	—	30
35 - 44	52,020	3,660	3,300	30	780	20	90	—	—
45 - 54	56,730	4,120	3,060	110	1,250	—	80	20	40
55 - 64	31,570	1,100	960	30	360	—	130	—	20
65 and over	5,290	180	150	—	50	—	—	—	—
Race or ethnic origin:									
White only	78,150	4,830	3,850	340	1,050	20	200	—	20
Hispanic or Latino only	12,740	1,440	1,400	110	680	—	—	—	—
Black only	12,970	980	790	—	220	—	40	—	—
Asian only	1,050	30	30	—	—	—	—	—	—
American Indian or Alaskan Native only	920	50	50	—	—	—	—	—	—
Native Hawaiian or Pacific Islander only	490	—	—	—	—	—	—	—	—
Multi-race	90	—	—	—	—	—	—	—	—
Hispanic or Latino and other race	20	—	—	—	—	—	—	—	—
Gender:									
Male	118,560	10,670	9,420	170	2,060	80	90	30	80
Female	77,470	6,260	5,480	440	1,720	20	280	—	20
Length of service with employer:									
Less than 3 months	4,270	590	580	280	200	—	—	—	—
3 - 11 months	11,830	1,080	980	170	300	—	40	—	—
1 - 5 years	57,050	5,620	4,880	60	1,740	60	120	—	30

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

Local government

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shoot-ing	Squeez-ing, pinch-ing, scratch-ing, twisting	Stab-bing	Threats or verbal assaults
Length of service with employer:									
More than 5 years	114,850	6,840	5,670	100	1,420	30	210	20	70
Day of week:									
Sunday	10,790	1,140	990	60	190	30	30	—	—
Monday	36,280	2,320	1,860	—	480	—	70	—	—
Tuesday	38,080	2,090	1,820	80	510	30	130	—	—
Wednesday	32,200	2,520	2,250	50	690	—	60	—	—
Thursday	40,080	5,540	4,930	390	800	—	50	20	50
Friday	28,160	1,710	1,530	20	740	20	20	—	40
Saturday	12,080	1,600	1,530	—	370	—	—	—	—
Time of event:									
12:01 A.M. to 4:00 A.M.	5,970	1,620	1,550	290	700	20	20	—	—
4:01 A.M. to 8:00 A.M.	20,590	1,220	1,060	—	160	—	—	—	—
8:01 A.M. to 12:00 noon	60,130	3,870	3,220	20	1,100	—	150	—	—
12:01 P.M. to 4:00 P.M.	41,060	2,990	2,650	150	740	40	90	—	—
4:01 P.M. to 8:00 P.M.	20,210	1,540	1,240	30	360	—	20	—	—
8:01 P.M. to 12:00 midnight	11,000	1,190	930	—	350	—	30	—	—
Hours on the job before event occurred:									
Before shift began	2,180	180	170	—	—	—	—	—	—
Less than 1 hour	18,680	830	740	40	170	40	20	—	—
1 hour to less than 2 hours	20,110	1,130	1,000	—	290	—	—	—	—
2 hours to less than 4 hours	40,660	3,600	3,000	40	1,400	—	140	20	—
4 hours to less than 6 hours	26,760	2,860	2,480	110	810	—	40	—	—
6 hours to less than 8 hours	26,360	1,980	1,640	280	450	—	50	—	—
8 hours to less than 10 hours	11,190	970	860	—	100	—	20	—	—
10 hours to less than 12 hours	6,750	390	360	—	40	—	—	—	—
12 hours to less than 16 hours	2,080	120	110	—	30	—	—	—	—
More than 16 hours	730	20	—	—	—	—	—	—	—
Nature of injury, illness:									
Sprains, strains, tears	84,000	4,540	4,430	—	290	—	130	—	—
Fractures	11,810	700	650	—	300	—	—	—	—
Cuts, lacerations, punctures	7,610	930	820	30	330	—	—	30	—
Cuts, lacerations	6,850	790	760	—	330	—	—	—	—
Punctures	760	140	60	—	—	—	—	30	—
Amputations	260	—	—	—	—	—	—	—	—
Bruises, contusions	20,710	4,080	4,040	340	1,160	—	40	—	—
Heat burns, scalds	2,650	40	40	—	—	—	—	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

Local government

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shooting	Squeezing, pinching, scratching, twisting	Stabbing	Threats or verbal assaults
Nature of injury, illness:									
Chemical burns	610	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	1,020	—	—	—	—	—	—	—	—
Tendonitis	430	20	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	9,320	830	770	—	350	—	—	—	—
With fractures, burns, and other injuries	1,280	90	80	—	20	—	—	—	—
With sprains and bruises	4,380	270	240	—	120	—	—	—	—
Soreness, pain, including back	23,790	1,770	1,730	—	750	—	40	—	—
Back pain only	5,910	330	330	—	120	—	—	—	—
All other natures	35,450	4,020	2,410	230	590	100	140	—	100
Part of body affected:									
Head	10,870	2,260	2,110	—	1,080	—	—	—	—
Eye(s)	2,840	230	210	—	100	—	—	—	—
Neck, including throat	3,140	400	320	—	130	—	60	—	—
Trunk	60,290	3,270	3,120	—	770	—	40	—	—
Shoulder, including clavicle, scapula	14,410	1,390	1,360	—	100	—	20	—	—
Back, including spine, spinal cord	34,580	1,030	980	—	260	—	—	—	—
Upper extremities	33,360	5,150	3,990	490	350	—	220	—	—
Arm(s)	8,350	880	420	30	100	—	40	—	—
Wrist(s)	7,460	1,190	1,150	30	30	—	40	—	—
Hand(s), except finger(s)	6,210	1,240	1,110	430	140	—	—	—	—
Finger(s), fingernail(s)	8,320	1,430	1,070	—	30	—	20	—	—
Lower extremities	50,960	2,100	1,870	30	760	30	—	—	—
Knee(s)	22,560	1,310	1,260	—	540	—	—	—	—
Ankle(s)	12,550	90	70	—	—	—	—	—	—
Foot, toe	6,660	250	220	—	90	20	—	—	—
Body systems	4,140	250	220	—	30	—	—	—	100
Multiple body parts	32,610	3,370	3,220	80	660	30	20	—	—
All other parts of body	2,290	130	60	—	—	—	—	20	—
Source of injury, illness:									
Chemicals and chemical products	2,220	—	—	—	—	—	—	—	—
Containers	11,430	230	230	—	—	—	—	—	—
Furniture and fixtures	7,590	160	160	—	—	—	—	—	—
Machinery	4,160	30	30	—	—	—	—	—	—
Parts and materials	7,450	—	—	—	—	—	—	—	—
Floors, walkways, ground surfaces	47,780	810	810	—	310	—	—	—	—
Handtools	4,970	190	190	—	—	—	—	30	—
Vehicles	20,730	30	30	—	—	—	—	—	—
Person, injured or ill worker	32,500	70	70	—	—	—	—	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

Local government

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shooting	Squeezing, pinching, scratching, twisting	Stabbing	Threats or verbal assaults
Source of injury, illness:									
Bodily motion or position of injured, ill worker	30,490	—	—	—	—	—	—	—	—
Person, other than injured or ill worker	25,440	13,170	12,840	610	3,370	—	360	—	100
Health care patient	6,930	1,220	1,170	40	570	—	80	—	—
All other sources	33,390	2,240	530	—	50	110	—	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shoot-ing	Squeez-ing, pinch-ing, scratch-ing, twisting	Stab-bing	Threats or verbal assaults
Total	1,238,490	51,850	41,000	1,410	15,220	270	2,390	250	270
Occupation:									
Management, business, and financial occupations ...	31,780	710	420	—	150	20	—	—	—
Professional and related occupations	133,890	13,540	11,260	440	5,510	—	1,070	40	50
Service occupations	379,070	30,530	25,610	940	8,430	120	1,220	170	90
Sales and related occupations	69,130	1,650	1,360	—	210	40	—	20	30
Office and administrative support occupations	83,260	940	470	—	170	—	30	—	—
Farming, fishing, and forestry occupations	12,160	690	130	—	110	—	—	—	—
Construction and extraction occupations	106,330	430	170	—	90	—	—	—	—
Installation, maintenance, and repair occupations	95,210	870	310	—	30	—	—	—	—
Production occupations	112,800	290	130	—	70	—	—	—	—
Transportation and material moving occupations	211,290	2,120	1,080	—	400	60	30	—	70
Age:									
Under 14	70	—	—	—	—	—	—	—	—
14 - 15	230	—	—	—	—	—	—	—	—
16 - 19	24,610	960	420	—	250	—	30	—	—
20 - 24	101,830	4,460	3,750	410	1,390	40	280	40	—
25 - 34	256,400	12,900	10,230	440	3,840	100	500	50	70
35 - 44	302,540	12,460	9,450	140	3,210	60	460	40	40
45 - 54	315,770	12,120	9,170	310	3,840	20	680	100	110
55 - 64	176,280	4,650	3,980	70	1,980	40	340	—	30
65 and over	34,540	650	500	—	270	—	20	—	—
Race or ethnic origin:									
White only	511,890	17,110	12,120	590	4,690	50	940	40	60
Hispanic or Latino only	140,690	3,680	2,850	240	1,330	—	80	—	80
Black only	101,800	6,130	5,370	110	2,390	60	330	—	20
Asian only	14,160	320	290	—	130	—	50	—	—
American Indian or Alaskan Native only	5,090	180	150	—	30	—	—	—	—
Native Hawaiian or Pacific Islander only	3,700	50	40	—	20	—	—	—	—
Multi-race	1,460	—	—	—	—	—	—	—	—
Hispanic or Latino and other race	560	—	—	—	—	—	—	—	—
Gender:									
Male	754,910	25,860	20,550	430	6,440	220	490	210	180
Female	477,620	25,940	20,410	980	8,780	50	1,900	30	90
Length of service with employer:									
Less than 3 months	84,810	2,650	1,840	340	780	—	190	20	—
3 - 11 months	185,640	7,310	5,860	400	2,820	80	380	20	20

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shoot-ing	Squeez-ing, pinch-ing, scratch-ing, twisting	Stab-bing	Threats or verbal assaults
Length of service with employer:									
1 - 5 years	459,970	19,670	14,570	310	6,220	80	800	90	130
More than 5 years	483,970	19,070	15,620	350	5,210	100	970	120	110
Day of week:									
Sunday	78,690	4,230	3,710	100	1,450	90	320	30	30
Monday	221,750	7,310	5,640	150	2,200	—	350	60	50
Tuesday	228,000	7,810	5,750	210	2,310	60	420	40	30
Wednesday	212,910	9,000	6,810	220	2,780	—	330	30	40
Thursday	215,140	11,490	9,430	540	2,520	—	410	40	70
Friday	187,190	6,400	5,190	110	2,320	50	280	20	40
Saturday	94,810	5,620	4,480	80	1,640	30	290	40	—
Time of event:									
12:01 A.M. to 4:00 A.M.	37,920	3,840	3,660	300	1,400	30	160	—	20
4:01 A.M. to 8:00 A.M.	122,200	4,270	3,570	60	1,320	—	370	—	20
8:01 A.M. to 12:00 noon	367,630	12,800	8,900	310	3,660	30	540	50	80
12:01 P.M. to 4:00 P.M.	277,810	10,000	8,110	300	3,280	70	430	20	30
4:01 P.M. to 8:00 P.M.	131,680	7,290	6,220	190	2,640	20	440	80	20
8:01 P.M. to 12:00 midnight ..	70,750	4,180	3,600	80	1,560	80	220	30	—
Hours on the job before event occurred:									
Before shift began	9,940	310	300	—	90	—	30	—	—
Less than 1 hour	105,140	3,720	2,960	110	1,180	50	140	20	50
1 hour to less than 2 hours ..	122,650	4,960	3,900	110	1,900	—	320	20	—
2 hours to less than 4 hours ..	260,610	11,250	8,920	260	3,970	40	630	60	—
4 hours to less than 6 hours ..	192,150	9,570	7,900	250	2,850	70	460	80	80
6 hours to less than 8 hours ..	173,230	6,940	5,680	400	2,380	30	310	—	—
8 hours to less than 10 hours ..	81,180	3,060	2,300	20	770	20	110	—	20
10 hours to less than 12 hours ..	23,870	930	770	20	200	—	30	—	—
12 hours to less than 16 hours ..	8,670	520	360	—	160	—	20	—	—
More than 16 hours	1,540	70	50	—	—	—	30	—	—
Nature of injury, illness:									
Sprains, strains, tears	493,170	11,790	10,900	—	2,130	—	1,010	—	—
Fractures	90,160	2,770	2,260	—	890	—	150	—	—
Cuts, lacerations, punctures ..	97,460	2,290	1,680	210	560	—	20	230	—
Cuts, lacerations	84,790	1,430	1,300	40	560	—	20	50	—
Punctures	12,670	860	380	170	—	—	—	180	—
Amputations	6,260	50	—	—	—	—	—	—	—
Bruises, contusions	113,280	10,580	9,870	380	5,190	—	260	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shooting	Squeezing, pinching, scratching, twisting	Stabbing	Threats or verbal assaults
Nature of injury, illness:									
Heat burns, scalds	17,820	70	60	—	—	—	—	—	—
Chemical burns	5,480	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	10,780	—	—	—	—	—	—	—	—
Tendonitis	4,010	20	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	52,550	3,910	3,690	20	1,720	—	120	—	—
With fractures, burns, and other injuries	11,410	420	370	—	190	—	—	—	—
With sprains and bruises	20,870	1,760	1,690	—	740	—	50	—	—
Soreness, pain, including back	137,660	5,730	5,330	—	2,570	—	280	—	—
Back pain only	41,490	880	880	—	320	—	—	—	—
All other natures	209,870	14,640	7,180	740	2,160	260	560	—	260
Part of body affected:									
Head	81,000	7,850	7,100	30	4,340	30	190	20	—
Eye(s)	27,920	830	750	—	490	—	50	—	—
Neck, including throat	16,560	1,390	1,180	—	390	—	200	—	—
Trunk	406,370	9,500	8,780	50	3,370	40	240	50	—
Shoulder, including clavicle, scapula	86,810	2,910	2,810	20	550	—	110	—	—
Back, including spine, spinal cord	242,380	3,410	3,180	—	990	—	90	—	—
Upper extremities	265,980	14,510	8,760	1,160	1,330	20	1,360	40	—
Arm(s)	56,620	3,320	1,720	360	520	—	190	—	—
Wrist(s)	50,120	2,320	2,140	50	190	—	400	—	—
Hand(s), except finger(s)	47,230	3,320	2,030	570	300	—	270	—	—
Finger(s), fingernail(s)	94,170	4,410	2,130	160	140	—	300	—	—
Lower extremities	281,820	6,610	4,700	40	2,180	100	110	—	—
Knee(s)	114,580	3,520	2,930	—	1,360	—	50	—	—
Ankle(s)	64,800	690	390	—	160	—	—	—	—
Foot, toe	50,530	450	350	—	130	20	—	—	—
Body systems	22,490	850	810	—	130	—	—	—	260
Multiple body parts	153,890	10,430	9,390	100	3,400	50	260	70	—
All other parts of body	10,390	720	270	30	80	—	—	30	—
Source of injury, illness:									
Chemicals and chemical products	17,230	20	20	—	—	—	—	—	—
Containers	130,320	390	370	—	40	—	—	—	—
Furniture and fixtures	49,240	280	280	—	40	—	—	—	—
Machinery	63,010	80	80	—	40	—	—	—	—
Parts and materials	95,160	20	20	—	20	—	—	—	—
Floors, walkways, ground surfaces	260,100	1,610	1,600	—	440	—	50	—	—
Handtools	50,360	370	370	—	30	—	—	160	—
Vehicles	108,880	120	110	—	—	—	—	—	—

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and assaults and violent acts, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total	Assaults and violent acts							
		Total	Assaults and violent acts by person(s)						
			Total	Biting	Hitting, kicking, beating	Shoot- ing	Squeez- ing, pinch- ing, scratch- ing, twisting	Stab- bing	Threats or verbal assaults
Source of injury, illness:									
Person, injured or ill worker	183,540	160	90	—	—	—	—	—	—
Bodily motion or position of injured, ill worker	172,420	—	—	—	—	—	—	—	—
Person, other than injured or ill worker	104,000	37,930	35,770	1,410	14,140	—	2,320	60	270
Health care patient	69,270	16,830	15,560	560	8,060	—	1,860	—	60
All other sources	176,650	10,870	2,280	—	460	270	—	30	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to