

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009

Private sector

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Total	964,990	100.0	8	379,340	100.0	9	9,150	100.0	21	3,480	100.0	14
Occupation:												
Management, business, and financial occupations ...	26,240	2.7	5	8,440	2.2	7	530	5.8	13	110	3.2	22
Professional and related occupations	80,460	8.3	5	36,040	9.5	6	520	5.7	18	560	16.1	25
Service occupations	236,760	24.5	6	94,560	24.9	7	1,030	11.3	31	480	13.8	13
Sales and related occupations	68,290	7.1	8	26,850	7.1	9	550	6.0	12	160	4.6	19
Office and administrative support occupations	68,990	7.1	7	27,530	7.3	7	1,920	21.0	19	360	10.3	11
Farming, fishing, and forestry occupations	11,410	1.2	7	3,500	.9	8	30	.3	15	40	1.1	7
Construction and extraction occupations	90,060	9.3	12	30,170	8.0	14	660	7.2	2	210	6.0	10
Installation, maintenance, and repair occupations	84,290	8.7	10	32,770	8.6	14	490	5.4	28	90	2.6	13
Production occupations	108,470	11.2	9	35,990	9.5	10	2,690	29.4	24	860	24.7	10
Transportation and material moving occupations	187,930	19.5	12	83,150	21.9	12	720	7.9	50	590	17.0	13
Age:												
Under 14	20	(³)	5	20	(³)	5	-	-	-	-	-	-
14 - 15	160	(³)	18	70	(³)	21	-	-	-	-	-	-
16 - 19	22,330	2.3	4	6,350	1.7	4	40	.4	39	30	.9	25
20 - 24	91,780	9.5	5	32,670	8.6	5	230	2.5	8	210	6.0	5
25 - 34	209,670	21.7	6	82,100	21.6	7	1,590	17.4	14	850	24.4	25
35 - 44	231,750	24.0	9	97,480	25.7	10	2,120	23.2	26	1,040	29.9	14
45 - 54	236,030	24.5	11	97,850	25.8	12	3,190	34.9	21	980	28.2	12
55 - 64	132,110	13.7	12	50,810	13.4	14	1,750	19.1	28	310	8.9	18
65 and over	27,620	2.9	13	7,890	2.1	12	160	1.7	28	50	1.4	11
Race or ethnic origin:												
White only	412,730	42.8	7	159,070	41.9	8	4,690	51.3	18	1,320	37.9	10
Hispanic or Latino only	125,790	13.0	8	41,950	11.1	8	530	5.8	34	400	11.5	7
Black only	78,840	8.2	7	32,600	8.6	7	770	8.4	18	210	6.0	22
Asian only	12,630	1.3	7	3,790	1.0	7	130	1.4	33	70	2.0	10
American Indian or Alaskan Native only	3,950	.4	7	1,710	.5	9	30	.3	18	-	-	-
Native Hawaiian or Pacific Islander only	3,110	.3	10	950	.3	7	70	.8	163	-	-	-
Multi-race	1,360	.1	3	180	(³)	7	-	-	-	-	-	-
Hispanic or Latino and other race	520	.1	8	170	(³)	3	-	-	-	-	-	-
Gender:												
Male	596,930	61.9	9	229,380	60.5	10	3,310	36.2	25	1,450	41.7	10
Female	363,930	37.7	6	148,250	39.1	7	5,830	63.7	19	2,030	58.3	25
Length of service with employer:												
Less than 3 months	78,750	8.2	6	24,890	6.6	7	150	1.6	5	230	6.6	5
3 - 11 months	169,300	17.5	6	66,050	17.4	7	430	4.7	14	520	14.9	8
1 - 5 years	379,030	39.3	7	149,870	39.5	9	2,710	29.6	26	930	26.7	14
More than 5 years	324,950	33.7	10	133,990	35.3	12	5,820	63.6	19	1,790	51.4	25

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

Private sector

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Day of week:												
Sunday	62,360	6.5	8	25,430	6.7	9	190	2.1	35	100	2.9	7
Monday	172,520	17.9	8	67,560	17.8	9	1,950	21.3	24	880	25.3	25
Tuesday	175,380	18.2	7	68,910	18.2	8	1,420	15.5	26	780	22.4	28
Wednesday	166,830	17.3	7	64,490	17.0	8	2,190	23.9	17	730	21.0	10
Thursday	162,140	16.8	8	61,640	16.2	10	1,540	16.8	18	380	10.9	12
Friday	148,920	15.4	9	59,740	15.7	10	1,530	16.7	19	360	10.3	13
Saturday	76,860	8.0	8	31,560	8.3	8	320	3.5	20	260	7.5	12
Time of event:												
12:01 A.M. to 4:00 A.M.	29,860	3.1	11	12,660	3.3	10	60	.7	71	50	1.4	14
4:01 A.M. to 8:00 A.M.	92,820	9.6	9	39,430	10.4	10	460	5.0	27	190	5.5	12
8:01 A.M. to 12:00 noon	284,150	29.4	8	111,840	29.5	9	1,280	14.0	34	690	19.8	14
12:01 P.M. to 4:00 P.M.	219,180	22.7	7	82,750	21.8	8	590	6.4	23	410	11.8	26
4:01 P.M. to 8:00 P.M.	101,650	10.5	7	40,260	10.6	8	180	2.0	24	200	5.7	16
8:01 P.M. to 12:00 midnight ..	54,510	5.6	7	22,970	6.1	8	180	2.0	79	190	5.5	5
Hours on the job before event occurred:												
Before shift began	6,680	.7	7	2,110	.6	8	—	—	—	—	—	—
Less than 1 hour	78,320	8.1	7	31,850	8.4	7	430	4.7	30	150	4.3	13
1 hour to less than 2 hours ..	94,510	9.8	7	38,140	10.1	8	300	3.3	22	220	6.3	6
2 hours to less than 4 hours ..	202,270	21.0	7	80,300	21.2	9	650	7.1	40	490	14.1	35
4 hours to less than 6 hours ..	152,730	15.8	7	59,990	15.8	10	720	7.9	34	380	10.9	7
6 hours to less than 8 hours ..	135,230	14.0	7	52,300	13.8	8	280	3.1	20	250	7.2	7
8 hours to less than 10 hours ..	65,860	6.8	8	24,860	6.6	10	190	2.1	31	150	4.3	26
10 hours to less than 12 hours ..	15,860	1.6	8	6,330	1.7	10	—	—	—	40	1.1	3
12 hours to less than 16 hours ..	5,790	.6	10	2,480	.7	7	90	1.0	80	—	—	—
More than 16 hours	730	.1	18	400	.1	38	—	—	—	—	—	—
Event or exposure:												
Contact with objects and equipment	254,680	26.4	5	28,090	7.4	10	—	—	—	90	2.6	5
Struck by object	130,030	13.5	5	11,790	3.1	12	—	—	—	60	1.7	5
Struck against object	64,430	6.7	5	10,100	2.7	7	—	—	—	20	.6	78
Caught in or compressed by equipment or objects	43,400	4.5	9	3,780	1.0	9	—	—	—	—	—	—
Fall to lower level	63,320	6.6	14	18,590	4.9	11	—	—	—	40	1.1	4
Fall on same level	141,120	14.6	10	40,370	10.6	10	—	—	—	120	3.4	19
Slip, trip, loss of balance without fall	32,490	3.4	8	25,330	6.7	8	—	—	—	—	—	—
Overexertion	227,260	23.6	10	171,510	45.2	9	—	—	—	720	20.7	8
Overexertion in lifting	116,530	12.1	10	85,580	22.6	8	—	—	—	280	8.0	8
Repetitive motion	30,790	3.2	20	8,870	2.3	17	9,140	99.9	21	2,210	63.5	17
Exposure to harmful substances or environments	42,870	4.4	3	—	—	—	—	—	—	—	—	—
Transportation incidents	42,180	4.4	10	13,730	3.6	8	—	—	—	—	—	—
Highway accident	26,480	2.7	10	9,670	2.5	8	—	—	—	—	—	—
Fires and explosions	1,920	.2	9	120	(³)	103	—	—	—	—	—	—
Assaults and violent acts	22,720	2.4	4	4,050	1.1	5	—	—	—	—	—	—

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

Private sector

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Event or exposure:												
By person(s)	15,450	1.6	5	3,740	1.0	5	—	—	—	—	—	—
By animal	6,670	.7	2	120	(³)	10	—	—	—	—	—	—
All other events	105,650	10.9	10	68,670	18.1	9	—	—	—	290	8.3	17
Part of body affected:												
Head	64,590	6.7	3	140	(³)	5	—	—	—	—	—	—
Eye(s)	23,720	2.5	2	40	(³)	26	—	—	—	—	—	—
Neck, including throat	11,860	1.2	6	7,770	2.0	5	—	—	—	—	—	—
Trunk	324,130	33.6	10	209,010	55.1	9	—	—	—	660	19.0	10
Shoulder, including clavicle, scapula	67,730	7.0	22	46,510	12.3	22	—	—	—	640	18.4	10
Back, including spine, spinal cord	195,150	20.2	7	145,780	38.4	7	—	—	—	—	—	—
Upper extremities	220,730	22.9	7	37,250	9.8	8	9,150	100.0	21	2,450	70.4	18
Arm(s)	45,600	4.7	8	13,380	3.5	10	—	—	—	560	16.1	13
Wrist(s)	40,220	4.2	14	13,000	3.4	8	9,150	100.0	21	1,000	28.7	13
Hand(s), except finger(s)	39,040	4.0	5	3,010	.8	12	—	—	—	600	17.2	25
Finger(s), fingernail(s)	82,460	8.5	5	5,090	1.3	6	—	—	—	120	3.4	11
Lower extremities	214,220	22.2	10	96,040	25.3	10	—	—	—	210	6.0	5
Knee(s)	83,730	8.7	14	47,990	12.7	19	—	—	—	60	1.7	5
Ankle(s)	49,050	5.1	8	31,420	8.3	5	—	—	—	50	1.4	3
Foot, toe	41,800	4.3	8	6,060	1.6	7	—	—	—	60	1.7	4
Body systems	16,420	1.7	3	—	—	—	—	—	—	—	—	—
Multiple body parts	105,510	10.9	10	28,270	7.5	10	—	—	—	140	4.0	13
All other parts of body	7,530	.8	7	850	.2	5	—	—	—	20	.6	6
Source of injury, illness:												
Chemicals and chemical products	14,350	1.5	3	150	(³)	33	—	—	—	—	—	—
Containers	114,230	11.8	10	66,350	17.5	10	—	—	—	260	7.5	5
Furniture and fixtures	38,760	4.0	6	14,590	3.8	9	—	—	—	70	2.0	19
Machinery	57,080	5.9	8	11,940	3.1	10	—	—	—	40	1.1	1
Parts and materials	85,520	8.9	7	28,400	7.5	10	—	—	—	180	5.2	13
Floors, walkways, ground surfaces	195,080	20.2	11	63,170	16.7	10	—	—	—	130	3.7	22
Handtools	43,810	4.5	4	7,270	1.9	10	—	—	—	40	1.1	25
Vehicles	81,880	8.5	10	28,670	7.6	10	—	—	—	60	1.7	5
Person, injured or ill worker	138,800	14.4	11	88,080	23.2	9	9,140	99.9	21	2,390	68.7	18
Bodily motion or position of injured, ill worker	130,950	13.6	11	85,670	22.6	9	9,140	99.9	21	2,380	68.4	17
Person, other than injured or ill worker	61,640	6.4	6	39,480	10.4	6	—	—	—	120	3.4	16
Health care patient	51,500	5.3	6	36,120	9.5	7	—	—	—	110	3.2	16
All other sources	133,850	13.9	5	31,230	8.2	9	—	—	—	190	5.5	8

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

State government

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Total	75,840	100.0	9	29,830	100.0	11	620	100.0	31	100	100.0	5
Occupation:												
Management, business, and financial occupations ...	2,680	3.5	3	740	2.5	3	110	17.7	31	—	—	—
Professional and related occupations	14,750	19.4	8	5,230	17.5	8	100	16.1	20	20	20.0	6
Service occupations	40,520	53.4	11	16,590	55.6	15	130	21.0	48	40	40.0	5
Sales and related occupations	510	.7	5	210	.7	2	—	—	—	—	—	—
Office and administrative support occupations	5,440	7.2	5	1,660	5.6	5	180	29.0	20	30	30.0	4
Farming, fishing, and forestry occupations	580	.8	6	180	.6	3	—	—	—	—	—	—
Construction and extraction occupations	4,300	5.7	8	2,110	7.1	8	70	11.3	42	—	—	—
Installation, maintenance, and repair occupations	2,430	3.2	9	1,150	3.9	11	—	—	—	—	—	—
Production occupations	770	1.0	33	290	1.0	20	—	—	—	—	—	—
Transportation and material moving occupations	3,730	4.9	6	1,630	5.5	10	—	—	—	—	—	—
Age:												
16 - 19	340	.4	5	110	.4	11	—	—	—	—	—	—
20 - 24	3,260	4.3	4	1,140	3.8	7	—	—	—	—	—	—
25 - 34	14,000	18.5	10	5,640	18.9	16	50	8.1	25	30	30.0	5
35 - 44	18,770	24.7	8	8,090	27.1	9	80	12.9	28	40	40.0	4
45 - 54	23,010	30.3	10	9,320	31.2	11	300	48.4	28	—	—	—
55 - 64	12,600	16.6	8	4,250	14.2	11	180	29.0	42	—	—	—
65 and over	1,640	2.2	7	560	1.9	9	—	—	—	—	—	—
Race or ethnic origin:												
White only	21,010	27.7	8	8,310	27.9	9	160	25.8	36	30	30.0	4
Hispanic or Latino only	2,160	2.8	11	830	2.8	16	20	3.2	30	—	—	—
Black only	10,000	13.2	6	3,860	12.9	10	50	8.1	45	20	20.0	21
Asian only	480	.6	6	130	.4	6	—	—	—	—	—	—
American Indian or Alaskan Native only	220	.3	11	90	.3	15	—	—	—	—	—	—
Native Hawaiian or Pacific Islander only	100	.1	3	30	.1	3	—	—	—	—	—	—
Hispanic or Latino and other race	30	(³)	3	—	—	—	—	—	—	—	—	—
Gender:												
Male	39,410	52.0	9	16,550	55.5	13	190	30.6	22	—	—	—
Female	36,220	47.8	8	13,180	44.2	9	420	67.7	31	90	90.0	6
Length of service with employer:												
Less than 3 months	1,780	2.3	6	680	2.3	7	—	—	—	—	—	—
3 - 11 months	4,510	5.9	6	1,650	5.5	10	—	—	—	—	—	—
1 - 5 years	23,890	31.5	8	10,060	33.7	10	170	27.4	31	50	50.0	3
More than 5 years	44,170	58.2	10	16,790	56.3	12	440	71.0	28	40	40.0	21
Day of week:												
Sunday	5,550	7.3	11	2,090	7.0	21	—	—	—	—	—	—
Monday	12,960	17.1	9	5,110	17.1	14	110	17.7	14	—	—	—
Tuesday	14,550	19.2	10	5,480	18.4	12	160	25.8	28	50	50.0	5

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

State government

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Day of week:												
Wednesday	13,880	18.3	7	5,720	19.2	7	70	11.3	30	—	—	—
Thursday	12,920	17.0	6	4,400	14.8	8	130	21.0	42	20	20.0	3
Friday	10,110	13.3	11	4,500	15.1	15	140	22.6	31	—	—	—
Saturday	5,870	7.7	9	2,520	8.4	13	—	—	—	—	—	—
Time of event:												
12:01 A.M. to 4:00 A.M.	2,090	2.8	19	930	3.1	22	—	—	—	—	—	—
4:01 A.M. to 8:00 A.M.	8,780	11.6	9	3,740	12.5	13	20	3.2	3	20	20.0	4
8:01 A.M. to 12:00 noon	23,350	30.8	8	8,670	29.1	11	220	35.5	31	—	—	—
12:01 P.M. to 4:00 P.M.	17,570	23.2	7	7,620	25.5	8	100	16.1	14	—	—	—
4:01 P.M. to 8:00 P.M.	9,820	12.9	8	3,680	12.3	12	—	—	—	—	—	—
8:01 P.M. to 12:00 midnight	5,240	6.9	11	2,030	6.8	16	—	—	—	—	—	—
Hours on the job before event occurred:												
Before shift began	1,080	1.4	5	430	1.4	5	—	—	—	—	—	—
Less than 1 hour	8,140	10.7	9	3,940	13.2	12	50	8.1	14	—	—	—
1 hour to less than 2 hours	8,030	10.6	9	3,100	10.4	11	20	3.2	71	—	—	—
2 hours to less than 4 hours	17,680	23.3	10	6,450	21.6	12	130	21.0	30	—	—	—
4 hours to less than 6 hours	12,660	16.7	8	5,250	17.6	11	60	9.7	45	—	—	—
6 hours to less than 8 hours	11,640	15.3	8	4,460	15.0	9	60	9.7	14	20	20.0	21
8 hours to less than 10 hours	4,120	5.4	8	1,590	5.3	6	—	—	—	—	—	—
10 hours to less than 12 hours	1,260	1.7	11	530	1.8	14	—	—	—	—	—	—
12 hours to less than 16 hours	800	1.1	6	280	.9	5	—	—	—	—	—	—
More than 16 hours	80	.1	5	50	.2	5	—	—	—	—	—	—
Event or exposure:												
Contact with objects and equipment	11,290	14.9	6	1,600	5.4	14	—	—	—	—	—	—
Struck by object	5,630	7.4	6	460	1.5	15	—	—	—	—	—	—
Struck against object	3,520	4.6	6	720	2.4	13	—	—	—	—	—	—
Caught in or compressed by equipment or objects	1,160	1.5	9	180	.6	10	—	—	—	—	—	—
Fall to lower level	3,330	4.4	13	1,080	3.6	20	—	—	—	—	—	—
Fall on same level	12,730	16.8	8	3,530	11.8	12	—	—	—	—	—	—
Slip, trip, loss of balance without fall	3,980	5.2	9	3,130	10.5	12	—	—	—	—	—	—
Overexertion	14,560	19.2	13	10,330	34.6	10	—	—	—	20	20.0	21
Overexertion in lifting	6,020	7.9	14	3,890	13.0	10	—	—	—	20	20.0	21
Repetitive motion	1,740	2.3	20	440	1.5	21	620	100.0	31	70	70.0	4
Exposure to harmful substances or environments	2,750	3.6	5	—	—	—	—	—	—	—	—	—
Transportation incidents	4,500	5.9	6	1,500	5.0	5	—	—	—	—	—	—
Highway accident	3,310	4.4	6	1,020	3.4	4	—	—	—	—	—	—
Fires and explosions	120	.2	6	—	—	—	—	—	—	—	—	—
Assaults and violent acts	12,200	16.1	10	3,200	10.7	12	—	—	—	—	—	—
By person(s)	10,640	14.0	9	2,740	9.2	9	—	—	—	—	—	—
By animal	210	.3	3	—	—	—	—	—	—	—	—	—
All other events	8,650	11.4	10	5,000	16.8	10	—	—	—	—	—	—

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

State government

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Part of body affected:												
Head	5,540	7.3	3	60	0.2	15	—	—	—	—	—	—
Eye(s)	1,350	1.8	3	—	—	—	—	—	—	—	—	—
Neck, including throat	1,560	2.1	5	960	3.2	5	—	—	—	—	—	—
Trunk	21,940	28.9	10	12,980	43.5	10	—	—	—	—	—	—
Shoulder, including clavicle, scapula	4,670	6.2	20	2,890	9.7	20	—	—	—	—	—	—
Back, including spine, spinal cord	12,650	16.7	8	8,610	28.9	8	—	—	—	—	—	—
Upper extremities	11,880	15.7	10	3,130	10.5	15	620	100.0	31	90	90.0	5
Arm(s)	2,660	3.5	7	820	2.7	8	—	—	—	30	30.0	21
Wrist(s)	2,450	3.2	16	860	2.9	10	620	100.0	31	20	20.0	6
Hand(s), except finger(s)	1,980	2.6	8	270	.9	8	—	—	—	—	—	—
Finger(s), fingernail(s)	3,400	4.5	7	500	1.7	9	—	—	—	—	—	—
Lower extremities	16,640	21.9	10	9,040	30.3	13	—	—	—	—	—	—
Knee(s)	8,290	10.9	14	4,850	16.3	19	—	—	—	—	—	—
Ankle(s)	3,190	4.2	7	2,270	7.6	8	—	—	—	—	—	—
Foot, toe	2,060	2.7	6	670	2.2	4	—	—	—	—	—	—
Body systems	1,930	2.5	7	—	—	—	—	—	—	—	—	—
Multiple body parts	15,770	20.8	10	3,520	11.8	12	—	—	—	—	—	—
All other parts of body	570	.8	6	150	.5	6	—	—	—	—	—	—
Source of injury, illness:												
Chemicals and chemical products	660	.9	2	—	—	—	—	—	—	—	—	—
Containers	4,650	6.1	15	2,240	7.5	9	—	—	—	—	—	—
Furniture and fixtures	2,880	3.8	8	950	3.2	23	—	—	—	—	—	—
Machinery	1,770	2.3	6	620	2.1	14	—	—	—	—	—	—
Parts and materials	2,190	2.9	7	1,040	3.5	15	—	—	—	—	—	—
Floors, walkways, ground surfaces	17,240	22.7	9	5,380	18.0	12	—	—	—	—	—	—
Handtools	1,590	2.1	6	560	1.9	5	—	—	—	—	—	—
Vehicles	6,270	8.3	6	2,210	7.4	7	—	—	—	—	—	—
Person, injured or ill worker	12,250	16.2	12	7,260	24.3	11	620	100.0	31	80	80.0	5
Bodily motion or position of injured, ill worker	10,980	14.5	10	7,180	24.1	11	620	100.0	31	70	70.0	4
Person, other than injured or ill worker	16,930	22.3	11	7,190	24.1	13	—	—	—	—	—	—
Health care patient	10,840	14.3	9	4,910	16.5	10	—	—	—	—	—	—
All other sources	9,410	12.4	6	2,370	7.9	8	—	—	—	—	—	—

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

Local government

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Total	197,660	100.0	8	84,000	100.0	10	1,020	100.0	21	430	100.0	27
Occupation:												
Management, business, and financial occupations ...	2,860	1.4	6	1,260	1.5	6	80	7.8	18	—	—	—
Professional and related occupations	38,670	19.6	5	15,480	18.4	5	280	27.5	15	50	11.6	6
Service occupations	101,800	51.5	10	43,410	51.7	12	150	14.7	45	250	58.1	48
Sales and related occupations	320	.2	5	120	.1	5	—	—	—	—	—	—
Office and administrative support occupations	8,830	4.5	5	2,820	3.4	6	200	19.6	20	40	9.3	29
Farming, fishing, and forestry occupations	180	.1	5	90	.1	5	—	—	—	—	—	—
Construction and extraction occupations	11,960	6.1	11	5,090	6.1	13	110	10.8	21	—	—	—
Installation, maintenance, and repair occupations	8,490	4.3	10	3,670	4.4	12	60	5.9	21	—	—	—
Production occupations	3,560	1.8	9	1,500	1.8	7	30	2.9	35	—	—	—
Transportation and material moving occupations	19,630	9.9	11	10,490	12.5	12	110	10.8	30	70	16.3	21
Age:												
14 - 15	60	(³)	1	—	—	—	—	—	—	—	—	—
16 - 19	1,940	1.0	2	940	1.1	2	—	—	—	—	—	—
20 - 24	6,800	3.4	4	2,490	3.0	7	—	—	—	—	—	—
25 - 34	32,730	16.6	6	15,270	18.2	6	40	3.9	39	60	14.0	48
35 - 44	52,020	26.3	8	23,750	28.3	11	260	25.5	60	80	18.6	16
45 - 54	56,730	28.7	10	24,050	28.6	10	390	38.2	30	190	44.2	86
55 - 64	31,570	16.0	9	11,530	13.7	14	300	29.4	15	90	20.9	21
65 and over	5,290	2.7	10	1,740	2.1	16	20	2.0	127	—	—	—
Race or ethnic origin:												
White only	78,150	39.5	6	32,460	38.6	7	510	50.0	18	130	30.2	12
Hispanic or Latino only	12,740	6.4	10	5,750	6.8	15	110	10.8	97	100	23.3	86
Black only	12,970	6.6	8	6,410	7.6	9	110	10.8	30	20	4.7	29
Asian only	1,050	.5	10	470	.6	8	—	—	—	—	—	—
American Indian or Alaskan Native only	920	.5	5	420	.5	9	—	—	—	—	—	—
Native Hawaiian or Pacific Islander only	490	.2	8	400	.5	8	—	—	—	—	—	—
Multi-race	90	(³)	10	40	(³)	10	—	—	—	—	—	—
Hispanic or Latino and other race	20	(³)	2	—	—	—	—	—	—	—	—	—
Gender:												
Male	118,560	60.0	10	53,510	63.7	12	300	29.4	22	260	60.5	27
Female	77,470	39.2	7	30,400	36.2	8	710	69.6	20	180	41.9	21
Length of service with employer:												
Less than 3 months	4,270	2.2	4	1,500	1.8	7	—	—	—	—	—	—
3 - 11 months	11,830	6.0	6	5,220	6.2	8	20	2.0	116	50	11.6	48
1 - 5 years	57,050	28.9	7	24,140	28.7	7	300	29.4	15	90	20.9	6
More than 5 years	114,850	58.1	9	49,230	58.6	11	700	68.6	24	290	67.4	21
Day of week:												
Sunday	10,790	5.5	7	4,440	5.3	11	20	2.0	27	—	—	—

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

Local government

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Day of week:												
Monday	36,280	18.4	7	16,470	19.6	10	360	35.3	18	130	30.2	86
Tuesday	38,080	19.3	7	16,170	19.2	10	100	9.8	21	60	14.0	21
Wednesday	32,200	16.3	6	13,370	15.9	8	180	17.6	16	20	4.7	5
Thursday	40,080	20.3	11	17,240	20.5	14	180	17.6	35	40	9.3	11
Friday	28,160	14.2	10	11,530	13.7	10	120	11.8	20	90	20.9	6
Saturday	12,080	6.1	7	4,780	5.7	9	50	4.9	124	80	18.6	48
Time of event:												
12:01 A.M. to 4:00 A.M.	5,970	3.0	10	2,160	2.6	13	—	—	—	—	—	—
4:01 A.M. to 8:00 A.M.	20,590	10.4	8	9,600	11.4	10	50	4.9	77	20	4.7	4
8:01 A.M. to 12:00 noon	60,130	30.4	6	25,280	30.1	8	50	4.9	20	160	37.2	86
12:01 P.M. to 4:00 P.M.	41,060	20.8	7	16,890	20.1	8	90	8.8	60	90	20.9	6
4:01 P.M. to 8:00 P.M.	20,210	10.2	10	9,220	11.0	14	—	—	—	30	7.0	3
8:01 P.M. to 12:00 midnight	11,000	5.6	8	4,660	5.5	7	—	—	—	—	—	—
Hours on the job before event occurred:												
Before shift began	2,180	1.1	4	650	.8	4	—	—	—	—	—	—
Less than 1 hour	18,680	9.5	7	7,790	9.3	8	80	7.8	97	120	27.9	86
1 hour to less than 2 hours	20,110	10.2	8	9,330	11.1	10	—	—	—	—	—	—
2 hours to less than 4 hours	40,660	20.6	7	16,700	19.9	7	40	3.9	20	50	11.6	6
4 hours to less than 6 hours	26,760	13.5	7	10,490	12.5	8	—	—	—	20	4.7	16
6 hours to less than 8 hours	26,360	13.3	8	10,560	12.6	10	50	4.9	21	60	14.0	29
8 hours to less than 10 hours	11,190	5.7	8	5,520	6.6	11	—	—	—	30	7.0	4
10 hours to less than 12 hours	6,750	3.4	14	3,450	4.1	17	—	—	—	—	—	—
12 hours to less than 16 hours	2,080	1.1	7	1,080	1.3	11	—	—	—	—	—	—
More than 16 hours	730	.4	11	460	.5	20	—	—	—	—	—	—
Event or exposure:												
Contact with objects and equipment	33,060	16.7	5	6,110	7.3	8	—	—	—	20	4.7	3
Struck by object	16,250	8.2	5	2,150	2.6	9	—	—	—	20	4.7	3
Struck against object	11,220	5.7	5	2,700	3.2	5	—	—	—	—	—	—
Caught in or compressed by equipment or objects	3,580	1.8	6	960	1.1	8	—	—	—	—	—	—
Fall to lower level	12,400	6.3	8	3,760	4.5	10	—	—	—	—	—	—
Fall on same level	32,780	16.6	7	9,150	10.9	9	—	—	—	—	—	—
Slip, trip, loss of balance without fall	8,460	4.3	8	6,850	8.2	8	—	—	—	—	—	—
Overexertion	35,740	18.1	10	27,050	32.2	10	—	—	—	100	23.3	21
Overexertion in lifting	16,860	8.5	10	13,020	15.5	9	—	—	—	30	7.0	81
Repetitive motion	3,670	1.9	24	1,410	1.7	22	1,020	100.0	21	140	32.6	11
Exposure to harmful substances or environments	9,130	4.6	3	—	—	—	—	—	—	—	—	—
Transportation incidents	13,650	6.9	13	6,300	7.5	17	—	—	—	—	—	—
Highway accident	9,330	4.7	12	4,650	5.5	17	—	—	—	—	—	—
Fires and explosions	390	.2	9	40	(³)	2	—	—	—	—	—	—
Assaults and violent acts	16,930	8.6	11	4,540	5.4	30	—	—	—	20	4.7	12
By person(s)	14,900	7.5	12	4,430	5.3	33	—	—	—	20	4.7	12

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

Local government

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Event or exposure:												
By animal	1,700	0.9	5	20	(³)	7	—	—	—	—	—	—
All other events	31,460	15.9	10	18,800	22.4	12	—	—	—	130	30.2	86
Part of body affected:												
Head	10,870	5.5	3	30	(³)	2	—	—	—	—	—	—
Eye(s)	2,840	1.4	2	—	—	—	—	—	—	—	—	—
Neck, including throat	3,140	1.6	10	1,910	2.3	10	—	—	—	—	—	—
Trunk	60,290	30.5	10	38,120	45.4	10	—	—	—	150	34.9	86
Shoulder, including clavicle, scapula	14,410	7.3	25	9,260	11.0	23	—	—	—	150	34.9	86
Back, including spine, spinal cord	34,580	17.5	8	25,640	30.5	8	—	—	—	—	—	—
Upper extremities	33,360	16.9	8	8,270	9.8	12	1,020	100.0	21	200	46.5	21
Arm(s)	8,350	4.2	11	2,050	2.4	14	—	—	—	100	23.3	21
Wrist(s)	7,460	3.8	12	3,130	3.7	14	1,020	100.0	21	30	7.0	5
Hand(s), except finger(s)	6,210	3.1	5	1,340	1.6	12	—	—	—	—	—	—
Finger(s), fingernail(s)	8,320	4.2	6	830	1.0	5	—	—	—	20	4.7	29
Lower extremities	50,960	25.8	10	26,010	31.0	10	—	—	—	40	9.3	3
Knee(s)	22,560	11.4	11	12,390	14.8	15	—	—	—	—	—	—
Ankle(s)	12,550	6.3	6	8,590	10.2	6	—	—	—	—	—	—
Foot, toe	6,660	3.4	7	1,510	1.8	6	—	—	—	20	4.7	1
Body systems	4,140	2.1	5	—	—	—	—	—	—	—	—	—
Multiple body parts	32,610	16.5	7	9,530	11.3	13	—	—	—	20	4.7	11
All other parts of body	2,290	1.2	1	140	.2	10	—	—	—	30	7.0	6
Source of injury, illness:												
Chemicals and chemical products	2,220	1.1	2	30	(³)	2	—	—	—	—	—	—
Containers	11,430	5.8	9	6,630	7.9	11	—	—	—	30	7.0	45
Furniture and fixtures	7,590	3.8	7	3,170	3.8	10	—	—	—	—	—	—
Machinery	4,160	2.1	7	1,670	2.0	13	—	—	—	—	—	—
Parts and materials	7,450	3.8	8	3,170	3.8	13	—	—	—	—	—	—
Floors, walkways, ground surfaces	47,780	24.2	9	16,750	19.9	11	—	—	—	—	—	—
Handtools	4,970	2.5	7	1,930	2.3	9	—	—	—	—	—	—
Vehicles	20,730	10.5	11	8,470	10.1	17	—	—	—	40	9.3	21
Person, injured or ill worker	32,500	16.4	12	21,050	25.1	10	1,020	100.0	21	270	62.8	40
Bodily motion or position of injured, ill worker	30,490	15.4	12	20,740	24.7	10	1,020	100.0	21	270	62.8	40
Person, other than injured or ill worker	25,440	12.9	11	12,790	15.2	10	—	—	—	30	7.0	16
Health care patient	6,930	3.5	7	4,860	5.8	7	—	—	—	—	—	—
All other sources	33,390	16.9	5	8,340	9.9	8	—	—	—	50	11.6	4

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Total	1,238,490	100.0	8	493,170	100.0	10	10,780	100.0	21	4,010	100.0	14
Occupation:												
Management, business, and financial occupations ...	31,780	2.6	5	10,450	2.1	6	730	6.8	16	120	3.0	22
Professional and related occupations	133,890	10.8	6	56,750	11.5	6	890	8.3	15	630	15.7	25
Service occupations	379,070	30.6	7	154,560	31.3	9	1,310	12.2	32	770	19.2	19
Sales and related occupations	69,130	5.6	8	27,170	5.5	9	560	5.2	13	160	4.0	19
Office and administrative support occupations	83,260	6.7	7	32,000	6.5	7	2,300	21.3	19	440	11.0	13
Farming, fishing, and forestry occupations	12,160	1.0	7	3,770	.8	7	30	.3	15	60	1.5	5
Construction and extraction occupations	106,330	8.6	12	37,370	7.6	13	830	7.7	14	220	5.5	10
Installation, maintenance, and repair occupations	95,210	7.7	10	37,600	7.6	14	570	5.3	25	100	2.5	13
Production occupations	112,800	9.1	9	37,780	7.7	10	2,730	25.3	25	860	21.4	10
Transportation and material moving occupations	211,290	17.1	12	95,280	19.3	12	840	7.8	40	660	16.5	15
Age:												
Under 14	70	(³)	13	20	(³)	5	—	—	—	—	—	—
14 - 15	230	(³)	3	80	(³)	21	—	—	—	—	—	—
16 - 19	24,610	2.0	4	7,400	1.5	4	40	.4	39	30	.7	25
20 - 24	101,830	8.2	5	36,300	7.4	5	230	2.1	8	220	5.5	4
25 - 34	256,400	20.7	6	103,000	20.9	7	1,670	15.5	15	940	23.4	25
35 - 44	302,540	24.4	9	129,320	26.2	10	2,460	22.8	28	1,160	28.9	13
45 - 54	315,770	25.5	10	131,220	26.6	11	3,880	36.0	22	1,180	29.4	13
55 - 64	176,280	14.2	11	66,590	13.5	14	2,230	20.7	24	410	10.2	21
65 and over	34,540	2.8	12	10,190	2.1	13	190	1.8	28	50	1.2	11
Race or ethnic origin:												
White only	511,890	41.3	7	199,850	40.5	8	5,350	49.6	18	1,480	36.9	10
Hispanic or Latino only	140,690	11.4	8	48,520	9.8	9	650	6.0	35	510	12.7	13
Black only	101,800	8.2	7	42,870	8.7	8	930	8.6	28	260	6.5	22
Asian only	14,160	1.1	7	4,390	.9	7	130	1.2	33	70	1.7	13
American Indian or Alaskan Native only	5,090	.4	7	2,220	.5	9	30	.3	18	—	—	—
Native Hawaiian or Pacific Islander only	3,700	.3	8	1,380	.3	8	80	.7	163	—	—	—
Multi-race	1,460	.1	4	220	(³)	10	—	—	—	—	—	—
Hispanic or Latino and other race	560	(³)	5	180	(³)	3	—	—	—	—	—	—
Gender:												
Male	754,910	61.0	9	299,430	60.7	10	3,800	35.3	24	1,710	42.6	10
Female	477,620	38.6	7	191,820	38.9	8	6,970	64.7	20	2,300	57.4	22
Length of service with employer:												
Less than 3 months	84,810	6.8	6	27,070	5.5	7	150	1.4	5	240	6.0	5
3 - 11 months	185,640	15.0	6	72,920	14.8	7	440	4.1	15	580	14.5	11
1 - 5 years	459,970	37.1	7	184,070	37.3	8	3,180	29.5	26	1,070	26.7	13
More than 5 years	483,970	39.1	10	200,010	40.6	12	6,960	64.6	20	2,120	52.9	25

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Day of week:												
Sunday	78,690	6.4	8	31,970	6.5	10	220	2.0	29	120	3.0	9
Monday	221,750	17.9	8	89,140	18.1	10	2,420	22.4	21	1,020	25.4	25
Tuesday	228,000	18.4	7	90,570	18.4	9	1,680	15.6	26	880	21.9	21
Wednesday	212,910	17.2	7	83,580	16.9	8	2,440	22.6	17	760	19.0	10
Thursday	215,140	17.4	9	83,280	16.9	11	1,850	17.2	22	440	11.0	11
Friday	187,190	15.1	10	75,780	15.4	10	1,790	16.6	20	460	11.5	13
Saturday	94,810	7.7	8	38,850	7.9	8	390	3.6	31	340	8.5	12
Time of event:												
12:01 A.M. to 4:00 A.M.	37,920	3.1	11	15,750	3.2	11	60	.6	71	70	1.7	18
4:01 A.M. to 8:00 A.M.	122,200	9.9	8	52,770	10.7	10	540	5.0	26	230	5.7	5
8:01 A.M. to 12:00 noon	367,630	29.7	7	145,780	29.6	9	1,550	14.4	31	860	21.4	19
12:01 P.M. to 4:00 P.M.	277,810	22.4	7	107,260	21.7	8	780	7.2	27	520	13.0	20
4:01 P.M. to 8:00 P.M.	131,680	10.6	8	53,160	10.8	9	190	1.8	22	240	6.0	12
8:01 P.M. to 12:00 midnight ..	70,750	5.7	7	29,650	6.0	9	200	1.9	68	210	5.2	6
Hours on the job before event occurred:												
Before shift began	9,940	.8	6	3,200	.6	7	—	—	—	—	—	—
Less than 1 hour	105,140	8.5	7	43,580	8.8	8	560	5.2	31	280	7.0	33
1 hour to less than 2 hours ..	122,650	9.9	7	50,570	10.3	9	330	3.1	24	260	6.5	6
2 hours to less than 4 hours ..	260,610	21.0	7	103,450	21.0	9	830	7.7	31	540	13.5	28
4 hours to less than 6 hours ..	192,150	15.5	7	75,730	15.4	10	790	7.3	34	410	10.2	7
6 hours to less than 8 hours ..	173,230	14.0	7	67,330	13.7	8	390	3.6	21	330	8.2	9
8 hours to less than 10 hours ..	81,180	6.6	8	31,970	6.5	9	210	1.9	25	180	4.5	19
10 hours to less than 12 hours ..	23,870	1.9	10	10,310	2.1	12	30	.3	59	40	1.0	3
12 hours to less than 16 hours ..	8,670	.7	9	3,840	.8	8	90	.8	80	—	—	—
More than 16 hours	1,540	.1	12	910	.2	20	—	—	—	—	—	—
Event or exposure:												
Contact with objects and equipment	299,030	24.1	5	35,810	7.3	9	—	—	—	110	2.7	5
Struck by object	151,900	12.3	5	14,400	2.9	11	—	—	—	80	2.0	3
Struck against object	79,170	6.4	5	13,520	2.7	7	—	—	—	20	.5	44
Caught in or compressed by equipment or objects	48,140	3.9	9	4,930	1.0	8	—	—	—	—	—	—
Fall to lower level	79,050	6.4	13	23,430	4.8	11	—	—	—	40	1.0	4
Fall on same level	186,630	15.1	9	53,060	10.8	10	—	—	—	130	3.2	19
Slip, trip, loss of balance without fall	44,920	3.6	8	35,320	7.2	8	—	—	—	—	—	—
Overexertion	277,560	22.4	10	208,890	42.4	9	—	—	—	850	21.2	9
Overexertion in lifting	139,410	11.3	10	102,490	20.8	8	—	—	—	330	8.2	12
Repetitive motion	36,190	2.9	21	10,710	2.2	19	10,770	99.9	21	2,410	60.1	16
Exposure to harmful substances or environments	54,750	4.4	3	—	—	—	—	—	—	—	—	—
Transportation incidents	60,330	4.9	10	21,540	4.4	10	—	—	—	—	—	—
Highway accident	39,130	3.2	10	15,340	3.1	9	—	—	—	—	—	—
Fires and explosions	2,430	.2	9	160	(³)	69	—	—	—	—	—	—
Assaults and violent acts	51,850	4.2	7	11,790	2.4	12	—	—	—	20	.5	12

See footnotes at end of table.

TABLE 5. Number, percent distribution, and median days away from work for nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and selected nature of injury or illness, 2009 — Continued

All ownerships (Private sector, state government, and local government)

Characteristic	Total			Sprains, strains, tears			Carpal tunnel syndrome			Tendonitis		
	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²	Number	Percent	Median days away from work ²
Event or exposure:												
By person(s)	41,000	3.3	8	10,900	2.2	12	—	—	—	20	0.5	12
By animal	8,570	.7	3	140	(³)	9	—	—	—	—	—	—
All other events	145,760	11.8	10	92,470	18.8	9	—	—	—	430	10.7	29
Part of body affected:												
Head	81,000	6.5	3	230	(³)	10	—	—	—	—	—	—
Eye(s)	27,920	2.3	2	40	(³)	26	—	—	—	—	—	—
Neck, including throat	16,560	1.3	6	10,650	2.2	6	—	—	—	—	—	—
Trunk	406,370	32.8	10	260,110	52.7	9	—	—	—	810	20.2	12
Shoulder, including clavicle, scapula	86,810	7.0	22	58,670	11.9	22	—	—	—	790	19.7	12
Back, including spine, spinal cord	242,380	19.6	7	180,030	36.5	7	—	—	—	—	—	—
Upper extremities	265,980	21.5	7	48,640	9.9	10	10,780	100.0	21	2,740	68.3	19
Arm(s)	56,620	4.6	8	16,250	3.3	11	—	—	—	690	17.2	14
Wrist(s)	50,120	4.0	14	16,990	3.4	9	10,780	100.0	21	1,050	26.2	12
Hand(s), except finger(s)	47,230	3.8	5	4,620	.9	12	—	—	—	630	15.7	25
Finger(s), fingernail(s)	94,170	7.6	5	6,420	1.3	6	—	—	—	150	3.7	14
Lower extremities	281,820	22.8	10	131,080	26.6	10	—	—	—	250	6.2	4
Knee(s)	114,580	9.3	14	65,230	13.2	18	—	—	—	60	1.5	5
Ankle(s)	64,800	5.2	8	42,280	8.6	5	—	—	—	50	1.2	3
Foot, toe	50,530	4.1	8	8,240	1.7	6	—	—	—	90	2.2	4
Body systems	22,490	1.8	4	—	—	—	—	—	—	—	—	—
Multiple body parts	153,890	12.4	9	41,320	8.4	10	—	—	—	160	4.0	11
All other parts of body	10,390	.8	5	1,140	.2	6	—	—	—	50	1.2	6
Source of injury, illness:												
Chemicals and chemical products	17,230	1.4	2	180	(³)	20	—	—	—	—	—	—
Containers	130,320	10.5	10	75,220	15.3	10	—	—	—	300	7.5	5
Furniture and fixtures	49,240	4.0	6	18,710	3.8	10	—	—	—	70	1.7	19
Machinery	63,010	5.1	8	14,230	2.9	11	—	—	—	50	1.2	1
Parts and materials	95,160	7.7	8	32,620	6.6	10	—	—	—	180	4.5	13
Floors, walkways, ground surfaces	260,100	21.0	10	85,300	17.3	10	—	—	—	140	3.5	22
Handtools	50,360	4.1	4	9,770	2.0	10	—	—	—	40	1.0	25
Vehicles	108,880	8.8	10	39,350	8.0	11	—	—	—	100	2.5	8
Person, injured or ill worker	183,540	14.8	11	116,390	23.6	9	10,770	99.9	21	2,740	68.3	18
Bodily motion or position of injured, ill worker	172,420	13.9	11	113,580	23.0	10	10,770	99.9	21	2,720	67.8	18
Person, other than injured or ill worker	104,000	8.4	7	59,470	12.1	8	—	—	—	160	4.0	19
Health care patient	69,270	5.6	7	45,890	9.3	7	—	—	—	140	3.5	19
All other sources	176,650	14.3	5	41,940	8.5	9	—	—	—	240	6.0	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

³ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies