

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2010

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		69,490	28,090	3,060	2,090	1,760	330	7,640	490	90
Head	0	4,160	—	190	380	360	30	1,000	—	50
Head, unspecified	00	990	—	—	90	70	—	300	—	—
Cranial region, including skull	01	600	—	—	60	60	—	50	—	—
Brain	011	470	—	—	—	—	—	—	—	—
Scalp	012	110	—	—	60	60	—	40	—	—
Ear(s)	02	30	—	—	—	—	—	—	—	—
Face	03	2,400	—	190	220	220	—	610	—	50
Face, unspecified	030	430	—	20	40	40	—	180	—	—
Forehead	031	120	—	—	40	30	—	40	—	—
Eye(s)	032	1,000	—	—	60	60	—	70	—	40
Nose, nasal cavity	033	180	—	130	—	—	—	—	—	—
Nose, except internal location of diseases or disorders	0330	170	—	130	—	—	—	—	—	—
Cheek(s)	034	50	—	—	—	—	—	30	—	—
Jaw/chin	035	110	—	—	—	—	—	60	—	—
Mouth	036	100	—	30	30	30	—	20	—	—
Lip(s)	0361	60	—	—	30	30	—	20	—	—
Tooth(teeth)	0363	30	—	30	—	—	—	—	—	—
Multiple face locations	038	400	—	—	—	—	—	200	—	—
Face, n.e.c.	039	30	—	—	20	20	—	—	—	—
Multiple head locations	08	130	—	—	—	—	—	50	—	—
Neck, including throat	1	1,340	960	—	—	—	—	30	—	—
Neck, except internal location of diseases or disorders ...	10	1,330	960	—	—	—	—	30	—	—
Trunk	2	19,170	11,960	390	80	50	30	1,270	—	—
Trunk, unspecified	20	190	110	—	—	—	—	30	—	—
Shoulder, including clavicle, scapula	21	4,450	2,750	110	—	—	—	350	—	—
Chest, including ribs, internal organs	22	1,160	150	110	—	—	—	280	—	—
Chest, except internal location of diseases or disorders	220	840	150	110	—	—	—	280	—	—
Internal chest location, unspecified	221	110	—	—	—	—	—	—	—	—
Heart	223	90	—	—	—	—	—	—	—	—
Lung(s), pleura	225	110	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	11,010	8,180	80	—	—	—	330	—	—
Back, including spine, spinal cord, unspecified	230	4,860	3,420	30	—	—	—	160	—	—
Lumbar region	231	4,640	3,660	—	—	—	—	110	—	—
Thoracic region	232	760	660	—	—	—	—	40	—	—
Sacral region	233	30	—	—	—	—	—	—	—	—
Coccygeal region	234	60	—	40	—	—	—	—	—	—
Multiple back regions	238	590	380	—	—	—	—	—	—	—
Back, including spine, spinal cord, n.e.c.	239	60	50	—	—	—	—	—	—	—
Abdomen	24	670	120	—	—	—	—	50	—	—
Abdomen, except internal location of diseases or disorders	240	290	120	—	—	—	—	50	—	—
Internal abdominal location, unspecified	241	70	—	—	—	—	—	—	—	—
Stomach organ	242	60	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2010 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	110	750	130	4,470	330	1,830	9,840	2,010	12,720
Head	—	—	—	240	20	—	420	—	1,840
Head, unspecified	—	—	—	30	—	—	150	—	410
Cranial region, including skull	—	—	—	—	—	—	—	—	490
Brain	—	—	—	—	—	—	—	—	470
Scalp	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	—	—
Face	—	—	—	150	20	—	240	—	910
Face, unspecified	—	—	—	20	—	—	30	—	140
Forehead	—	—	—	—	—	—	40	—	—
Eye(s)	—	—	—	—	—	—	140	—	670
Nose, nasal cavity	—	—	—	—	—	—	—	—	30
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	—	—	30
Cheek(s)	—	—	—	—	—	—	—	—	—
Jaw/chin	—	—	—	—	—	—	—	—	20
Mouth	—	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	120	20	—	20	—	40
Face, n.e.c.	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	40	—	—	20	—	—
Neck, including throat	—	—	—	40	—	—	200	—	90
Neck, except internal location of diseases or disorders ...	—	—	—	40	—	—	200	—	80
Trunk	—	—	20	280	20	240	3,270	2,010	1,870
Trunk, unspecified	—	—	—	—	—	—	30	—	20
Shoulder, including clavicle, scapula	—	—	20	130	—	120	720	—	370
Chest, including ribs, internal organs	—	—	—	30	20	—	190	—	400
Chest, except internal location of diseases or disorders	—	—	—	30	20	—	190	—	80
Internal chest location, unspecified	—	—	—	—	—	—	—	—	110
Heart	—	—	—	—	—	—	—	—	90
Lung(s), pleura	—	—	—	—	—	—	—	—	110
Back, including spine, spinal cord	—	—	—	60	—	50	2,010	2,010	340
Back, including spine, spinal cord, unspecified	—	—	—	30	—	20	1,010	1,010	210
Lumbar region	—	—	—	30	—	30	730	730	110
Thoracic region	—	—	—	—	—	—	60	60	—
Sacral region	—	—	—	—	—	—	20	20	—
Coccygeal region	—	—	—	—	—	—	—	—	—
Multiple back regions	—	—	—	—	—	—	180	180	20
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—
Abdomen	—	—	—	—	—	—	60	—	430
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	60	—	50
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—	70
Stomach organ	—	—	—	—	—	—	—	—	60

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Intestines, peritoneum	245	260	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	250	—	—	—	—	—	—	—	—
Pelvic region	25	1,000	310	90	—	—	—	170	—	—
Hip(s)	251	450	100	80	—	—	—	90	—	—
Buttock(s)	253	110	—	—	—	—	—	30	—	—
Groin	254	400	190	—	—	—	—	50	—	—
Multiple pelvic region locations	258	20	—	—	—	—	—	—	—	—
Multiple trunk locations	28	700	340	—	—	—	—	50	—	—
Upper extremities	3	12,200	3,340	1,030	1,280	1,100	180	1,430	260	—
Upper extremities, unspecified	30	30	—	—	—	—	—	—	—	—
Arm(s)	31	2,750	870	210	70	60	—	450	50	—
Arm(s), unspecified	310	1,030	390	80	20	—	—	100	—	—
Upper arm(s)	311	160	90	30	—	—	—	—	—	—
Elbow(s)	312	970	270	60	30	30	—	220	—	—
Forearm(s)	313	350	70	30	20	20	—	100	40	—
Multiple arm(s) locations	318	210	50	—	—	—	—	30	—	—
Arm(s), n.e.c.	319	30	—	—	—	—	—	—	—	—
Wrist(s)	32	2,540	900	280	20	—	—	120	—	—
Hand(s), except finger(s)	33	2,020	500	120	380	330	50	340	90	—
Finger(s), fingernail(s)	34	3,740	740	400	780	660	120	410	40	—
Multiple upper extremities locations	38	1,100	310	20	30	30	—	100	80	—
Hand(s) and finger(s)	381	240	40	—	20	20	—	40	20	—
Hand(s) and wrist(s)	382	290	120	—	—	—	—	30	—	—
Hand(s) and arm(s)	383	110	—	—	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	460	130	—	—	—	—	20	60	—
Upper extremities, n.e.c.	39	20	—	—	—	—	—	—	—	—
Lower extremities	4	15,860	7,860	1,350	170	140	30	2,190	120	—
Lower extremities, unspecified	40	40	20	—	—	—	—	—	—	—
Leg(s)	41	8,860	4,280	290	120	120	—	1,490	20	—
Leg(s), unspecified	410	770	250	50	50	50	—	120	—	—
Thigh(s)	411	190	100	20	—	—	—	40	—	—
Knee(s)	412	6,630	3,410	70	60	60	—	1,060	—	—
Lower leg(s)	413	720	270	160	—	—	—	190	—	—
Multiple leg(s) locations	418	410	140	—	—	—	—	70	—	—
Leg(s), n.e.c.	419	120	110	—	—	—	—	—	—	—
Ankle(s)	42	3,960	2,950	520	—	—	—	100	—	—
Foot(feet), except toe(s)	43	1,860	350	300	40	—	30	470	90	—
Foot(feet), except toe(s), unspecified	430	1,640	260	290	30	—	20	390	90	—
Sole	432	200	80	—	—	—	—	70	—	—
Heel(s)	4323	200	80	—	—	—	—	70	—	—
Toe(s), toenail(s)	44	290	—	130	—	—	—	70	—	—
Multiple lower extremities locations	48	840	260	100	—	—	—	60	—	—
Foot(feet) and leg(s)	481	20	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	170	120	—	—	—	—	—	—	—
Foot(feet) and toe(s)	483	180	—	100	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	460	120	—	—	—	—	50	—	—
Body systems	5	1,680	—	—	—	—	—	—	—	—
Multiple body parts	8	14,690	3,880	80	170	100	70	1,700	60	30

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2010 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Intestines, peritoneum	-	-	-	-	-	-	-	-	260
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	-	250
Pelvic region	-	-	-	-	-	-	160	-	180
Hip(s)	-	-	-	-	-	-	70	-	100
Buttock(s)	-	-	-	-	-	-	40	-	-
Groin	-	-	-	-	-	-	50	-	60
Multiple pelvic region locations	-	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	-	70	-	60	100	-	140
Upper extremities	100	750	110	290	30	50	1,420	-	2,190
Upper extremities, unspecified	-	-	-	-	-	-	-	-	20
Arm(s)	-	-	60	40	-	-	340	-	650
Arm(s), unspecified	-	-	-	-	-	-	100	-	310
Upper arm(s)	-	-	-	-	-	-	-	-	20
Elbow(s)	-	-	30	20	-	-	130	-	200
Forearm(s)	-	-	-	-	-	-	20	-	80
Multiple arm(s) locations	-	-	-	-	-	-	60	-	40
Arm(s), n.e.c.	-	-	-	-	-	-	-	-	-
Wrist(s)	-	750	20	-	-	-	240	-	180
Hand(s), except finger(s)	-	-	20	50	-	30	230	-	300
Finger(s), fingernail(s)	100	-	-	130	20	-	330	-	800
Multiple upper extremities locations	-	-	-	50	-	-	270	-	240
Hand(s) and finger(s)	-	-	-	30	-	-	70	-	30
Hand(s) and wrist(s)	-	-	-	-	-	-	50	-	70
Hand(s) and arm(s)	-	-	-	-	-	-	40	-	40
Multiple upper extremities locations, n.e.c.	-	-	-	20	-	-	110	-	100
Upper extremities, n.e.c.	-	-	-	-	-	-	-	-	-
Lower extremities	-	-	-	490	40	210	2,080	-	1,580
Lower extremities, unspecified	-	-	-	-	-	-	-	-	-
Leg(s)	-	-	-	310	-	130	1,330	-	1,010
Leg(s), unspecified	-	-	-	20	-	-	30	-	230
Thigh(s)	-	-	-	-	-	-	-	-	-
Knee(s)	-	-	-	190	-	120	1,160	-	680
Lower leg(s)	-	-	-	20	-	-	30	-	40
Multiple leg(s) locations	-	-	-	80	-	-	70	-	40
Leg(s), n.e.c.	-	-	-	-	-	-	-	-	-
Ankle(s)	-	-	-	20	-	-	160	-	220
Foot(feet), except toe(s)	-	-	-	60	-	60	310	-	240
Foot(feet), except toe(s), unspecified	-	-	-	60	-	60	290	-	230
Sole	-	-	-	-	-	-	-	-	-
Heel(s)	-	-	-	-	-	-	-	-	-
Toe(s), toenail(s)	-	-	-	-	-	-	20	-	40
Multiple lower extremities locations	-	-	-	90	30	20	250	-	70
Foot(feet) and leg(s)	-	-	-	-	-	-	-	-	-
Foot(feet) and ankle(s)	-	-	-	20	-	-	20	-	-
Foot(feet) and toe(s)	-	-	-	20	-	-	20	-	30
Multiple lower extremities locations, n.e.c.	-	-	-	50	-	-	210	-	30
Body systems	-	-	-	-	-	-	-	-	1,680
Multiple body parts	-	-	-	3,130	210	1,310	2,430	-	3,220

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Nonclassifiable	9999	390	90	—	—	—	—	20	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, State government, 2010 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Nonclassifiable	—	—	—	—	—	—	20	—	250

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084;

With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies