

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2010

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		69,490	790	3,240	2,400	1,720	1,660
Head	0	4,160	160	50	230	90	70
Head, unspecified	00	990	—	30	120	20	20
Cranial region, including skull	01	600	—	—	40	—	20
Brain	011	470	—	—	30	—	—
Scalp	012	110	—	—	—	—	—
Ear(s)	02	30	—	—	—	—	—
Face	03	2,400	150	20	70	70	20
Face, unspecified	030	430	—	—	—	—	—
Forehead	031	120	—	—	—	—	—
Eye(s)	032	1,000	140	—	20	—	—
Nose, nasal cavity	033	180	—	—	—	—	—
Nose, except internal location of diseases or disorders	0330	170	—	—	—	—	—
Cheek(s)	034	50	—	—	—	—	—
Jaw/chin	035	110	—	—	—	—	—
Mouth	036	100	—	—	—	—	—
Lip(s)	0361	60	—	—	—	—	—
Tooth(teeth)	0363	30	—	—	—	—	—
Multiple face locations	038	400	—	—	—	50	—
Face, n.e.c.	039	30	—	—	—	—	—
Multiple head locations	08	130	—	—	—	—	—
Neck, including throat	1	1,340	—	50	—	30	20
Neck, except internal location of diseases or disorders ...	10	1,330	—	50	—	30	20
Trunk	2	19,170	130	2,010	750	620	680
Trunk, unspecified	20	190	—	30	—	—	—
Shoulder, including clavicle, scapula	21	4,450	—	360	170	130	140
Chest, including ribs, internal organs	22	1,160	120	20	40	50	50
Chest, except internal location of diseases or disorders	220	840	—	20	40	50	40
Internal chest location, unspecified	221	110	20	—	—	—	—
Heart	223	90	—	—	—	—	—
Lung(s), pleura	225	110	60	—	—	—	—
Back, including spine, spinal cord	23	11,010	—	1,400	430	350	340
Back, including spine, spinal cord, unspecified	230	4,860	—	580	190	240	170
Lumbar region	231	4,640	—	700	220	100	160
Thoracic region	232	760	—	—	—	—	—
Sacral region	233	30	—	—	—	—	—
Coccygeal region	234	60	—	—	—	—	—
Multiple back regions	238	590	—	100	—	—	—
Back, including spine, spinal cord, n.e.c.	239	60	—	—	—	—	—
Abdomen	24	670	—	90	40	70	40
Abdomen, except internal location of diseases or disorders	240	290	—	30	—	20	20
Internal abdominal location, unspecified	241	70	—	—	—	20	—
Stomach organ	242	60	—	—	—	—	—
Intestines, peritoneum	245	260	—	40	30	30	20
Intestines, peritoneum, unspecified	2450	250	—	40	30	30	20

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2010 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Total	16,180	1,390	5,860	11,460	10,430	16,090	10,060	8,700
Head	380	90	280	40	—	1,670	1,150	1,100
Head, unspecified	160	—	160	—	—	260	200	200
Cranial region, including skull	140	30	80	—	—	140	100	130
Brain	130	—	70	—	—	120	80	80
Scalp	—	30	20	—	—	—	—	30
Ear(s)	—	—	—	—	—	—	—	20
Face	80	30	30	—	—	1,150	780	740
Face, unspecified	—	—	—	—	—	340	220	70
Forehead	—	—	—	—	—	70	30	30
Eye(s)	—	—	—	—	—	160	120	610
Nose, nasal cavity	—	—	—	—	—	130	90	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	130	90	—
Cheek(s)	—	—	—	—	—	40	30	—
Jaw/chin	—	—	—	—	—	80	60	—
Mouth	—	—	—	—	—	70	40	—
Lip(s)	—	—	—	—	—	40	40	—
Tooth(teeth)	—	—	—	—	—	30	—	—
Multiple face locations	40	—	—	—	—	260	180	20
Face, n.e.c.	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	—	—	110	80	—
Neck, including throat	150	—	340	160	160	450	390	110
Neck, except internal location of diseases or disorders ...	150	—	340	160	160	450	390	110
Trunk	3,220	410	1,310	3,400	3,120	4,460	3,070	2,180
Trunk, unspecified	30	—	—	—	—	30	30	—
Shoulder, including clavicle, scapula	920	170	200	380	330	1,410	890	590
Chest, including ribs, internal organs	200	—	110	240	100	170	120	170
Chest, except internal location of diseases or disorders	200	—	110	60	40	170	120	120
Internal chest location, unspecified	—	—	—	90	60	—	—	—
Heart	—	—	—	90	—	—	—	—
Lung(s), pleura	—	—	—	—	—	—	—	40
Back, including spine, spinal cord	1,440	170	870	2,490	2,400	2,400	1,760	1,110
Back, including spine, spinal cord, unspecified	630	100	520	950	910	980	630	510
Lumbar region	530	70	300	1,040	990	1,010	840	510
Thoracic region	40	—	—	450	450	170	130	50
Sacral region	30	—	—	—	—	—	—	—
Coccygeal region	50	—	—	—	—	—	—	—
Multiple back regions	110	—	50	30	30	240	160	30
Back, including spine, spinal cord, n.e.c.	50	—	—	—	—	—	—	—
Abdomen	50	—	30	60	60	150	120	130
Abdomen, except internal location of diseases or disorders	40	—	—	—	—	110	90	30
Internal abdominal location, unspecified	—	—	—	—	—	20	20	—
Stomach organ	—	—	—	—	—	—	—	50
Intestines, peritoneum	—	—	—	50	50	20	—	40
Intestines, peritoneum, unspecified	—	—	—	50	50	20	—	40

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Pelvic region	25	1,000	—	60	—	—	80
Hip(s)	251	450	—	—	—	—	30
Buttock(s)	253	110	—	—	—	—	—
Groin	254	400	—	50	—	—	40
Multiple pelvic region locations	258	20	—	—	—	—	—
Multiple trunk locations	28	700	—	60	50	—	30
Upper extremities	3	12,200	80	560	640	490	440
Upper extremities, unspecified	30	30	—	—	—	—	—
Arm(s)	31	2,750	—	210	80	110	110
Arm(s), unspecified	310	1,030	—	90	20	20	—
Upper arm(s)	311	160	—	20	—	—	20
Elbow(s)	312	970	—	70	40	20	50
Forearm(s)	313	350	—	—	—	70	—
Multiple arm(s) locations	318	210	—	—	—	—	—
Arm(s), n.e.c.	319	30	—	—	—	—	—
Wrist(s)	32	2,540	—	90	100	60	70
Hand(s), except finger(s)	33	2,020	30	90	170	80	60
Finger(s), fingernail(s)	34	3,740	—	120	210	210	190
Multiple upper extremities locations	38	1,100	40	40	80	30	20
Hand(s) and finger(s)	381	240	—	—	—	20	—
Hand(s) and wrist(s)	382	290	—	—	—	—	—
Hand(s) and arm(s)	383	110	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	460	40	—	60	—	20
Upper extremities, n.e.c.	39	20	—	—	—	—	—
Lower extremities	4	15,860	20	280	550	360	330
Lower extremities, unspecified	40	40	—	—	—	—	—
Leg(s)	41	8,860	—	120	360	210	170
Leg(s), unspecified	410	770	—	20	50	60	20
Thigh(s)	411	190	—	—	—	—	20
Knee(s)	412	6,630	—	90	240	90	40
Lower leg(s)	413	720	—	—	30	—	80
Multiple leg(s) locations	418	410	—	—	30	50	—
Leg(s), n.e.c.	419	120	—	—	—	—	—
Ankle(s)	42	3,960	—	50	—	—	30
Foot(feet), except toe(s)	43	1,860	—	60	110	100	110
Foot(feet), except toe(s), unspecified	430	1,640	—	60	110	80	110
Sole	432	200	—	—	—	—	—
Heel(s)	4323	200	—	—	—	—	—
Toe(s), toenail(s)	44	290	—	50	50	—	—
Multiple lower extremities locations	48	840	—	—	30	40	—
Foot(feet) and leg(s)	481	20	—	—	—	—	—
Foot(feet) and ankle(s)	482	170	—	—	—	—	—
Foot(feet) and toe(s)	483	180	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	460	—	—	20	—	—
Body systems	5	1,680	350	—	—	—	—
Multiple body parts	8	14,690	50	270	210	120	110

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2010 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Pelvic region	380	50	30	180	180	130	80	50
Hip(s)	260	—	20	60	60	30	—	30
Buttock(s)	100	—	—	—	—	—	—	—
Groin	20	50	—	110	110	70	60	20
Multiple pelvic region locations	—	—	—	—	—	—	—	—
Multiple trunk locations	200	—	70	50	50	170	90	40
Upper extremities	1,560	580	730	1,810	1,790	2,730	1,860	2,580
Upper extremities, unspecified	—	—	20	—	—	—	—	—
Arm(s)	510	60	70	440	430	700	440	450
Arm(s), unspecified	110	—	—	180	170	440	290	140
Upper arm(s)	40	—	—	20	20	—	—	30
Elbow(s)	290	20	50	130	130	160	80	150
Forearm(s)	20	—	—	50	50	70	30	90
Multiple arm(s) locations	50	—	—	50	50	—	—	50
Arm(s), n.e.c.	—	—	—	—	—	—	—	—
Wrist(s)	450	40	120	880	870	530	360	200
Hand(s), except finger(s)	240	70	140	180	180	310	130	650
Finger(s), fingernail(s)	140	380	330	170	170	850	650	1,130
Multiple upper extremities locations	210	20	50	130	130	330	270	150
Hand(s) and finger(s)	—	20	—	—	—	70	60	100
Hand(s) and wrist(s)	70	—	30	60	60	90	70	20
Hand(s) and arm(s)	—	—	—	—	—	60	50	20
Multiple upper extremities locations, n.e.c.	120	—	20	50	50	110	80	20
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—
Lower extremities	5,820	110	880	4,610	4,550	1,610	940	1,290
Lower extremities, unspecified	20	—	20	—	—	—	—	—
Leg(s)	3,220	40	390	2,470	2,410	1,250	810	620
Leg(s), unspecified	140	—	110	140	140	50	40	170
Thigh(s)	30	—	—	50	50	40	30	20
Knee(s)	2,590	20	250	1,900	1,840	1,070	700	350
Lower leg(s)	200	—	—	260	260	50	30	70
Multiple leg(s) locations	220	—	—	50	50	30	—	20
Leg(s), n.e.c.	40	—	—	60	60	—	—	—
Ankle(s)	1,700	—	120	1,590	1,590	230	60	230
Foot(feet), except toe(s)	490	70	150	380	380	60	40	310
Foot(feet), except toe(s), unspecified	410	70	130	300	300	60	40	310
Sole	80	—	—	80	80	—	—	—
Heel(s)	80	—	—	80	80	—	—	—
Toe(s), toenail(s)	60	—	30	—	—	20	20	50
Multiple lower extremities locations	320	—	170	160	160	60	20	70
Foot(feet) and leg(s)	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	80	—	—	20	20	30	—	30
Foot(feet) and toe(s)	20	—	110	—	—	—	—	20
Multiple lower extremities locations, n.e.c.	210	—	60	130	130	20	—	—
Body systems	20	—	—	570	—	290	30	400
Multiple body parts	4,930	180	2,300	860	760	4,790	2,600	870

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Nonclassifiable	9999	390	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, State government, 2010 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Nonclassifiable	100	—	—	—	—	90	20	160

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways,

or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies