

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2010

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴									
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion		
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting	
Total		69,490	10,360	4,640	3,490	1,310	3,660	11,030	2,090	12,110	4,150	
Head	0	4,160	1,320	750	430	—	120	370	—	—	—	
Head, unspecified	00	990	340	150	180	—	70	130	—	—	—	
Cranial region, including skull	01	600	200	120	80	—	20	140	—	—	—	
Brain	011	470	120	100	30	—	20	130	—	—	—	
Scalp	012	110	80	30	50	—	—	—	—	—	—	
Ear(s)	02	30	—	—	—	—	—	—	—	—	—	
Face	03	2,400	750	460	170	—	30	90	—	—	—	
Face, unspecified	030	430	70	50	30	—	—	—	—	—	—	
Forehead	031	120	50	20	30	—	—	—	—	—	—	
Eye(s)	032	1,000	530	340	60	—	—	30	—	—	—	
Nose, nasal cavity	033	180	20	—	—	—	—	—	—	—	—	
Nose, except internal location of diseases or disorders	0330	170	20	—	—	—	—	—	—	—	—	
Cheek(s)	034	50	—	—	—	—	—	—	—	—	—	
Jaw/chin	035	110	30	20	—	—	—	—	—	—	—	
Mouth	036	100	—	—	—	—	—	—	—	—	—	
Lip(s)	0361	60	—	—	—	—	—	—	—	—	—	
Tooth(teeth)	0363	30	—	—	—	—	—	—	—	—	—	
Multiple face locations	038	400	20	—	—	—	—	30	—	—	—	
Face, n.e.c.	039	30	—	—	—	—	—	—	—	—	—	
Multiple head locations	08	130	—	—	—	—	—	—	—	—	—	
Neck, including throat	1	1,340	110	70	30	—	—	150	—	210	70	
Neck, except internal location of diseases or disorders ...	10	1,330	110	70	30	—	—	150	—	210	70	
Trunk	2	19,170	1,030	570	220	100	910	2,420	380	8,120	3,200	
Trunk, unspecified	20	190	20	—	20	—	—	—	—	110	110	
Shoulder, including clavicle, scapula	21	4,450	260	130	80	40	260	740	30	2,010	530	
Chest, including ribs, internal organs	22	1,160	160	90	30	—	130	130	—	120	40	
Chest, except internal location of diseases or disorders	220	840	150	80	30	—	130	130	—	120	40	
Internal chest location, unspecified	221	110	—	—	—	—	—	—	—	—	—	
Heart	223	90	—	—	—	—	—	—	—	—	—	
Lung(s), pleura	225	110	—	—	—	—	—	—	—	—	—	
Back, including spine, spinal cord	23	11,010	500	310	40	50	450	950	300	5,070	2,130	
Back, including spine, spinal cord, unspecified	230	4,860	270	150	30	30	210	430	130	2,240	750	
Lumbar region	231	4,640	140	80	—	—	170	310	150	2,440	1,180	
Thoracic region	232	760	70	60	—	—	—	40	—	160	60	
Sacral region	233	30	—	—	—	—	—	30	—	—	—	
Coccygeal region	234	60	—	—	—	—	20	40	—	—	—	
Multiple back regions	238	590	20	—	—	—	50	70	20	230	140	
Back, including spine, spinal cord, n.e.c.	239	60	—	—	—	—	—	50	—	—	—	
Abdomen	24	670	—	—	—	—	—	40	—	390	230	
Abdomen, except internal location of diseases or disorders	240	290	—	—	—	—	—	40	—	140	70	
Internal abdominal location, unspecified	241	70	—	—	—	—	—	—	—	70	40	
Stomach organ	242	60	—	—	—	—	—	—	—	—	—	
Intestines, peritoneum	245	260	—	—	—	—	—	—	—	180	110	

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Total	1,770	2,950	4,160	3,230	80	11,960	11,260	700	270	9,310
Head	—	330	220	160	—	1,710	1,650	60	—	80
Head, unspecified	—	—	120	120	—	290	280	—	—	30
Cranial region, including skull	—	—	60	20	—	150	140	—	—	—
Brain	—	—	50	—	—	130	120	—	—	—
Scalp	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	—	—	—
Face	—	310	20	20	—	1,160	1,140	30	—	40
Face, unspecified	—	30	—	—	—	310	300	—	—	—
Forehead	—	—	—	—	—	70	70	—	—	—
Eye(s)	—	260	—	—	—	140	120	20	—	—
Nose, nasal cavity	—	—	—	—	—	140	140	—	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	140	140	—	—	—
Cheek(s)	—	—	—	—	—	40	40	—	—	—
Jaw/chin	—	—	—	—	—	80	80	—	—	—
Mouth	—	—	—	—	—	70	70	—	—	—
Lip(s)	—	—	—	—	—	40	40	—	—	—
Tooth(teeth)	—	—	—	—	—	30	30	—	—	—
Multiple face locations	—	—	—	—	—	320	320	—	—	—
Face, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	—	—	100	90	—	—	—
Neck, including throat	—	—	340	300	—	350	340	—	—	140
Neck, except internal location of diseases or disorders ...	—	—	340	300	—	350	340	—	—	140
Trunk	180	310	800	550	—	1,810	1,770	30	—	3,230
Trunk, unspecified	—	—	—	—	—	30	30	—	—	—
Shoulder, including clavicle, scapula	90	—	90	70	—	690	680	—	—	290
Chest, including ribs, internal organs	—	180	30	20	—	160	140	20	—	230
Chest, except internal location of diseases or disorders	—	50	30	20	—	160	140	20	—	50
Internal chest location, unspecified	—	20	—	—	—	—	—	—	—	90
Heart	—	—	—	—	—	—	—	—	—	90
Lung(s), pleura	—	100	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	70	—	600	430	—	630	630	—	—	2,410
Back, including spine, spinal cord, unspecified	30	—	370	240	—	250	250	—	—	910
Lumbar region	40	—	170	140	—	190	190	—	—	1,020
Thoracic region	—	—	—	—	—	40	40	—	—	450
Sacral region	—	—	—	—	—	—	—	—	—	—
Coccygeal region	—	—	—	—	—	—	—	—	—	—
Multiple back regions	—	—	50	40	—	150	150	—	—	—
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—	—
Abdomen	—	50	—	—	—	100	100	—	—	70
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	80	80	—	—	—
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—	—	—
Stomach organ	—	50	—	—	—	—	—	—	—	—
Intestines, peritoneum	—	—	—	—	—	—	—	—	—	50

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴										
			Contact with objects						Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	In lifting					
Intestines, peritoneum, unspecified	2450	250	—	—	—	—	—	—	—	—	180	100	
Pelvic region	25	1,000	40	20	20	—	30	330	20	—	220	90	
Hip(s)	251	450	—	—	—	—	20	220	—	—	60	20	
Buttock(s)	253	110	—	—	—	—	—	90	—	—	—	—	
Groin	254	400	—	—	—	—	—	—	20	—	150	70	
Multiple pelvic region locations	258	20	—	—	—	—	—	—	—	—	—	—	
Multiple trunk locations	28	700	30	—	20	—	30	220	—	—	200	70	
Upper extremities	3	12,200	3,920	1,780	980	900	250	1,230	—	—	1,540	560	
Upper extremities, unspecified	30	30	—	—	—	—	—	—	—	—	—	—	
Arm(s)	31	2,750	440	150	230	—	70	380	—	—	540	260	
Arm(s), unspecified	310	1,030	100	40	—	—	50	60	—	—	240	130	
Upper arm(s)	311	160	—	—	—	—	—	40	—	—	70	40	
Elbow(s)	312	970	240	70	170	—	20	210	—	—	140	50	
Forearm(s)	313	350	50	30	20	—	—	20	—	—	30	—	
Multiple arm(s) locations	318	210	40	—	30	—	—	50	—	—	60	40	
Arm(s), n.e.c.	319	30	—	—	—	—	—	—	—	—	—	—	
Wrist(s)	32	2,540	240	70	80	40	80	320	—	—	550	170	
Hand(s), except finger(s)	33	2,020	810	300	240	170	—	280	—	—	150	80	
Finger(s), fingernail(s)	34	3,740	2,230	1,100	380	680	70	120	—	—	180	20	
Multiple upper extremities locations	38	1,100	190	140	40	—	20	120	—	—	110	40	
Hand(s) and finger(s)	381	240	120	80	30	—	—	—	—	—	—	—	
Hand(s) and wrist(s)	382	290	40	30	—	—	—	60	—	—	20	—	
Hand(s) and arm(s)	383	110	—	—	—	—	—	—	—	—	30	—	
Multiple upper extremities locations, n.e.c.	389	460	30	30	—	—	—	50	—	—	50	20	
Upper extremities, n.e.c.	39	20	—	—	—	—	—	—	—	—	—	—	
Lower extremities	4	15,860	3,310	1,140	1,610	220	1,370	3,060	1,530	—	560	100	
Lower extremities, unspecified	40	40	—	—	—	—	—	20	—	—	—	—	
Leg(s)	41	8,860	1,210	340	650	50	830	1,970	770	—	460	100	
Leg(s), unspecified	410	770	180	90	60	—	70	150	70	—	40	—	
Thigh(s)	411	190	30	20	—	—	—	30	—	—	—	—	
Knee(s)	412	6,630	760	140	500	20	630	1,500	600	—	380	80	
Lower leg(s)	413	720	120	60	50	—	80	140	90	—	—	—	
Multiple leg(s) locations	418	410	90	20	20	—	50	150	—	—	—	—	
Leg(s), n.e.c.	419	120	30	—	—	—	—	—	—	—	—	—	
Ankle(s)	42	3,960	810	60	580	60	300	720	580	—	80	—	
Foot(foot), except toe(s)	43	1,860	870	520	230	80	80	160	120	—	20	—	
Foot(foot), except toe(s), unspecified	430	1,640	760	500	140	80	70	150	120	—	—	—	
Sole	432	200	100	20	80	—	—	—	—	—	—	—	
Heel(s)	4323	200	100	20	70	—	—	—	—	—	—	—	
Toe(s), toenail(s)	44	290	220	120	70	20	20	20	—	—	—	—	
Multiple lower extremities locations	48	840	200	90	80	30	140	170	60	—	—	—	
Foot(foot) and leg(s)	481	20	—	—	—	—	—	—	—	—	—	—	
Foot(foot) and ankle(s)	482	170	40	—	20	—	60	30	—	—	—	—	
Foot(foot) and toe(s)	483	180	70	70	—	—	20	—	—	—	—	—	
Multiple lower extremities locations, n.e.c.	489	460	80	—	60	—	60	140	40	—	—	—	
Body systems	5	1,680	—	—	—	—	—	—	—	—	—	—	
Multiple body parts	8	14,690	660	320	230	60	1,010	3,700	160	—	1,670	220	

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁵
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	-	-	50
Pelvic region	-	70	20	-	-	90	90	-	-	170
Hip(s)	-	-	20	-	-	-	-	-	-	80
Buttock(s)	-	-	-	-	-	-	-	-	-	-
Groin	-	-	-	-	-	70	70	-	-	80
Multiple pelvic region locations	-	-	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	60	20	-	90	90	-	-	50
Upper extremities	1,380	510	330	210	30	2,420	2,200	230	100	580
Upper extremities, unspecified	-	-	20	20	-	-	-	-	-	-
Arm(s)	230	130	80	20	-	590	550	40	-	260
Arm(s), unspecified	80	70	-	-	-	310	310	-	-	100
Upper arm(s)	-	-	-	-	-	-	-	-	-	30
Elbow(s)	100	-	-	-	-	180	160	20	-	80
Forearm(s)	-	50	70	-	-	60	50	20	-	50
Multiple arm(s) locations	50	-	-	-	-	-	-	-	-	-
Arm(s), n.e.c.	-	-	-	-	-	-	-	-	-	-
Wrist(s)	840	-	70	60	-	350	350	-	-	70
Hand(s), except finger(s)	130	140	100	90	-	320	300	20	20	60
Finger(s), fingernail(s)	50	130	20	-	-	780	630	160	60	160
Multiple upper extremities locations	110	110	40	20	-	360	360	-	-	30
Hand(s) and finger(s)	-	20	-	-	-	70	70	-	-	-
Hand(s) and wrist(s)	60	-	-	-	-	90	80	-	-	-
Hand(s) and arm(s)	-	20	-	-	-	30	30	-	-	-
Multiple upper extremities locations, n.e.c.	40	60	20	-	-	180	180	-	-	20
Upper extremities, n.e.c.	-	-	-	-	-	-	-	-	-	-
Lower extremities	-	190	330	160	-	1,390	1,310	80	40	4,100
Lower extremities, unspecified	-	-	-	-	-	-	-	-	-	-
Leg(s)	-	70	100	50	-	1,210	1,140	80	40	2,240
Leg(s), unspecified	-	40	30	20	-	70	50	20	20	120
Thigh(s)	-	-	-	-	-	40	40	-	-	60
Knee(s)	-	-	50	30	-	1,020	1,000	20	-	1,680
Lower leg(s)	-	20	-	-	-	40	30	-	-	220
Multiple leg(s) locations	-	-	-	-	-	40	20	-	-	50
Leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	90
Ankle(s)	-	20	50	-	-	70	70	-	-	1,340
Foot(feet), except toe(s)	-	90	80	-	-	50	40	-	-	400
Foot(feet), except toe(s), unspecified	-	90	70	-	-	50	40	-	-	310
Sole	-	-	-	-	-	-	-	-	-	90
Heel(s)	-	-	-	-	-	-	-	-	-	90
Toe(s), toenail(s)	-	-	-	-	-	20	20	-	-	-
Multiple lower extremities locations	-	-	100	-	-	40	40	-	-	120
Foot(feet) and leg(s)	-	-	-	-	-	-	-	-	-	-
Foot(feet) and ankle(s)	-	-	-	-	-	-	-	-	-	-
Foot(feet) and toe(s)	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	-	-	-	-	-	20	20	-	-	100
Body systems	-	1,260	-	-	20	120	90	30	-	260
Multiple body parts	200	270	2,130	1,830	20	4,080	3,840	240	100	790

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects						Overexertion		
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall	Total	In lifting
Nonclassifiable	9999	390	20	—	—	—	—	90	—	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, State government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
			Total	Highway accident		Total	As-saults by person	All other assaults		All other events ⁵
								Total	Assaults by animal	
Nonclassifiable	—	60	—	—	—	70	60	—	—	

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substances or environments = 30-39; Transportation incidents = 40-49; Highway accident = 41; Fires and explosions = 50-52;

Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies