

TABLE S31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, State government, 2010

Event or exposure	Event code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		69,490	28,090	3,060	2,090	1,760	330	7,640	490	90
Contact with objects and equipment	0	10,360	2,020	750	1,400	1,250	160	2,290	-	-
Contact with objects and equipment, unspecified	00	390	120	30	50	50	-	50	-	-
Struck against object or equipment	01	3,490	940	250	580	470	100	650	-	-
Struck against object or equipment, unspecified	010	140	60	-	30	-	20	-	-	-
Stepped on object	011	700	480	90	20	-	20	40	-	-
Struck against stationary object or equipment	012	1,840	240	100	360	300	60	480	-	-
Struck against moving object or equipment	013	250	60	-	20	20	-	20	-	-
Struck against object or equipment, n.e.c.	019	570	80	50	150	130	-	100	-	-
Struck by object or equipment	02	4,640	530	380	660	620	40	1,230	-	-
Struck by object or equipment, unspecified	020	260	-	-	20	20	-	130	-	-
Struck by falling object or equipment	021	1,280	200	130	80	80	-	430	-	-
Struck by flying object	022	480	-	20	70	60	-	40	-	-
Struck by flying object, unspecified	0220	90	-	-	-	-	-	20	-	-
Struck by dislodged flying object, particle	0221	260	-	-	50	50	-	-	-	-
Struck by discharged object or substance	0222	30	-	-	-	-	-	-	-	-
Struck by flying object, n.e.c.	0229	100	-	-	-	-	-	-	-	-
Struck by swinging or slipping object	023	1,880	170	180	420	390	30	470	-	-
Struck by swinging or slipping object, unspecified ...	0230	50	-	-	-	-	-	30	-	-
Struck by or slammed in swinging door or gate	0231	1,050	80	90	90	90	-	320	-	-
Struck by slipping handheld object	0232	660	90	90	310	280	30	60	-	-
Struck by swinging or slipping object, n.e.c.	0239	130	-	-	20	20	-	60	-	-
Struck by rolling, sliding objects or equipment on floor or ground level	024	220	20	20	-	-	-	70	-	-
Struck by object or equipment, n.e.c.	029	530	120	20	70	70	-	90	-	-
Caught in or compressed by equipment or objects	03	1,300	270	80	100	100	-	320	-	-
Caught in or compressed by equipment or objects, unspecified	030	220	20	-	-	-	-	130	-	-
Caught in running equipment or machinery	031	130	-	20	50	50	-	-	-	-
Compressed or pinched by rolling, sliding, or shifting objects	032	300	30	20	30	30	-	110	-	-
Caught in or compressed by equipment or objects, n.e.c.	039	660	210	40	20	20	-	80	-	-
Rubbed or abraded by friction or pressure	05	270	-	-	-	-	-	-	-	-
Rubbed or abraded by kneeling on surface	051	30	-	-	-	-	-	-	-	-
Rubbed or abraded by objects being handled	052	70	-	-	-	-	-	-	-	-
Rubbed or abraded by foreign matter in eye	053	130	-	-	-	-	-	-	-	-
Rubbed or abraded by friction or pressure, n.e.c.	059	40	-	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vibration	06	120	50	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	40	20	-	-	-	-	-	-	-
Rubbed, abraded, or jarred by vibration, n.e.c.	069	70	30	-	-	-	-	-	-	-
Contact with objects and equipment, n.e.c.	09	150	120	-	-	-	-	-	-	-
Falls	1	15,350	4,690	1,490	320	280	30	2,630	-	-
Fall, unspecified	10	450	170	50	-	-	-	140	-	-
Fall to lower level	11	3,660	1,050	310	20	20	-	740	-	-
Fall to lower level, unspecified	110	40	-	-	-	-	-	-	-	-
Fall down stairs or steps	111	1,750	620	120	-	-	-	380	-	-
Fall from floor, dock, or ground level	112	630	150	50	-	-	-	170	-	-

See footnotes at end of table.

TABLE S31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, State government, 2010 — Continued

Event or exposure	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	110	750	130	4,470	330	1,830	9,840	2,010	12,720
Contact with objects and equipment	110	—	—	660	70	260	1,150	70	1,970
Contact with objects and equipment, unspecified	—	—	—	—	—	—	70	20	70
Struck against object or equipment	—	—	—	160	—	60	480	—	430
Struck against object or equipment, unspecified	—	—	—	—	—	—	20	—	—
Stepped on object	—	—	—	20	—	—	40	—	—
Struck against stationary object or equipment	—	—	—	80	—	30	250	—	320
Struck against moving object or equipment	—	—	—	30	—	—	70	—	40
Struck against object or equipment, n.e.c.	—	—	—	30	—	—	90	—	70
Struck by object or equipment	40	—	—	420	60	160	410	—	960
Struck by object or equipment, unspecified	—	—	—	—	—	—	20	—	60
Struck by falling object or equipment	—	—	—	110	20	50	130	—	190
Struck by flying object	—	—	—	20	—	—	50	—	280
Struck by flying object, unspecified	—	—	—	—	—	—	—	—	60
Struck by dislodged flying object, particle	—	—	—	—	—	—	—	—	180
Struck by discharged object or substance	—	—	—	—	—	—	—	—	—
Struck by flying object, n.e.c.	—	—	—	—	—	—	40	—	20
Struck by swinging or slipping object	30	—	—	240	30	80	80	—	300
Struck by swinging or slipping object, unspecified ...	—	—	—	—	—	—	—	—	—
Struck by or slammed in swinging door or gate	30	—	—	200	30	80	50	—	190
Struck by slipping handheld object	—	—	—	—	—	—	20	—	100
Struck by swinging or slipping object, n.e.c.	—	—	—	—	—	—	—	—	—
Struck by rolling, sliding objects or equipment on floor or ground level	—	—	—	20	—	—	80	—	—
Struck by object or equipment, n.e.c.	—	—	—	40	—	—	50	—	130
Caught in or compressed by equipment or objects	70	—	—	70	—	30	80	—	320
Caught in or compressed by equipment or objects, unspecified	—	—	—	—	—	—	—	—	—
Caught in running equipment or machinery	40	—	—	—	—	—	—	—	—
Compressed or pinched by rolling, sliding, or shifting objects	—	—	—	—	—	—	—	—	110
Caught in or compressed by equipment or objects, n.e.c.	—	—	—	40	—	20	70	—	190
Rubbed or abraded by friction or pressure	—	—	—	—	—	—	80	—	180
Rubbed or abraded by kneeling on surface	—	—	—	—	—	—	—	—	20
Rubbed or abraded by objects being handled	—	—	—	—	—	—	70	—	—
Rubbed or abraded by foreign matter in eye	—	—	—	—	—	—	—	—	130
Rubbed or abraded by friction or pressure, n.e.c.	—	—	—	—	—	—	—	—	30
Rubbed, abraded, or jarred by vibration	—	—	—	—	—	—	20	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	—	—	—	20	—	—	—	—	—
Falls	—	—	—	1,850	120	850	1,970	250	2,400
Fall, unspecified	—	—	—	—	—	—	40	—	30
Fall to lower level	—	—	—	330	50	110	620	70	600
Fall to lower level, unspecified	—	—	—	—	—	—	—	—	—
Fall down stairs or steps	—	—	—	130	30	50	300	40	190
Fall from floor, dock, or ground level	—	—	—	30	—	—	60	—	170

See footnotes at end of table.

TABLE S31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Fall from floor, dock, or ground level, unspecified	1120	30	20	—	—	—	—	—	—	—
Fall through existing floor opening	1121	360	40	40	—	—	—	—	—	—
Fall through floor surface	1122	100	—	—	—	—	—	—	—	—
Fall from ground level to lower level	1124	130	60	—	—	—	—	—	—	—
Fall from ladder	113	360	70	20	—	—	—	90	—	—
Fall from scaffold, staging	116	20	—	—	—	—	—	—	—	—
Fall from nonmoving vehicle	118	280	40	70	—	—	—	20	—	—
Fall to lower level, n.e.c.	119	580	140	30	—	—	—	80	—	—
Jump to lower level	12	110	30	60	—	—	—	—	—	—
Jump to lower level, unspecified	120	30	—	—	—	—	—	—	—	—
Jump from structure, structural element, n.e.c.	122	20	—	—	—	—	—	—	—	—
Jump from nonmoving vehicle	123	20	20	—	—	—	—	—	—	—
Jump to lower level, n.e.c.	129	40	—	—	—	—	—	—	—	—
Fall on same level	13	11,030	3,390	1,060	280	250	30	1,740	—	—
Fall on same level, unspecified	130	20	—	—	—	—	—	—	—	—
Fall to floor, walkway, or other surface	131	10,140	3,260	1,010	170	170	—	1,510	—	—
Fall onto or against objects	132	860	130	50	110	80	30	220	—	—
Fall, n.e.c.	19	100	50	—	—	—	—	20	—	—
Bodily reaction and exertion	2	24,230	16,460	190	—	—	—	—	—	—
Bodily reaction and exertion, unspecified	20	810	420	—	—	—	—	—	—	—
Bodily reaction	21	9,340	7,010	160	—	—	—	—	—	—
Bodily reaction, unspecified	210	560	430	—	—	—	—	—	—	—
Bending, climbing, crawling, reaching, twisting	211	3,850	3,040	30	—	—	—	—	—	—
Sudden reaction when surprised, frightened, startled ..	212	90	70	—	—	—	—	—	—	—
Running without other incident	213	600	390	—	—	—	—	—	—	—
Sitting	214	30	20	—	—	—	—	—	—	—
Slip, trip, loss of balance without fall	215	2,090	1,500	110	—	—	—	—	—	—
Standing	216	60	40	—	—	—	—	—	—	—
Walking without other incident	217	950	740	—	—	—	—	—	—	—
Bodily reaction, n.e.c.	219	1,120	770	—	—	—	—	—	—	—
Overexertion	22	12,110	8,610	30	—	—	—	—	—	—
Overexertion, unspecified	220	820	540	—	—	—	—	—	—	—
Overexertion in lifting	221	4,150	3,370	20	—	—	—	—	—	—
Overexertion in pulling or pushing objects	222	1,980	1,560	—	—	—	—	—	—	—
Overexertion in holding, carrying, turning, or wielding objects	223	4,520	2,650	—	—	—	—	—	—	—
Overexertion in throwing objects	224	110	80	—	—	—	—	—	—	—
Overexertion, n.e.c.	229	520	410	—	—	—	—	—	—	—
Repetitive motion	23	1,770	410	—	—	—	—	—	—	—
Repetitive motion, unspecified	230	280	30	—	—	—	—	—	—	—
Typing or key entry	231	500	70	—	—	—	—	—	—	—
Repetitive use of tools	232	160	20	—	—	—	—	—	—	—
Repetitive placing, grasping, or moving objects, except tools	233	550	260	—	—	—	—	—	—	—
Repetitive motion, n.e.c.	239	290	20	—	—	—	—	—	—	—
Bodily conditions, n.e.c.	25	170	—	—	—	—	—	—	—	—
Bodily reaction and exertion, n.e.c.	29	20	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments	3	2,950	—	—	50	—	50	—	460	90
Exposure to harmful substances or environments, unspecified	30	200	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, State government, 2010 — Continued

Event or exposure	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Fall from floor, dock, or ground level, unspecified	—	—	—	—	—	—	—	—	—
Fall through existing floor opening	—	—	—	20	—	—	20	—	160
Fall through floor surface	—	—	—	—	—	—	—	—	—
Fall from ground level to lower level	—	—	—	—	—	—	30	—	—
Fall from ladder	—	—	—	30	—	—	100	—	40
Fall from scaffold, staging	—	—	—	—	—	—	—	—	—
Fall from nonmoving vehicle	—	—	—	30	—	—	70	—	30
Fall to lower level, n.e.c.	—	—	—	100	—	30	80	20	150
Jump to lower level	—	—	—	—	—	—	—	—	—
Jump to lower level, unspecified	—	—	—	—	—	—	—	—	—
Jump from structure, structural element, n.e.c.	—	—	—	—	—	—	—	—	—
Jump from nonmoving vehicle	—	—	—	—	—	—	—	—	—
Jump to lower level, n.e.c.	—	—	—	—	—	—	—	—	—
Fall on same level	—	—	—	1,510	60	740	1,290	170	1,750
Fall on same level, unspecified	—	—	—	—	—	—	—	—	—
Fall to floor, walkway, or other surface	—	—	—	1,390	60	720	1,190	170	1,610
Fall onto or against objects	—	—	—	120	—	20	100	—	130
Fall, n.e.c.	—	—	—	—	—	—	—	—	—
Bodily reaction and exertion	—	750	100	—	—	—	4,150	1,440	2,570
Bodily reaction and exertion, unspecified	—	—	—	—	—	—	90	40	300
Bodily reaction	—	—	—	—	—	—	1,410	300	740
Bodily reaction, unspecified	—	—	—	—	—	—	80	—	40
Bending, climbing, crawling, reaching, twisting	—	—	—	—	—	—	500	150	270
Sudden reaction when surprised, frightened, startled ..	—	—	—	—	—	—	20	—	—
Running without other incident	—	—	—	—	—	—	150	—	60
Sitting	—	—	—	—	—	—	—	—	—
Slip, trip, loss of balance without fall	—	—	—	—	—	—	280	80	200
Standing	—	—	—	—	—	—	—	—	—
Walking without other incident	—	—	—	—	—	—	170	—	30
Bodily reaction, n.e.c.	—	—	—	—	—	—	210	30	120
Overexertion	—	—	40	—	—	—	2,390	1,080	1,040
Overexertion, unspecified	—	—	—	—	—	—	140	80	140
Overexertion in lifting	—	—	30	—	—	—	470	300	260
Overexertion in pulling or pushing objects	—	—	—	—	—	—	310	110	120
Overexertion in holding, carrying, turning, or wielding objects	—	—	20	—	—	—	1,370	540	480
Overexertion in throwing objects	—	—	—	—	—	—	30	30	—
Overexertion, n.e.c.	—	—	—	—	—	—	70	20	40
Repetitive motion	—	750	50	—	—	—	250	20	320
Repetitive motion, unspecified	—	80	—	—	—	—	40	—	110
Typing or key entry	—	300	—	—	—	—	60	—	60
Repetitive use of tools	—	70	—	—	—	—	30	—	20
Repetitive placing, grasping, or moving objects, except tools	—	180	—	—	—	—	40	—	60
Repetitive motion, n.e.c.	—	110	—	—	—	—	80	—	70
Bodily conditions, n.e.c.	—	—	—	—	—	—	—	—	160
Bodily reaction and exertion, n.e.c.	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments	—	—	—	—	—	—	60	—	2,290
Exposure to harmful substances or environments, unspecified	—	—	—	—	—	—	20	—	190

See footnotes at end of table.

TABLE S31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Contact with electric current	31	40	—	—	—	—	—	—	—	—
Contact with electric current of machine, tool, appliance, or light fixture	311	20	—	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	20	—	—	—	—	—	—	—	—
Contact with temperature extremes	32	550	—	—	—	—	—	—	460	—
Exposure to environmental heat	321	70	—	—	—	—	—	—	—	—
Contact with hot objects or substances	323	460	—	—	—	—	—	—	460	—
Contact with cold objects or substances	324	20	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances ...	34	1,670	—	—	50	—	50	—	—	90
Exposure to caustic, noxious, or allergenic substances, unspecified	340	300	—	—	—	—	—	—	—	—
Inhalation of substance	341	470	—	—	—	—	—	—	—	—
Inhalation of substance, unspecified	3410	100	—	—	—	—	—	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	120	—	—	—	—	—	—	—	—
Inhalation in open or nonconfined space	3412	250	—	—	—	—	—	—	—	—
Contact with skin or other exposed tissue	342	490	—	—	—	—	—	—	—	90
Injections, stings, venomous bites	343	330	—	—	50	—	50	—	—	—
Needle sticks	3431	50	—	—	50	—	50	—	—	—
Bee, wasp, hornet sting	3432	150	—	—	—	—	—	—	—	—
Other stings or venomous bites	3433	90	—	—	—	—	—	—	—	—
Injections, stings, venomous bites, n.e.c.	3439	30	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	80	—	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	450	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	20	—	—	—	—	—	—	—	—
Transportation accidents	4	4,160	1,550	240	60	60	—	470	—	—
Transportation accident, unspecified	40	300	130	20	—	—	—	—	—	—
Highway accident	41	3,230	1,310	190	40	40	—	310	—	—
Highway accident, unspecified	410	690	380	20	—	—	—	80	—	—
Collision between vehicles, mobile equipment	411	1,720	530	160	40	40	—	110	—	—
Collision between vehicles, mobile equipment, unspecified	4110	490	120	140	30	30	—	20	—	—
Moving in same direction	4112	670	210	—	—	—	—	60	—	—
Moving in opposite directions, oncoming	4113	70	30	—	—	—	—	—	—	—
Moving in intersection	4114	200	20	—	—	—	—	—	—	—
Moving and standing vehicle, mobile equipment in roadway	4115	210	120	—	—	—	—	—	—	—
Moving and standing vehicle, mobile equipment side of road	4116	30	—	—	—	—	—	—	—	—
Collision between vehicles, mobile equipment, n.e.c.	4119	50	30	—	—	—	—	—	—	—
Vehicle struck object in roadway	412	90	40	—	—	—	—	30	—	—
Vehicle struck object on side of road	413	260	130	—	—	—	—	30	—	—
Noncollision accident	414	450	230	—	—	—	—	60	—	—
Jack-knifed or overturned no collision	4141	20	—	—	—	—	—	—	—	—
Ran off highway no collision	4142	250	100	—	—	—	—	30	—	—
Sudden start or stop, n.e.c.	4144	50	30	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	4149	110	100	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, State government, 2010 — Continued

Event or exposure	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Contact with electric current	-	-	-	-	-	-	-	-	40
Contact with electric current of machine, tool, appliance, or light fixture	-	-	-	-	-	-	-	-	20
Contact with electric current, n.e.c.	-	-	-	-	-	-	-	-	20
Contact with temperature extremes	-	-	-	-	-	-	-	-	90
Exposure to environmental heat	-	-	-	-	-	-	-	-	70
Contact with hot objects or substances	-	-	-	-	-	-	-	-	-
Contact with cold objects or substances	-	-	-	-	-	-	-	-	20
Exposure to caustic, noxious, or allergenic substances ...	-	-	-	-	-	-	40	-	1,490
Exposure to caustic, noxious, or allergenic substances, unspecified	-	-	-	-	-	-	-	-	290
Inhalation of substance	-	-	-	-	-	-	-	-	470
Inhalation of substance, unspecified	-	-	-	-	-	-	-	-	100
Inhalation in enclosed, restricted, or confined space	-	-	-	-	-	-	-	-	120
Inhalation in open or nonconfined space	-	-	-	-	-	-	-	-	250
Contact with skin or other exposed tissue	-	-	-	-	-	-	40	-	370
Injections, stings, venomous bites	-	-	-	-	-	-	-	-	280
Needle sticks	-	-	-	-	-	-	-	-	-
Bee, wasp, hornet sting	-	-	-	-	-	-	-	-	150
Other stings or venomous bites	-	-	-	-	-	-	-	-	90
Injections, stings, venomous bites, n.e.c.	-	-	-	-	-	-	-	-	30
Exposure to caustic, noxious, or allergenic substances, n.e.c.	-	-	-	-	-	-	-	-	80
Exposure to traumatic or stressful event, n.e.c.	-	-	-	-	-	-	-	-	450
Exposure to harmful substances or environments, n.e.c.	-	-	-	-	-	-	-	-	20
Transportation accidents	-	-	-	540	60	170	410	140	870
Transportation accident, unspecified	-	-	-	20	-	20	-	-	90
Highway accident	-	-	-	470	50	130	310	120	590
Highway accident, unspecified	-	-	-	20	-	-	60	-	120
Collision between vehicles, mobile equipment	-	-	-	310	20	120	180	90	390
Collision between vehicles, mobile equipment, unspecified	-	-	-	50	-	20	70	20	60
Moving in same direction	-	-	-	200	-	100	30	30	170
Moving in opposite directions, oncoming	-	-	-	20	-	-	-	-	-
Moving in intersection	-	-	-	30	-	-	-	-	120
Moving and standing vehicle, mobile equipment in roadway	-	-	-	-	-	-	50	40	20
Moving and standing vehicle, mobile equipment side of road	-	-	-	-	-	-	-	-	-
Collision between vehicles, mobile equipment, n.e.c.	-	-	-	-	-	-	-	-	-
Vehicle struck object in roadway	-	-	-	-	-	-	-	-	-
Vehicle struck object on side of road	-	-	-	40	40	-	50	-	-
Noncollision accident	-	-	-	100	-	-	-	-	40
Jack-knifed or overturned no collision	-	-	-	-	-	-	-	-	-
Ran off highway no collision	-	-	-	90	-	-	-	-	20
Sudden start or stop, n.e.c.	-	-	-	-	-	-	-	-	-
Noncollision accident, n.e.c.	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Nonhighway accident, except rail, air, water	42	340	50	20	—	—	—	110	—	—
Collision between vehicles or mobile equipment	421	30	—	—	—	—	—	—	—	—
Vehicle, mobile equipment struck stationary object	422	80	—	—	—	—	—	—	—	—
Noncollision accident	423	200	30	—	—	—	—	110	—	—
Fall from moving vehicle, mobile equipment	4231	110	—	—	—	—	—	70	—	—
Overturned	4233	40	—	—	—	—	—	20	—	—
Loss of control	4234	20	—	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	4236	20	—	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	290	70	—	—	—	—	40	—	—
Pedestrian struck by vehicle, mobile equipment, unspecified	430	80	20	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	431	130	40	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	70	—	—	—	—	—	30	—	—
Fires and explosions	5	80	—	—	—	—	—	—	30	—
Fire unintended or uncontrolled	51	50	—	—	—	—	—	—	30	—
Fire, n.e.c.	519	30	—	—	—	—	—	—	30	—
Explosion	52	40	—	—	—	—	—	—	—	—
Explosion, n.e.c.	529	30	—	—	—	—	—	—	—	—
Assaults and violent acts	6	11,960	3,250	390	240	150	100	2,240	—	—
Assaults and violent acts, unspecified	60	430	160	20	—	—	—	40	—	—
Assaults and violent acts by person(s)	61	11,260	3,080	360	230	140	100	2,200	—	—
Assaults and violent acts by person(s), unspecified	610	3,280	1,200	60	60	60	—	330	—	—
Biting	611	140	—	—	20	—	—	—	—	—
Hitting, kicking, beating	612	4,360	650	190	30	30	—	1,620	—	—
Squeezing, pinching, scratching, twisting	614	610	280	—	—	—	—	—	—	—
Stabbing	615	100	—	—	80	—	80	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	2,750	930	100	30	30	—	240	—	—
Assaults by animals	63	270	—	—	—	—	—	—	—	—
Nonvenomous bites	631	140	—	—	—	—	—	—	—	—
Assaults by animals, n.e.c.	639	110	—	—	—	—	—	—	—	—
Nonclassifiable	9999	390	110	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S31. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected natures of injury or illness, State government, 2010 — Continued

Event or exposure	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Nonhighway accident, except rail, air, water	—	—	—	40	—	20	60	—	60
Collision between vehicles or mobile equipment	—	—	—	—	—	—	—	—	20
Vehicle, mobile equipment struck stationary object	—	—	—	—	—	—	50	—	—
Noncollision accident	—	—	—	30	—	—	—	—	20
Fall from moving vehicle, mobile equipment	—	—	—	20	—	—	—	—	—
Overtaken	—	—	—	—	—	—	—	—	—
Loss of control	—	—	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	—	—	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	—	—	—	—	—	—	30	—	130
Pedestrian struck by vehicle, mobile equipment, unspecified	—	—	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	—	—	—	—	—	—	20	—	60
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	—	—	—	—	—	—	—	—	20
Fires and explosions	—	—	—	20	—	—	—	—	20
Fire unintended or uncontrolled	—	—	—	—	—	—	—	—	—
Fire, n.e.c.	—	—	—	—	—	—	—	—	—
Explosion	—	—	—	20	—	—	—	—	—
Explosion, n.e.c.	—	—	—	20	—	—	—	—	—
Assaults and violent acts	—	—	30	1,390	80	520	2,030	110	2,380
Assaults and violent acts, unspecified	—	—	—	50	—	30	90	—	70
Assaults and violent acts by person(s)	—	—	30	1,340	80	490	1,940	110	2,090
Assaults and violent acts by person(s), unspecified	—	—	—	370	—	120	720	70	520
Biting	—	—	—	—	—	—	—	—	120
Hitting, kicking, beating	—	—	—	510	30	190	760	40	600
Squeezing, pinching, scratching, twisting	—	—	—	30	—	—	140	—	130
Stabbing	—	—	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	—	—	—	430	40	180	320	—	690
Assaults by animals	—	—	—	—	—	—	—	—	230
Nonvenomous bites	—	—	—	—	—	—	—	—	140
Assaults by animals, n.e.c.	—	—	—	—	—	—	—	—	80
Nonclassifiable	—	—	—	—	—	—	60	—	200

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries

= 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies