

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, State government, 2010

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	
Total		69,490	19,920	8,750	3,210	670	150	210	—	110	36,470
Head	0	4,160	1,110	560	250	110	—	—	—	—	2,110
Head, unspecified	00	990	240	150	—	70	—	—	—	—	500
Cranial region, including skull	01	600	170	80	—	—	—	—	—	—	330
Brain	011	470	150	80	—	—	—	—	—	—	230
Scalp	012	110	20	—	—	—	—	—	—	—	90
Ear(s)	02	30	—	—	—	—	—	—	—	—	20
Face	03	2,400	650	330	210	30	—	—	—	—	1,190
Face, unspecified	030	430	60	40	—	—	—	—	—	—	270
Forehead	031	120	50	—	—	—	—	—	—	—	50
Eye(s)	032	1,000	300	70	150	20	—	—	—	—	450
Nose, nasal cavity	033	180	70	—	—	—	—	—	—	—	90
Nose, except internal location of diseases or disorders	0330	170	70	—	—	—	—	—	—	—	90
Cheek(s)	034	50	—	—	—	—	—	—	—	—	30
Jaw/chin	035	110	30	30	—	—	—	—	—	—	50
Mouth	036	100	30	30	—	—	—	—	—	—	40
Lip(s)	0361	60	30	20	—	—	—	—	—	—	—
Tooth(teeth)	0363	30	—	—	—	—	—	—	—	—	20
Multiple face locations	038	400	70	130	—	—	—	—	—	—	200
Face, n.e.c.	039	30	—	—	—	—	—	—	—	—	—
Multiple head locations	08	130	40	—	20	—	—	—	—	—	70
Neck, including throat	1	1,340	290	130	90	—	—	—	—	—	830
Neck, except internal location of diseases or disorders ...	10	1,330	290	130	90	—	—	—	—	—	830
Trunk	2	19,170	5,220	2,040	780	130	20	30	—	—	10,860
Trunk, unspecified	20	190	40	40	20	—	—	—	—	—	90
Shoulder, including clavicle, scapula	21	4,450	1,310	430	90	—	—	—	—	—	2,610
Chest, including ribs, internal organs	22	1,160	300	60	100	—	—	—	—	—	690
Chest, except internal location of diseases or disorders	220	840	230	50	30	—	—	—	—	—	530
Internal chest location, unspecified	221	110	20	—	—	—	—	—	—	—	40
Heart	223	90	30	—	—	—	—	—	—	—	60
Lung(s), pleura	225	110	20	—	20	—	—	—	—	—	60
Back, including spine, spinal cord	23	11,010	2,840	1,180	550	100	20	20	—	—	6,200
Back, including spine, spinal cord, unspecified	230	4,860	1,160	510	230	30	—	20	—	—	2,800
Lumbar region	231	4,640	1,380	480	310	60	—	—	—	—	2,400
Thoracic region	232	760	90	20	—	—	—	—	—	—	640
Sacral region	233	30	—	—	—	—	—	—	—	—	20
Coccygeal region	234	60	20	—	—	—	—	—	—	—	40
Multiple back regions	238	590	170	170	—	—	—	—	—	—	240
Back, including spine, spinal cord, n.e.c.	239	60	—	—	—	—	—	—	—	—	50
Abdomen	24	670	250	40	—	—	—	—	—	—	380
Abdomen, except internal location of diseases or disorders	240	290	110	—	—	—	—	—	—	—	160
Internal abdominal location, unspecified	241	70	20	20	—	—	—	—	—	—	30
Stomach organ	242	60	20	—	—	—	—	—	—	—	30
Intestines, peritoneum	245	260	90	—	—	—	—	—	—	—	170

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Intestines, peritoneum, unspecified	2450	250	80	—	—	—	—	—	—	—	—	170
Pelvic region	25	1,000	290	150	20	—	—	—	—	—	—	530
Hip(s)	251	450	80	130	—	—	—	—	—	—	—	220
Buttock(s)	253	110	30	—	—	—	—	—	—	—	—	80
Groin	254	400	180	—	—	—	—	—	—	—	—	200
Multiple pelvic region locations	258	20	—	—	—	—	—	—	—	—	—	20
Multiple trunk locations	28	700	190	140	—	—	—	—	—	—	—	350
Upper extremities	3	12,200	3,290	1,430	390	120	70	80	—	—	—	6,820
Upper extremities, unspecified	30	30	—	—	—	—	—	—	—	—	—	20
Arm(s)	31	2,750	760	220	80	—	20	—	—	—	—	1,650
Arm(s), unspecified	310	1,030	270	120	20	—	—	—	—	—	—	590
Upper arm(s)	311	160	50	—	—	—	—	—	—	—	—	100
Elbow(s)	312	970	260	50	20	—	—	—	—	—	—	650
Forearm(s)	313	350	80	30	—	—	—	—	—	—	—	230
Multiple arm(s) locations	318	210	100	20	30	—	—	—	—	—	—	60
Arm(s), n.e.c.	319	30	—	—	—	—	—	—	—	—	—	—
Wrist(s)	32	2,540	670	290	110	30	—	—	—	—	—	1,430
Hand(s), except finger(s)	33	2,020	580	310	70	20	—	30	—	—	—	1,020
Finger(s), fingernail(s)	34	3,740	910	460	110	60	—	20	—	—	—	2,170
Multiple upper extremities locations	38	1,100	370	140	20	—	—	30	—	—	—	510
Hand(s) and finger(s)	381	240	90	40	—	—	—	—	—	—	—	70
Hand(s) and wrist(s)	382	290	100	30	—	—	—	—	—	—	—	160
Hand(s) and arm(s)	383	110	20	30	—	—	—	—	—	—	—	30
Multiple upper extremities locations, n.e.c.	389	460	150	40	—	—	—	—	—	—	—	250
Upper extremities, n.e.c.	39	20	—	—	—	—	—	—	—	—	—	—
Lower extremities	4	15,860	5,570	1,980	650	70	20	—	—	—	—	7,540
Lower extremities, unspecified	40	40	—	—	—	—	—	—	—	—	—	30
Leg(s)	41	8,860	2,910	1,070	380	30	—	—	—	—	—	4,460
Leg(s), unspecified	410	770	200	180	30	—	—	—	—	—	—	350
Thigh(s)	411	190	40	40	20	—	—	—	—	—	—	100
Knee(s)	412	6,630	2,220	790	260	20	—	—	—	—	—	3,330
Lower leg(s)	413	720	210	30	20	—	—	—	—	—	—	460
Multiple leg(s) locations	418	410	190	30	40	—	—	—	—	—	—	150
Leg(s), n.e.c.	419	120	—	—	—	—	—	—	—	—	—	70
Ankle(s)	42	3,960	1,730	460	140	30	20	—	—	—	—	1,570
Foot(foot), except toe(s)	43	1,860	510	340	80	—	—	—	—	—	—	930
Foot(foot), except toe(s), unspecified	430	1,640	460	270	80	—	—	—	—	—	—	820
Sole	432	200	40	60	—	—	—	—	—	—	—	100
Heel(s)	4323	200	40	60	—	—	—	—	—	—	—	100
Toe(s), toenail(s)	44	290	90	40	—	—	—	—	—	—	—	150
Multiple lower extremities locations	48	840	330	70	40	—	—	—	—	—	—	390
Foot(foot) and leg(s)	481	20	—	—	—	—	—	—	—	—	—	—
Foot(foot) and ankle(s)	482	170	50	40	20	—	—	—	—	—	—	70
Foot(foot) and toe(s)	483	180	90	—	—	—	—	—	—	—	—	70
Multiple lower extremities locations, n.e.c.	489	460	180	30	—	—	—	—	—	—	—	220
Body systems	5	1,680	530	200	200	—	—	—	—	—	—	740
Multiple body parts	8	14,690	3,860	2,340	840	200	30	70	—	—	—	7,350

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Nonclassifiable	9999	390	50	70	—	40	—	—	—	—	220

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and

Hispanic and other race.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies