

TABLE S61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, State government, 2010

Event or exposure	Event code ²	State government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total		69,490	19,920	8,750	3,210	670	150	210	—	110	36,470
Contact with objects and equipment	0	10,360	2,750	1,260	350	180	50	40	—	—	5,730
Contact with objects and equipment, unspecified	00	390	70	30	—	—	—	—	—	—	280
Struck against object or equipment	01	3,490	1,020	480	150	—	—	—	—	—	1,820
Struck against object or equipment, unspecified	010	140	60	—	—	—	—	—	—	—	80
Stepped on object	011	700	340	80	—	—	—	—	—	—	270
Struck against stationary object or equipment	012	1,840	420	370	80	—	—	—	—	—	970
Struck against moving object or equipment	013	250	70	30	50	—	—	—	—	—	90
Struck against object or equipment, n.e.c.	019	570	130	—	20	—	—	—	—	—	410
Struck by object or equipment	02	4,640	1,150	600	120	170	40	30	—	—	2,530
Struck by object or equipment, unspecified	020	260	30	—	—	—	—	—	—	—	210
Struck by falling object or equipment	021	1,280	350	180	20	20	—	—	—	—	700
Struck by flying object	022	480	140	40	—	50	—	—	—	—	240
Struck by flying object, unspecified	0220	90	—	—	—	—	—	—	—	—	20
Struck by dislodged flying object, particle	0221	260	120	—	—	—	—	—	—	—	120
Struck by discharged object or substance	0222	30	—	—	—	—	—	—	—	—	30
Struck by flying object, n.e.c.	0229	100	—	30	—	—	—	—	—	—	60
Struck by swinging or slipping object	023	1,880	430	290	90	80	30	—	—	—	960
Struck by swinging or slipping object, unspecified ...	0230	50	—	—	—	—	—	—	—	—	20
Struck by or slammed in swinging door or gate	0231	1,050	270	230	70	20	30	—	—	—	420
Struck by slipping handheld object	0232	660	120	40	20	40	—	—	—	—	420
Struck by swinging or slipping object, n.e.c.	0239	130	30	—	—	—	—	—	—	—	100
Struck by rolling, sliding objects or equipment on floor or ground level	024	220	100	20	—	—	—	—	—	—	90
Struck by object or equipment, n.e.c.	029	530	110	70	—	—	—	—	—	—	330
Caught in or compressed by equipment or objects	03	1,300	270	120	50	—	—	—	—	—	860
Caught in or compressed by equipment or objects, unspecified	030	220	40	—	—	—	—	—	—	—	170
Caught in running equipment or machinery	031	130	60	—	—	—	—	—	—	—	70
Compressed or pinched by rolling, sliding, or shifting objects	032	300	100	—	—	—	—	—	—	—	170
Caught in or compressed by equipment or objects, n.e.c.	039	660	70	90	30	—	—	—	—	—	460
Rubbed or abraded by friction or pressure	05	270	120	—	30	—	—	—	—	—	120
Rubbed or abraded by kneeling on surface	051	30	20	—	20	—	—	—	—	—	—
Rubbed or abraded by objects being handled	052	70	70	—	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye	053	130	30	—	—	—	—	—	—	—	80
Rubbed or abraded by friction or pressure, n.e.c.	059	40	—	—	—	—	—	—	—	—	40
Rubbed, abraded, or jarred by vibration	06	120	—	30	—	—	—	—	—	—	80
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	40	—	—	—	—	—	—	—	—	30
Rubbed, abraded, or jarred by vibration, n.e.c.	069	70	—	—	—	—	—	—	—	—	50
Contact with objects and equipment, n.e.c.	09	150	110	—	—	—	—	—	—	—	30
Falls	1	15,350	5,040	2,030	850	90	—	40	—	—	7,290
Fall, unspecified	10	450	120	70	20	—	—	—	—	—	240
Fall to lower level	11	3,660	1,190	420	230	20	—	—	—	—	1,790
Fall to lower level, unspecified	110	40	—	—	—	—	—	—	—	—	30
Fall down stairs or steps	111	1,750	590	280	120	—	—	—	—	—	760
Fall from floor, dock, or ground level	112	630	180	30	60	—	—	—	—	—	360
Fall from floor, dock, or ground level, unspecified	1120	30	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Race or ethnic origin ⁴									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Fall through existing floor opening	1121	360	120	—	60	—	—	—	—	—	—	170
Fall through floor surface	1122	100	30	—	—	—	—	—	—	—	—	70
Fall from ground level to lower level	1124	130	20	—	—	—	—	—	—	—	—	100
Fall from ladder	113	360	150	—	20	—	—	—	—	—	—	180
Fall from scaffold, staging	116	20	—	—	—	—	—	—	—	—	—	—
Fall from nonmoving vehicle	118	280	110	—	—	—	—	—	—	—	—	160
Fall to lower level, n.e.c.	119	580	140	100	30	—	—	—	—	—	—	300
Jump to lower level	12	110	60	—	—	—	—	—	—	—	—	50
Jump to lower level, unspecified	120	30	30	—	—	—	—	—	—	—	—	—
Jump from structure, structural element, n.e.c.	122	20	—	—	—	—	—	—	—	—	—	—
Jump from nonmoving vehicle	123	20	—	—	—	—	—	—	—	—	—	—
Jump to lower level, n.e.c.	129	40	—	—	—	—	—	—	—	—	—	30
Fall on same level	13	11,030	3,610	1,520	590	70	—	—	40	—	—	5,190
Fall on same level, unspecified	130	20	—	—	—	—	—	—	—	—	—	—
Fall to floor, walkway, or other surface	131	10,140	3,320	1,440	540	60	—	—	—	—	—	4,770
Fall onto or against objects	132	860	280	80	60	—	—	—	30	—	—	410
Fall, n.e.c.	19	100	60	20	—	—	—	—	—	—	—	—
Bodily reaction and exertion	2	24,230	6,990	2,180	1,050	170	50	80	—	—	—	13,700
Bodily reaction and exertion, unspecified	20	810	200	60	110	—	—	—	—	—	—	440
Bodily reaction	21	9,340	3,410	770	350	40	20	—	—	—	—	4,730
Bodily reaction, unspecified	210	560	180	80	40	—	—	—	—	—	—	250
Bending, climbing, crawling, reaching, twisting	211	3,850	1,160	380	120	20	—	—	—	—	—	2,150
Sudden reaction when surprised, frightened, startled ..	212	90	40	—	—	—	—	—	—	—	—	50
Running without other incident	213	600	260	40	60	—	—	—	—	—	—	240
Sitting	214	30	—	—	—	—	—	—	—	—	—	20
Slip, trip, loss of balance without fall	215	2,090	710	110	40	—	—	—	—	—	—	1,220
Standing	216	60	—	—	—	—	—	—	—	—	—	40
Walking without other incident	217	950	600	50	50	—	—	—	—	—	—	250
Bodily reaction, n.e.c.	219	1,120	450	110	40	—	—	—	—	—	—	520
Overexertion	22	12,110	2,870	1,230	470	130	20	70	—	—	—	7,320
Overexertion, unspecified	220	820	150	120	60	—	—	60	—	—	—	440
Overexertion in lifting	221	4,150	1,020	480	190	60	—	—	—	—	—	2,380
Overexertion in pulling or pushing objects	222	1,980	620	160	80	20	—	—	—	—	—	1,080
Overexertion in holding, carrying, turning, or wielding objects	223	4,520	960	400	140	20	—	—	—	—	—	3,000
Overexertion in throwing objects	224	110	—	—	—	—	—	—	—	—	—	90
Overexertion, n.e.c.	229	520	110	60	—	20	—	—	—	—	—	330
Repetitive motion	23	1,770	420	110	110	—	—	—	—	—	—	1,120
Repetitive motion, unspecified	230	280	30	—	—	—	—	—	—	—	—	240
Typing or key entry	231	500	160	90	—	—	—	—	—	—	—	220
Repetitive use of tools	232	160	20	—	—	—	—	—	—	—	—	130
Repetitive placing, grasping, or moving objects, except tools	233	550	170	—	30	—	—	—	—	—	—	340
Repetitive motion, n.e.c.	239	290	40	—	50	—	—	—	—	—	—	190
Bodily conditions, n.e.c.	25	170	80	—	—	—	—	—	—	—	—	90
Bodily reaction and exertion, n.e.c.	29	20	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments	3	2,950	960	290	420	20	—	—	—	—	—	1,270
Exposure to harmful substances or environments, unspecified	30	200	—	—	—	—	—	—	—	—	—	110
Contact with electric current	31	40	20	—	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE S61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Contact with electric current of machine, tool, appliance, or light fixture	311	20	—	—	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	20	—	—	—	—	—	—	—	—	—
Contact with temperature extremes	32	550	240	50	—	—	—	—	—	—	230
Exposure to environmental heat	321	70	40	—	—	—	—	—	—	—	20
Contact with hot objects or substances	323	460	190	40	—	—	—	—	—	—	210
Contact with cold objects or substances	324	20	—	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances ...	34	1,670	520	150	290	—	—	—	—	—	710
Exposure to caustic, noxious, or allergenic substances, unspecified	340	300	110	—	30	—	—	—	—	—	150
Inhalation of substance	341	470	160	40	90	—	—	—	—	—	180
Inhalation of substance, unspecified	3410	100	40	—	—	—	—	—	—	—	40
Inhalation in enclosed, restricted, or confined space	3411	120	80	—	—	—	—	—	—	—	30
Inhalation in open or nonconfined space	3412	250	30	30	90	—	—	—	—	—	110
Contact with skin or other exposed tissue	342	490	130	50	70	—	—	—	—	—	250
Injections, stings, venomous bites	343	330	100	40	90	—	—	—	—	—	100
Needle sticks	3431	50	50	—	—	—	—	—	—	—	—
Bee, wasp, hornet sting	3432	150	—	—	—	—	—	—	—	—	50
Other stings or venomous bites	3433	90	—	30	—	—	—	—	—	—	50
Injections, stings, venomous bites, n.e.c.	3439	30	20	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	80	30	20	—	—	—	—	—	—	20
Exposure to traumatic or stressful event, n.e.c.	37	450	150	80	20	—	—	—	—	—	200
Exposure to harmful substances or environments, n.e.c.	39	20	20	—	—	—	—	—	—	—	—
Transportation accidents	4	4,160	790	1,120	150	80	—	—	—	—	1,920
Transportation accident, unspecified	40	300	20	20	—	—	—	—	—	—	160
Highway accident	41	3,230	680	930	110	80	—	—	—	—	1,420
Highway accident, unspecified	410	690	60	410	—	—	—	—	—	—	150
Collision between vehicles, mobile equipment	411	1,720	500	220	90	—	—	—	—	—	890
Collision between vehicles, mobile equipment, unspecified	4110	490	230	20	—	—	—	—	—	—	230
Moving in same direction	4112	670	110	110	—	—	—	—	—	—	360
Moving in opposite directions, oncoming	4113	70	30	—	—	—	—	—	—	—	30
Moving in intersection	4114	200	100	20	—	—	—	—	—	—	90
Moving and standing vehicle, mobile equipment in roadway	4115	210	20	60	—	—	—	—	—	—	130
Moving and standing vehicle, mobile equipment side of road	4116	30	—	—	—	—	—	—	—	—	20
Collision between vehicles, mobile equipment, n.e.c.	4119	50	—	—	—	—	—	—	—	—	30
Vehicle struck object in roadway	412	90	20	—	—	—	—	—	—	—	60
Vehicle struck object on side of road	413	260	50	—	—	—	—	—	—	—	190
Noncollision accident	414	450	40	280	—	—	—	—	—	—	120
Jack-knifed or overturned no collision	4141	20	—	—	—	—	—	—	—	—	—
Ran off highway no collision	4142	250	—	190	—	—	—	—	—	—	60
Sudden start or stop, n.e.c.	4144	50	20	—	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	4149	110	—	80	—	—	—	—	—	—	—
Nonhighway accident, except rail, air, water	42	340	70	30	—	—	—	—	—	—	230
Collision between vehicles or mobile equipment	421	30	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, State government, 2010 — Continued

Event or exposure	Event code ²	State government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Vehicle, mobile equipment struck stationary object	422	80	—	—	—	—	—	—	—	—	70
Noncollision accident	423	200	50	—	—	—	—	—	—	—	150
Fall from moving vehicle, mobile equipment	4231	110	—	—	—	—	—	—	—	—	100
Overtaken	4233	40	30	—	—	—	—	—	—	—	—
Loss of control	4234	20	—	—	—	—	—	—	—	—	20
Sudden start or stop, n.e.c.	4236	20	—	—	—	—	—	—	—	—	20
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	290	20	150	20	—	—	—	—	—	100
Pedestrian struck by vehicle, mobile equipment, unspecified	430	80	—	—	20	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	431	130	—	80	—	—	—	—	—	—	40
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	70	20	—	—	—	—	—	—	—	50
Fires and explosions	5	80	—	20	—	—	—	—	—	—	50
Fire unintended or uncontrolled	51	50	—	—	—	—	—	—	—	—	30
Fire, n.e.c.	519	30	—	—	—	—	—	—	—	—	—
Explosion	52	40	—	—	—	—	—	—	—	—	30
Explosion, n.e.c.	529	30	—	—	—	—	—	—	—	—	20
Assaults and violent acts	6	11,960	3,320	1,750	390	80	40	40	—	—	6,320
Assaults and violent acts, unspecified	60	430	150	20	40	—	—	—	—	—	200
Assaults and violent acts by person(s)	61	11,260	3,060	1,730	340	80	20	40	—	—	5,970
Assaults and violent acts by person(s), unspecified	610	3,280	1,100	400	40	50	—	20	—	—	1,660
Biting	611	140	60	20	—	—	—	—	—	—	30
Hitting, kicking, beating	612	4,360	940	870	210	20	—	—	—	—	2,320
Squeezing, pinching, scratching, twisting	614	610	190	90	—	—	—	—	—	—	310
Stabbing	615	100	—	—	—	—	—	—	—	—	100
Assaults and violent acts by person(s), n.e.c.	619	2,750	770	350	80	—	—	—	—	—	1,550
Assaults by animals	63	270	110	—	—	—	—	—	—	—	140
Nonvenomous bites	631	140	30	—	—	—	—	—	—	—	100
Assaults by animals, n.e.c.	639	110	70	—	—	—	—	—	—	—	40
Nonclassifiable	9999	390	50	110	—	40	—	—	—	—	190

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and

Hispanic and other race.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies