

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, State government, 2010

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total .....		69,490	8,290	11.9	5,830	8.4	11,810	17.0
<b>Head</b> .....	0	4,160	940	22.6	580	13.9	860	20.7
Head, unspecified .....	00	990	260	26.3	130	13.1	240	24.2
Cranial region, including skull .....	01	600	110	18.3	80	13.3	80	13.3
Brain .....	011	470	90	19.1	60	12.8	50	10.6
Scalp .....	012	110	20	18.2	-	-	20	18.2
Ear(s) .....	02	30	-	-	-	-	-	-
Face .....	03	2,400	550	22.9	320	13.3	510	21.2
Face, unspecified .....	030	430	90	20.9	70	16.3	80	18.6
Forehead .....	031	120	30	25.0	-	-	20	16.7
Eye(s) .....	032	1,000	320	32.0	180	18.0	240	24.0
Nose, nasal cavity .....	033	180	30	16.7	-	-	20	11.1
Nose, except internal location of diseases or disorders .....	0330	170	30	17.6	-	-	20	11.8
Cheek(s) .....	034	50	-	-	-	-	-	-
Jaw/chin .....	035	110	20	18.2	-	-	-	-
Mouth .....	036	100	30	30.0	-	-	30	30.0
Lip(s) .....	0361	60	-	-	-	-	20	33.3
Tooth(teeth) .....	0363	30	20	66.7	-	-	-	-
Multiple face locations .....	038	400	40	10.0	20	5.0	120	30.0
Face, n.e.c. ....	039	30	-	-	-	-	-	-
Multiple head locations .....	08	130	20	15.4	30	23.1	20	15.4
<b>Neck, including throat</b> .....	1	1,340	210	15.7	180	13.4	110	8.2
Neck, except internal location of diseases or disorders ...	10	1,330	210	15.8	180	13.5	110	8.3
<b>Trunk</b> .....	2	19,170	1,790	9.3	1,110	5.8	3,040	15.9
Trunk, unspecified .....	20	190	-	-	40	21.1	30	15.8
Shoulder, including clavicle, scapula .....	21	4,450	390	8.8	220	4.9	500	11.2
Chest, including ribs, internal organs .....	22	1,160	120	10.3	90	7.8	260	22.4
Chest, except internal location of diseases or disorders .....	220	840	90	10.7	70	8.3	180	21.4
Internal chest location, unspecified .....	221	110	-	-	-	-	30	27.3
Heart .....	223	90	-	-	-	-	-	-
Lung(s), pleura .....	225	110	20	18.2	20	18.2	50	45.5
Back, including spine, spinal cord .....	23	11,010	1,090	9.9	650	5.9	1,940	17.6
Back, including spine, spinal cord, unspecified .....	230	4,860	530	10.9	240	4.9	1,040	21.4
Lumbar region .....	231	4,640	410	8.8	320	6.9	760	16.4
Thoracic region .....	232	760	90	11.8	40	5.3	70	9.2
Sacral region .....	233	30	-	-	-	-	-	-
Coccygeal region .....	234	60	-	-	-	-	-	-
Multiple back regions .....	238	590	40	6.8	30	5.1	70	11.9
Back, including spine, spinal cord, n.e.c. ....	239	60	-	-	-	-	-	-
Abdomen .....	24	670	80	11.9	20	3.0	50	7.5
Abdomen, except internal location of diseases or disorders .....	240	290	50	17.2	-	-	40	13.8
Internal abdominal location, unspecified .....	241	70	-	-	-	-	-	-
Stomach organ .....	242	60	20	33.3	-	-	-	-
Intestines, peritoneum .....	245	260	-	-	-	-	-	-
Intestines, peritoneum, unspecified .....	2450	250	-	-	-	-	-	-
Pelvic region .....	25	1,000	90	9.0	60	6.0	180	18.0
Hip(s) .....	251	450	40	8.9	30	6.7	40	8.9
Buttock(s) .....	253	110	-	-	-	-	30	27.3

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, State government, 2010 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total .....	9,830	14.1	9,330	13.4	4,010	5.8	20,380	29.3	10
<b>Head</b> .....	780	18.8	530	12.7	90	2.2	390	9.4	4
Head, unspecified .....	90	9.1	160	16.2	20	2.0	90	9.1	4
Cranial region, including skull .....	100	16.7	80	13.3	40	6.7	120	20.0	7
Brain .....	60	12.8	80	17.0	30	6.4	110	23.4	7
Scalp .....	40	36.4	—	—	—	—	—	—	5
Ear(s) .....	—	—	—	—	—	—	—	—	6
Face .....	530	22.1	270	11.2	30	1.2	170	7.1	4
Face, unspecified .....	70	16.3	30	7.0	—	—	90	20.9	4
Forehead .....	20	16.7	40	33.3	—	—	—	—	6
Eye(s) .....	160	16.0	70	7.0	—	—	20	2.0	2
Nose, nasal cavity .....	40	22.2	60	33.3	—	—	—	—	7
Nose, except internal location of diseases or disorders .....	40	23.5	50	29.4	—	—	—	—	7
Cheek(s) .....	—	—	—	—	—	—	—	—	12
Jaw/chin .....	50	45.5	—	—	—	—	—	—	6
Mouth .....	—	—	—	—	—	—	—	—	3
Lip(s) .....	—	—	—	—	—	—	—	—	3
Tooth(teeth) .....	—	—	—	—	—	—	—	—	1
Multiple face locations .....	170	42.5	20	5.0	—	—	30	7.5	6
Face, n.e.c. ....	—	—	—	—	—	—	—	—	16
Multiple head locations .....	40	30.8	—	—	—	—	—	—	3
<b>Neck, including throat</b> .....	210	15.7	120	9.0	60	4.5	450	33.6	8
Neck, except internal location of diseases or disorders ...	210	15.8	120	9.0	60	4.5	450	33.8	8
<b>Trunk</b> .....	2,960	15.4	2,960	15.4	1,350	7.0	5,960	31.1	11
Trunk, unspecified .....	20	10.5	80	42.1	—	—	—	—	15
Shoulder, including clavicle, scapula .....	510	11.5	540	12.1	330	7.4	1,970	44.3	23
Chest, including ribs, internal organs .....	210	18.1	180	15.5	50	4.3	230	19.8	8
Chest, except internal location of diseases or disorders .....	140	16.7	170	20.2	40	4.8	150	17.9	8
Internal chest location, unspecified .....	60	54.5	—	—	—	—	—	—	10
Heart .....	—	—	—	—	—	—	70	77.8	33
Lung(s), pleura .....	—	—	—	—	—	—	—	—	3
Back, including spine, spinal cord .....	1,780	16.2	1,880	17.1	720	6.5	2,940	26.7	11
Back, including spine, spinal cord, unspecified .....	710	14.6	680	14.0	400	8.2	1,260	25.9	9
Lumbar region .....	920	19.8	600	12.9	270	5.8	1,360	29.3	9
Thoracic region .....	70	9.2	440	57.9	—	—	30	3.9	11
Sacral region .....	20	66.7	—	—	—	—	—	—	6
Coccygeal region .....	—	—	—	—	—	—	30	50.0	18
Multiple back regions .....	60	10.2	140	23.7	30	5.1	220	37.3	18
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	—	—	—	—	55
Abdomen .....	100	14.9	60	9.0	80	11.9	290	43.3	22
Abdomen, except internal location of diseases or disorders .....	50	17.2	30	10.3	40	13.8	70	24.1	10
Internal abdominal location, unspecified .....	20	28.6	—	—	—	—	30	42.9	21
Stomach organ .....	20	33.3	—	—	—	—	—	—	3
Intestines, peritoneum .....	—	—	20	7.7	30	11.5	190	73.1	40
Intestines, peritoneum, unspecified .....	—	—	20	8.0	30	12.0	190	76.0	40
Pelvic region .....	200	20.0	130	13.0	90	9.0	250	25.0	8
Hip(s) .....	70	15.6	70	15.6	50	11.1	160	35.6	13
Buttock(s) .....	80	72.7	—	—	—	—	—	—	7

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, State government, 2010 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Groin .....	254	400	30	7.5	30	7.5	100	25.0
Multiple pelvic region locations .....	258	20	—	—	—	—	—	—
Multiple trunk locations .....	28	700	30	4.3	20	2.9	80	11.4
<b>Upper extremities</b> .....	3	12,200	1,310	10.7	1,090	8.9	2,230	18.3
Upper extremities, unspecified .....	30	30	—	—	—	—	—	—
Arm(s) .....	31	2,750	320	11.6	290	10.5	480	17.5
Arm(s), unspecified .....	310	1,030	170	16.5	70	6.8	250	24.3
Upper arm(s) .....	311	160	20	12.5	—	—	—	—
Elbow(s) .....	312	970	80	8.2	150	15.5	100	10.3
Forearm(s) .....	313	350	30	8.6	30	8.6	110	31.4
Multiple arm(s) locations .....	318	210	30	14.3	30	14.3	—	—
Arm(s), n.e.c. ....	319	30	—	—	—	—	—	—
Wrist(s) .....	32	2,540	210	8.3	120	4.7	310	12.2
Hand(s), except finger(s) .....	33	2,020	190	9.4	320	15.8	300	14.9
Finger(s), fingernail(s) .....	34	3,740	540	14.4	220	5.9	830	22.2
Multiple upper extremities locations .....	38	1,100	40	3.6	150	13.6	300	27.3
Hand(s) and finger(s) .....	381	240	—	—	60	25.0	90	37.5
Hand(s) and wrist(s) .....	382	290	20	6.9	40	13.8	90	31.0
Hand(s) and arm(s) .....	383	110	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c. ....	389	460	20	4.3	40	8.7	110	23.9
Upper extremities, n.e.c. ....	39	20	—	—	—	—	—	—
<b>Lower extremities</b> .....	4	15,860	2,070	13.1	1,320	8.3	2,950	18.6
Lower extremities, unspecified .....	40	40	—	—	—	—	—	—
Leg(s) .....	41	8,860	870	9.8	740	8.4	1,350	15.2
Leg(s), unspecified .....	410	770	90	11.7	50	6.5	160	20.8
Thigh(s) .....	411	190	30	15.8	20	10.5	30	15.8
Knee(s) .....	412	6,630	690	10.4	630	9.5	880	13.3
Lower leg(s) .....	413	720	30	4.2	—	—	220	30.6
Multiple leg(s) locations .....	418	410	30	7.3	20	4.9	60	14.6
Leg(s), n.e.c. ....	419	120	—	—	—	—	—	—
Ankle(s) .....	42	3,960	720	18.2	260	6.6	950	24.0
Foot(feet), except toe(s) .....	43	1,860	350	18.8	230	12.4	370	19.9
Foot(feet), except toe(s), unspecified .....	430	1,640	340	20.7	220	13.4	350	21.3
Sole .....	432	200	—	—	—	—	—	—
Heel(s) .....	4323	200	—	—	—	—	—	—
Toe(s), toenail(s) .....	44	290	20	6.9	40	13.8	70	24.1
Multiple lower extremities locations .....	48	840	100	11.9	60	7.1	190	22.6
Foot(feet) and leg(s) .....	481	20	—	—	—	—	—	—
Foot(feet) and ankle(s) .....	482	170	30	17.6	—	—	30	17.6
Foot(feet) and toe(s) .....	483	180	—	—	30	16.7	20	11.1
Multiple lower extremities locations, n.e.c. ....	489	460	60	13.0	20	4.3	140	30.4
<b>Body systems</b> .....	5	1,680	310	18.5	130	7.7	280	16.7
<b>Multiple body parts</b> .....	8	14,690	1,580	10.8	1,340	9.1	2,310	15.7
<b>Nonclassifiable</b> .....	9999	390	80	20.5	80	20.5	40	10.3

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, State government, 2010 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Groin .....	50	12.5	60	15.0	50	12.5	80	20.0	8
Multiple pelvic region locations .....	—	—	—	—	—	—	—	—	4
Multiple trunk locations .....	140	20.0	80	11.4	70	10.0	280	40.0	20
<b>Upper extremities</b> .....	1,720	14.1	1,700	13.9	740	6.1	3,410	28.0	10
Upper extremities, unspecified .....	—	—	—	—	—	—	20	66.7	127
Arm(s) .....	300	10.9	420	15.3	200	7.3	730	26.5	10
Arm(s), unspecified .....	80	7.8	160	15.5	30	2.9	270	26.2	7
Upper arm(s) .....	20	12.5	20	12.5	—	—	80	50.0	28
Elbow(s) .....	90	9.3	160	16.5	150	15.5	250	25.8	12
Forearm(s) .....	60	17.1	40	11.4	—	—	70	20.0	6
Multiple arm(s) locations .....	40	19.0	40	19.0	—	—	60	28.6	11
Arm(s), n.e.c. ....	—	—	—	—	—	—	—	—	10
Wrist(s) .....	300	11.8	360	14.2	220	8.7	1,010	39.8	19
Hand(s), except finger(s) .....	370	18.3	270	13.4	70	3.5	490	24.3	7
Finger(s), fingernail(s) .....	660	17.6	480	12.8	210	5.6	790	21.1	7
Multiple upper extremities locations .....	60	5.5	170	15.5	30	2.7	350	31.8	11
Hand(s) and finger(s) .....	20	8.3	20	8.3	—	—	40	16.7	5
Hand(s) and wrist(s) .....	—	—	40	13.8	—	—	100	34.5	11
Hand(s) and arm(s) .....	20	18.2	40	36.4	—	—	30	27.3	18
Multiple upper extremities locations, n.e.c. ....	20	4.3	70	15.2	—	—	180	39.1	11
Upper extremities, n.e.c. ....	—	—	—	—	—	—	—	—	7
<b>Lower extremities</b> .....	1,990	12.5	1,930	12.2	900	5.7	4,700	29.6	9
Lower extremities, unspecified .....	—	—	—	—	—	—	—	—	5
Leg(s) .....	1,170	13.2	1,170	13.2	520	5.9	3,030	34.2	13
Leg(s), unspecified .....	70	9.1	210	27.3	50	6.5	140	18.2	12
Thigh(s) .....	20	10.5	20	10.5	20	10.5	60	31.6	14
Knee(s) .....	850	12.8	780	11.8	440	6.6	2,370	35.7	14
Lower leg(s) .....	160	22.2	90	12.5	—	—	200	27.8	7
Multiple leg(s) locations .....	40	9.8	50	12.2	—	—	200	48.8	24
Leg(s), n.e.c. ....	—	—	—	—	—	—	60	50.0	60
Ankle(s) .....	460	11.6	390	9.8	260	6.6	920	23.2	6
Foot(feet), except toe(s) .....	200	10.8	220	11.8	50	2.7	440	23.7	5
Foot(feet), except toe(s), unspecified .....	200	12.2	220	13.4	40	2.4	280	17.1	5
Sole .....	—	—	—	—	—	—	160	80.0	102
Heel(s) .....	—	—	—	—	—	—	160	80.0	102
Toe(s), toenail(s) .....	60	20.7	50	17.2	30	10.3	20	6.9	6
Multiple lower extremities locations .....	90	10.7	90	10.7	40	4.8	270	32.1	10
Foot(feet) and leg(s) .....	—	—	—	—	—	—	—	—	6
Foot(feet) and ankle(s) .....	—	—	50	29.4	—	—	40	23.5	11
Foot(feet) and toe(s) .....	—	—	—	—	—	—	110	61.1	45
Multiple lower extremities locations, n.e.c. ....	60	13.0	30	6.5	30	6.5	110	23.9	6
<b>Body systems</b> .....	150	8.9	250	14.9	100	6.0	460	27.4	8
<b>Multiple body parts</b> .....	1,930	13.1	1,820	12.4	760	5.2	4,960	33.8	11
<b>Nonclassifiable</b> .....	100	25.6	30	7.7	20	5.1	50	12.8	5

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies