

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, State government, 2010

Part of body	Part of body code ²	State government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Total		69,490	1,240	6,890	7,240	15,250	12,640	11,320	3,670	1,060	630	130	9,420
Head	0	4,160	80	440	390	1,050	610	930	170	50	100	–	350
Head, unspecified	00	990	50	100	60	180	140	320	40	–	20	–	70
Cranial region, including skull	01	600	–	80	70	120	80	90	30	20	–	–	90
Brain	011	470	–	70	40	90	80	60	–	20	–	–	70
Scalp	012	110	–	–	30	30	–	20	–	–	–	–	20
Ear(s)	02	30	–	–	–	–	–	–	–	–	–	–	–
Face	03	2,400	20	270	250	700	370	440	100	20	70	–	160
Face, unspecified	030	430	–	100	60	90	40	40	–	–	–	–	50
Forehead	031	120	–	–	–	70	–	20	–	–	–	–	–
Eye(s)	032	1,000	–	70	110	220	210	210	70	–	–	–	50
Nose, nasal cavity	033	180	–	–	–	60	30	40	20	–	–	–	–
Nose, except internal location of diseases or disorders	0330	170	–	–	–	50	30	40	20	–	–	–	–
Cheek(s)	034	50	–	–	–	40	–	–	–	–	–	–	–
Jaw/chin	035	110	–	–	30	30	20	–	–	–	–	–	–
Mouth	036	100	–	20	–	30	–	20	–	–	–	–	–
Lip(s)	0361	60	–	–	–	–	–	20	–	–	–	–	–
Tooth(teeth)	0363	30	–	20	–	20	–	–	–	–	–	–	–
Multiple face locations	038	400	–	70	40	150	30	80	–	–	–	–	20
Face, n.e.c.	039	30	–	–	–	–	–	–	–	–	–	–	–
Multiple head locations	08	130	–	–	–	40	–	70	–	–	–	–	–
Neck, including throat	1	1,340	–	190	230	200	170	300	60	–	20	–	100
Neck, except internal location of diseases or disorders	10	1,330	–	190	230	200	170	300	60	–	20	–	100
Trunk	2	19,170	160	1,800	2,210	4,440	3,720	2,700	1,000	240	110	40	2,760
Trunk, unspecified	20	190	–	–	–	100	20	30	–	–	–	–	30
Shoulder, including clavicle, scapula	21	4,450	20	420	360	1,130	840	570	280	70	20	–	740
Chest, including ribs, internal organs	22	1,160	–	100	80	250	180	260	90	20	–	–	160
Chest, except internal location of diseases or disorders	220	840	–	40	60	170	180	230	70	–	–	–	80
Internal chest location, unspecified	221	110	–	–	–	50	–	20	–	–	–	–	20
Heart	223	90	–	20	–	–	–	–	–	–	–	–	40
Lung(s), pleura	225	110	–	30	–	20	–	–	–	–	–	–	20
Back, including spine, spinal cord	23	11,010	90	1,080	1,490	2,550	2,150	1,440	480	110	80	40	1,500
Back, including spine, spinal cord, unspecified	230	4,860	70	440	420	1,010	1,010	750	220	30	50	–	850
Lumbar region	231	4,640	20	540	460	1,230	840	600	240	70	30	30	590
Thoracic region	232	760	–	60	510	60	90	20	–	–	–	–	20
Sacral region	233	30	–	–	–	–	–	–	–	–	–	–	–
Coccygeal region	234	60	–	–	–	20	–	–	–	–	–	–	–
Multiple back regions	238	590	–	20	70	220	160	40	20	–	–	–	30
Back, including spine, spinal cord, n.e.c.	239	60	–	–	–	–	–	–	–	–	–	–	–
Abdomen	24	670	–	30	140	150	120	120	–	–	–	–	90

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Abdomen, except internal location of diseases or disorders	240	290	—	—	50	90	50	70	—	—	—	—	20
Internal abdominal location, unspecified	241	70	—	—	20	—	—	20	—	—	—	—	—
Stomach organ	242	60	—	—	30	—	—	20	—	—	—	—	—
Intestines, peritoneum	245	260	—	20	50	60	60	—	—	—	—	—	60
Intestines, peritoneum, unspecified	2450	250	—	20	50	50	60	—	—	—	—	—	50
Pelvic region	25	1,000	30	90	70	180	200	160	120	20	—	—	130
Hip(s)	251	450	20	60	—	70	160	40	20	—	—	—	30
Buttock(s)	253	110	—	—	—	—	—	20	40	—	—	—	40
Groin	254	400	—	20	40	90	40	100	—	—	—	—	50
Multiple pelvic region locations	258	20	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	700	—	90	80	70	190	120	20	20	—	—	100
Upper extremities	3	12,200	120	1,300	1,450	2,520	2,020	2,020	560	200	100	—	1,910
Upper extremities, unspecified	30	30	—	—	—	—	—	30	—	—	—	—	—
Arm(s)	31	2,750	60	360	300	580	400	360	110	60	20	—	490
Arm(s), unspecified	310	1,030	—	190	50	200	130	190	70	20	—	—	160
Upper arm(s)	311	160	—	—	—	50	20	30	—	—	—	—	20
Elbow(s)	312	970	60	140	110	180	140	110	30	30	—	—	190
Forearm(s)	313	350	—	—	50	110	100	30	—	—	—	—	40
Multiple arm(s) locations	318	210	—	—	70	20	—	—	—	—	—	—	80
Arm(s), n.e.c.	319	30	—	—	—	—	—	—	—	—	—	—	—
Wrist(s)	32	2,540	20	290	250	390	440	320	110	90	20	—	590
Hand(s), except finger(s)	33	2,020	—	170	200	390	470	350	80	30	—	—	330
Finger(s), fingernail(s)	34	3,740	40	370	520	940	590	740	140	—	60	—	340
Multiple upper extremities locations	38	1,100	—	90	180	210	100	220	120	—	—	—	150
Hand(s) and finger(s)	381	240	—	20	80	—	20	40	40	—	—	—	—
Hand(s) and wrist(s)	382	290	—	40	60	40	—	30	20	—	—	—	90
Hand(s) and arm(s)	383	110	—	—	—	50	—	—	20	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	460	—	30	40	110	60	140	40	—	—	—	50
Upper extremities, n.e.c.	39	20	—	—	—	—	—	—	—	—	—	—	—
Lower extremities	4	15,860	480	1,530	1,550	3,480	2,970	2,320	970	310	200	20	2,040
Lower extremities, unspecified	40	40	—	—	—	—	—	—	—	—	—	—	20
Leg(s)	41	8,860	150	820	900	2,010	1,630	1,310	470	220	150	—	1,200
Leg(s), unspecified	410	770	—	70	90	120	200	120	40	30	—	—	80
Thigh(s)	411	190	—	30	—	60	40	—	—	—	—	—	40
Knee(s)	412	6,630	120	560	730	1,540	1,130	1,000	370	180	60	—	930
Lower leg(s)	413	720	20	90	50	120	150	140	20	—	70	—	70
Multiple leg(s) locations	418	410	—	70	—	140	110	—	40	—	—	—	20
Leg(s), n.e.c.	419	120	—	—	—	30	—	20	—	—	—	—	—
Ankle(s)	42	3,960	240	450	300	830	910	420	280	60	30	—	430
Foot(feet), except toe(s)	43	1,860	20	120	220	310	280	470	170	30	—	—	220
Foot(feet), except toe(s), unspecified ..	430	1,640	20	100	200	310	210	400	150	30	—	—	210
Sole	432	200	—	20	20	—	60	70	20	—	—	—	—
Heel(s)	4323	200	—	20	20	—	60	70	20	—	—	—	—

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, State government, 2010 — Continued

Part of body	Part of body code ²	State government ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Toe(s), toenail(s)	44	290	20	20	40	70	30	20	—	—	—	—	70
Multiple lower extremities locations	48	840	30	110	100	260	120	90	40	—	—	—	90
Foot(feet) and leg(s)	481	20	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	170	—	—	40	—	30	20	20	—	—	—	20
Foot(feet) and toe(s)	483	180	—	—	—	140	—	—	—	—	—	—	40
Multiple lower extremities locations, n.e.c.	489	460	—	90	40	110	70	60	20	—	—	—	40
Body systems	5	1,680	80	190	130	230	300	260	50	—	20	—	420
Multiple body parts	8	14,690	320	1,440	1,160	3,260	2,770	2,780	830	240	90	20	1,770
Nonclassifiable	9999	390	—	—	110	70	80	20	40	—	—	—	70

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies