

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, State government 2010

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		175.1	-	-	170.5	166.9	169.7	191.4	196.9	150.0	92.4	-
Head	0	10.5	-	-	11.9	16.8	11.0	9.5	11.2	8.9	9.8	-
Head, unspecified	00	2.5	-	-	-	5.6	2.0	2.3	2.5	2.3	1.7	-
Cranial region, including skull	01	1.5	-	-	-	1.4	1.2	2.0	1.2	1.6	1.5	-
Brain	011	1.2	-	-	-	1.3	1.0	1.6	.8	1.3	1.5	-
Scalp	012	.3	-	-	-	-	-	.4	.4	.3	-	-
Ear(s)	02	.1	-	-	-	-	-	-	-	-	-	-
Face	03	6.0	-	-	-	9.7	7.3	4.2	7.2	4.8	6.5	-
Face, unspecified	030	1.1	-	-	-	3.1	1.4	.2	.7	1.2	4.6	-
Forehead	031	.3	-	-	-	1.2	.6	-	-	.3	-	-
Eye(s)	032	2.5	-	-	-	3.1	3.2	2.0	3.4	1.4	-	-
Nose, nasal cavity	033	.4	-	-	-	1.6	.3	.4	.6	-	-	-
Nose, except internal location of diseases or disorders	0330	.4	-	-	-	1.6	.3	.4	.6	-	-	-
Cheek(s)	034	.1	-	-	-	-	.4	.2	-	-	-	-
Jaw/chin	035	.3	-	-	-	-	.4	-	.4	.3	-	-
Mouth	036	.2	-	-	-	-	.3	.3	.3	-	-	-
Lip(s)	0361	.1	-	-	-	-	-	-	.2	-	-	-
Tooth(teeth)	0363	.1	-	-	-	-	-	-	.1	-	-	-
Multiple face locations	038	1.0	-	-	-	-	.7	.8	1.5	1.3	-	-
Face, n.e.c.	039	.1	-	-	-	-	-	-	.2	-	-	-
Multiple head locations	08	.3	-	-	-	-	.3	.7	.2	.3	-	-
Neck, including throat	1	3.4	-	-	-	1.9	2.0	5.7	3.0	2.2	7.3	-
Neck, except internal location of diseases or disorders	10	3.4	-	-	-	1.9	2.0	5.7	3.0	2.2	7.3	-
Trunk	2	48.3	-	-	57.8	36.7	43.2	54.4	56.9	41.8	26.2	-
Trunk, unspecified	20	.5	-	-	-	-	-	1.0	.5	.3	-	-
Shoulder, including clavicle, scapula	21	11.2	-	-	-	5.9	11.1	11.3	13.5	10.0	9.1	-
Chest, including ribs, internal organs	22	2.9	-	-	-	-	1.5	3.3	4.4	2.7	-	-
Chest, except internal location of diseases or disorders	220	2.1	-	-	-	-	1.2	2.3	3.1	2.0	-	-
Internal chest location, unspecified	221	.3	-	-	-	-	-	.2	.6	.2	-	-
Heart	223	.2	-	-	-	-	-	.4	.3	-	-	-
Lung(s), pleura	225	.3	-	-	-	-	-	.3	.3	.5	-	-
Back, including spine, spinal cord	23	27.7	-	-	48.5	24.7	25.4	33.2	31.0	23.3	9.2	-
Back, including spine, spinal cord, unspecified	230	12.2	-	-	31.3	10.5	11.3	17.1	12.7	8.2	3.8	-
Lumbar region	231	11.7	-	-	17.2	10.3	10.7	12.5	16.1	7.5	4.1	-
Thoracic region	232	1.9	-	-	-	1.4	1.2	1.0	.6	5.9	-	-
Sacral region	233	.1	-	-	-	-	-	-	-	.2	-	-
Coccygeal region	234	.2	-	-	-	-	.2	.2	-	.2	-	-
Multiple back regions	238	1.5	-	-	-	2.4	1.8	2.2	1.4	.6	-	-
Back, including spine, spinal cord, n.e.c.	239	.2	-	-	-	-	-	-	.1	.6	-	-
Abdomen	24	1.7	-	-	7.5	1.1	1.3	1.4	2.5	1.8	-	-
Abdomen, except internal location of diseases or disorders	240	.7	-	-	-	.9	.9	.6	.5	1.1	-	-

See footnotes at end of table.

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, State government 2010 — Continued

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Internal abdominal location, unspecified	241	0.2	—	—	—	—	0.3	—	0.3	—	—	—
Stomach organ	242	.1	—	—	7.0	—	—	—	.3	—	—	—
Intestines, peritoneum	245	.7	—	—	—	—	—	0.6	1.4	0.6	—	—
Intestines, peritoneum, unspecified	2450	.6	—	—	—	—	—	.6	1.4	.6	—	—
Pelvic region	25	2.5	—	—	—	4.4	1.9	2.6	2.8	1.9	4.2	—
Hip(s)	251	1.1	—	—	—	3.3	.2	1.2	.9	1.2	3.9	—
Buttock(s)	253	.3	—	—	—	—	.5	—	.5	—	—	—
Groin	254	1.0	—	—	—	—	1.2	1.2	1.3	.3	—	—
Multiple pelvic region locations	258	.1	—	—	—	—	—	—	—	.3	—	—
Multiple trunk locations	28	1.8	—	—	—	—	1.9	1.7	2.2	1.7	1.5	—
Upper extremities	3	30.7	—	—	44.7	40.1	33.5	33.0	33.0	23.6	9.1	—
Upper extremities, unspecified	30	.1	—	—	—	—	—	—	.2	—	—	—
Arm(s)	31	6.9	—	—	—	12.9	6.5	6.1	7.9	5.7	2.6	—
Arm(s), unspecified	310	2.6	—	—	—	5.1	2.7	2.2	1.7	3.4	1.7	—
Upper arm(s)	311	.4	—	—	—	—	.3	.3	.6	.5	—	—
Elbow(s)	312	2.5	—	—	—	4.2	1.9	2.2	3.7	1.4	—	—
Forearm(s)	313	.9	—	—	—	3.6	1.0	.8	.8	.2	—	—
Multiple arm(s) locations	318	.5	—	—	—	—	.3	.7	1.0	.2	—	—
Arm(s), n.e.c.	319	.1	—	—	—	—	—	—	—	—	—	—
Wrist(s)	32	6.4	—	—	6.9	8.0	6.4	5.9	7.0	6.5	1.1	—
Hand(s), except finger(s)	33	5.1	—	—	11.4	2.8	6.9	6.9	4.3	3.5	1.3	—
Finger(s), fingernail(s)	34	9.4	—	—	22.0	15.4	10.5	9.9	10.0	6.7	4.0	—
Multiple upper extremities locations	38	2.8	—	—	—	1.0	3.2	4.0	3.5	1.2	—	—
Hand(s) and finger(s)	381	.6	—	—	—	—	.3	1.0	.7	.5	—	—
Hand(s) and wrist(s)	382	.7	—	—	—	—	1.4	.9	.8	.2	—	—
Hand(s) and arm(s)	383	.3	—	—	—	—	—	.5	.5	—	—	—
Multiple upper extremities locations, n.e.c.	389	1.2	—	—	—	—	1.4	1.6	1.6	.3	—	—
Upper extremities, n.e.c.	39	(⁵)	—	—	—	—	—	—	—	—	—	—
Lower extremities	4	39.9	—	—	42.6	40.3	36.4	42.3	48.0	32.8	21.8	—
Lower extremities, unspecified	40	.1	—	—	—	—	—	—	—	—	—	—
Leg(s)	41	22.3	—	—	13.8	19.7	19.3	25.0	25.9	20.3	13.5	—
Leg(s), unspecified	410	1.9	—	—	—	1.3	2.1	.8	2.7	1.8	2.8	—
Thigh(s)	411	.5	—	—	—	—	.3	.9	.5	.3	—	—
Knee(s)	412	16.7	—	—	6.5	17.6	14.2	18.6	19.8	15.7	4.1	—
Lower leg(s)	413	1.8	—	—	—	—	.9	3.4	1.8	1.0	3.4	—
Multiple leg(s) locations	418	1.0	—	—	—	—	1.5	.3	1.0	1.4	—	—
Leg(s), n.e.c.	419	.3	—	—	—	—	.4	1.0	—	—	—	—
Ankle(s)	42	10.0	—	—	21.2	10.0	9.8	10.9	12.3	6.1	6.8	—
Foot(feet), except toe(s)	43	4.7	—	—	—	3.1	4.8	4.2	6.0	4.3	1.1	—
Foot(feet), except toe(s), unspecified	430	4.1	—	—	—	3.0	3.7	3.8	5.3	4.2	1.1	—
Sole	432	.5	—	—	—	—	.9	.4	.7	—	—	—
Heel(s)	4323	.5	—	—	—	—	.9	.4	.7	—	—	—
Toe(s), toenail(s)	44	.7	—	—	—	—	.6	.9	.7	.6	—	—
Multiple lower extremities locations	48	2.1	—	—	—	7.0	1.7	1.3	3.1	1.5	—	—
Foot(feet) and leg(s)	481	(⁵)	—	—	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	.4	—	—	—	1.3	.2	.5	.4	.5	—	—
Foot(feet) and toe(s)	483	.5	—	—	—	5.4	.5	.2	—	—	—	—

See footnotes at end of table.

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, State government 2010 — Continued

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Multiple lower extremities locations, n.e.c.	489	1.1	—	—	—	—	1.0	0.5	2.5	0.8	—	—
Body systems	5	4.2	—	—	—	4.7	3.2	5.3	4.2	3.7	2.6	—
Multiple body parts	8	37.0	—	—	—	25.9	39.9	40.3	39.0	36.2	15.2	—
Nonclassifiable	9999	1.0	—	—	—	—	.5	.9	1.6	.7	—	—

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some

of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies