

TABLE S105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, State government 2010

Part of body	Part of body code ³	State government ⁴	Gender		
			Men	Women	Not reported
Total		175.1	219.6	141.5	-
Head	0	10.5	14.2	7.7	-
Head, unspecified	00	2.5	2.3	2.7	-
Cranial region, including skull	01	1.5	2.1	1.1	-
Brain	011	1.2	1.6	.9	-
Scalp	012	.3	.5	.1	-
Ear(s)	02	.1	-	.1	-
Face	03	6.0	9.3	3.6	-
Face, unspecified	030	1.1	1.4	.8	-
Forehead	031	.3	.5	.2	-
Eye(s)	032	2.5	4.5	1.0	-
Nose, nasal cavity	033	.4	.7	.3	-
Nose, except internal location of diseases or disorders	0330	.4	.7	.3	-
Cheek(s)	034	.1	-	.2	-
Jaw/chin	035	.3	.3	.2	-
Mouth	036	.2	.3	.2	-
Lip(s)	0361	.1	.3	-	-
Tooth(teeth)	0363	.1	-	.1	-
Multiple face locations	038	1.0	1.4	.7	-
Face, n.e.c.	039	.1	.1	-	-
Multiple head locations	08	.3	.3	.3	-
Neck, including throat	1	3.4	3.9	3.0	-
Neck, except internal location of diseases or disorders	10	3.4	3.9	3.0	-
Trunk	2	48.3	67.5	33.7	-
Trunk, unspecified	20	.5	.6	.4	-
Shoulder, including clavicle, scapula	21	11.2	15.5	7.9	-
Chest, including ribs, internal organs	22	2.9	4.0	2.1	-
Chest, except internal location of diseases or disorders	220	2.1	3.1	1.3	-
Internal chest location, unspecified	221	.3	.2	.4	-
Heart	223	.2	.5	-	-
Lung(s), pleura	225	.3	.2	.4	-
Back, including spine, spinal cord	23	27.7	38.6	19.6	-
Back, including spine, spinal cord, unspecified	230	12.2	17.8	8.1	-
Lumbar region	231	11.7	15.8	8.6	-
Thoracic region	232	1.9	3.3	.9	-
Sacral region	233	.1	-	.1	-
Coccygeal region	234	.2	-	.2	-
Multiple back regions	238	1.5	1.6	1.4	-
Back, including spine, spinal cord, n.e.c.	239	.2	-	.3	-
Abdomen	24	1.7	3.3	.5	-
Abdomen, except internal location of diseases or disorders	240	.7	1.3	.3	-
Internal abdominal location, unspecified	241	.2	.3	.1	-
Stomach organ	242	.1	.3	-	-
Intestines, peritoneum	245	.7	1.5	-	-
Intestines, peritoneum, unspecified	2450	.6	1.4	-	-
Pelvic region	25	2.5	3.7	1.6	-
Hip(s)	251	1.1	1.3	1.0	-
Buttock(s)	253	.3	.3	.3	-

See footnotes at end of table.

TABLE S105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, State government 2010 — Continued

Part of body	Part of body code ³	State government ⁴	Gender		
			Men	Women	Not reported
Groin	254	1.0	2.0	0.2	—
Multiple pelvic region locations	258	.1	.1	—	—
Multiple trunk locations	28	1.8	1.9	1.7	—
Upper extremities	3	30.7	39.4	24.2	—
Upper extremities, unspecified	30	.1	.1	—	—
Arm(s)	31	6.9	9.3	5.1	—
Arm(s), unspecified	310	2.6	2.9	2.4	—
Upper arm(s)	311	.4	.7	.2	—
Elbow(s)	312	2.5	3.9	1.4	—
Forearm(s)	313	.9	1.1	.7	—
Multiple arm(s) locations	318	.5	.6	.5	—
Arm(s), n.e.c.	319	.1	—	—	—
Wrist(s)	32	6.4	6.2	6.5	—
Hand(s), except finger(s)	33	5.1	6.8	3.9	—
Finger(s), fingernail(s)	34	9.4	13.2	6.5	—
Multiple upper extremities locations	38	2.8	3.7	2.1	—
Hand(s) and finger(s)	381	.6	1.0	.3	—
Hand(s) and wrist(s)	382	.7	1.0	.6	—
Hand(s) and arm(s)	383	.3	.1	.4	—
Multiple upper extremities locations, n.e.c.	389	1.2	1.5	.9	—
Upper extremities, n.e.c.	39	(⁵)	—	.1	—
Lower extremities	4	39.9	48.8	33.3	—
Lower extremities, unspecified	40	.1	—	.2	—
Leg(s)	41	22.3	30.7	16.0	—
Leg(s), unspecified	410	1.9	2.5	1.5	—
Thigh(s)	411	.5	.6	.3	—
Knee(s)	412	16.7	23.0	12.0	—
Lower leg(s)	413	1.8	2.7	1.1	—
Multiple leg(s) locations	418	1.0	1.3	.9	—
Leg(s), n.e.c.	419	.3	.5	.1	—
Ankle(s)	42	10.0	9.5	10.3	—
Foot(foot), except toe(s)	43	4.7	5.6	4.0	—
Foot(foot), except toe(s), unspecified	430	4.1	4.8	3.6	—
Sole	432	.5	.7	.3	—
Heel(s)	4323	.5	.7	.3	—
Toe(s), toenail(s)	44	.7	.7	.8	—
Multiple lower extremities locations	48	2.1	2.2	2.0	—
Foot(foot) and leg(s)	481	(⁵)	—	—	—
Foot(foot) and ankle(s)	482	.4	.5	.4	—
Foot(foot) and toe(s)	483	.5	.3	.6	—
Multiple lower extremities locations, n.e.c.	489	1.1	1.4	1.0	—
Body systems	5	4.2	6.2	2.7	—
Multiple body parts	8	37.0	38.5	35.9	—

See footnotes at end of table.

TABLE S105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, State government 2010 — Continued

Part of body	Part of body code ³	State government ⁴	Gender		
			Men	Women	Not reported
Nonclassifiable	9999	1.0	1.1	0.9	—

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: $(N/EH) \times 20,000,000$ where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away

from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies