

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		188,420	1,740	13,090	8,430	4,670	7,510
Traumatic injuries and disorders	0	175,790	1,160	12,700	8,070	4,540	7,240
Traumatic injuries and disorders, unspecified	00	9,240	—	280	400	150	290
Traumatic injuries to bones, nerves, spinal cord	01	14,590	—	420	600	510	650
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	30	—	—	—	—	—
Dislocations	011	1,010	—	50	—	20	40
Fractures	012	13,050	—	360	580	480	460
Traumatic injuries to nerves, except the spinal cord	014	30	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	470	—	—	—	—	160
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	76,460	—	7,450	2,820	1,330	2,800
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	480	—	—	20	—	—
Sprains, strains, tears	021	75,780	—	7,430	2,790	1,330	2,790
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	210	—	20	—	—	—
Open wounds	03	12,540	—	2,060	1,300	1,260	1,150
Open wounds, unspecified	030	60	—	—	—	—	—
Amputations	031	170	—	40	—	70	—
Amputations, fingertip	0311	120	—	40	—	50	—
Amputations, except fingertip	0319	50	—	—	—	20	—
Animal or insect bites	032	650	—	—	—	—	—
Avulsions	033	580	—	—	—	450	80
Cuts, lacerations	034	9,700	—	2,010	1,280	720	560
Gunshot wounds	036	60	—	—	—	—	—
Punctures, except bites	037	1,290	—	—	20	—	500
Surface wounds and bruises	04	17,400	—	650	1,340	480	650
Surface wounds and bruises, unspecified	040	30	—	—	—	—	—
Abrasions, scratches	041	880	—	—	—	20	—
Blisters	042	80	—	—	—	—	—
Bruises, contusions	043	15,780	—	640	1,310	460	590
Foreign bodies (superficial splinters, chips)	044	410	—	—	—	—	—
Friction burns	045	20	—	—	—	—	—
Multiple surface wounds and bruises	048	120	—	—	—	—	—
Surface wounds and bruises, n.e.c.	049	90	—	—	—	—	—
Burns	05	1,660	380	80	—	80	120
Chemical burns	051	350	350	—	—	—	—
Electrical burns	052	30	—	—	—	—	20
Heat burns, scalds	053	1,270	30	80	—	80	110
Intracranial injuries	06	2,280	—	—	70	20	200
Intracranial injuries, unspecified	060	80	—	—	—	—	—
Concussions	062	2,200	—	—	50	20	200
Effects of environmental conditions	07	650	—	—	—	—	—
Effects of heat and light	072	640	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Total	47,470	5,630	18,810	29,920	26,420	24,370	7,540	26,760
Traumatic injuries and disorders	47,040	5,450	18,360	25,250	24,200	23,200	7,410	22,780
Traumatic injuries and disorders, unspecified	3,340	70	960	1,890	1,840	1,050	200	810
Traumatic injuries to bones, nerves, spinal cord	8,430	160	1,260	480	470	1,010	60	1,070
Traumatic injuries to bones, nerves, spinal cord, unspecified	—	—	—	—	—	—	—	—
Dislocations	420	50	140	80	80	120	—	80
Fractures	7,840	110	1,040	390	390	870	40	920
Traumatic injuries to nerves, except the spinal cord	—	—	20	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	150	—	60	—	—	—	—	80
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	14,550	2,240	6,100	18,110	17,450	12,780	5,650	8,270
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	150	—	—	180	180	70	20	30
Sprains, strains, tears	14,370	2,240	6,060	17,880	17,220	12,690	5,620	8,200
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	30	—	30	60	50	20	—	40
Open wounds	680	2,160	730	—	—	530	50	2,670
Open wounds, unspecified	—	—	—	—	—	—	—	20
Amputations	—	20	20	—	—	—	—	20
Amputations, fingertip	—	—	—	—	—	—	—	—
Amputations, except fingertip	—	—	20	—	—	—	—	—
Animal or insect bites	—	—	—	—	—	80	—	570
Avulsions	—	—	—	—	—	—	—	30
Cuts, lacerations	640	2,100	690	—	—	270	40	1,430
Gunshot wounds	—	—	—	—	—	—	—	60
Punctures, except bites	20	50	—	—	—	160	—	530
Surface wounds and bruises	6,250	220	2,510	30	—	2,190	200	3,070
Surface wounds and bruises, unspecified	—	—	—	—	—	—	—	—
Abrasions, scratches	290	20	110	—	—	130	30	280
Blisters	—	—	—	—	—	—	—	70
Bruises, contusions	5,880	150	2,390	30	—	2,030	160	2,300
Foreign bodies (superficial splinters, chips)	—	—	—	—	—	—	—	400
Friction burns	—	—	—	—	—	—	—	—
Multiple surface wounds and bruises	80	—	—	—	—	—	—	—
Surface wounds and bruises, n.e.c.	—	50	—	—	—	—	—	—
Burns	—	—	20	—	—	—	—	970
Chemical burns	—	—	—	—	—	—	—	—
Electrical burns	—	—	—	—	—	—	—	—
Heat burns, scalds	—	—	20	—	—	—	—	960
Intracranial injuries	460	—	1,190	—	—	100	—	230
Intracranial injuries, unspecified	50	—	—	—	—	—	—	—
Concussions	410	—	1,190	—	—	90	—	220
Effects of environmental conditions	—	—	—	—	—	—	—	650
Effects of heat and light	—	—	—	—	—	—	—	640

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010 — Continued

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Effects of heat and light, unspecified	0720	30	—	—	—	—	—
Heat stroke	0721	60	—	—	—	—	—
Heat syncope	0722	20	—	—	—	—	—
Heat fatigue	0723	70	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	460	—	—	—	—	—
Multiple traumatic injuries and disorders	08	11,560	—	110	500	120	310
Multiple traumatic injuries and disorders, unspecified ..	080	2,010	—	—	—	—	—
Cuts, abrasions, bruises	081	1,520	—	20	70	—	80
Sprains and bruises	082	4,540	—	40	310	70	60
Fractures and other injuries	084	1,350	—	20	60	—	160
Burns and other injuries	085	20	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	2,110	—	20	60	20	20
Other traumatic injuries and disorders	09	29,400	760	1,650	1,050	600	1,050
Other traumatic injuries and disorders, unspecified	090	100	—	—	—	—	—
Asphyxiations/strangulations, suffocations	091	30	—	—	—	—	—
Electrocutions, electric shocks	093	260	—	—	—	130	120
Other poisonings and toxic effects	095	1,740	720	—	—	—	—
Other poisonings and toxic effects, unspecified	0950	30	30	—	—	—	—
Animal or insect bites and stings, venomous	0951	830	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	880	690	—	—	—	—
Nonspecified injuries and disorders	097	27,160	30	1,650	1,040	480	930
Crushing injuries	0971	890	—	80	40	40	40
Back pain, hurt back	0972	5,670	—	700	270	120	170
Soreness, pain, hurt, except the back	0973	17,270	30	840	670	300	650
Multiple nonspecified injuries and disorders	0978	1,700	—	—	40	—	20
Nonspecified injuries and disorders, n.e.c.	0979	1,630	—	20	30	—	60
Other traumatic injuries and disorders, n.e.c.	099	90	—	—	—	—	—
Systemic diseases and disorders	1	7,060	190	380	190	100	260
Nervous system and sense organs diseases	12	1,130	70	—	—	20	—
Disorders of the peripheral nervous system	124	940	—	—	—	—	—
Carpal tunnel syndrome	1241	820	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	100	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	160	70	—	—	20	—
Disorders of the eye, adnexa, vision, unspecified	1250	20	—	—	—	—	—
Conjunctivitis non-viral	1252	40	20	—	—	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	30	30	—	—	—	—
Welder's flash	1256	20	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	40	—	—	—	—	—
Circulatory system diseases	13	1,130	—	—	—	—	—
Hypertensive disease	132	130	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Effects of heat and light, unspecified	—	—	—	—	—	—	—	30
Heat stroke	—	—	—	—	—	—	—	60
Heat syncope	—	—	—	—	—	—	—	20
Heat fatigue	—	—	—	—	—	—	—	70
Effects of heat and light, n.e.c.	—	—	—	—	—	—	—	460
Multiple traumatic injuries and disorders	6,240	30	2,160	20	—	1,210	130	880
Multiple traumatic injuries and disorders, unspecified ..	1,520	—	370	—	—	60	—	30
Cuts, abrasions, bruises	750	—	150	—	—	290	30	140
Sprains and bruises	2,440	—	810	—	—	370	60	440
Fractures and other injuries	550	—	250	—	—	180	—	130
Burns and other injuries	—	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	960	—	580	—	—	310	30	140
Other traumatic injuries and disorders	7,090	560	3,420	4,720	4,430	4,340	1,140	4,170
Other traumatic injuries and disorders, unspecified	30	—	—	40	40	—	—	—
Asphyxiations/strangulations, suffocations	—	—	—	—	—	—	—	30
Electrocutions, electric shocks	—	—	—	—	—	—	—	—
Other poisonings and toxic effects	—	—	—	—	—	60	—	960
Other poisonings and toxic effects, unspecified	—	—	—	—	—	—	—	—
Animal or insect bites and stings, venomous	—	—	—	—	—	60	—	770
Other poisonings and toxic effects, n.e.c.	—	—	—	—	—	—	—	190
Nonspecified injuries and disorders	7,050	560	3,410	4,640	4,380	4,270	1,130	3,110
Crushing injuries	80	30	80	—	—	240	—	240
Back pain, hurt back	650	150	940	1,120	1,090	1,090	480	450
Soreness, pain, hurt, except the back	4,840	350	1,900	3,040	2,800	2,450	570	2,220
Multiple nonspecified injuries and disorders	1,030	—	220	130	130	140	40	110
Nonspecified injuries and disorders, n.e.c.	450	20	260	350	350	350	50	90
Other traumatic injuries and disorders, n.e.c.	—	—	—	30	—	—	—	40
Systemic diseases and disorders	170	160	240	3,260	1,820	860	120	1,240
Nervous system and sense organs diseases	—	20	—	940	930	20	—	60
Disorders of the peripheral nervous system	—	—	—	930	930	—	—	—
Carpal tunnel syndrome	—	—	—	820	820	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	—	—	—	90	90	—	—	—
Disorders of the eye, adnexa, vision	—	20	—	—	—	—	—	40
Disorders of the eye, adnexa, vision, unspecified	—	—	—	—	—	—	—	—
Conjunctivitis non-viral	—	—	—	—	—	—	—	20
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	—	—	—	—	—
Welder's flash	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	—	—	—	—	—
Circulatory system diseases	—	—	—	1,040	—	40	—	50
Hypertensive disease	—	—	—	80	—	—	—	50

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010 — Continued

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Ischemic heart disease, including heart attack	133	890	—	—	—	—	—
Myocardial infarction (heart attack)	1331	890	—	—	—	—	—
Other forms of heart disease	135	40	—	—	—	—	—
Cerebrovascular disease	136	20	—	—	—	—	—
Respiratory system diseases	14	380	70	—	—	—	—
Respiratory system diseases, unspecified	140	50	—	—	—	—	—
Other diseases of upper respiratory tract	142	60	20	—	—	—	—
Allergic rhinitis	1421	50	20	—	—	—	—
Pneumonia, influenza	143	130	—	—	—	—	—
Pneumonia, influenza, unspecified	1430	50	—	—	—	—	—
Pneumonia	1431	70	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	130	50	—	—	—	—
Extrinsic asthma	1443	90	40	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	20	—	—	—	—	—
Digestive system diseases and disorders	15	1,370	—	280	130	70	200
Hernia	153	1,370	—	280	130	70	200
Hernia, unspecified	1530	480	—	110	60	30	80
Inguinal hernia	1531	510	—	110	30	30	80
Hiatal hernia	1532	30	—	20	—	—	—
Ventral hernia	1533	260	—	30	40	—	40
Hernia, n.e.c.	1539	90	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	1,530	—	100	50	20	60
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	20	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	60	—	—	—	—	—
Dorsopathies	172	160	—	—	40	—	20
Sciatica	1721	60	—	—	40	—	—
Disc disorders, except dislocation	1723	20	—	—	—	—	—
Dorsopathies, n.e.c.	1729	80	—	—	—	—	20
Rheumatism, except the back	173	1,290	—	90	—	—	40
Rheumatism, except the back, unspecified	1730	80	—	—	—	—	—
Bursitis	1731	150	—	50	—	—	—
Tendonitis	1733	670	—	—	—	—	—
Tenosynovitis	1734	90	—	—	—	—	—
Ganglion/cystic tumor	1735	40	—	—	—	—	—
Rheumatism, except the back, n.e.c.	1739	240	—	30	—	—	30
Disorders of the skin and subcutaneous tissue	18	1,130	60	—	—	—	—
Infections of the skin and subcutaneous tissue	181	600	—	—	—	—	—
Infections of the skin and subcutaneous tissue, unspecified	1810	520	—	—	—	—	—
Cellulitis and abscess	1812	80	—	—	—	—	—
Dermatitis	182	420	50	—	—	—	—
Dermatitis, unspecified	1820	40	30	—	—	—	—
Contact dermatitis, unspecified	1822	50	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Ischemic heart disease, including heart attack	—	—	—	890	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	880	—	—	—	—
Other forms of heart disease	—	—	—	40	—	—	—	—
Cerebrovascular disease	—	—	—	20	—	—	—	—
Respiratory system diseases	—	—	—	120	—	30	—	160
Respiratory system diseases, unspecified	—	—	—	—	—	—	—	40
Other diseases of upper respiratory tract	—	—	—	—	—	—	—	40
Allergic rhinitis	—	—	—	—	—	—	—	40
Pneumonia, influenza	—	—	—	110	—	20	—	—
Pneumonia, influenza, unspecified	—	—	—	50	—	—	—	—
Pneumonia	—	—	—	60	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	—	—	80
Extrinsic asthma	—	—	—	—	—	—	—	50
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	—	—	—	—	—	—	—	20
Digestive system diseases and disorders	20	80	120	150	120	80	60	230
Hernia	20	80	120	150	120	80	60	230
Hernia, unspecified	—	30	20	60	60	30	20	50
Inguinal hernia	—	30	20	50	50	40	40	120
Hiatal hernia	—	—	—	—	—	—	—	—
Ventral hernia	—	20	80	—	—	—	—	30
Hernia, n.e.c.	—	—	—	40	—	—	—	20
Musculoskeletal system and connective tissue diseases and disorders	140	60	90	590	580	280	40	150
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	—	—	—	—	—	—	—	—
Dorsopathies	20	—	—	30	30	—	—	—
Sciatica	—	—	—	—	—	—	—	—
Disc disorders, except dislocation	—	—	—	—	—	—	—	—
Dorsopathies, n.e.c.	—	—	—	—	—	—	—	—
Rheumatism, except the back	120	40	80	500	490	250	30	150
Rheumatism, except the back, unspecified	—	—	—	—	—	—	—	70
Bursitis	50	—	—	30	30	—	—	—
Tendonitis	40	—	—	310	310	230	—	60
Tenosynovitis	—	—	60	20	20	—	—	—
Ganglion/cystic tumor	—	—	—	40	40	—	—	—
Rheumatism, except the back, n.e.c.	30	30	—	80	70	30	—	—
Disorders of the skin and subcutaneous tissue	—	—	—	60	—	400	—	600
Infections of the skin and subcutaneous tissue	—	—	—	50	—	400	—	120
Infections of the skin and subcutaneous tissue, unspecified	—	—	—	50	—	400	—	60
Cellulitis and abscess	—	—	—	—	—	—	—	50
Dermatitis	—	—	—	—	—	—	—	370
Dermatitis, unspecified	—	—	—	—	—	—	—	—
Contact dermatitis, unspecified	—	—	—	—	—	—	—	50

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010 — Continued

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Allergic contact dermatitis	1823	150	—	—	—	—	—
Irritant contact dermatitis	1824	140	—	—	—	—	—
Dermatitis, n.e.c.	1829	30	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	100	—	—	—	—	—
Urticaria, hives	1898	90	—	—	—	—	—
Other systemic diseases and disorders	19	360	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	360	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	360	—	—	—	—	—
Infectious and parasitic diseases	2	240	—	—	—	—	—
Bacterial diseases	21	70	—	—	—	—	—
Viral diseases	22	50	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	20	—	—	—	—	—
Other arthropod-borne diseases	23	20	—	—	—	—	—
Lyme disease	237	20	—	—	—	—	—
Other infectious and parasitic diseases	29	100	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	100	—	—	—	—	—
Neoplasms, tumors, and cancer	3	20	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	31	20	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	2,700	380	—	180	30	—
Symptoms, signs, and ill-defined conditions, unspecified	40	30	—	—	—	—	—
Symptoms	41	2,520	370	—	180	20	—
General symptoms	411	970	130	—	110	—	—
General symptoms, unspecified	4110	20	—	—	—	—	—
Loss of consciousness not heat related	4111	130	—	—	—	—	—
Convulsions, seizures	4112	20	—	—	—	—	—
Malaise and fatigue	4113	20	—	—	—	—	—
Dizziness	4114	120	20	—	—	—	—
Non-specified allergic reaction	4115	80	30	—	—	—	—
Multiple general symptoms	4118	210	50	—	—	—	—
General symptoms, n.e.c.	4119	370	20	—	110	—	—
Symptoms involving nervous and musculoskeletal systems	412	380	—	—	50	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	360	—	—	50	—	—
Symptoms involving skin and other integumentary tissue	413	250	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Allergic contact dermatitis	-	-	-	-	-	-	-	140
Irritant contact dermatitis	-	-	-	-	-	-	-	130
Dermatitis, n.e.c.	-	-	-	-	-	-	-	30
Other diseases and disorders of the skin and subcutaneous tissue	-	-	-	-	-	-	-	100
Urticaria, hives	-	-	-	-	-	-	-	90
Other systemic diseases and disorders	-	-	-	360	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorder	-	-	-	360	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	-	-	-	360	-	-	-	-
Infectious and parasitic diseases	-	-	-	-	-	-	-	240
Bacterial diseases	-	-	-	-	-	-	-	70
Viral diseases	-	-	-	-	-	-	-	50
Viral diseases accompanied by exanthem (eruptive fever)	-	-	-	-	-	-	-	20
Other arthropod-borne diseases	-	-	-	-	-	-	-	20
Lyme disease	-	-	-	-	-	-	-	20
Other infectious and parasitic diseases	-	-	-	-	-	-	-	100
Acariasis (including scabies, chiggers, mites)	-	-	-	-	-	-	-	100
Neoplasms, tumors, and cancer	-	-	-	-	-	-	-	20
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	-	-	-	-	-	-	-	20
Symptoms, signs, and ill-defined conditions	210	30	160	990	370	90	-	630
Symptoms, signs, and ill-defined conditions, unspecified	-	-	-	-	-	-	-	-
Symptoms	210	30	160	870	370	90	-	580
General symptoms	90	-	140	180	20	-	-	280
General symptoms, unspecified	-	-	-	-	-	-	-	-
Loss of consciousness not heat related	40	-	-	40	-	-	-	30
Convulsions, seizures	-	-	-	-	-	-	-	20
Malaise and fatigue	-	-	-	-	-	-	-	-
Dizziness	-	-	-	40	-	-	-	50
Non-specified allergic reaction	-	-	-	-	-	-	-	40
Multiple general symptoms	-	-	20	30	-	-	-	90
General symptoms, n.e.c.	40	-	120	50	-	-	-	20
Symptoms involving nervous and musculoskeletal systems	-	-	20	280	280	-	-	-
Symptoms involving nervous and musculoskeletal systems, n.e.c.	-	-	20	270	270	-	-	-
Symptoms involving skin and other integumentary tissue	100	-	-	40	-	40	-	40

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010 — Continued

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Edema (including dropsy)	4131	250	—	—	—	—	—
Symptoms involving head and neck	414	50	—	—	—	—	—
Headache, except migraine	4141	40	—	—	—	—	—
Symptoms involving cardiovascular system	415	90	—	—	—	—	—
Unspecified tachycardia (rapid heart beat)	4151	30	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	4159	40	—	—	—	—	—
Symptoms involving respiratory system and chest	416	620	210	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	4160	210	170	—	—	—	—
Chest pain	4164	160	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	240	40	—	—	—	—
Symptoms involving digestive and urinary system	417	30	—	—	—	—	—
Nausea and vomiting	4171	30	—	—	—	—	—
Multiple symptoms	418	110	20	—	—	—	—
Abnormal findings	42	100	—	—	—	—	—
Abnormal findings from function studies	425	30	—	—	—	—	—
Other abnormal findings	429	60	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	50	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	50	—	—	—	—	—
Other diseases, conditions, and disorders	5	970	—	—	—	—	—
Mental disorders or syndromes	52	970	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	970	—	—	—	—	—
Anxiety, stress, neurotic disorders, unspecified	5210	220	—	—	—	—	—
Post-traumatic anxiety acute	5211	490	—	—	—	—	—
Neurotic reaction to stress	5214	200	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	60	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	60	—	—	—	—	—
Nonclassifiable	9999	1,570	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2010 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Edema (including dropsy)	100	—	—	40	—	40	—	40
Symptoms involving head and neck	—	—	—	—	—	20	—	—
Headache, except migraine	—	—	—	—	—	20	—	—
Symptoms involving cardiovascular system	—	—	—	90	—	—	—	—
Unspecified tachycardia (rapid heart beat)	—	—	—	30	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	—	—	—	40	—	—	—	—
Symptoms involving respiratory system and chest	—	—	—	240	60	—	—	150
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—	—	40
Chest pain	—	—	—	150	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	90	60	—	—	110
Symptoms involving digestive and urinary system	—	—	—	—	—	—	—	20
Nausea and vomiting	—	—	—	—	—	—	—	—
Multiple symptoms	—	—	—	—	—	—	—	70
Abnormal findings	—	—	—	60	—	—	—	40
Abnormal findings from function studies	—	—	—	30	—	—	—	—
Other abnormal findings	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	—	—	—	40	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	40	—	—	—	—
Other diseases, conditions, and disorders	—	—	30	400	—	200	—	340
Mental disorders or syndromes	—	—	30	400	—	190	—	340
Anxiety, stress, neurotic disorders	—	—	30	400	—	190	—	340
Anxiety, stress, neurotic disorders, unspecified	—	—	—	130	—	70	—	—
Post-traumatic anxiety acute	—	—	20	110	—	30	—	330
Neurotic reaction to stress	—	—	—	120	—	60	—	—
Multiple anxiety, stress, neurotic disorders	—	—	—	30	—	30	—	—
Multiple diseases, conditions, and disorders	20	—	—	—	—	—	—	—
Nonclassifiable	20	—	—	20	—	20	—	1,510

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62;

Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies