

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2010

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		188,420	75,780	13,050	10,990	9,700	1,290	15,780	1,270	350
Head	0	10,470	—	420	2,000	1,950	50	1,670	290	210
Head, unspecified	00	2,140	—	—	430	430	—	560	—	—
Cranial region, including skull	01	2,980	—	20	360	340	—	150	—	—
Cranial region, unspecified	010	30	—	—	—	—	—	—	—	—
Brain	011	2,330	—	—	—	—	—	—	—	—
Scalp	012	560	—	—	360	340	—	140	—	—
Skull	013	40	—	20	—	—	—	—	—	—
Ear(s)	02	170	—	—	—	—	—	—	130	—
Face	03	4,720	—	380	980	960	30	840	160	210
Face, unspecified	030	480	—	40	80	70	—	170	50	—
Forehead	031	400	—	—	140	140	—	200	—	—
Eye(s)	032	1,860	—	—	220	210	—	150	—	210
Nose, nasal cavity	033	370	—	160	20	20	—	—	—	—
Nose, except internal location of diseases or disorders	0330	370	—	160	20	20	—	—	—	—
Cheek(s)	034	500	—	—	390	—	—	—	—	—
Jaw/chin	035	150	—	—	90	90	—	20	—	—
Mouth	036	220	—	170	20	20	—	—	—	—
Tooth(teeth)	0363	170	—	170	—	—	—	—	—	—
Multiple face locations	038	710	—	—	20	20	—	270	—	—
Face, n.e.c.	039	40	—	—	—	—	—	—	—	—
Multiple head locations	08	470	—	—	220	220	—	120	—	—
Neck, including throat	1	2,690	2,050	—	—	—	—	40	40	—
Neck, except internal location of diseases or disorders ...	10	2,670	2,050	—	—	—	—	40	40	—
Trunk	2	56,980	36,090	1,560	40	30	—	2,810	20	—
Trunk, unspecified	20	230	30	—	—	—	—	—	—	—
Shoulder, including clavicle, scapula	21	14,550	9,730	470	—	—	—	680	—	—
Chest, including ribs, internal organs	22	4,200	510	550	—	—	—	980	20	—
Chest, except internal location of diseases or disorders	220	2,750	510	550	—	—	—	980	20	—
Internal chest location, unspecified	221	110	—	—	—	—	—	—	—	—
Heart	223	970	—	—	—	—	—	—	—	—
Lung(s), pleura	225	360	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	31,450	23,780	140	—	—	—	530	—	—
Back, including spine, spinal cord, unspecified	230	12,310	9,180	50	—	—	—	190	—	—
Lumbar region	231	16,440	12,790	—	—	—	—	210	—	—
Thoracic region	232	1,120	760	50	—	—	—	20	—	—
Sacral region	233	50	20	—	—	—	—	20	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2010 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	170	820	670	11,560	1,350	4,540	22,940	5,670	35,020
Head	—	—	—	260	40	—	690	—	4,930
Head, unspecified	—	—	—	50	—	—	320	—	760
Cranial region, including skull	—	—	—	20	—	—	20	—	2,400
Cranial region, unspecified	—	—	—	—	—	—	—	—	20
Brain	—	—	—	—	—	—	—	—	2,330
Scalp	—	—	—	—	—	—	—	—	50
Skull	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	—	30
Face	—	—	—	150	40	—	310	—	1,680
Face, unspecified	—	—	—	20	—	—	—	—	120
Forehead	—	—	—	—	—	—	—	—	40
Eye(s)	—	—	—	40	—	—	120	—	1,110
Nose, nasal cavity	—	—	—	20	—	—	140	—	20
Nose, except internal location of diseases or disorders	—	—	—	20	—	—	140	—	20
Cheek(s)	—	—	—	—	—	—	—	—	—
Jaw/chin	—	—	—	—	—	—	—	—	20
Mouth	—	—	—	—	—	—	—	—	20
Tooth(teeth)	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	50	30	—	20	—	340
Face, n.e.c.	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	40	—	—	30	—	60
Neck, including throat	—	—	—	20	—	—	300	—	240
Neck, except internal location of diseases or disorders ...	—	—	—	20	—	—	300	—	210
Trunk	—	—	140	810	140	460	9,190	5,670	6,320
Trunk, unspecified	—	—	—	130	—	120	30	—	30
Shoulder, including clavicle, scapula	—	—	140	190	20	80	2,210	—	1,120
Chest, including ribs, internal organs	—	—	—	40	20	—	330	—	1,760
Chest, except internal location of diseases or disorders	—	—	—	40	20	—	330	—	300
Internal chest location, unspecified	—	—	—	—	—	—	—	—	110
Heart	—	—	—	—	—	—	—	—	970
Lung(s), pleura	—	—	—	—	—	—	—	—	360
Back, including spine, spinal cord	—	—	—	270	50	160	5,670	5,670	1,060
Back, including spine, spinal cord, unspecified	—	—	—	50	—	30	2,340	2,340	500
Lumbar region	—	—	—	140	—	70	2,860	2,860	420
Thoracic region	—	—	—	—	—	—	250	250	40
Sacral region	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2010 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Coccygeal region	234	140	—	20	—	—	—	90	—	—
Multiple back regions	238	1,090	790	—	—	—	—	—	—	—
Back, including spine, spinal cord, n.e.c.	239	310	230	—	—	—	—	—	—	—
Abdomen	24	2,570	330	—	—	—	—	40	—	—
Abdomen, except internal location of diseases or disorders	240	980	330	—	—	—	—	40	—	—
Internal abdominal location, unspecified	241	550	—	—	—	—	—	—	—	—
Stomach organ	242	50	—	—	—	—	—	—	—	—
Urinary organs	244	150	—	—	—	—	—	—	—	—
Kidney(s)	2442	150	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	840	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	810	—	—	—	—	—	—	—	—
Peritoneum	2451	20	—	—	—	—	—	—	—	—
Pelvic region	25	2,530	1,180	360	—	—	—	360	—	—
Hip(s)	251	1,200	400	270	—	—	—	170	—	—
Pelvis	252	150	—	80	—	—	—	—	—	—
Buttock(s)	253	280	30	—	—	—	—	160	—	—
Groin	254	860	690	—	—	—	—	—	—	—
External reproductive tract structures	255	20	—	—	—	—	—	—	—	—
Scrotum	2551	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	20	—	—	—	—	—	—	—	—
Multiple trunk locations	28	1,400	540	20	—	—	—	200	—	—
Trunk, n.e.c.	29	40	—	—	—	—	—	—	—	—
Upper extremities	3	31,650	7,380	4,970	5,590	4,940	640	2,970	560	50
Upper extremities, unspecified	30	40	—	—	—	—	—	—	—	—
Arm(s)	31	7,900	2,240	1,570	310	280	30	990	240	30
Arm(s), unspecified	310	2,580	900	370	100	80	20	430	120	—
Upper arm(s)	311	1,080	440	290	—	—	—	30	—	—
Elbow(s)	312	2,520	630	690	50	50	—	230	—	—
Forearm(s)	313	900	110	180	150	140	—	80	110	30
Multiple arm(s) locations	318	750	110	50	—	—	—	220	—	—
Arm(s), n.e.c.	319	70	60	—	—	—	—	—	—	—
Wrist(s)	32	5,490	2,330	980	50	40	—	150	—	—
Hand(s), except finger(s)	33	6,750	890	690	2,030	1,790	240	1,210	180	—
Finger(s), fingernail(s)	34	8,810	990	1,660	3,130	2,770	360	360	40	—
Multiple upper extremities locations	38	2,600	900	70	60	60	—	260	90	—
Multiple upper extremities locations, unspecified	380	50	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	500	90	—	30	30	—	30	30	—
Hand(s) and wrist(s)	382	590	150	20	—	—	—	120	20	—
Hand(s) and arm(s)	383	570	340	—	—	—	—	—	20	—
Multiple upper extremities locations, n.e.c.	389	890	320	30	20	20	—	50	—	—
Upper extremities, n.e.c.	39	60	30	—	—	—	—	—	—	—
Lower extremities	4	46,270	20,570	5,770	2,880	2,390	490	5,060	200	50

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2010 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Coccygeal region	-	-	-	-	-	-	20	20	-
Multiple back regions	-	-	-	70	-	50	150	150	60
Back, including spine, spinal cord, n.e.c.	-	-	-	-	-	-	40	40	30
Abdomen	-	-	-	-	-	-	430	-	1,770
Abdomen, except internal location of diseases or disorders	-	-	-	-	-	-	430	-	180
Internal abdominal location, unspecified	-	-	-	-	-	-	-	-	550
Stomach organ	-	-	-	-	-	-	-	-	50
Urinary organs	-	-	-	-	-	-	-	-	150
Kidney(s)	-	-	-	-	-	-	-	-	150
Intestines, peritoneum	-	-	-	-	-	-	-	-	840
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	-	810
Peritoneum	-	-	-	-	-	-	-	-	20
Pelvic region	-	-	-	30	-	-	410	-	190
Hip(s)	-	-	-	30	-	-	200	-	120
Pelvis	-	-	-	-	-	-	-	-	-
Buttock(s)	-	-	-	-	-	-	50	-	40
Groin	-	-	-	-	-	-	130	-	20
External reproductive tract structures	-	-	-	-	-	-	-	-	-
Scrotum	-	-	-	-	-	-	-	-	-
Multiple pelvic region locations	-	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	-	130	40	80	120	-	400
Trunk, n.e.c.	-	-	-	-	-	-	-	-	-
Upper extremities	170	820	430	750	260	190	2,890	-	5,060
Upper extremities, unspecified	-	-	-	-	-	-	-	-	20
Arm(s)	-	-	240	140	-	20	750	-	1,380
Arm(s), unspecified	-	-	20	30	-	-	180	-	440
Upper arm(s)	-	-	-	-	-	-	60	-	240
Elbow(s)	-	-	30	40	-	-	350	-	490
Forearm(s)	-	-	-	60	-	-	50	-	140
Multiple arm(s) locations	-	-	-	-	-	-	110	-	60
Arm(s), n.e.c.	-	-	-	-	-	-	-	-	-
Wrist(s)	-	820	70	80	-	70	640	-	360
Hand(s), except finger(s)	-	-	-	70	-	30	600	-	1,030
Finger(s), fingernail(s)	170	-	-	280	170	-	340	-	1,840
Multiple upper extremities locations	-	-	60	180	60	50	560	-	420
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	-	-
Hand(s) and finger(s)	-	-	-	60	40	-	200	-	50
Hand(s) and wrist(s)	-	-	-	30	-	-	160	-	80
Hand(s) and arm(s)	-	-	-	20	-	20	50	-	80
Multiple upper extremities locations, n.e.c.	-	-	50	70	20	-	140	-	200
Upper extremities, n.e.c.	-	-	-	-	-	-	-	-	-
Lower extremities	-	-	100	1,010	180	500	6,030	-	4,590

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2010 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Lower extremities, unspecified	40	20	20	—	—	—	—	—	—	—
Leg(s)	41	27,920	12,470	1,680	2,260	2,190	70	3,490	40	—
Leg(s), unspecified	410	3,500	500	190	1,890	1,870	20	380	30	—
Thigh(s)	411	650	370	30	50	40	—	60	—	—
Knee(s)	412	20,420	10,440	680	200	180	20	2,790	—	—
Lower leg(s)	413	1,990	570	760	80	70	—	210	—	—
Multiple leg(s) locations	418	810	530	—	20	20	—	50	—	—
Leg(s), n.e.c.	419	540	50	—	—	—	—	—	—	—
Ankle(s)	42	9,260	5,900	2,060	—	—	—	230	30	30
Foot(feet), except toe(s)	43	5,690	1,450	1,300	550	130	420	630	100	—
Foot(feet), except toe(s), unspecified	430	4,970	1,180	1,250	460	100	360	620	100	—
Instep(s)	431	30	—	—	—	—	—	—	—	—
Sole	432	470	210	30	80	40	40	—	—	—
Sole(s), unspecified	4320	30	—	—	—	—	—	—	—	—
Heel(s)	4323	420	180	20	70	40	—	—	—	—
Multiple foot(feet) locations	438	90	30	—	—	—	—	—	—	—
Foot(feet), n.e.c.	439	130	—	20	—	—	—	—	—	—
Toe(s), toenail(s)	44	1,210	90	670	40	40	—	180	—	—
Multiple lower extremities locations	48	2,140	630	50	—	—	—	520	20	—
Multiple lower extremities locations, unspecified	480	170	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	220	130	—	—	—	—	30	—	—
Foot(feet) and ankle(s)	482	500	220	20	—	—	—	—	—	—
Foot(feet) and toe(s)	483	90	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	1,160	270	20	—	—	—	480	—	—
Lower extremities, n.e.c.	49	30	—	—	—	—	—	—	—	—
Body systems	5	5,080	—	—	—	—	—	—	—	—
Multiple body parts	8	32,770	9,330	330	480	370	110	3,160	150	30
Nonclassifiable	9999	2,500	340	—	—	—	—	80	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2010 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Lower extremities, unspecified	-	-	-	-	-	-	-	-	-
Leg(s)	-	-	30	560	40	310	4,480	-	2,910
Leg(s), unspecified	-	-	-	80	-	-	170	-	250
Thigh(s)	-	-	-	-	-	-	40	-	90
Knee(s)	-	-	30	410	30	260	3,540	-	2,330
Lower leg(s)	-	-	-	20	-	-	140	-	200
Multiple leg(s) locations	-	-	-	40	-	20	120	-	40
Leg(s), n.e.c.	-	-	-	-	-	-	470	-	-
Ankle(s)	-	-	-	100	30	70	300	-	570
Foot(feet), except toe(s)	-	-	50	50	20	20	680	-	860
Foot(feet), except toe(s), unspecified	-	-	40	40	20	20	620	-	660
Instep(s)	-	-	-	-	-	-	-	-	-
Sole	-	-	-	-	-	-	30	-	100
Sole(s), unspecified	-	-	-	-	-	-	-	-	-
Heel(s)	-	-	-	-	-	-	30	-	90
Multiple foot(feet) locations	-	-	-	-	-	-	30	-	-
Foot(feet), n.e.c.	-	-	-	-	-	-	-	-	80
Toe(s), toenail(s)	-	-	-	20	-	-	100	-	90
Multiple lower extremities locations	-	-	-	270	80	90	450	-	170
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	150	-	-
Foot(feet) and leg(s)	-	-	-	30	-	20	20	-	20
Foot(feet) and ankle(s)	-	-	-	20	-	-	120	-	90
Foot(feet) and toe(s)	-	-	-	50	40	-	20	-	-
Multiple lower extremities locations, n.e.c.	-	-	-	170	40	50	150	-	60
Lower extremities, n.e.c.	-	-	-	-	-	-	-	-	-
Body systems	-	-	-	-	-	-	-	-	5,080
Multiple body parts	-	-	-	8,680	730	3,380	3,750	-	6,860
Nonclassifiable	-	-	-	30	-	-	90	-	1,930

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084;

With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies