

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2010

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		188,420	1,740	13,090	8,430	4,670	7,510
Head	0	10,470	340	190	490	230	680
Head, unspecified	00	2,140	—	60	90	80	90
Cranial region, including skull	01	2,980	—	30	120	60	250
Cranial region, unspecified	010	30	—	—	—	—	—
Brain	011	2,330	—	—	70	30	200
Scalp	012	560	—	20	50	30	50
Skull	013	40	—	—	—	—	—
Ear(s)	02	170	—	—	—	—	—
Face	03	4,720	330	90	260	80	340
Face, unspecified	030	480	—	—	—	—	60
Forehead	031	400	—	20	—	—	100
Eye(s)	032	1,860	310	20	40	30	120
Nose, nasal cavity	033	370	—	—	—	—	20
Nose, except internal location of diseases or disorders	0330	370	—	—	—	—	20
Cheek(s)	034	500	—	—	—	—	—
Jaw/chin	035	150	—	—	—	—	—
Mouth	036	220	—	40	—	—	30
Tooth(teeth)	0363	170	—	40	—	—	30
Multiple face locations	038	710	—	—	190	20	—
Face, n.e.c.	039	40	—	—	—	—	—
Multiple head locations	08	470	—	—	—	—	—
Neck, including throat	1	2,690	—	190	130	100	30
Neck, except internal location of diseases or disorders ...	10	2,670	—	190	130	100	30
Trunk	2	56,980	80	6,750	2,840	1,240	3,060
Trunk, unspecified	20	230	—	20	—	20	—
Shoulder, including clavicle, scapula	21	14,550	—	2,010	810	260	860
Chest, including ribs, internal organs	22	4,200	80	130	180	120	90
Chest, except internal location of diseases or disorders	220	2,750	—	130	180	110	90
Internal chest location, unspecified	221	110	—	—	—	—	—
Heart	223	970	—	—	—	—	—
Lung(s), pleura	225	360	70	—	—	—	—
Back, including spine, spinal cord	23	31,450	—	3,890	1,370	670	1,510
Back, including spine, spinal cord, unspecified	230	12,310	—	1,410	400	240	310
Lumbar region	231	16,440	—	2,200	830	370	1,160
Thoracic region	232	1,120	—	120	30	20	20
Sacral region	233	50	—	—	—	—	—
Coccygeal region	234	140	—	—	—	—	—
Multiple back regions	238	1,090	—	130	40	30	30

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2010 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Total	47,470	5,630	18,810	29,920	26,420	24,370	7,540	26,760
Head	1,920	590	2,040	70	—	1,110	130	2,810
Head, unspecified	710	100	240	—	—	140	20	580
Cranial region, including skull	570	—	1,470	—	—	140	—	320
Cranial region, unspecified	20	—	—	—	—	—	—	—
Brain	480	—	1,190	—	—	110	—	240
Scalp	50	—	270	—	—	30	—	50
Skull	30	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	150
Face	620	470	110	30	—	730	100	1,660
Face, unspecified	60	—	30	—	—	150	—	150
Forehead	80	—	20	—	—	80	—	90
Eye(s)	—	70	—	30	—	170	20	1,030
Nose, nasal cavity	50	—	—	—	—	100	—	180
Nose, except internal location of diseases or disorders	50	—	—	—	—	100	—	180
Cheek(s)	—	380	—	—	—	—	—	100
Jaw/chin	60	—	—	—	—	60	30	20
Mouth	40	—	30	—	—	40	—	20
Tooth(teeth)	20	—	30	—	—	30	—	—
Multiple face locations	300	—	—	—	—	120	—	50
Face, n.e.c.	—	—	—	—	—	—	—	—
Multiple head locations	20	—	220	—	—	100	—	100
Neck, including throat	140	40	590	320	310	810	240	350
Neck, except internal location of diseases or disorders ...	120	40	590	310	310	810	240	350
Trunk	8,000	2,180	4,970	9,910	8,080	10,740	5,390	7,220
Trunk, unspecified	—	—	120	—	—	40	—	—
Shoulder, including clavicle, scapula	2,430	690	1,150	1,840	1,730	2,500	1,020	2,000
Chest, including ribs, internal organs	380	100	450	1,490	210	680	110	490
Chest, except internal location of diseases or disorders	380	100	450	260	150	660	100	370
Internal chest location, unspecified	—	—	—	100	—	—	—	—
Heart	—	—	—	970	—	—	—	—
Lung(s), pleura	—	—	—	160	—	20	—	110
Back, including spine, spinal cord	3,800	1,230	2,900	5,410	5,240	6,780	3,900	3,870
Back, including spine, spinal cord, unspecified	2,070	340	1,070	1,930	1,900	2,990	1,530	1,540
Lumbar region	1,340	860	1,290	3,070	2,940	3,190	2,000	2,130
Thoracic region	80	—	240	140	120	330	200	130
Sacral region	30	—	—	—	—	—	—	—
Coccygeal region	120	—	—	—	—	—	—	—
Multiple back regions	130	20	280	130	130	260	160	40

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2010 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Back, including spine, spinal cord, n.e.c.	239	310	—	20	—	—	—
Abdomen	24	2,570	—	360	210	70	440
Abdomen, except internal location of diseases or disorders	240	980	—	80	70	—	240
Internal abdominal location, unspecified	241	550	—	120	60	30	60
Stomach organ	242	50	—	20	—	—	—
Urinary organs	244	150	—	—	—	—	—
Kidney(s)	2442	150	—	—	—	—	—
Intestines, peritoneum	245	840	—	140	70	40	140
Intestines, peritoneum, unspecified	2450	810	—	130	70	40	140
Peritoneum	2451	20	—	—	—	—	—
Pelvic region	25	2,530	—	270	180	40	50
Hip(s)	251	1,200	—	40	140	—	—
Pelvis	252	150	—	40	—	—	—
Buttock(s)	253	280	—	—	—	—	—
Groin	254	860	—	190	20	30	40
External reproductive tract structures	255	20	—	—	—	—	—
Scrotum	2551	20	—	—	—	—	—
Multiple pelvic region locations	258	20	—	—	—	—	—
Multiple trunk locations	28	1,400	—	60	90	60	100
Trunk, n.e.c.	29	40	—	—	—	—	—
Upper extremities	3	31,650	110	2,080	2,250	2,060	1,810
Upper extremities, unspecified	30	40	—	—	—	—	—
Arm(s)	31	7,900	40	730	270	210	500
Arm(s), unspecified	310	2,580	—	380	50	50	110
Upper arm(s)	311	1,080	—	150	30	50	70
Elbow(s)	312	2,520	—	130	160	70	70
Forearm(s)	313	900	30	60	—	40	40
Multiple arm(s) locations	318	750	—	20	—	—	220
Arm(s), n.e.c.	319	70	—	—	—	—	—
Wrist(s)	32	5,490	—	390	150	110	180
Hand(s), except finger(s)	33	6,750	30	220	1,410	240	240
Finger(s), fingernail(s)	34	8,810	—	500	360	1,460	840
Multiple upper extremities locations	38	2,600	30	230	70	60	50
Multiple upper extremities locations, unspecified	380	50	—	—	—	—	—
Hand(s) and finger(s)	381	500	—	50	—	20	—
Hand(s) and wrist(s)	382	590	—	—	20	—	—
Hand(s) and arm(s)	383	570	—	120	—	—	—
Multiple upper extremities locations, n.e.c.	389	890	—	50	20	30	—
Upper extremities, n.e.c.	39	60	—	—	—	—	—
Lower extremities	4	46,270	60	2,810	1,340	670	1,240
Lower extremities, unspecified	40	20	—	—	—	—	—
Leg(s)	41	27,920	—	2,300	670	290	310
Leg(s), unspecified	410	3,500	—	1,820	220	40	50
Thigh(s)	411	650	—	50	20	20	20

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2010 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Back, including spine, spinal cord, n.e.c.	30	—	20	140	140	—	—	30
Abdomen	50	100	140	440	230	290	120	470
Abdomen, except internal location of diseases or disorders	20	20	20	130	120	170	60	220
Internal abdominal location, unspecified	—	30	20	90	70	70	20	50
Stomach organ	—	—	—	—	—	—	—	—
Urinary organs	—	—	—	150	—	—	—	—
Kidney(s)	—	—	—	150	—	—	—	—
Intestines, peritoneum	—	50	100	60	50	50	40	180
Intestines, peritoneum, unspecified	—	50	100	60	50	40	40	160
Peritoneum	—	—	—	—	—	—	—	—
Pelvic region	880	40	50	520	470	210	110	280
Hip(s)	520	—	30	250	210	90	40	90
Pelvis	70	—	—	—	—	—	—	—
Buttock(s)	240	—	—	—	—	—	—	—
Groin	30	30	—	250	250	100	50	150
External reproductive tract structures	—	—	—	—	—	—	—	20
Scrotum	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—
Multiple trunk locations	440	—	140	200	200	240	130	80
Trunk, n.e.c.	20	—	—	—	—	—	—	—
Upper extremities	6,150	2,270	2,110	2,730	2,600	4,120	660	5,970
Upper extremities, unspecified	—	—	—	—	—	—	—	—
Arm(s)	2,200	280	740	720	660	810	180	1,400
Arm(s), unspecified	500	40	410	140	110	220	50	670
Upper arm(s)	280	20	60	240	240	50	20	130
Elbow(s)	1,080	120	150	210	180	190	50	340
Forearm(s)	200	90	60	40	30	110	50	220
Multiple arm(s) locations	140	—	—	90	90	230	—	30
Arm(s), n.e.c.	—	—	—	—	—	—	—	—
Wrist(s)	1,720	280	310	1,270	1,250	590	200	500
Hand(s), except finger(s)	960	480	340	260	260	1,210	100	1,350
Finger(s), fingernail(s)	640	1,180	570	210	170	760	110	2,290
Multiple upper extremities locations	610	50	140	250	230	700	50	410
Multiple upper extremities locations, unspecified	20	—	—	—	—	—	—	—
Hand(s) and finger(s)	50	—	—	20	20	200	—	110
Hand(s) and wrist(s)	230	—	50	80	60	70	—	110
Hand(s) and arm(s)	80	—	30	—	—	240	—	60
Multiple upper extremities locations, n.e.c.	240	40	50	140	140	180	30	140
Upper extremities, n.e.c.	20	—	—	—	—	30	—	—
Lower extremities	16,660	380	2,490	13,810	13,450	3,020	340	3,800
Lower extremities, unspecified	—	—	—	—	—	—	—	—
Leg(s)	9,850	280	1,490	8,890	8,620	1,920	250	1,900
Leg(s), unspecified	370	90	150	340	340	100	40	310
Thigh(s)	100	40	20	210	210	60	20	110

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2010 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Knee(s)	412	20,420	—	360	330	210	160
Lower leg(s)	413	1,990	—	40	100	30	60
Multiple leg(s) locations	418	810	—	—	—	—	—
Leg(s), n.e.c.	419	540	—	—	—	—	—
Ankle(s)	42	9,260	30	150	150	140	70
Foot(feet), except toe(s)	43	5,690	—	210	210	140	670
Foot(feet), except toe(s), unspecified	430	4,970	—	190	200	110	610
Instep(s)	431	30	—	—	—	—	—
Sole	432	470	—	20	—	20	50
Sole(s), unspecified	4320	30	—	—	—	—	—
Heel(s)	4323	420	—	20	—	20	50
Multiple foot(feet) locations	438	90	—	—	—	—	—
Foot(feet), n.e.c.	439	130	—	—	—	—	—
Toe(s), toenail(s)	44	1,210	—	130	240	20	150
Multiple lower extremities locations	48	2,140	—	30	70	80	50
Multiple lower extremities locations, unspecified	480	170	—	—	—	—	—
Foot(feet) and leg(s)	481	220	—	—	—	—	—
Foot(feet) and ankle(s)	482	500	—	—	20	—	—
Foot(feet) and toe(s)	483	90	—	—	—	—	30
Multiple lower extremities locations, n.e.c.	489	1,160	—	20	30	60	—
Lower extremities, n.e.c.	49	30	—	—	—	—	—
Body systems	5	5,080	1,060	—	—	130	120
Multiple body parts	8	32,770	90	1,070	1,360	240	560
Nonclassifiable	9999	2,500	—	—	—	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2010 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Knee(s)	8,400	120	1,080	7,020	6,760	1,630	150	1,120
Lower leg(s)	730	30	210	400	390	80	—	300
Multiple leg(s) locations	240	—	30	420	420	50	30	30
Leg(s), n.e.c.	—	—	—	500	500	—	—	30
Ankle(s)	3,930	30	360	3,340	3,280	420	30	640
Foot(foot), except toe(s)	1,870	40	300	1,180	1,180	220	40	840
Foot(foot), except toe(s), unspecified	1,670	40	260	1,030	1,030	150	20	700
Instep(s)	—	—	—	—	—	—	—	—
Sole	180	—	20	110	100	20	—	40
Sole(s), unspecified	—	—	—	—	—	—	—	—
Heel(s)	170	—	—	110	100	—	—	40
Multiple foot(foot) locations	—	—	20	—	—	40	—	—
Foot(foot), n.e.c.	—	—	—	40	40	—	—	80
Toe(s), toenail(s)	100	20	160	20	—	70	—	300
Multiple lower extremities locations	880	—	160	360	360	400	20	110
Multiple lower extremities locations, unspecified	150	—	—	—	—	—	—	—
Foot(foot) and leg(s)	80	—	—	100	100	—	—	—
Foot(foot) and ankle(s)	200	—	120	80	80	30	—	20
Foot(foot) and toe(s)	20	—	—	—	—	—	—	20
Multiple lower extremities locations, n.e.c.	430	—	30	170	170	360	—	50
Lower extremities, n.e.c.	20	—	—	—	—	—	—	—
Body systems	40	—	50	1,110	170	640	—	1,910
Multiple body parts	14,360	170	6,540	1,910	1,710	3,810	690	2,650
Nonclassifiable	210	—	40	60	60	120	70	2,050

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways,

or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies