

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2010

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Total .....		188,420	32,610	14,750	12,710	2,980	10,420	31,710	7,470	37,090	17,090
<b>Head</b> .....	0	10,470	4,550	2,800	1,310	40	340	1,790	-	-	-
Head, unspecified .....	00	2,140	980	520	460	-	140	570	-	-	-
Cranial region, including skull .....	01	2,980	1,010	460	510	40	120	500	-	-	-
Cranial region, unspecified .....	010	30	-	-	-	-	-	20	-	-	-
Brain .....	011	2,330	530	340	150	40	110	410	-	-	-
Scalp .....	012	560	450	110	340	-	-	40	-	-	-
Skull .....	013	40	-	-	-	-	-	30	-	-	-
Ear(s) .....	02	170	-	-	-	-	-	-	-	-	-
Face .....	03	4,720	2,440	1,760	280	-	80	700	-	-	-
Face, unspecified .....	030	480	160	110	40	-	-	60	-	-	-
Forehead .....	031	400	190	150	40	-	-	40	-	-	-
Eye(s) .....	032	1,860	1,210	730	80	-	-	20	-	-	-
Nose, nasal cavity .....	033	370	230	200	30	-	-	40	-	-	-
Nose, except internal location of diseases or disorders .....	0330	370	230	200	30	-	-	40	-	-	-
Cheek(s) .....	034	500	400	400	-	-	-	-	-	-	-
Jaw/chin .....	035	150	-	-	-	-	-	60	-	-	-
Mouth .....	036	220	130	60	70	-	-	50	-	-	-
Tooth(teeth) .....	0363	170	110	50	60	-	-	40	-	-	-
Multiple face locations .....	038	710	90	90	-	-	50	430	-	-	-
Face, n.e.c. .....	039	40	-	-	-	-	-	-	-	-	-
Multiple head locations .....	08	470	120	60	70	-	-	20	-	-	-
<b>Neck, including throat</b> .....	1	2,690	380	230	110	-	20	160	20	870	390
Neck, except internal location of diseases or disorders ...	10	2,670	380	230	110	-	20	130	20	870	390
<b>Trunk</b> .....	2	56,980	2,910	1,320	1,020	180	1,830	5,490	1,890	27,270	13,810
Trunk, unspecified .....	20	230	30	20	-	-	20	-	-	30	-
Shoulder, including clavicle, scapula .....	21	14,550	1,100	580	310	70	520	1,990	410	6,930	2,840
Chest, including ribs, internal organs .....	22	4,200	400	120	210	60	80	500	-	500	220
Chest, except internal location of diseases or disorders .....	220	2,750	400	120	210	60	80	500	-	490	220
Internal chest location, unspecified .....	221	110	-	-	-	-	-	-	-	-	-
Heart .....	223	970	-	-	-	-	-	-	-	-	-
Lung(s), pleura .....	225	360	-	-	-	-	-	-	-	-	-
Back, including spine, spinal cord .....	23	31,450	1,050	470	310	30	920	1,990	1,260	16,990	9,300
Back, including spine, spinal cord, unspecified .....	230	12,310	350	100	130	-	370	950	560	6,190	3,490
Lumbar region .....	231	16,440	610	290	170	30	480	690	610	9,660	5,150
Thoracic region .....	232	1,120	20	20	-	-	20	70	20	620	350
Sacral region .....	233	50	-	-	-	-	-	30	-	20	-
Coccygeal region .....	234	140	-	-	-	-	-	120	-	-	-

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5</sup>
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
			Total	Highway accident		Total	As-saults by person	All other assaults Total	Assaults by animal	
Total .....	3,070	7,000	13,110	9,180	1,410	13,680	12,140	1,540	760	30,830
<b>Head</b> .....	-	790	1,590	420	50	1,050	970	80	30	260
Head, unspecified .....	-	20	160	70	-	130	130	-	-	100
Cranial region, including skull .....	-	-	1,160	100	-	140	130	-	-	50
Cranial region, unspecified .....	-	-	-	-	-	-	-	-	-	-
Brain .....	-	-	1,140	90	-	100	100	-	-	50
Scalp .....	-	-	20	20	-	30	30	-	-	-
Skull .....	-	-	-	-	-	-	-	-	-	-
Ear(s) .....	-	110	-	-	40	-	-	-	-	-
Face .....	-	650	50	30	-	670	610	70	20	110
Face, unspecified .....	-	70	-	-	-	150	120	30	-	20
Forehead .....	-	-	-	-	-	100	100	-	-	-
Eye(s) .....	-	450	-	-	-	150	140	-	-	30
Nose, nasal cavity .....	-	-	-	-	-	80	80	-	-	-
Nose, except internal location of diseases or disorders .....	-	-	-	-	-	80	80	-	-	-
Cheek(s) .....	-	-	-	-	-	-	-	-	-	-
Jaw/chin .....	-	-	-	-	-	50	50	-	-	-
Mouth .....	-	-	-	-	-	20	20	-	-	-
Tooth(teeth) .....	-	-	-	-	-	-	-	-	-	-
Multiple face locations .....	-	40	-	-	-	90	70	-	-	-
Face, n.e.c. ....	-	-	-	-	-	-	-	-	-	-
Multiple head locations .....	-	-	220	220	-	100	100	-	-	-
<b>Neck, including throat</b> .....	20	20	540	460	40	290	270	30	-	330
Neck, except internal location of diseases or disorders ...	20	20	540	460	40	290	270	30	-	320
<b>Trunk</b> .....	570	540	3,330	2,650	340	3,020	2,800	220	50	9,800
Trunk, unspecified .....	-	-	120	120	-	30	20	-	-	-
Shoulder, including clavicle, scapula .....	270	-	600	310	-	890	860	30	-	1,520
Chest, including ribs, internal organs .....	-	370	350	270	-	540	530	-	-	1,460
Chest, except internal location of diseases or disorders .....	-	50	350	270	-	540	530	-	-	330
Internal chest location, unspecified .....	-	-	-	-	-	-	-	-	-	100
Heart .....	-	-	-	-	-	-	-	-	-	970
Lung(s), pleura .....	-	300	-	-	-	-	-	-	-	60
Back, including spine, spinal cord .....	260	30	2,110	1,850	-	1,260	1,110	140	20	5,580
Back, including spine, spinal cord, unspecified .....	60	30	770	690	-	740	610	130	-	2,300
Lumbar region .....	190	-	870	750	-	390	380	20	-	2,940
Thoracic region .....	-	-	210	160	-	30	30	-	-	120
Sacral region .....	-	-	-	-	-	-	-	-	-	-
Coccygeal region .....	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Multiple back regions .....	238	1,090	60	50	—	—	30	100	40	400	200
Back, including spine, spinal cord, n.e.c. ....	239	310	—	—	—	—	—	30	—	110	90
Abdomen .....	24	2,570	70	20	40	—	—	40	—	1,630	820
Abdomen, except internal location of diseases or disorders .....	240	980	60	—	40	—	—	20	—	500	140
Internal abdominal location, unspecified .....	241	550	—	—	—	—	—	—	—	410	240
Stomach organ .....	242	50	—	—	—	—	—	—	—	30	20
Urinary organs .....	244	150	—	—	—	—	—	—	—	—	—
Kidney(s) .....	2442	150	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	840	—	—	—	—	—	—	—	690	410
Intestines, peritoneum, unspecified .....	2450	810	—	—	—	—	—	—	—	670	400
Peritoneum .....	2451	20	—	—	—	—	—	—	—	20	—
Pelvic region .....	25	2,530	130	30	80	—	110	640	150	810	480
Hip(s) .....	251	1,200	90	20	60	—	60	470	90	200	60
Pelvis .....	252	150	—	—	—	—	—	70	—	60	40
Buttock(s) .....	253	280	—	—	—	—	50	70	—	—	—
Groin .....	254	860	—	—	—	—	—	—	60	530	380
External reproductive tract structures .....	255	20	—	—	—	—	—	—	—	—	—
Scrotum .....	2551	20	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	20	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	1,400	140	60	70	—	160	320	70	390	120
Trunk, n.e.c. ....	29	40	—	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	<b>3</b>	<b>31,650</b>	<b>12,300</b>	<b>6,340</b>	<b>3,350</b>	<b>2,000</b>	<b>1,450</b>	<b>4,560</b>	<b>150</b>	<b>4,260</b>	<b>1,580</b>
Upper extremities, unspecified .....	30	40	—	—	—	—	—	—	—	—	—
Arm(s) .....	31	7,900	1,140	630	440	30	540	1,610	50	2,030	900
Arm(s), unspecified .....	310	2,580	250	150	60	20	150	370	—	660	440
Upper arm(s) .....	311	1,080	30	20	—	—	220	60	—	390	220
Elbow(s) .....	312	2,520	440	120	290	—	130	880	30	570	150
Forearm(s) .....	313	900	210	130	80	—	20	220	—	110	60
Multiple arm(s) locations .....	318	750	210	210	—	—	20	70	—	260	20
Arm(s), n.e.c. ....	319	70	—	—	—	—	—	—	—	50	—
Wrist(s) .....	32	5,490	620	340	230	20	350	1,420	—	1,170	390
Hand(s), except finger(s) .....	33	6,750	3,410	2,210	850	320	320	510	—	280	50
Finger(s), fingernail(s) .....	34	8,810	6,640	2,900	1,690	1,580	70	660	—	360	30
Multiple upper extremities locations .....	38	2,600	460	250	130	50	160	350	80	390	210
Multiple upper extremities locations, unspecified .....	380	50	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s) .....	381	500	170	70	60	20	—	30	—	30	20
Hand(s) and wrist(s) .....	382	590	50	30	20	—	40	100	—	90	20
Hand(s) and arm(s) .....	383	570	50	50	—	—	—	70	—	110	110
Multiple upper extremities locations, n.e.c. ....	389	890	200	100	50	30	110	140	80	150	60
Upper extremities, n.e.c. ....	39	60	—	—	—	—	—	—	—	20	—
<b>Lower extremities</b> .....	<b>4</b>	<b>46,270</b>	<b>10,630</b>	<b>3,160</b>	<b>6,310</b>	<b>720</b>	<b>3,070</b>	<b>9,310</b>	<b>4,640</b>	<b>1,450</b>	<b>450</b>
Lower extremities, unspecified .....	40	20	—	—	—	—	—	—	—	—	—
Leg(s) .....	41	27,920	5,280	1,290	3,480	270	1,770	5,960	2,370	1,240	420

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events <sup>5</sup>
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Multiple back regions .....	—	—	240	230	—	90	90	—	—	110
Back, including spine, spinal cord, n.e.c. ....	—	—	20	20	—	—	—	—	—	110
Abdomen .....	30	130	—	—	—	160	160	—	—	500
Abdomen, except internal location of diseases or disorders .....	—	120	—	—	—	110	110	—	—	150
Internal abdominal location, unspecified .....	20	—	—	—	—	40	40	—	—	60
Stomach organ .....	—	—	—	—	—	—	—	—	—	20
Urinary organs .....	—	—	—	—	—	—	—	—	—	150
Kidney(s) .....	—	—	—	—	—	—	—	—	—	150
Intestines, peritoneum .....	—	—	—	—	—	—	—	—	—	130
Intestines, peritoneum, unspecified .....	—	—	—	—	—	—	—	—	—	120
Peritoneum .....	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	—	—	—	—	—	70	40	40	—	600
Hip(s) .....	—	—	—	—	—	40	—	—	—	240
Pelvis .....	—	—	—	—	—	—	—	—	—	—
Buttock(s) .....	—	—	—	—	—	—	—	—	—	130
Groin .....	—	—	—	—	—	20	20	—	—	220
External reproductive tract structures .....	—	—	—	—	—	—	—	—	—	—
Scrotum .....	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	—	—	120	100	—	70	70	—	—	130
Trunk, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	1,670	1,130	910	650	30	3,430	2,700	730	400	1,770
Upper extremities, unspecified .....	—	—	—	—	—	—	—	—	—	—
Arm(s) .....	210	490	430	330	—	580	430	140	140	810
Arm(s), unspecified .....	40	300	350	270	—	260	180	80	80	180
Upper arm(s) .....	—	—	30	30	—	40	40	—	—	280
Elbow(s) .....	80	—	30	—	—	80	80	—	—	270
Forearm(s) .....	—	160	—	—	—	140	80	70	70	30
Multiple arm(s) locations .....	80	—	—	—	—	40	40	—	—	50
Arm(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Wrist(s) .....	1,170	20	200	180	—	310	290	20	20	230
Hand(s), except finger(s) .....	140	330	120	40	—	1,290	880	410	180	320
Finger(s), fingernail(s) .....	50	110	70	40	—	620	500	130	40	220
Multiple upper extremities locations .....	90	180	90	50	—	590	570	20	20	210
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s) .....	20	30	—	—	—	190	190	—	—	20
Hand(s) and wrist(s) .....	40	80	30	30	—	20	20	—	—	130
Hand(s) and arm(s) .....	—	40	30	—	—	250	240	—	—	—
Multiple upper extremities locations, n.e.c. ....	—	—	30	—	—	120	120	—	—	50
Upper extremities, n.e.c. ....	—	—	—	—	—	20	20	—	—	—
<b>Lower extremities</b> .....	300	530	960	490	—	2,170	1,800	370	150	13,210
Lower extremities, unspecified .....	—	—	—	—	—	—	—	—	—	—
Leg(s) .....	220	220	700	390	—	1,390	1,040	350	130	8,760

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Leg(s), unspecified .....	410	3,500	2,320	360	1,910	—	70	280	190	140	50
Thigh(s) .....	411	650	120	50	60	—	—	70	80	80	40
Knee(s) .....	412	20,420	2,380	680	1,300	200	1,540	5,220	1,950	920	280
Lower leg(s) .....	413	1,990	380	170	180	30	70	250	60	60	—
Multiple leg(s) locations .....	418	810	50	—	20	20	80	140	80	40	30
Leg(s), n.e.c. ....	419	540	20	—	—	—	—	—	—	—	—
Ankle(s) .....	42	9,260	1,710	200	1,320	160	810	1,800	1,520	90	—
Foot(feet), except toe(s) .....	43	5,690	2,280	830	1,090	210	230	920	510	80	20
Foot(feet), except toe(s), unspecified .....	430	4,970	1,980	790	850	200	220	890	470	50	—
Instep(s) .....	431	30	20	—	—	—	—	—	—	—	—
Sole .....	432	470	230	30	190	—	—	20	20	40	—
Sole(s), unspecified .....	4320	30	—	—	—	—	—	—	—	—	—
Heel(s) .....	4323	420	230	30	180	—	—	—	20	20	—
Multiple foot(feet) locations .....	438	90	30	—	30	—	—	—	—	—	—
Foot(feet), n.e.c. ....	439	130	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s) .....	44	1,210	950	610	260	50	—	20	—	—	—
Multiple lower extremities locations .....	48	2,140	410	220	150	30	240	580	220	40	—
Multiple lower extremities locations, unspecified .....	480	170	—	—	—	—	—	150	—	—	—
Foot(feet) and leg(s) .....	481	220	40	20	—	—	30	30	90	—	—
Foot(feet) and ankle(s) .....	482	500	160	40	120	—	90	60	40	30	—
Foot(feet) and toe(s) .....	483	90	80	50	20	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	489	1,160	140	110	—	20	110	330	90	—	—
Lower extremities, n.e.c. ....	49	30	—	—	—	—	—	20	—	—	—
<b>Body systems</b> .....	<b>5</b>	<b>5,080</b>	<b>30</b>	<b>20</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>50</b>	<b>—</b>	<b>30</b>	<b>—</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>32,770</b>	<b>1,800</b>	<b>880</b>	<b>600</b>	<b>30</b>	<b>3,670</b>	<b>10,160</b>	<b>690</b>	<b>3,120</b>	<b>840</b>
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>2,500</b>	<b>20</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>40</b>	<b>200</b>	<b>30</b>	<b>80</b>	<b>—</b>

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events <sup>5</sup>
			Total	Highway accident		Total	As-saults by person	All other assaults		
								Total	Assaults by animal	
Leg(s), unspecified .....	—	90	60	20	—	110	80	40	40	230
Thigh(s) .....	—	20	—	—	—	80	50	40	40	170
Knee(s) .....	210	—	440	340	—	1,040	810	230	20	6,710
Lower leg(s) .....	—	100	170	—	—	120	90	30	30	770
Multiple leg(s) locations .....	—	—	20	—	—	20	20	—	—	380
Leg(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	500
Ankle(s) .....	—	70	110	30	—	300	280	—	—	2,830
Foot(feet), except toe(s) .....	60	200	100	40	—	90	90	—	—	1,210
Foot(feet), except toe(s), unspecified .....	30	120	80	40	—	70	60	—	—	1,060
Instep(s) .....	—	—	—	—	—	—	—	—	—	—
Sole .....	—	—	20	—	—	—	—	—	—	100
Sole(s), unspecified .....	—	—	—	—	—	—	—	—	—	—
Heel(s) .....	—	—	—	—	—	—	—	—	—	100
Multiple foot(feet) locations .....	—	—	—	—	—	—	—	—	—	20
Foot(feet), n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s) .....	—	20	30	—	—	20	—	—	—	180
Multiple lower extremities locations .....	—	20	20	—	—	380	380	—	—	220
Multiple lower extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s) .....	—	—	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s) .....	—	—	—	—	—	—	—	—	—	110
Foot(feet) and toe(s) .....	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	—	—	—	—	—	370	370	—	—	100
Lower extremities, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Body systems</b> .....	—	3,310	40	30	240	120	100	20	20	1,260
<b>Multiple body parts</b> .....	490	560	5,720	4,450	720	3,530	3,470	60	60	2,310
<b>Nonclassifiable</b> .....	—	120	30	20	—	80	30	50	40	1,890

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substances or environments = 30-39; Transportation incidents = 40-49; Highway accident = 41; Fires and explosions = 50-52;

Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>5</sup> Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies