

TABLE L24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, local government, 2010

Part of body	Part of body code ³	Local government ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total [188,420 cases]		180.6	31.3	14.1	12.2	2.9	10.0	30.4	7.2
Head	0	10.0	4.4	2.7	1.3	(⁷)	.3	1.7	—
Head, unspecified	00	2.0	.9	.5	.4	—	.1	.5	—
Cranial region, including skull	01	2.9	1.0	.4	.5	(⁷)	.1	.5	—
Cranial region, unspecified	010	(⁷)	—	—	—	—	—	(⁷)	—
Brain	011	2.2	.5	.3	.1	(⁷)	.1	.4	—
Scalp	012	.5	.4	.1	.3	—	—	(⁷)	—
Skull	013	(⁷)	—	—	—	—	—	(⁷)	—
Ear(s)	02	.2	—	—	—	—	—	—	—
Face	03	4.5	2.3	1.7	.3	—	.1	.7	—
Face, unspecified	030	.5	.2	.1	(⁷)	—	—	.1	—
Forehead	031	.4	.2	.1	(⁷)	—	—	(⁷)	—
Eye(s)	032	1.8	1.2	.7	.1	—	—	(⁷)	—
Nose, nasal cavity	033	.4	.2	.2	(⁷)	—	—	(⁷)	—
Nose, except internal location of diseases or disorders	0330	.4	.2	.2	(⁷)	—	—	(⁷)	—
Cheek(s)	034	.5	.4	.4	—	—	—	—	—
Jaw/chin	035	.1	—	—	—	—	—	.1	—
Mouth	036	.2	.1	.1	.1	—	—	(⁷)	—
Tooth(teeth)	0363	.2	.1	(⁷)	.1	—	—	(⁷)	—
Multiple face locations	038	.7	.1	.1	—	—	(⁷)	.4	—
Face, n.e.c.	039	(⁷)	—	—	—	—	—	—	—
Multiple head locations	08	.4	.1	.1	.1	—	—	(⁷)	—
Neck, including throat	1	2.6	.4	.2	.1	—	(⁷)	.1	(⁷)
Neck, except internal location of diseases or disorders	10	2.6	.4	.2	.1	—	(⁷)	.1	(⁷)
Trunk	2	54.6	2.8	1.3	1.0	.2	1.7	5.3	1.8
Trunk, unspecified	20	.2	(⁷)	(⁷)	—	—	(⁷)	—	—
Shoulder, including clavicle, scapula	21	13.9	1.0	.6	.3	.1	.5	1.9	.4
Chest, including ribs, internal organs	22	4.0	.4	.1	.2	.1	.1	.5	—
Chest, except internal location of diseases or disorders	220	2.6	.4	.1	.2	.1	.1	.5	—
Internal chest location, unspecified	221	.1	—	—	—	—	—	—	—
Heart	223	.9	—	—	—	—	—	—	—
Lung(s), pleura	225	.3	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	30.1	1.0	.4	.3	(⁷)	.9	1.9	1.2
Back, including spine, spinal cord, unspecified	230	11.8	.3	.1	.1	—	.4	.9	.5
Lumbar region	231	15.8	.6	.3	.2	(⁷)	.5	.7	.6
Thoracic region	232	1.1	(⁷)	(⁷)	—	—	(⁷)	.1	(⁷)

See footnotes at end of table.

TABLE L24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁶
	Total	In lifting			Total	Highway accident		Total	Assaults by person	All other assaults		
										Total	Assaults by animal	
Total [188,420 cases]	35.5	16.4	2.9	6.7	12.6	8.8	1.4	13.1	11.6	1.5	0.7	29.6
Head	—	—	—	.8	1.5	.4	(⁷)	1.0	.9	.1	(⁷)	.2
Head, unspecified	—	—	—	(⁷)	.2	.1	—	.1	.1	—	—	.1
Cranial region, including skull	—	—	—	—	1.1	.1	—	.1	.1	—	—	(⁷)
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	1.1	.1	—	.1	.1	—	—	(⁷)
Scalp	—	—	—	—	(⁷)	(⁷)	—	(⁷)	(⁷)	—	—	—
Skull	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	.1	—	—	(⁷)	—	—	—	—	—
Face	—	—	—	.6	.1	(⁷)	—	.6	.6	.1	(⁷)	.1
Face, unspecified	—	—	—	.1	—	—	—	.1	.1	(⁷)	—	(⁷)
Forehead	—	—	—	—	—	—	—	.1	.1	—	—	—
Eye(s)	—	—	—	.4	—	—	—	.1	.1	—	—	(⁷)
Nose, nasal cavity	—	—	—	—	—	—	—	.1	.1	—	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	—	.1	.1	—	—	—
Cheek(s)	—	—	—	—	—	—	—	—	—	—	—	—
Jaw/chin	—	—	—	—	—	—	—	.1	.1	—	—	—
Mouth	—	—	—	—	—	—	—	(⁷)	(⁷)	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	(⁷)	—	—	—	.1	.1	—	—	—
Face, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	—	.2	.2	—	.1	.1	—	—	—
Neck, including throat8	.4	(⁷)	(⁷)	.5	.4	(⁷)	.3	.3	(⁷)	—	.3
Neck, except internal location of diseases or disorders8	.4	(⁷)	(⁷)	.5	.4	(⁷)	.3	.3	(⁷)	—	.3
Trunk	26.1	13.2	.5	.5	3.2	2.5	.3	2.9	2.7	.2	(⁷)	9.4
Trunk, unspecified	(⁷)	—	—	—	.1	.1	—	(⁷)	(⁷)	—	—	—
Shoulder, including clavicle, scapula	6.6	2.7	.3	—	.6	.3	—	.9	.8	(⁷)	—	1.5
Chest, including ribs, internal organs5	.2	—	.4	.3	.3	—	.5	.5	—	—	1.4
Chest, except internal location of diseases or disorders5	.2	—	(⁷)	.3	.3	—	.5	.5	—	—	.3
Internal chest location, unspecified	—	—	—	—	—	—	—	—	—	—	—	.1
Heart	—	—	—	—	—	—	—	—	—	—	—	.9
Lung(s), pleura	—	—	—	.3	—	—	—	—	—	—	—	.1
Back, including spine, spinal cord	16.3	8.9	.2	(⁷)	2.0	1.8	—	1.2	1.1	.1	(⁷)	5.4
Back, including spine, spinal cord, unspecified	5.9	3.3	.1	(⁷)	.7	.7	—	.7	.6	.1	—	2.2
Lumbar region	9.3	4.9	.2	—	.8	.7	—	.4	.4	(⁷)	—	2.8
Thoracic region6	.3	—	—	.2	.2	—	(⁷)	(⁷)	—	—	.1

See footnotes at end of table.

TABLE L24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Part of body code ³	Local government ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Sacral region	233	(7)	—	—	—	—	—	(7)	—
Coccygeal region	234	.1	—	—	—	—	—	.1	—
Multiple back regions	238	1.0	0.1	(7)	—	—	(7)	.1	(7)
Back, including spine, spinal cord, n.e.c.	239	.3	—	—	—	—	—	(7)	—
Abdomen	24	2.5	.1	(7)	(7)	—	—	(7)	—
Abdomen, except internal location of diseases or disorders	240	.9	.1	—	(7)	—	—	(7)	—
Internal abdominal location, unspecified	241	.5	—	—	—	—	—	—	—
Stomach organ	242	.1	—	—	—	—	—	—	—
Urinary organs	244	.1	—	—	—	—	—	—	—
Kidney(s)	2442	.1	—	—	—	—	—	—	—
Intestines, peritoneum	245	.8	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	.8	—	—	—	—	—	—	—
Peritoneum	2451	(7)	—	—	—	—	—	—	—
Pelvic region	25	2.4	.1	(7)	.1	—	.1	.6	.1
Hip(s)	251	1.1	.1	(7)	.1	—	.1	.5	.1
Pelvis	252	.1	—	—	—	—	—	.1	—
Buttock(s)	253	.3	—	—	—	—	(7)	.1	—
Groin	254	.8	—	—	—	—	—	—	.1
External reproductive tract structures	255	(7)	—	—	—	—	—	—	—
Scrotum	2551	(7)	—	—	—	—	—	—	—
Multiple pelvic region locations	258	(7)	—	—	—	—	—	—	—
Multiple trunk locations	28	1.3	.1	.1	.1	—	.2	.3	.1
Trunk, n.e.c.	29	(7)	—	—	—	—	—	—	—
Upper extremities	3	30.3	11.8	6.1	3.2	1.9	1.4	4.4	.1
Upper extremities, unspecified	30	(7)	—	—	—	—	—	—	—
Arm(s)	31	7.6	1.1	.6	.4	(7)	.5	1.5	(7)
Arm(s), unspecified	310	2.5	.2	.1	.1	(7)	.1	.4	—
Upper arm(s)	311	1.0	(7)	(7)	—	—	.2	.1	—
Elbow(s)	312	2.4	.4	.1	.3	—	.1	.8	(7)
Forearm(s)	313	.9	.2	.1	.1	—	(7)	.2	—
Multiple arm(s) locations	318	.7	.2	.2	—	—	(7)	.1	—
Arm(s), n.e.c.	319	.1	—	—	—	—	—	—	—
Wrist(s)	32	5.3	.6	.3	.2	(7)	.3	1.4	—
Hand(s), except finger(s)	33	6.5	3.3	2.1	.8	.3	.3	.5	—
Finger(s), fingernail(s)	34	8.4	6.4	2.8	1.6	1.5	.1	.6	—
Multiple upper extremities locations	38	2.5	.4	.2	.1	(7)	.2	.3	.1
Multiple upper extremities locations, unspecified	380	(7)	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	.5	.2	.1	.1	(7)	—	(7)	—
Hand(s) and wrist(s)	382	.6	(7)	(7)	(7)	—	(7)	.1	—
Hand(s) and arm(s)	383	.5	(7)	(7)	—	—	—	.1	—
Multiple upper extremities locations, n.e.c.	389	.9	.2	.1	.1	(7)	.1	.1	.1
Upper extremities, n.e.c.	39	.1	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁶
	Total	In lifting			Total	Highway accident		Total	Assaults by person	All other assaults		
										Total	Assaults by animal	
Sacral region	(7)	-	-	-	-	-	-	-	-	-	-	-
Coccygeal region	-	-	-	-	-	-	-	-	-	-	-	-
Multiple back regions4	0.2	-	-	0.2	0.2	-	0.1	0.1	-	-	0.1
Back, including spine, spinal cord, n.e.c.1	.1	-	-	(7)	(7)	-	-	-	-	-	.1
Abdomen	1.6	.8	(7)	0.1	-	-	-	.2	.2	-	-	.5
Abdomen, except internal location of diseases or disorders5	.1	-	.1	-	-	-	.1	.1	-	-	.1
Internal abdominal location, unspecified4	.2	(7)	-	-	-	-	(7)	(7)	-	-	.1
Stomach organ	(7)	(7)	-	-	-	-	-	-	-	-	-	(7)
Urinary organs	-	-	-	-	-	-	-	-	-	-	-	.1
Kidney(s)	-	-	-	-	-	-	-	-	-	-	-	.1
Intestines, peritoneum7	.4	-	-	-	-	-	-	-	-	-	.1
Intestines, peritoneum, unspecified6	.4	-	-	-	-	-	-	-	-	-	.1
Peritoneum	(7)	-	-	-	-	-	-	-	-	-	-	-
Pelvic region8	.5	-	-	-	-	-	.1	(7)	(7)	-	.6
Hip(s)2	.1	-	-	-	-	-	(7)	-	-	-	.2
Pelvis1	(7)	-	-	-	-	-	-	-	-	-	-
Buttock(s)	-	-	-	-	-	-	-	-	-	-	-	.1
Groin5	.4	-	-	-	-	-	(7)	(7)	-	-	.2
External reproductive tract structures	-	-	-	-	-	-	-	-	-	-	-	-
Scrotum	-	-	-	-	-	-	-	-	-	-	-	-
Multiple pelvic region locations	-	-	-	-	-	-	-	-	-	-	-	-
Multiple trunk locations4	.1	-	-	.1	.1	-	.1	.1	-	-	.1
Trunk, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Upper extremities	4.1	1.5	1.6	1.1	.9	.6	(7)	3.3	2.6	.7	0.4	1.7
Upper extremities, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Arm(s)	1.9	.9	.2	.5	.4	.3	-	.6	.4	.1	.1	.8
Arm(s), unspecified6	.4	(7)	.3	.3	.3	-	.2	.2	.1	.1	.2
Upper arm(s)4	.2	-	-	(7)	(7)	-	(7)	(7)	-	-	.3
Elbow(s)5	.1	.1	-	(7)	-	-	.1	.1	-	-	.3
Forearm(s)1	.1	-	.1	-	-	-	.1	.1	.1	.1	(7)
Multiple arm(s) locations2	(7)	.1	-	-	-	-	(7)	(7)	-	-	.1
Arm(s), n.e.c.	(7)	-	-	-	-	-	-	-	-	-	-	-
Wrist(s)	1.1	.4	1.1	(7)	.2	.2	-	.3	.3	(7)	(7)	.2
Hand(s), except finger(s)3	.1	.1	.3	.1	(7)	-	1.2	.8	.4	.2	.3
Finger(s), fingernail(s)3	(7)	(7)	.1	.1	(7)	-	.6	.5	.1	(7)	.2
Multiple upper extremities locations4	.2	.1	.2	.1	(7)	-	.6	.5	(7)	(7)	.2
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Hand(s) and finger(s)	(7)	(7)	(7)	(7)	-	-	-	.2	.2	-	-	(7)
Hand(s) and wrist(s)1	(7)	(7)	.1	(7)	(7)	-	(7)	(7)	-	-	.1
Hand(s) and arm(s)1	.1	-	(7)	(7)	-	-	.2	.2	-	-	-
Multiple upper extremities locations, n.e.c.1	.1	-	-	(7)	-	-	.1	.1	-	-	.1
Upper extremities, n.e.c.	(7)	-	-	-	-	-	-	(7)	(7)	-	-	-

See footnotes at end of table.

TABLE L24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Part of body code ³	Local government ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Lower extremities	4	44.3	10.2	3.0	6.0	0.7	2.9	8.9	4.4
Lower extremities, unspecified	40	(⁷)	—	—	—	—	—	—	—
Leg(s)	41	26.8	5.1	1.2	3.3	.3	1.7	5.7	2.3
Leg(s), unspecified	410	3.4	2.2	.3	1.8	—	.1	.3	.2
Thigh(s)	411	.6	.1	.1	.1	—	—	.1	.1
Knee(s)	412	19.6	2.3	.7	1.2	.2	1.5	5.0	1.9
Lower leg(s)	413	1.9	.4	.2	.2	(⁷)	.1	.2	.1
Multiple leg(s) locations	418	.8	(⁷)	—	(⁷)	(⁷)	.1	.1	.1
Leg(s), n.e.c.	419	.5	(⁷)	—	—	—	—	—	—
Ankle(s)	42	8.9	1.6	.2	1.3	.2	.8	1.7	1.5
Foot(feet), except toe(s)	43	5.5	2.2	.8	1.0	.2	.2	.9	.5
Foot(feet), except toe(s), unspecified	430	4.8	1.9	.8	.8	.2	.2	.9	.5
Instep(s)	431	(⁷)	(⁷)	—	—	—	—	—	—
Sole	432	.4	.2	(⁷)	.2	—	—	(⁷)	(⁷)
Sole(s), unspecified	4320	(⁷)	—	—	—	—	—	—	—
Heel(s)	4323	.4	.2	(⁷)	.2	—	—	—	(⁷)
Multiple foot(feet) locations	438	.1	(⁷)	—	(⁷)	—	—	—	—
Foot(feet), n.e.c.	439	.1	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	1.2	.9	.6	.3	.1	—	(⁷)	—
Multiple lower extremities locations	48	2.1	.4	.2	.1	(⁷)	.2	.6	.2
Multiple lower extremities locations, unspecified	480	.2	—	—	—	—	—	.1	—
Foot(feet) and leg(s)	481	.2	(⁷)	(⁷)	—	—	(⁷)	(⁷)	.1
Foot(feet) and ankle(s)	482	.5	.1	(⁷)	.1	—	.1	.1	(⁷)
Foot(feet) and toe(s)	483	.1	.1	.1	(⁷)	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	1.1	.1	.1	—	(⁷)	.1	.3	.1
Lower extremities, n.e.c.	49	(⁷)	—	—	—	—	—	(⁷)	—

See footnotes at end of table.

TABLE L24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ⁶
	Total	In lifting			Total	Highway accident		Total	Assaults by person	All other assaults		
										Total	Assaults by animal	
Lower extremities	1.4	0.4	0.3	0.5	0.9	0.5	—	2.1	1.7	0.4	0.1	12.7
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Leg(s)	1.2	.4	.2	.2	.7	.4	—	1.3	1.0	.3	.1	8.4
Leg(s), unspecified1	(7)	—	.1	.1	(7)	—	.1	.1	(7)	(7)	.2
Thigh(s)1	(7)	—	(7)	—	—	—	.1	(7)	(7)	(7)	.2
Knee(s)9	.3	.2	—	.4	.3	—	1.0	.8	.2	(7)	6.4
Lower leg(s)1	—	—	.1	.2	—	—	.1	.1	(7)	(7)	.7
Multiple leg(s) locations	(7)	(7)	—	—	(7)	—	—	(7)	(7)	—	—	.4
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	.5
Ankle(s)1	—	—	.1	.1	(7)	—	.3	.3	—	—	2.7
Foot(feet), except toe(s)1	(7)	.1	.2	.1	(7)	—	.1	.1	—	—	1.2
Foot(feet), except toe(s), unspecified	(7)	—	(7)	.1	.1	(7)	—	.1	.1	—	—	1.0
Instep(s)	—	—	—	—	—	—	—	—	—	—	—	—
Sole	(7)	—	—	—	(7)	—	—	—	—	—	—	.1
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	(7)	—	—	—	—	—	—	—	—	—	—	.1
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—	—	—	(7)
Foot(feet), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	—	—	—	(7)	(7)	—	—	(7)	—	—	—	.2
Multiple lower extremities locations	(7)	—	—	(7)	(7)	—	—	.4	.4	—	—	.2
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	—	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	(7)	—	—	—	—	—	—	—	—	—	—	.1
Foot(feet) and toe(s)	—	—	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	—	—	—	—	—	—	—	.4	.4	—	—	.1
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Part of body code ³	Local government ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Body systems	5	4.9	(⁷)	(⁷)	–	–	–	(⁷)	–
Multiple body parts	8	31.4	1.7	.8	0.6	(⁷)	3.5	9.7	0.7
Nonclassifiable	9999	2.4	(⁷)	–	–	–	(⁷)	.2	(⁷)

See footnotes at end of table.

TABLE L24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, local government, 2010 — Continued

Part of body	Event or exposure leading to injury or illness ⁵											All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
	Total	In lifting			Total	Highway accident		Total	Assaults by person	All other assaults		
										Total	Assaults by animal	
Body systems	(⁷)	—	—	3.2	(⁷)	(⁷)	0.2	0.1	0.1	(⁷)	(⁷)	1.2
Multiple body parts	3.0	0.8	0.5	.5	5.5	4.3	.7	3.4	3.3	.1	.1	2.2
Nonclassifiable1	—	—	.1	(⁷)	(⁷)	—	.1	(⁷)	(⁷)	(⁷)	1.8

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Event codes: Contact with objects, Total

= 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substances or environments = 30-39; Transportation incidents = 40-49; Highway accident = 41; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies