

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Total		188,420	10,470	1,860	2,690	56,980	31,450	14,550	31,650	7,900	8,810	6,750	5,490
Contact with objects and equipment	0	32,610	4,550	1,210	380	2,910	1,050	1,100	12,300	1,140	6,640	3,410	620
Contact with objects and equipment, unspecified	00	830	20	20	—	40	—	30	450	—	410	20	20
Struck against object or equipment	01	12,710	1,310	80	110	1,020	310	310	3,350	440	1,690	850	230
Struck against object or equipment, unspecified	010	470	30	—	—	90	30	—	120	—	20	70	—
Stepped on object	011	2,620	40	—	—	170	130	20	50	—	—	—	20
Struck against stationary object or equipment	012	6,600	830	30	90	460	110	120	1,890	300	1,040	450	60
Struck against moving object or equipment	013	450	50	—	—	40	—	—	160	—	90	50	—
Struck against object or equipment, n.e.c.	019	2,570	360	50	—	280	40	170	1,140	100	540	260	150
Struck by object or equipment	02	14,750	2,800	730	230	1,320	470	580	6,340	630	2,900	2,210	340
Struck by object or equipment, unspecified	020	560	140	90	—	50	—	20	300	30	220	50	—
Struck by falling object or equipment	021	5,050	560	60	180	510	170	230	1,630	370	580	370	250
Struck by flying object	022	1,590	850	460	—	30	—	—	350	110	160	30	20
Struck by flying object, unspecified	0220	300	140	70	—	—	—	—	30	—	20	—	—
Struck by dislodged flying object, particle	0221	620	320	280	—	20	—	—	190	100	60	20	—
Struck by discharged object or substance	0222	260	70	20	—	—	—	—	100	—	60	—	—
Struck by flying object, n.e.c.	0229	410	330	100	—	—	—	—	20	—	20	—	—
Struck by swinging or slipping object	023	5,290	710	50	20	450	120	280	3,590	80	1,690	1,640	60
Struck by swinging or slipping object, unspecified	0230	260	30	—	—	—	—	—	30	—	20	20	—
Struck by or slammed in swinging door or gate	0231	1,160	140	—	—	90	50	30	740	40	450	160	30
Struck by slipping handheld object	0232	2,640	510	40	—	130	70	30	1,710	30	1,150	430	30
Struck by swinging or slipping object, n.e.c.	0239	1,230	30	—	—	50	—	30	1,110	—	70	1,020	—
Struck by rolling, sliding objects or equipment on floor or ground level	024	320	—	—	—	70	60	—	—	—	—	—	—
Struck by object or equipment, n.e.c.	029	1,940	540	80	—	200	100	40	460	50	240	120	—
Caught in or compressed by equipment or objects	03	2,850	—	—	—	130	30	70	2,000	30	1,580	320	20
Caught in or compressed by equipment or objects, unspecified	030	670	—	—	—	30	—	—	430	—	330	100	—
Caught in running equipment or machinery	031	290	—	—	—	—	—	—	220	—	180	30	—
Compressed or pinched by rolling, sliding, or shifting objects	032	690	—	—	—	—	—	—	430	—	320	100	—
Caught in or compressed by equipment or objects, n.e.c.	039	1,190	—	—	—	90	—	60	920	20	760	90	—
Caught in or crushed in collapsing materials	04	130	40	—	—	50	—	—	—	—	—	—	—
Caught in or crushed in collapsing materials, unspecified	040	20	—	—	—	—	—	—	—	—	—	—	—
Excavation or trenching cave-in	041	70	—	—	—	—	—	—	—	—	—	—	—
Caught in or crushed in collapsing structure	044	40	40	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	05	570	380	380	—	30	30	—	—	—	—	—	—
Rubbed or abraded by kneeling on surface	051	80	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Total	46,270	20,420	9,260	6,900	5,080	32,770	2,500
Contact with objects and equipment	10,630	2,380	1,710	3,230	30	1,800	20
Contact with objects and equipment, unspecified	230	100	30	90	—	80	—
Struck against object or equipment	6,310	1,300	1,320	1,350	—	600	—
Struck against object or equipment, unspecified	200	20	20	140	—	30	—
Stepped on object	2,330	440	990	760	—	40	—
Struck against stationary object or equipment	2,980	600	110	320	—	350	—
Struck against moving object or equipment	130	50	40	30	—	70	—
Struck against object or equipment, n.e.c.	670	190	150	120	—	120	—
Struck by object or equipment	3,160	680	200	1,440	20	880	—
Struck by object or equipment, unspecified	40	—	—	—	—	20	—
Struck by falling object or equipment	1,700	220	70	980	—	470	—
Struck by flying object	240	100	—	40	—	110	—
Struck by flying object, unspecified	80	80	—	—	—	40	—
Struck by dislodged flying object, particle ...	80	—	—	—	—	—	—
Struck by discharged object or substance ...	70	—	—	20	—	20	—
Struck by flying object, n.e.c.	—	—	—	—	—	30	—
Struck by swinging or slipping object	390	90	50	130	—	110	—
Struck by swinging or slipping object, unspecified	—	—	—	—	—	—	—
Struck by or slammed in swinging door or gate	100	—	30	60	—	60	—
Struck by slipping handheld object	260	60	20	60	—	20	—
Struck by swinging or slipping object, n.e.c.	20	—	—	—	—	20	—
Struck by rolling, sliding objects or equipment on floor or ground level	220	30	—	150	—	20	—
Struck by object or equipment, n.e.c.	570	240	60	130	—	150	—
Caught in or compressed by equipment or objects	690	200	140	260	—	20	—
Caught in or compressed by equipment or objects, unspecified	210	110	20	40	—	—	—
Caught in running equipment or machinery	70	—	—	40	—	—	—
Compressed or pinched by rolling, sliding, or shifting objects	250	—	110	110	—	—	—
Caught in or compressed by equipment or objects, n.e.c.	170	70	—	80	—	—	—
Caught in or crushed in collapsing materials	20	—	—	—	—	—	—
Caught in or crushed in collapsing materials, unspecified	—	—	—	—	—	—	—
Excavation or trenching cave-in	—	—	—	—	—	—	—
Caught in or crushed in collapsing structure ...	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	150	70	—	70	—	—	—
Rubbed or abraded by kneeling on surface	60	60	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Rubbed or abraded by objects being handled	052	20	—	—	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ...	053	380	380	380	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure, n.e.c.	059	100	—	—	—	—	—	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	06	440	—	—	30	200	160	20	30	20	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	380	—	—	30	160	140	—	30	20	—	—	—	—
Rubbed, abraded, or jarred by other machine or equipment vibration	062	40	—	—	—	30	20	20	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	069	20	—	—	—	—	—	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	09	330	—	—	—	120	40	80	110	—	60	—	—	—
Falls	1	46,490	2,300	20	180	7,950	3,100	2,720	6,540	2,370	730	960	1,850	—
Fall, unspecified	10	3,180	150	—	—	450	150	150	460	220	—	100	40	—
Fall to lower level	11	10,420	340	—	20	1,830	920	520	1,450	540	70	320	350	—
Fall to lower level, unspecified	110	190	—	—	—	20	—	—	30	—	—	—	—	—
Fall down stairs or steps	111	4,300	80	—	—	570	260	190	720	310	—	240	90	—
Fall from floor, dock, or ground level	112	1,070	80	—	—	120	40	60	200	50	—	—	140	—
Fall from floor, dock, or ground level, unspecified	1120	70	—	—	—	—	—	—	—	—	—	—	—	—
Fall through existing floor opening	1121	680	80	—	—	30	20	—	180	50	—	—	130	—
Fall through floor surface	1122	100	—	—	—	—	—	—	—	—	—	—	—	—
Fall from ground level to lower level	1124	200	—	—	—	70	—	50	—	—	—	—	—	—
Fall from floor, dock, or ground level, n.e.c.	1129	20	—	—	—	—	—	—	—	—	—	—	—	—
Fall from ladder	113	1,370	50	—	—	280	130	100	110	30	—	—	70	—
Fall from roof	115	30	—	—	—	—	—	—	20	—	—	—	—	—
Fall from roof, unspecified	1150	30	—	—	—	—	—	—	20	—	—	—	—	—
Fall from scaffold, staging	116	50	—	—	—	—	—	—	—	—	—	—	—	—
Fall from building girders or other structural steel	117	70	—	—	—	—	—	—	—	—	—	—	—	—
Fall from nonmoving vehicle	118	1,620	70	—	—	430	290	90	190	50	50	70	20	—
Fall to lower level, n.e.c.	119	1,710	50	—	—	390	180	50	120	70	—	—	30	—
Jump to lower level	12	850	—	—	—	100	30	30	40	—	—	—	—	—
Jump to lower level, unspecified	120	110	—	—	—	—	—	—	—	—	—	—	—	—
Jump from structure, structural element, n.e.c.	122	260	—	—	—	70	—	—	—	—	—	—	—	—
Jump from nonmoving vehicle	123	350	—	—	—	20	20	—	—	—	—	—	—	—
Jump to lower level, n.e.c.	129	120	—	—	—	—	—	—	—	—	—	—	—	—
Fall on same level	13	31,710	1,790	20	160	5,490	1,990	1,990	4,560	1,610	660	510	1,420	—
Fall on same level, unspecified	130	250	—	—	—	—	—	—	—	—	—	—	—	—
Fall to floor, walkway, or other surface	131	28,100	1,360	—	120	4,740	1,870	1,710	4,240	1,500	550	480	1,370	—
Fall onto or against objects	132	3,270	440	—	40	700	110	270	300	100	110	40	40	—
Fall on same level, n.e.c.	139	90	—	—	—	50	—	—	—	—	—	—	—	—
Fall, n.e.c.	19	330	—	—	—	90	—	30	30	—	—	—	30	—
Bodily reaction and exertion	2	70,600	70	—	1,230	38,500	23,660	8,860	7,120	2,800	590	590	2,450	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010
 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Rubbed or abraded by objects being handled	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ...	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure, n.e.c.	90	—	—	70	—	—	—
Rubbed, abraded, or jarred by vibration	—	—	—	—	—	170	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	—	—	160	—
Rubbed, abraded, or jarred by other machine or equipment vibration	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	50	30	—	—	—	30	—
Falls	14,400	7,520	2,970	1,600	50	14,850	230
Fall, unspecified	1,130	500	140	230	—	980	—
Fall to lower level	3,070	1,540	810	240	—	3,670	40
Fall to lower level, unspecified	80	50	—	—	—	60	—
Fall down stairs or steps	1,440	810	300	140	—	1,470	20
Fall from floor, dock, or ground level	310	150	90	—	—	360	—
Fall from floor, dock, or ground level, unspecified	20	—	—	—	—	40	—
Fall through existing floor opening	180	80	60	—	—	210	—
Fall through floor surface	20	—	—	—	—	70	—
Fall from ground level to lower level	80	50	20	—	—	40	—
Fall from floor, dock, or ground level, n.e.c.	—	—	—	—	—	—	—
Fall from ladder	440	240	80	60	—	480	—
Fall from roof	—	—	—	—	—	—	—
Fall from roof, unspecified	—	—	—	—	—	—	—
Fall from scaffold, staging	—	—	—	—	—	20	—
Fall from building girders or other structural steel	—	—	—	—	—	—	—
Fall from nonmoving vehicle	450	130	200	—	—	480	—
Fall to lower level, n.e.c.	340	150	130	20	—	780	20
Jump to lower level	710	250	50	190	—	—	—
Jump to lower level, unspecified	80	70	—	—	—	—	—
Jump from structure, structural element, n.e.c.	190	50	—	110	—	—	—
Jump from nonmoving vehicle	320	70	30	50	—	—	—
Jump to lower level, n.e.c.	110	60	20	30	—	—	—
Fall on same level	9,310	5,220	1,800	940	50	10,160	200
Fall on same level, unspecified	220	170	—	40	—	—	—
Fall to floor, walkway, or other surface	8,670	4,840	1,670	890	30	8,770	190
Fall onto or against objects	390	190	110	—	20	1,370	—
Fall on same level, n.e.c.	30	—	—	—	—	20	—
Fall, n.e.c.	180	—	160	—	—	20	—
Bodily reaction and exertion	17,120	8,820	4,000	1,460	800	5,380	380

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Bodily reaction and exertion, unspecified	20	1,490	—	—	40	450	220	120	170	50	—	20	30
Bodily reaction	21	27,060	50	—	290	8,930	6,120	1,510	1,010	490	170	140	80
Bodily reaction, unspecified	210	2,470	—	—	50	1,010	320	320	300	40	140	90	—
Bending, climbing, crawling, reaching, twisting Sudden reaction when surprised, frightened, startled	211	9,100	—	—	160	3,920	2,920	590	240	170	—	—	40
Running without other incident	212	200	—	—	—	110	80	—	—	—	—	—	—
Sitting	213	1,370	—	—	—	20	20	—	—	—	—	—	—
Sitting	214	140	—	—	—	100	40	—	—	—	—	—	—
Slip, trip, loss of balance without fall	215	7,470	—	—	20	1,890	1,260	410	150	50	—	—	—
Standing	216	170	—	—	—	100	30	—	—	—	—	—	—
Walking without other incident	217	1,150	—	—	—	90	80	—	—	—	—	—	—
Bodily reaction, n.e.c.	219	5,000	—	—	50	1,690	1,370	180	320	240	—	50	20
Overexertion	22	37,090	—	—	870	27,270	16,990	6,930	4,260	2,030	360	280	1,170
Overexertion, unspecified	220	2,520	—	—	90	1,740	960	620	320	160	20	30	80
Overexertion in lifting	221	17,090	—	—	390	13,810	9,300	2,840	1,580	900	30	50	390
Overexertion in pulling or pushing objects	222	5,520	—	—	60	3,700	2,100	1,180	790	440	90	40	190
Overexertion in holding, carrying, turning, or wielding objects	223	9,460	—	—	300	6,350	3,890	1,540	1,300	400	190	140	450
Overexertion in throwing objects	224	440	—	—	—	330	100	200	50	30	—	—	—
Overexertion, n.e.c.	229	2,070	—	—	30	1,350	640	540	220	100	30	—	60
Repetitive motion	23	3,070	—	—	20	570	260	270	1,670	210	50	140	1,170
Repetitive motion, unspecified	230	780	—	—	—	70	30	40	440	30	—	60	300
Typing or key entry	231	380	—	—	—	—	—	—	330	30	—	30	250
Repetitive use of tools	232	240	—	—	—	80	40	30	130	20	—	—	90
Repetitive placing, grasping, or moving objects, except tools	233	660	—	—	—	190	60	120	370	70	—	—	260
Repetitive motion, n.e.c.	239	1,010	—	—	—	240	130	80	410	70	30	40	270
Bodily conditions, n.e.c.	25	1,650	—	—	—	1,140	—	—	—	—	—	—	—
Bodily reaction and exertion, n.e.c.	29	250	—	—	—	140	70	30	—	—	—	—	—
Exposure to harmful substances or environments	3	7,000	790	450	20	540	30	—	1,130	490	110	330	20
Exposure to harmful substances or environments, unspecified	30	170	—	—	—	50	—	—	—	—	—	—	—
Contact with electric current	31	270	—	—	—	—	—	—	20	—	—	20	—
Contact with electric current, unspecified	310	20	—	—	—	—	—	—	—	—	—	—	—
Contact with electric current of machine, tool, appliance, or light fixture	311	150	—	—	—	—	—	—	—	—	—	—	—
Contact with wiring, transformers, or other electrical components	312	70	—	—	—	—	—	—	—	—	—	—	—
Contact with temperature extremes	32	1,780	260	30	—	30	—	—	540	230	40	170	—
Exposure to environmental heat	321	650	—	—	—	—	—	—	—	—	—	—	—
Exposure to environmental cold	322	20	—	—	—	—	—	—	—	—	—	—	—
Contact with hot objects or substances	323	1,110	240	—	—	20	—	—	540	230	40	170	—
Exposure to caustic, noxious, or allergenic substances	34	4,310	450	360	—	460	30	—	570	260	70	140	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Bodily reaction and exertion, unspecified	460	230	120	80	200	150	—
Bodily reaction	14,830	7,400	3,770	1,240	70	1,610	270
Bodily reaction, unspecified	830	450	80	90	30	70	—
Bending, climbing, crawling, reaching, twisting	4,210	3,040	610	120	—	530	40
Sudden reaction when surprised, frightened, startled	40	—	—	—	—	50	—
Running without other incident	1,320	380	160	110	—	—	—
Sitting	—	—	—	—	—	20	—
Slip, trip, loss of balance without fall	4,640	1,950	1,520	520	—	690	30
Standing	60	40	—	—	—	—	—
Walking without other incident	990	380	310	120	—	60	—
Bodily reaction, n.e.c.	2,730	1,140	1,080	270	40	170	—
Overexertion	1,450	920	90	80	30	3,120	80
Overexertion, unspecified	150	110	—	—	20	200	—
Overexertion in lifting	450	280	—	20	—	840	—
Overexertion in pulling or pushing objects	380	220	20	40	—	590	—
Overexertion in holding, carrying, turning, or wielding objects	370	240	40	—	—	1,150	—
Overexertion in throwing objects	—	—	—	—	—	50	—
Overexertion, n.e.c.	100	60	—	—	—	300	70
Repetitive motion	300	210	—	60	—	490	—
Repetitive motion, unspecified	200	160	—	30	—	60	—
Typing or key entry	—	—	—	—	—	40	—
Repetitive use of tools	—	—	—	—	—	20	—
Repetitive placing, grasping, or moving objects, except tools	50	30	—	—	—	40	—
Repetitive motion, n.e.c.	50	—	—	—	—	320	—
Bodily conditions, n.e.c.	—	—	—	—	490	—	—
Bodily reaction and exertion, n.e.c.	70	60	—	—	20	—	—
Exposure to harmful substances or environments	530	—	70	210	3,310	560	120
Exposure to harmful substances or environments, unspecified	—	—	—	—	70	—	—
Contact with electric current	—	—	—	—	240	—	—
Contact with electric current, unspecified	—	—	—	—	20	—	—
Contact with electric current of machine, tool, appliance, or light fixture	—	—	—	—	140	—	—
Contact with wiring, transformers, or other electrical components	—	—	—	—	50	—	—
Contact with temperature extremes	200	—	30	110	640	90	—
Exposure to environmental heat	—	—	—	—	630	—	—
Exposure to environmental cold	—	—	—	—	—	—	—
Contact with hot objects or substances	200	—	30	110	—	90	—
Exposure to caustic, noxious, or allergenic substances	310	—	30	100	1,990	430	90

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Exposure to caustic, noxious, or allergenic substances, unspecified	340	540	40	30	—	200	—	—	30	—	—	—	—
Inhalation of substance	341	910	—	—	—	170	—	—	—	—	—	—	—
Inhalation of substance, unspecified	3410	180	—	—	—	20	—	—	—	—	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	80	—	—	—	—	—	—	—	—	—	—	—
Inhalation in open or nonconfined space	3412	650	—	—	—	130	—	—	—	—	—	—	—
Contact with skin or other exposed tissue	342	1,390	330	310	—	—	—	—	170	50	30	70	—
Injections, stings, venomous bites	343	940	60	—	—	50	20	—	340	160	40	50	—
Injections, stings, venomous bites, unspecified	3430	60	—	—	—	—	—	—	30	—	20	—	—
Bee, wasp, hornet sting	3432	440	60	—	—	20	—	—	160	40	—	40	—
Other stings or venomous bites	3433	300	—	—	—	20	—	—	130	100	—	—	—
Injections, stings, venomous bites, n.e.c.	3439	130	—	—	—	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	520	—	—	—	30	—	—	40	30	—	—	—
Exposure to radiation	36	40	30	30	—	—	—	—	—	—	—	—	—
Exposure to welding light	362	20	20	20	—	—	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	360	—	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	50	—	—	—	—	—	—	—	—	—	—	—
Transportation accidents	4	13,110	1,590	—	540	3,330	2,110	600	910	430	70	120	200
Transportation accident, unspecified	40	650	60	—	20	140	130	—	20	—	—	—	—
Highway accident	41	9,180	420	—	460	2,650	1,850	310	650	330	40	40	180
Highway accident, unspecified	410	1,040	230	—	30	190	130	20	20	—	—	—	—
Collision between vehicles, mobile equipment	411	6,820	110	—	360	2,040	1,430	220	510	280	20	—	160
Collision between vehicles, mobile equipment, unspecified	4110	2,320	50	—	70	430	170	80	440	280	20	—	140
Re-entrant collision	4111	60	—	—	—	20	—	—	—	—	—	—	—
Moving in same direction	4112	1,730	40	—	160	890	700	60	30	—	—	—	—
Moving in opposite directions, oncoming	4113	450	—	—	20	70	30	30	—	—	—	—	—
Moving in intersection	4114	1,110	—	—	—	170	130	—	—	—	—	—	—
Moving and standing vehicle, mobile equipment in roadway	4115	750	—	—	80	220	200	—	—	—	—	—	—
Moving and standing vehicle, mobile equipment side of road	4116	130	—	—	—	60	40	—	—	—	—	—	—
Collision between vehicles, mobile equipment, n.e.c.	4119	270	—	—	—	170	160	—	—	—	—	—	—
Vehicle struck object in roadway	412	120	—	—	20	—	—	—	20	—	—	—	—
Vehicle struck object on side of road	413	440	50	—	—	210	150	40	40	30	—	—	—
Noncollision accident	414	700	30	—	40	190	120	30	60	—	20	—	20
Noncollision accident, unspecified	4140	20	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Exposure to caustic, noxious, or allergenic substances, unspecified	—	—	—	—	220	40	—
Inhalation of substance	—	—	—	—	740	—	—
Inhalation of substance, unspecified	—	—	—	—	160	—	—
Inhalation in enclosed, restricted, or confined space	—	—	—	—	70	—	—
Inhalation in open or nonconfined space	—	—	—	—	510	—	—
Contact with skin or other exposed tissue	80	—	30	—	530	250	20
Injections, stings, venomous bites	220	—	—	90	50	140	70
Injections, stings, venomous bites, unspecified	20	—	—	—	—	—	—
Bee, wasp, hornet sting	100	—	—	80	—	50	50
Other stings or venomous bites	100	—	—	—	30	—	—
Injections, stings, venomous bites, n.e.c. ...	—	—	—	—	20	90	20
Exposure to caustic, noxious, or allergenic substances, n.e.c.	—	—	—	—	440	—	—
Exposure to radiation	—	—	—	—	—	—	—
Exposure to welding light	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	360	—	—
Exposure to harmful substances or environments, n.e.c.	—	—	—	—	—	—	—
Transportation accidents	960	440	110	130	40	5,720	30
Transportation accident, unspecified	30	—	—	—	—	370	—
Highway accident	490	340	30	70	30	4,450	20
Highway accident, unspecified	150	130	—	—	—	420	—
Collision between vehicles, mobile equipment	210	130	—	50	—	3,560	20
Collision between vehicles, mobile equipment, unspecified	120	90	—	30	—	1,210	—
Re-entrant collision	—	—	—	—	—	—	—
Moving in same direction	—	—	—	—	—	580	—
Moving in opposite directions, oncoming	20	—	—	—	—	330	—
Moving in intersection	20	—	—	—	—	860	—
Moving and standing vehicle, mobile equipment in roadway	—	—	—	—	—	420	—
Moving and standing vehicle, mobile equipment side of road	—	—	—	—	—	60	—
Collision between vehicles, mobile equipment, n.e.c.	—	—	—	—	—	90	—
Vehicle struck object in roadway	—	—	—	—	—	50	—
Vehicle struck object on side of road	20	—	—	—	20	100	—
Noncollision accident	110	70	—	—	—	270	—
Noncollision accident, unspecified	—	—	—	—	—	20	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Jack-knifed or overturned no collision	4141	180	—	—	—	20	—	—	—	—	—	—	—	—
Ran off highway no collision	4142	80	—	—	—	—	—	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	4144	170	—	—	—	60	50	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	4149	240	20	—	20	90	60	20	50	—	20	—	—	—
Highway accident, n.e.c.	419	60	—	—	—	—	—	—	—	—	—	—	—	—
Nonhighway accident, except rail, air, water	42	2,270	1,080	—	50	390	80	230	160	90	—	—	—	—
Nonhighway accident, unspecified	420	60	—	—	—	—	—	—	—	—	—	—	—	—
Collision between vehicles or mobile equipment	421	80	—	—	—	—	—	—	—	—	—	—	—	—
Vehicle, mobile equipment struck stationary object	422	1,150	1,020	—	—	80	—	20	—	—	—	—	—	—
Noncollision accident	423	960	50	—	40	300	70	210	150	80	—	—	—	—
Noncollision accident, unspecified	4230	110	—	—	—	100	—	100	—	—	—	—	—	—
Fall from moving vehicle, mobile equipment	4231	450	20	—	—	90	—	70	120	80	—	—	—	—
Fell from and struck by vehicle, mobile equipment	4232	20	—	—	—	—	—	—	—	—	—	—	—	—
Overtuned	4233	130	—	—	—	30	—	20	—	—	—	—	—	—
Loss of control	4234	100	—	—	—	—	—	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	4236	80	20	—	—	30	20	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	4239	90	—	—	30	40	20	—	—	—	—	—	—	—
Nonhighway accident, n.e.c.	429	20	—	—	—	—	—	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	950	30	—	—	110	30	50	70	—	—	50	—	—
Pedestrian struck by vehicle, mobile equipment, unspecified	430	330	30	—	—	20	—	—	50	—	—	40	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	431	220	—	—	—	40	—	20	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment on side of road	432	240	—	—	—	20	—	—	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	160	—	—	—	40	—	—	—	—	—	—	—	—
Railway accident	44	30	—	—	—	20	20	—	—	—	—	—	—	—
Collision between railway vehicle and other vehicle	442	20	—	—	—	—	—	—	—	—	—	—	—	—
Water vehicle accident	45	20	—	—	—	—	—	—	—	—	—	—	—	—
Fires and explosions	5	1,410	50	—	40	340	—	—	30	—	—	—	—	—
Fire unintended or uncontrolled	51	1,040	50	—	40	—	—	—	20	—	—	—	—	—
Fire, unspecified	510	70	—	—	—	—	—	—	—	—	—	—	—	—
Fire in residence, building, or other structure ..	511	940	—	—	40	—	—	—	—	—	—	—	—	—
Forest, brush, or other outdoor fire	512	20	—	—	—	—	—	—	—	—	—	—	—	—
Explosion	52	380	—	—	—	320	—	—	—	—	—	—	—	—
Explosion of pressure vessel or piping	522	340	—	—	—	—	—	—	—	—	—	—	—	—
Explosion, n.e.c.	529	30	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010

— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Jack-knifed or overturned no collision	20	—	—	—	—	130	—
Ran off highway no collision	—	—	—	—	—	60	—
Sudden start or stop, n.e.c.	50	50	—	—	—	30	—
Noncollision accident, n.e.c.	20	—	—	—	—	30	—
Highway accident, n.e.c.	—	—	—	—	—	40	—
Nonhighway accident, except rail, air, water	100	20	70	—	—	500	—
Nonhighway accident, unspecified	—	—	—	—	—	50	—
Collision between vehicles or mobile equipment	—	—	—	—	—	70	—
Vehicle, mobile equipment struck stationary object	—	—	—	—	—	40	—
Noncollision accident	90	20	60	—	—	330	—
Noncollision accident, unspecified	—	—	—	—	—	—	—
Fall from moving vehicle, mobile equipment	70	—	60	—	—	140	—
Fell from and struck by vehicle, mobile equipment	—	—	—	—	—	—	—
Overtaken	—	—	—	—	—	90	—
Loss of control	—	—	—	—	—	80	—
Sudden start or stop, n.e.c.	—	—	—	—	—	—	—
Noncollision accident, n.e.c.	—	—	—	—	—	—	—
Nonhighway accident, n.e.c.	—	—	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	330	80	—	50	—	380	—
Pedestrian struck by vehicle, mobile equipment, unspecified	50	—	—	20	—	180	—
Pedestrian struck by vehicle, mobile equipment in roadway	40	—	—	—	—	130	—
Pedestrian struck by vehicle, mobile equipment on side of road	190	40	—	20	—	20	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	50	20	—	—	—	50	—
Railway accident	—	—	—	—	—	—	—
Collision between railway vehicle and other vehicle	—	—	—	—	—	—	—
Water vehicle accident	—	—	—	—	—	—	—
Fires and explosions	—	—	—	—	240	720	—
Fire unintended or uncontrolled	—	—	—	—	210	700	—
Fire, unspecified	—	—	—	—	30	—	—
Fire in residence, building, or other structure ..	—	—	—	—	180	700	—
Forest, brush, or other outdoor fire	—	—	—	—	—	—	—
Explosion	—	—	—	—	30	—	—
Explosion of pressure vessel or piping	—	—	—	—	—	—	—
Explosion, n.e.c.	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010 — Continued

Event or exposure	Event code ²	Local government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Assaults and violent acts	6	13,680	1,050	150	290	3,020	1,260	890	3,430	580	620	1,290	310
Assaults and violent acts, unspecified	60	760	30	—	—	170	130	20	330	—	80	230	—
Assaults and violent acts by person(s)	61	12,140	970	140	270	2,800	1,110	860	2,700	430	500	880	290
Assaults and violent acts by person(s), unspecified	610	3,450	80	—	50	790	250	450	1,020	120	190	260	130
Biting	611	330	—	—	—	110	—	—	190	90	50	50	—
Hitting, kicking, beating	612	3,320	680	80	100	840	240	50	470	70	40	330	20
Shooting	613	40	—	—	—	—	—	—	—	—	—	—	—
Squeezing, pinching, scratching, twisting	614	1,080	20	—	30	70	20	20	350	50	20	30	30
Threats or verbal assaults	617	40	—	—	—	—	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	3,860	190	50	90	970	490	340	670	100	200	200	110
Self-inflicted injury	62	20	20	—	—	—	—	—	—	—	—	—	—
Self-inflicted injury, unspecified	620	20	20	—	—	—	—	—	—	—	—	—	—
Assaults by animals	63	760	30	—	—	50	20	—	400	140	40	180	20
Assaults by animals, unspecified	630	40	—	—	—	—	—	—	—	—	—	—	—
Nonvenomous bites	631	610	20	—	—	—	—	—	350	110	40	170	20
Assaults by animals, n.e.c.	639	120	—	—	—	20	20	—	40	30	—	—	—
Other events or exposures	9	80	—	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	3,420	70	—	20	380	230	60	200	80	40	30	50

See footnotes at end of table.

TABLE L32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, local government, 2010
— Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Assaults and violent acts	2,170	1,040	300	110	120	3,530	80
Assaults and violent acts, unspecified	210	210	—	—	—	—	—
Assaults and violent acts by person(s)	1,800	810	280	100	100	3,470	30
Assaults and violent acts by person(s), unspecified	510	340	100	40	—	990	—
Biting	—	—	—	—	—	—	—
Hitting, kicking, beating	310	190	—	—	30	910	—
Shooting	—	—	—	—	—	—	—
Squeezing, pinching, scratching, twisting	400	40	—	—	—	210	—
Threats or verbal assaults	—	—	—	—	40	—	—
Assaults and violent acts by person(s), n.e.c.	550	230	170	30	20	1,350	—
Self-inflicted injury	—	—	—	—	—	—	—
Self-inflicted injury, unspecified	—	—	—	—	—	—	—
Assaults by animals	150	20	—	—	20	60	40
Assaults by animals, unspecified	—	—	—	—	—	—	—
Nonvenomous bites	110	—	—	—	20	40	40
Assaults by animals, n.e.c.	40	—	—	—	—	20	—
Other events or exposures	—	—	—	—	70	—	—
Nonclassifiable	470	200	100	170	420	220	1,640

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 00-09; Eyes = 032; Neck = 10-19; Trunk, Total = 20-29; Back = 23; Shoulder = 21; Upper extremities, Total = 30-39; Arm = 31; Finger = 34; Hand, except finger = 33; Wrist = 32; Lower extremities, Total = 40-49; Knee = 412; Ankle = 42; Foot, toe = 43, 44; Body systems = 5; Multiple body parts = 8;

All other body parts = remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies