

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, local government, 2010

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total .....		188,420	—	20	1,140	5,820	29,180	48,340	58,250	35,230	5,540	4,900
<b>Head</b> .....	0	10,470	—	—	110	380	1,820	2,340	3,850	1,590	320	60
Head, unspecified .....	00	2,140	—	—	20	130	340	370	600	560	100	—
Cranial region, including skull .....	01	2,980	—	—	—	40	490	610	1,360	400	40	20
Cranial region, unspecified .....	010	30	—	—	—	—	—	—	—	20	—	—
Brain .....	011	2,330	—	—	—	40	420	280	1,270	280	20	20
Scalp .....	012	560	—	—	—	—	60	310	90	70	20	—
Skull .....	013	40	—	—	—	—	—	—	—	30	—	—
Ear(s) .....	02	170	—	—	—	—	20	130	—	—	—	—
Face .....	03	4,720	—	—	70	190	880	1,170	1,610	580	170	30
Face, unspecified .....	030	480	—	—	—	—	140	60	150	70	30	—
Forehead .....	031	400	—	—	—	—	50	100	180	60	—	—
Eye(s) .....	032	1,860	—	—	—	160	320	450	610	230	60	20
Nose, nasal cavity .....	033	370	—	—	—	—	40	180	70	50	20	—
Nose, except internal location of diseases or disorders .....	0330	370	—	—	—	—	40	180	70	50	20	—
Cheek(s) .....	034	500	—	—	—	—	—	90	390	—	—	—
Jaw/chin .....	035	150	—	—	—	—	40	30	—	—	—	—
Mouth .....	036	220	—	—	—	—	30	20	80	70	—	—
Tooth(teeth) .....	0363	170	—	—	—	—	30	—	70	50	—	—
Multiple face locations .....	038	710	—	—	—	—	250	240	90	80	50	—
Face, n.e.c. .....	039	40	—	—	—	—	—	—	30	—	—	—
Multiple head locations .....	08	470	—	—	—	—	90	50	260	40	—	—
<b>Neck, including throat</b> .....	1	2,690	—	—	—	60	530	660	990	340	40	70
Neck, except internal location of diseases or disorders ...	10	2,670	—	—	—	60	530	660	990	340	20	70
<b>Trunk</b> .....	2	56,980	—	—	250	1,750	8,940	16,060	18,460	9,090	1,390	1,050
Trunk, unspecified .....	20	230	—	—	—	—	—	150	60	20	—	—
Shoulder, including clavicle, scapula .....	21	14,550	—	—	80	470	2,250	3,560	4,720	2,780	430	260
Chest, including ribs, internal organs .....	22	4,200	—	—	—	130	310	1,380	1,330	860	120	50
Chest, except internal location of diseases or disorders .....	220	2,750	—	—	—	70	290	940	610	700	100	30
Internal chest location, unspecified .....	221	110	—	—	—	—	—	50	20	30	—	—
Heart .....	223	970	—	—	—	—	—	310	580	60	—	—
Lung(s), pleura .....	225	360	—	—	—	60	20	80	120	60	—	—
Back, including spine, spinal cord .....	23	31,450	—	—	140	1,030	5,450	9,550	10,040	4,180	470	600
Back, including spine, spinal cord, unspecified .....	230	12,310	—	—	100	330	1,920	4,250	3,920	1,400	180	220
Lumbar region .....	231	16,440	—	—	30	520	2,980	4,600	5,370	2,390	210	340
Thoracic region .....	232	1,120	—	—	—	150	270	170	290	180	40	—
Sacral region .....	233	50	—	—	—	—	—	—	20	—	—	—
Coccygeal region .....	234	140	—	—	—	—	—	90	20	—	—	—
Multiple back regions .....	238	1,090	—	—	—	30	250	340	290	140	20	30
Back, including spine, spinal cord, n.e.c. .....	239	310	—	—	—	—	—	100	140	50	—	—
Abdomen .....	24	2,570	—	—	—	40	410	670	980	330	90	40
Abdomen, except internal location of diseases or disorders .....	240	980	—	—	—	30	260	210	320	90	50	20
Internal abdominal location, unspecified .....	241	550	—	—	—	—	100	110	190	120	—	—

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, local government, 2010 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Stomach organ .....	242	50	-	-	-	-	-	20	30	-	-	-
Urinary organs .....	244	150	-	-	-	-	-	-	150	-	-	-
Kidney(s) .....	2442	150	-	-	-	-	-	-	150	-	-	-
Intestines, peritoneum .....	245	840	-	-	-	-	40	330	300	120	30	-
Intestines, peritoneum, unspecified .....	2450	810	-	-	-	-	40	320	290	110	30	-
Peritoneum .....	2451	20	-	-	-	-	-	-	-	-	-	-
Pelvic region .....	25	2,530	-	-	-	50	250	360	910	610	250	80
Hip(s) .....	251	1,200	-	-	-	30	60	180	270	380	200	70
Pelvis .....	252	150	-	-	-	-	60	-	60	-	20	-
Buttock(s) .....	253	280	-	-	-	-	-	30	150	80	-	-
Groin .....	254	860	-	-	-	20	110	140	420	130	20	-
External reproductive tract structures .....	255	20	-	-	-	-	20	-	-	-	-	-
Scrotum .....	2551	20	-	-	-	-	-	-	-	-	-	-
Multiple pelvic region locations .....	258	20	-	-	-	-	-	-	-	-	-	-
Multiple trunk locations .....	28	1,400	-	-	-	30	260	370	400	300	30	-
Trunk, n.e.c. ....	29	40	-	-	-	-	-	20	-	-	-	-
<b>Upper extremities</b> .....	3	31,650	-	-	290	1,040	6,040	7,760	9,100	6,000	920	480
Upper extremities, unspecified .....	30	40	-	-	-	-	-	-	20	-	-	-
Arm(s) .....	31	7,900	-	-	100	170	1,540	1,700	1,860	1,880	520	120
Arm(s), unspecified .....	310	2,580	-	-	80	90	640	540	640	480	70	30
Upper arm(s) .....	311	1,080	-	-	-	-	70	150	200	410	220	-
Elbow(s) .....	312	2,520	-	-	-	-	660	530	640	550	50	80
Forearm(s) .....	313	900	-	-	-	70	110	180	250	160	130	-
Multiple arm(s) locations .....	318	750	-	-	-	-	60	280	120	230	50	-
Arm(s), n.e.c. ....	319	70	-	-	-	-	-	-	-	50	-	-
Wrist(s) .....	32	5,490	-	-	20	220	860	1,270	1,590	1,170	210	150
Hand(s), except finger(s) .....	33	6,750	-	-	40	220	1,350	1,730	2,780	530	40	70
Finger(s), fingernail(s) .....	34	8,810	-	-	120	350	1,990	2,000	2,170	1,930	130	120
Multiple upper extremities locations .....	38	2,600	-	-	-	70	280	1,050	660	480	30	20
Multiple upper extremities locations, unspecified .....	380	50	-	-	-	-	-	-	30	20	-	-
Hand(s) and finger(s) .....	381	500	-	-	-	-	60	220	90	100	-	-
Hand(s) and wrist(s) .....	382	590	-	-	-	20	50	310	100	100	20	-
Hand(s) and arm(s) .....	383	570	-	-	-	-	70	320	30	130	-	-
Multiple upper extremities locations, n.e.c. ....	389	890	-	-	-	20	100	200	420	140	-	-
Upper extremities, n.e.c. ....	39	60	-	-	-	-	-	-	30	-	-	-
<b>Lower extremities</b> .....	4	46,270	-	-	300	1,520	6,840	11,570	13,820	10,070	1,320	830
Lower extremities, unspecified .....	40	20	-	-	-	-	-	-	-	-	-	-
Leg(s) .....	41	27,920	-	-	110	690	3,770	6,930	8,470	6,600	950	390
Leg(s), unspecified .....	410	3,500	-	-	-	40	260	420	1,410	1,280	70	-
Thigh(s) .....	411	650	-	-	-	-	90	120	270	130	30	-
Knee(s) .....	412	20,420	-	-	80	600	2,890	5,060	5,990	4,610	830	360
Lower leg(s) .....	413	1,990	-	-	-	30	230	740	490	460	-	30
Multiple leg(s) locations .....	418	810	-	-	-	-	290	110	280	110	-	-
Leg(s), n.e.c. ....	419	540	-	-	-	-	20	490	-	20	-	-
Ankle(s) .....	42	9,260	-	-	120	450	1,780	2,480	2,400	1,590	160	270
Foot(feet), except toe(s) .....	43	5,690	-	-	50	240	620	1,220	2,110	1,190	110	160
Foot(feet), except toe(s), unspecified .....	430	4,970	-	-	20	90	560	1,050	1,900	1,090	90	160

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, local government, 2010 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Instep(s) .....	431	30	-	-	-	-	-	-	-	-	-	-	-
Sole .....	432	470	-	-	-	50	50	130	110	90	-	-	-
Sole(s), unspecified .....	4320	30	-	-	-	-	-	-	-	-	-	-	-
Heel(s) .....	4323	420	-	-	-	50	20	130	100	80	-	-	-
Multiple foot(feet) locations .....	438	90	-	-	-	-	-	30	50	-	-	-	-
Foot(feet), n.e.c. ....	439	130	-	-	-	-	-	-	50	-	-	-	-
Toe(s), toenail(s) .....	44	1,210	-	-	-	40	170	400	300	260	30	-	-
Multiple lower extremities locations .....	48	2,140	-	-	20	90	480	520	540	420	70	-	-
Multiple lower extremities locations, unspecified .....	480	170	-	-	-	-	-	-	-	150	-	-	-
Foot(feet) and leg(s) .....	481	220	-	-	-	-	-	140	60	-	-	-	-
Foot(feet) and ankle(s) .....	482	500	-	-	-	70	30	170	190	40	-	-	-
Foot(feet) and toe(s) .....	483	90	-	-	-	-	30	20	30	20	-	-	-
Multiple lower extremities locations, n.e.c. ....	489	1,160	-	-	-	20	420	170	250	210	60	-	-
Lower extremities, n.e.c. ....	49	30	-	-	-	-	-	-	-	-	-	-	-
<b>Body systems</b> .....	<b>5</b>	<b>5,080</b>	-	-	<b>110</b>	<b>100</b>	<b>700</b>	<b>1,460</b>	<b>1,530</b>	<b>520</b>	<b>600</b>	<b>50</b>	
<b>Multiple body parts</b> .....	<b>8</b>	<b>32,770</b>	-	-	<b>80</b>	<b>900</b>	<b>4,190</b>	<b>8,410</b>	<b>10,130</b>	<b>7,420</b>	<b>920</b>	<b>710</b>	
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>2,500</b>	-	-	-	<b>80</b>	<b>120</b>	<b>90</b>	<b>350</b>	<b>190</b>	-	<b>1,660</b>	

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies