

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2010

Part of body	Part of body code ²	Local government ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Total		188,420	2,980	39,290	96,140	430	8,170	80	9,960	9,650	3,210	16,860	–
Head	0	10,470	170	2,530	5,130	–	280	–	510	900	210	710	–
Head, unspecified	00	2,140	60	640	910	–	80	–	110	160	60	110	–
Cranial region, including skull	01	2,980	60	540	1,920	–	60	–	90	60	40	200	–
Cranial region, unspecified	010	30	–	–	–	–	–	–	–	–	–	–	–
Brain	011	2,330	40	420	1,530	–	30	–	50	30	40	190	–
Scalp	012	560	–	100	380	–	–	–	20	30	–	–	–
Skull	013	40	–	–	–	–	–	–	–	–	–	–	–
Ear(s)	02	170	–	20	140	–	–	–	–	–	–	–	–
Face	03	4,720	50	1,280	1,780	–	140	–	290	670	110	390	–
Face, unspecified	030	480	–	160	200	–	–	–	40	–	30	20	–
Forehead	031	400	–	150	200	–	–	–	–	–	–	40	–
Eye(s)	032	1,860	–	230	810	–	90	–	170	260	70	210	–
Nose, nasal cavity	033	370	–	90	230	–	–	–	–	–	–	–	–
Nose, except internal location of diseases or disorders	0330	370	–	90	230	–	–	–	–	–	–	–	–
Cheek(s)	034	500	–	–	100	–	–	–	–	380	–	–	–
Jaw/chin	035	150	–	20	60	–	–	–	–	–	–	60	–
Mouth	036	220	20	60	80	–	–	–	20	–	–	30	–
Tooth(teeth)	0363	170	–	40	60	–	–	–	–	–	–	30	–
Multiple face locations	038	710	–	560	100	–	–	–	30	–	–	–	–
Face, n.e.c.	039	40	–	–	–	–	–	–	–	–	–	–	–
Multiple head locations	08	470	–	50	380	–	–	–	–	–	–	–	–
Neck, including throat	1	2,690	110	680	1,200	–	60	–	120	140	50	330	–
Neck, except internal location of diseases or disorders	10	2,670	110	670	1,180	–	60	–	120	140	50	330	–
Trunk	2	56,980	850	9,300	29,980	60	1,870	–	4,390	3,740	1,450	5,280	–
Trunk, unspecified	20	230	–	20	170	–	–	–	–	–	–	–	–
Shoulder, including clavicle, scapula	21	14,550	190	2,170	7,620	–	650	–	1,370	900	380	1,270	–
Chest, including ribs, internal organs	22	4,200	40	720	2,460	–	110	–	210	120	110	420	–
Chest, except internal location of diseases or disorders	220	2,750	40	620	1,230	–	50	–	180	110	110	390	–
Internal chest location, unspecified	221	110	–	–	70	–	–	–	–	–	–	–	–
Heart	223	970	–	–	940	–	–	–	20	–	–	–	–
Lung(s), pleura	225	360	–	90	200	–	50	–	–	–	–	–	–
Back, including spine, spinal cord ..	23	31,450	530	5,080	16,490	40	940	–	2,330	2,220	660	3,130	–
Back, including spine, spinal cord, unspecified	230	12,310	370	1,810	6,490	–	470	–	650	1,110	260	1,160	–
Lumbar region	231	16,440	120	2,740	8,550	–	380	–	1,580	1,070	360	1,630	–

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2010 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Thoracic region	232	1,120	30	200	610	—	20	—	80	30	30	130	—
Sacral region	233	50	—	30	—	—	—	—	—	—	—	—	—
Coccygeal region	234	140	—	30	90	—	—	—	—	—	—	—	—
Multiple back regions	238	1,090	20	250	550	20	70	—	20	20	—	130	—
Back, including spine, spinal cord, n.e.c.	239	310	—	30	190	—	—	—	—	—	—	80	—
Abdomen	24	2,570	—	280	1,410	—	—	—	170	300	230	160	—
Abdomen, except internal location of diseases or disorders	240	980	—	130	510	—	—	—	20	30	190	90	—
Internal abdominal location, unspecified	241	550	—	100	270	—	—	—	40	90	20	30	—
Stomach organ	242	50	—	—	40	—	—	—	—	—	—	—	—
Urinary organs	244	150	—	—	150	—	—	—	—	—	—	—	—
Kidney(s)	2442	150	—	—	150	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	840	—	50	440	—	—	—	110	180	—	40	—
Intestines, peritoneum, unspecified	2450	810	—	50	430	—	—	—	110	180	—	30	—
Peritoneum	2451	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region	25	2,530	80	790	1,080	—	100	—	200	100	—	160	—
Hip(s)	251	1,200	30	530	410	—	60	—	40	30	—	70	—
Pelvis	252	150	—	—	60	—	20	—	—	—	—	—	—
Buttock(s)	253	280	—	200	50	—	—	—	—	—	—	—	—
Groin	254	860	—	40	510	—	20	—	140	70	—	70	—
External reproductive tract structures	255	20	—	—	20	—	—	—	—	—	—	—	—
Scrotum	2551	20	—	—	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations ..	258	20	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	1,400	—	250	730	—	50	—	80	90	60	140	—
Trunk, n.e.c.	29	40	—	—	20	—	—	—	20	—	—	—	—
Upper extremities	3	31,650	510	5,060	17,800	20	1,750	30	1,680	2,200	480	2,050	—
Upper extremities, unspecified	30	40	—	20	—	—	—	—	—	—	—	—	—
Arm(s)	31	7,900	80	1,590	4,030	—	430	—	490	670	130	450	—
Arm(s), unspecified	310	2,580	40	480	1,310	—	200	—	180	210	30	110	—
Upper arm(s)	311	1,080	20	110	790	—	20	—	30	20	40	40	—
Elbow(s)	312	2,520	20	630	1,190	—	120	—	170	130	30	230	—
Forearm(s)	313	900	—	50	580	—	20	—	80	100	20	50	—
Multiple arm(s) locations	318	750	—	300	110	—	60	—	30	210	—	20	—
Arm(s), n.e.c.	319	70	—	—	60	—	—	—	—	—	—	—	—
Wrist(s)	32	5,490	90	1,240	2,400	—	830	—	210	140	70	490	—
Hand(s), except finger(s)	33	6,750	50	670	4,370	—	190	—	360	590	110	370	—
Finger(s), fingernail(s)	34	8,810	250	830	5,510	—	220	—	490	740	160	570	—
Multiple upper extremities locations	38	2,600	40	690	1,440	—	80	—	130	60	20	140	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2010 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Multiple upper extremities locations, unspecified	380	50	—	—	30	—	—	—	—	—	—	—	20	—
Hand(s) and finger(s)	381	500	—	200	210	—	—	—	30	—	—	—	40	—
Hand(s) and wrist(s)	382	590	—	60	430	—	20	—	20	—	—	—	50	—
Hand(s) and arm(s)	383	570	—	40	490	—	—	—	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	890	20	390	280	—	40	—	80	40	—	—	40	—
Upper extremities, n.e.c.	39	60	—	—	40	—	—	—	—	—	—	—	—	—
Lower extremities	4	46,270	650	11,830	21,960	180	2,120	30	2,080	1,710	680	4,980	—	—
Lower extremities, unspecified	40	20	—	—	—	—	—	—	—	—	—	—	—	—
Leg(s)	41	27,920	310	6,130	14,010	150	840	20	1,300	1,120	430	3,570	—	—
Leg(s), unspecified	410	3,500	—	370	900	—	50	—	110	90	80	1,880	—	—
Thigh(s)	411	650	—	110	400	—	—	—	30	20	20	50	—	—
Knee(s)	412	20,420	250	4,740	10,900	150	680	20	1,040	960	310	1,330	—	—
Lower leg(s)	413	1,990	40	570	1,100	—	50	—	70	30	20	100	—	—
Multiple leg(s) locations	418	810	—	310	210	—	50	—	20	20	—	200	—	—
Leg(s), n.e.c.	419	540	—	30	490	—	—	—	20	—	—	—	—	—
Ankle(s)	42	9,260	180	2,580	3,830	—	920	—	390	300	180	860	—	—
Foot(feet), except toe(s)	43	5,690	70	2,190	2,390	30	210	—	230	180	50	320	—	—
Foot(feet), except toe(s), unspecified	430	4,970	70	2,040	1,920	30	200	—	220	140	50	280	—	—
Instep(s)	431	30	—	—	—	—	—	—	—	—	—	—	—	—
Sole	432	470	—	40	340	—	—	—	—	40	—	30	—	—
Sole(s), unspecified	4320	30	—	—	20	—	—	—	—	—	—	—	—	—
Heel(s)	4323	420	—	30	310	—	—	—	—	40	—	30	—	—
Multiple foot(feet) locations	438	90	—	80	—	—	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	439	130	—	—	120	—	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	1,210	30	280	600	—	80	—	80	60	—	70	—	—
Multiple lower extremities locations	48	2,140	60	640	1,100	—	70	—	70	50	—	140	—	—
Multiple lower extremities locations, unspecified	480	170	—	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	220	—	40	130	—	—	—	—	—	—	50	—	—
Foot(feet) and ankle(s)	482	500	—	200	210	—	20	—	30	—	—	30	—	—
Foot(feet) and toe(s)	483	90	—	20	70	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	1,160	60	250	690	—	40	—	40	30	—	60	—	—
Lower extremities, n.e.c.	49	30	—	—	—	—	—	—	—	—	—	—	—	—
Body systems	5	5,080	130	490	3,220	—	170	—	160	270	50	570	—	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2010 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Multiple body parts	8	32,770	550	9,170	16,200	160	1,900	—	960	650	280	2,870	—
Nonclassifiable	9999	2,500	—	230	650	—	30	—	80	30	—	60	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies