

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2010

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		188,420	26,980	14.3	18,470	9.8	33,780	17.9
Head	0	10,470	4,340	41.5	1,930	18.4	1,840	17.6
Head, unspecified	00	2,140	810	37.9	350	16.4	470	22.0
Cranial region, including skull	01	2,980	1,350	45.3	430	14.4	250	8.4
Cranial region, unspecified	010	30	20	66.7	—	—	—	—
Brain	011	2,330	1,200	51.5	370	15.9	200	8.6
Scalp	012	560	120	21.4	60	10.7	40	7.1
Skull	013	40	—	—	—	—	—	—
Ear(s)	02	170	—	—	—	—	110	64.7
Face	03	4,720	1,940	41.1	1,120	23.7	840	17.8
Face, unspecified	030	480	120	25.0	60	12.5	90	18.8
Forehead	031	400	120	30.0	90	22.5	150	37.5
Eye(s)	032	1,860	870	46.8	340	18.3	440	23.7
Nose, nasal cavity	033	370	180	48.6	30	8.1	50	13.5
Nose, except internal location of diseases or disorders	0330	370	180	48.6	30	8.1	50	13.5
Cheek(s)	034	500	—	—	470	94.0	30	6.0
Jaw/chin	035	150	—	—	—	—	40	26.7
Mouth	036	220	70	31.8	80	36.4	20	9.1
Tooth(teeth)	0363	170	60	35.3	60	35.3	—	—
Multiple face locations	038	710	550	77.5	40	5.6	40	5.6
Face, n.e.c.	039	40	—	—	—	—	—	—
Multiple head locations	08	470	230	48.9	—	—	170	36.2
Neck, including throat	1	2,690	420	15.6	230	8.6	410	15.2
Neck, except internal location of diseases or disorders ..	10	2,670	420	15.7	230	8.6	410	15.4
Trunk	2	56,980	4,900	8.6	5,100	9.0	11,180	19.6
Trunk, unspecified	20	230	20	8.7	20	8.7	130	56.5
Shoulder, including clavicle, scapula	21	14,550	1,180	8.1	630	4.3	1,890	13.0
Chest, including ribs, internal organs	22	4,200	550	13.1	340	8.1	1,320	31.4
Chest, except internal location of diseases or disorders	220	2,750	490	17.8	240	8.7	710	25.8
Internal chest location, unspecified	221	110	—	—	—	—	—	—
Heart	223	970	—	—	20	2.1	540	55.7
Lung(s), pleura	225	360	60	16.7	70	19.4	50	13.9
Back, including spine, spinal cord	23	31,450	2,410	7.7	3,380	10.7	6,900	21.9
Back, including spine, spinal cord, unspecified	230	12,310	910	7.4	1,310	10.6	2,920	23.7
Lumbar region	231	16,440	1,220	7.4	1,580	9.6	3,380	20.6
Thoracic region	232	1,120	150	13.4	240	21.4	260	23.2
Sacral region	233	50	20	40.0	—	—	—	—
Coccygeal region	234	140	20	14.3	80	57.1	—	—
Multiple back regions	238	1,090	90	8.3	170	15.6	230	21.1
Back, including spine, spinal cord, n.e.c.	239	310	—	—	—	—	110	35.5
Abdomen	24	2,570	240	9.3	100	3.9	210	8.2

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2010 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	26,760	14.2	22,760	12.1	13,420	7.1	46,240	24.5	8
Head	720	6.9	580	5.5	450	4.3	630	6.0	2
Head, unspecified	120	5.6	150	7.0	80	3.7	160	7.5	2
Cranial region, including skull	200	6.7	180	6.0	320	10.7	250	8.4	2
Cranial region, unspecified	—	—	—	—	—	—	—	—	1
Brain	130	5.6	130	5.6	80	3.4	220	9.4	1
Scalp	50	8.9	40	7.1	240	42.9	20	3.6	12
Skull	20	50.0	—	—	—	—	—	—	7
Ear(s)	40	23.5	—	—	—	—	—	—	3
Face	330	7.0	240	5.1	40	.8	200	4.2	2
Face, unspecified	100	20.8	50	10.4	—	—	50	10.4	4
Forehead	—	—	20	5.0	—	—	—	—	2
Eye(s)	70	3.8	70	3.8	—	—	60	3.2	2
Nose, nasal cavity	30	8.1	40	10.8	—	—	30	8.1	2
Nose, except internal location of diseases or disorders	30	8.1	40	10.8	—	—	30	8.1	2
Cheek(s)	—	—	—	—	—	—	—	—	2
Jaw/chin	60	40.0	—	—	—	—	20	13.3	6
Mouth	20	9.1	30	13.6	—	—	—	—	2
Tooth(teeth)	—	—	30	17.6	—	—	—	—	2
Multiple face locations	40	5.6	30	4.2	—	—	—	—	1
Face, n.e.c.	—	—	—	—	—	—	—	—	9
Multiple head locations	20	4.3	—	—	—	—	20	4.3	2
Neck, including throat	340	12.6	290	10.8	190	7.1	820	30.5	9
Neck, except internal location of diseases or disorders ...	320	12.0	290	10.9	190	7.1	810	30.3	10
Trunk	8,200	14.4	7,680	13.5	4,370	7.7	15,550	27.3	10
Trunk, unspecified	20	8.7	20	8.7	—	—	—	—	5
Shoulder, including clavicle, scapula	1,320	9.1	2,190	15.1	1,720	11.8	5,630	38.7	21
Chest, including ribs, internal organs	930	22.1	330	7.9	290	6.9	440	10.5	5
Chest, except internal location of diseases or disorders	580	21.1	240	8.7	150	5.5	330	12.0	5
Internal chest location, unspecified	—	—	—	—	—	—	60	54.5	32
Heart	270	27.8	30	3.1	90	9.3	20	2.1	4
Lung(s), pleura	70	19.4	40	11.1	50	13.9	30	8.3	6
Back, including spine, spinal cord	5,130	16.3	4,180	13.3	1,660	5.3	7,780	24.7	8
Back, including spine, spinal cord, unspecified	1,880	15.3	1,470	11.9	540	4.4	3,290	26.7	8
Lumbar region	2,900	17.6	2,430	14.8	890	5.4	4,040	24.6	9
Thoracic region	190	17.0	110	9.8	60	5.4	110	9.8	4
Sacral region	—	—	—	—	—	—	—	—	8
Coccygeal region	—	—	—	—	—	—	20	14.3	2
Multiple back regions	130	11.9	150	13.8	60	5.5	260	23.9	7
Back, including spine, spinal cord, n.e.c.	—	—	—	—	100	32.3	60	19.4	22
Abdomen	330	12.8	480	18.7	430	16.7	780	30.4	19

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2010 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Abdomen, except internal location of diseases or disorders	240	980	70	7.1	60	6.1	150	15.3
Internal abdominal location, unspecified	241	550	—	—	—	—	30	5.5
Stomach organ	242	50	—	—	—	—	—	—
Urinary organs	244	150	—	—	—	—	—	—
Kidney(s)	2442	150	—	—	—	—	—	—
Intestines, peritoneum	245	840	—	—	—	—	20	2.4
Intestines, peritoneum, unspecified	2450	810	—	—	—	—	20	2.5
Peritoneum	2451	20	—	—	—	—	—	—
Pelvic region	25	2,530	270	10.7	470	18.6	350	13.8
Hip(s)	251	1,200	100	8.3	130	10.8	130	10.8
Pelvis	252	150	90	60.0	—	—	30	20.0
Buttock(s)	253	280	30	10.7	140	50.0	20	7.1
Groin	254	860	40	4.7	200	23.3	170	19.8
External reproductive tract structures	255	20	—	—	—	—	—	—
Scrotum	2551	20	—	—	—	—	—	—
Multiple pelvic region locations	258	20	—	—	—	—	—	—
Multiple trunk locations	28	1,400	220	15.7	150	10.7	370	26.4
Trunk, n.e.c.	29	40	—	—	—	—	—	—
Upper extremities	3	31,650	5,290	16.7	3,960	12.5	6,270	19.8
Upper extremities, unspecified	30	40	—	—	—	—	—	—
Arm(s)	31	7,900	980	12.4	600	7.6	1,250	15.8
Arm(s), unspecified	310	2,580	350	13.6	140	5.4	240	9.3
Upper arm(s)	311	1,080	60	5.6	60	5.6	90	8.3
Elbow(s)	312	2,520	410	16.3	220	8.7	470	18.7
Forearm(s)	313	900	100	11.1	160	17.8	210	23.3
Multiple arm(s) locations	318	750	50	6.7	20	2.7	240	32.0
Arm(s), n.e.c.	319	70	—	—	—	—	—	—
Wrist(s)	32	5,490	490	8.9	760	13.8	970	17.7
Hand(s), except finger(s)	33	6,750	1,260	18.7	1,150	17.0	1,990	29.5
Finger(s), fingernail(s)	34	8,810	2,230	25.3	1,150	13.1	1,670	19.0
Multiple upper extremities locations	38	2,600	310	11.9	290	11.2	370	14.2
Multiple upper extremities locations, unspecified	380	50	—	—	—	—	—	—
Hand(s) and finger(s)	381	500	30	6.0	190	38.0	90	18.0
Hand(s) and wrist(s)	382	590	70	11.9	60	10.2	30	5.1
Hand(s) and arm(s)	383	570	40	7.0	—	—	120	21.1
Multiple upper extremities locations, n.e.c.	389	890	170	19.1	40	4.5	120	13.5
Upper extremities, n.e.c.	39	60	—	—	—	—	—	—
Lower extremities	4	46,270	4,740	10.2	3,450	7.5	7,490	16.2
Lower extremities, unspecified	40	20	—	—	—	—	—	—
Leg(s)	41	27,920	2,310	8.3	1,820	6.5	3,640	13.0
Leg(s), unspecified	410	3,500	360	10.3	140	4.0	370	10.6
Thigh(s)	411	650	110	16.9	70	10.8	100	15.4
Knee(s)	412	20,420	1,420	7.0	1,390	6.8	2,680	13.1
Lower leg(s)	413	1,990	160	8.0	170	8.5	380	19.1
Multiple leg(s) locations	418	810	270	33.3	40	4.9	80	9.9
Leg(s), n.e.c.	419	540	—	—	—	—	30	5.6
Ankle(s)	42	9,260	1,250	13.5	780	8.4	1,860	20.1

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2010 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Abdomen, except internal location of diseases or disorders	220	22.4	180	18.4	50	5.1	240	24.5	10
Internal abdominal location, unspecified	40	7.3	130	23.6	80	14.5	220	40.0	25
Stomach organ	—	—	—	—	—	—	—	—	7
Urinary organs	—	—	—	—	—	—	—	—	1
Kidney(s)	—	—	—	—	—	—	—	—	1
Intestines, peritoneum	60	7.1	160	19.0	300	35.7	300	35.7	29
Intestines, peritoneum, unspecified	60	7.4	150	18.5	300	37.0	280	34.6	29
Peritoneum	—	—	—	—	—	—	—	—	65
Pelvic region	330	13.0	280	11.1	150	5.9	670	26.5	7
Hip(s)	180	15.0	190	15.8	50	4.2	420	35.0	14
Pelvis	—	—	—	—	—	—	20	13.3	1
Buttock(s)	20	7.1	—	—	—	—	60	21.4	2
Groin	110	12.8	80	9.3	90	10.5	150	17.4	6
External reproductive tract structures	—	—	—	—	—	—	—	—	5
Scrotum	—	—	—	—	—	—	—	—	1
Multiple pelvic region locations	—	—	—	—	—	—	—	—	30
Multiple trunk locations	130	9.3	190	13.6	120	8.6	220	15.7	5
Trunk, n.e.c.	—	—	—	—	—	—	20	50.0	18
Upper extremities	4,520	14.3	3,720	11.8	1,790	5.7	6,100	19.3	6
Upper extremities, unspecified	—	—	—	—	—	—	—	—	27
Arm(s)	1,350	17.1	990	12.5	470	5.9	2,250	28.5	9
Arm(s), unspecified	810	31.4	230	8.9	200	7.8	610	23.6	7
Upper arm(s)	50	4.6	150	13.9	60	5.6	610	56.5	37
Elbow(s)	320	12.7	340	13.5	100	4.0	660	26.2	9
Forearm(s)	110	12.2	70	7.8	50	5.6	190	21.1	5
Multiple arm(s) locations	50	6.7	200	26.7	70	9.3	120	16.0	12
Arm(s), n.e.c.	—	—	—	—	—	—	60	85.7	82
Wrist(s)	700	12.8	820	14.9	410	7.5	1,340	24.4	8
Hand(s), except finger(s)	890	13.2	560	8.3	190	2.8	710	10.5	3
Finger(s), fingernail(s)	1,020	11.6	990	11.2	600	6.8	1,150	13.1	4
Multiple upper extremities locations	550	21.2	340	13.1	110	4.2	640	24.6	7
Multiple upper extremities locations, unspecified	—	—	40	80.0	—	—	—	—	17
Hand(s) and finger(s)	90	18.0	30	6.0	30	6.0	40	8.0	4
Hand(s) and wrist(s)	50	8.5	160	27.1	20	3.4	210	35.6	13
Hand(s) and arm(s)	260	45.6	—	—	—	—	120	21.1	7
Multiple upper extremities locations, n.e.c.	150	16.9	90	10.1	50	5.6	270	30.3	9
Upper extremities, n.e.c.	—	—	20	33.3	—	—	—	—	12
Lower extremities	8,150	17.6	6,390	13.8	3,520	7.6	12,530	27.1	10
Lower extremities, unspecified	—	—	—	—	—	—	—	—	3
Leg(s)	5,490	19.7	3,960	14.2	2,280	8.2	8,420	30.2	12
Leg(s), unspecified	1,140	32.6	1,070	30.6	70	2.0	350	10.0	8
Thigh(s)	130	20.0	80	12.3	30	4.6	130	20.0	6
Knee(s)	3,380	16.6	2,420	11.9	1,700	8.3	7,440	36.4	15
Lower leg(s)	290	14.6	310	15.6	310	15.6	380	19.1	12
Multiple leg(s) locations	90	11.1	80	9.9	160	19.8	90	11.1	6
Leg(s), n.e.c.	470	87.0	—	—	—	—	20	3.7	6
Ankle(s)	1,160	12.5	1,200	13.0	560	6.0	2,450	26.5	8

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2010 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Foot(feet), except toe(s)	43	5,690	840	14.8	510	9.0	1,160	20.4
Foot(feet), except toe(s), unspecified	430	4,970	650	13.1	430	8.7	930	18.7
Instep(s)	431	30	—	—	—	—	—	—
Sole	432	470	70	14.9	30	6.4	180	38.3
Sole(s), unspecified	4320	30	20	66.7	—	—	—	—
Heel(s)	4323	420	50	11.9	30	7.1	180	42.9
Multiple foot(feet) locations	438	90	20	22.2	50	55.6	—	—
Foot(feet), n.e.c.	439	130	—	—	—	—	40	30.8
Toe(s), toenail(s)	44	1,210	110	9.1	150	12.4	210	17.4
Multiple lower extremities locations	48	2,140	210	9.8	180	8.4	620	29.0
Multiple lower extremities locations, unspecified	480	170	—	—	—	—	—	—
Foot(feet) and leg(s)	481	220	20	9.1	—	—	30	13.6
Foot(feet) and ankle(s)	482	500	30	6.0	20	4.0	60	12.0
Foot(feet) and toe(s)	483	90	—	—	—	—	30	33.3
Multiple lower extremities locations, n.e.c.	489	1,160	140	12.1	140	12.1	490	42.2
Lower extremities, n.e.c.	49	30	—	—	—	—	—	—
Body systems	5	5,080	840	16.5	520	10.2	1,170	23.0
Multiple body parts	8	32,770	5,430	16.6	3,170	9.7	5,210	15.9
Nonclassifiable	9999	2,500	1,020	40.8	120	4.8	210	8.4

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, local government 2010 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Foot(feet), except toe(s)	900	15.8	620	10.9	400	7.0	1,260	22.1	6
Foot(feet), except toe(s), unspecified	880	17.7	540	10.9	370	7.4	1,170	23.5	8
Instep(s)	—	—	—	—	—	—	—	—	1
Sole	20	4.3	70	14.9	20	4.3	60	12.8	5
Sole(s), unspecified	—	—	—	—	—	—	—	—	1
Heel(s)	20	4.8	60	14.3	20	4.8	60	14.3	5
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	2
Foot(feet), n.e.c.	—	—	—	—	—	—	—	—	1
Toe(s), toenail(s)	150	12.4	310	25.6	130	10.7	150	12.4	9
Multiple lower extremities locations	450	21.0	290	13.6	150	7.0	260	12.1	6
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	7
Foot(feet) and leg(s)	90	40.9	50	22.7	—	—	30	13.6	6
Foot(feet) and ankle(s)	110	22.0	120	24.0	90	18.0	60	12.0	13
Foot(feet) and toe(s)	—	—	—	—	—	—	30	33.3	5
Multiple lower extremities locations, n.e.c.	100	8.6	100	8.6	40	3.4	140	12.1	4
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	4
Body systems	690	13.6	440	8.7	180	3.5	1,250	24.6	6
Multiple body parts	3,920	12.0	3,380	10.3	2,740	8.4	8,920	27.2	8
Nonclassifiable	220	8.8	280	11.2	210	8.4	450	18.0	4

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies