

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2010

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Total		188,420	2,510	20,300	18,680	39,020	27,430	27,680	10,690	3,520	2,970	740	34,860
Head	0	10,470	100	1,910	870	1,950	1,710	1,360	1,030	140	80	20	1,290
Head, unspecified	00	2,140	40	170	230	480	310	470	170	30	—	20	220
Cranial region, including skull	01	2,980	20	1,240	180	310	500	220	270	—	—	—	220
Cranial region, unspecified	010	30	—	—	—	—	—	—	—	—	—	—	20
Brain	011	2,330	20	1,180	150	190	190	200	250	—	—	—	130
Scalp	012	560	—	50	20	100	290	20	20	—	—	—	40
Skull	013	40	—	—	—	—	—	—	—	—	—	—	20
Ear(s)	02	170	—	90	30	—	—	—	—	—	—	—	20
Face	03	4,720	30	400	410	1,140	660	580	590	40	60	—	820
Face, unspecified	030	480	—	—	130	130	40	60	30	—	—	—	70
Forehead	031	400	—	70	40	50	110	40	20	—	—	—	50
Eye(s)	032	1,860	—	160	180	390	250	370	150	20	30	—	290
Nose, nasal cavity	033	370	—	50	20	70	20	20	—	—	—	—	170
Nose, except internal location of diseases or disorders	0330	370	—	50	20	70	20	20	—	—	—	—	170
Cheek(s)	034	500	—	—	—	390	—	—	100	—	—	—	—
Jaw/chin	035	150	—	—	—	—	90	—	—	—	—	—	—
Mouth	036	220	—	20	—	50	20	30	60	—	—	—	—
Tooth(teeth)	0363	170	—	—	—	40	20	20	50	—	—	—	—
Multiple face locations	038	710	—	60	20	40	120	40	220	—	—	—	210
Face, n.e.c.	039	40	—	—	—	—	—	—	—	—	—	—	—
Multiple head locations	08	470	—	—	20	20	240	80	—	60	—	—	20
Neck, including throat	1	2,690	—	210	320	740	310	300	160	80	30	40	510
Neck, except internal location of diseases or disorders	10	2,670	—	210	320	740	280	300	160	80	30	40	510
Trunk	2	56,980	470	4,590	6,270	12,980	8,220	7,710	2,990	1,040	1,180	270	11,250
Trunk, unspecified	20	230	—	—	30	—	150	20	—	—	—	—	—
Shoulder, including clavicle, scapula	21	14,550	100	1,300	1,490	2,610	2,340	1,820	780	390	500	50	3,190
Chest, including ribs, internal organs	22	4,200	—	390	250	1,110	620	650	490	90	90	—	510
Chest, except internal location of diseases or disorders	220	2,750	—	290	240	750	520	310	190	60	90	—	290
Internal chest location, unspecified	221	110	—	—	—	60	—	—	—	—	—	—	30
Heart	223	970	—	40	—	270	40	270	290	—	—	—	50
Lung(s), pleura	225	360	—	60	—	30	40	60	—	—	—	—	140
Back, including spine, spinal cord	23	31,450	240	2,360	3,930	7,740	4,220	4,170	1,310	490	530	200	6,270
Back, including spine, spinal cord, unspecified	230	12,310	110	920	1,520	3,440	1,850	1,590	370	200	200	90	2,040
Lumbar region	231	16,440	100	1,040	2,140	3,700	2,140	2,190	770	220	300	110	3,730
Thoracic region	232	1,120	—	160	80	260	120	190	40	20	30	—	220
Sacral region	233	50	20	—	—	—	—	—	—	—	—	—	—
Coccygeal region	234	140	—	20	—	20	—	70	—	—	—	—	—
Multiple back regions	238	1,090	—	110	110	260	100	130	110	40	—	—	220
Back, including spine, spinal cord, n.e.c.	239	310	—	110	70	50	—	—	20	—	—	—	40

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2010 — Continued

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Abdomen	24	2,570	110	100	240	470	410	360	280	60	20	—	510
Abdomen, except internal location of diseases or disorders	240	980	—	30	80	160	80	210	230	50	—	—	110
Internal abdominal location, unspecified	241	550	—	20	60	120	120	40	—	—	—	—	170
Stomach organ	242	50	—	—	—	—	—	—	—	—	—	—	—
Urinary organs	244	150	—	—	—	—	150	—	—	—	—	—	—
Kidney(s)	2442	150	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	840	—	40	90	180	60	90	40	—	—	—	240
Intestines, peritoneum, unspecified	2450	810	—	40	80	180	60	90	40	—	—	—	220
Peritoneum	2451	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region	25	2,530	—	310	240	640	280	360	90	—	—	—	590
Hip(s)	251	1,200	—	80	140	300	110	190	60	—	—	—	300
Pelvis	252	150	—	—	—	—	30	—	—	—	—	—	40
Buttock(s)	253	280	—	50	—	150	20	30	—	—	—	—	—
Groin	254	860	—	180	80	160	120	70	20	—	—	—	220
External reproductive tract structures ..	255	20	—	—	—	—	—	—	—	—	—	—	—
Scrotum	2551	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	20	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	1,400	—	130	100	380	200	340	40	—	30	—	170
Trunk, n.e.c.	29	40	—	—	—	20	—	—	—	—	—	—	—
Upper extremities	3	31,650	220	2,930	3,380	6,850	4,930	5,280	1,860	440	360	70	5,340
Upper extremities, unspecified	30	40	—	—	—	—	—	—	—	—	—	—	—
Arm(s)	31	7,900	100	820	570	1,890	1,350	1,340	500	60	60	20	1,170
Arm(s), unspecified	310	2,580	20	430	160	510	270	600	100	30	20	—	430
Upper arm(s)	311	1,080	—	120	70	110	470	90	50	20	—	—	140
Elbow(s)	312	2,520	30	210	240	610	230	490	210	—	20	—	450
Forearm(s)	313	900	—	20	60	400	130	70	110	—	—	—	100
Multiple arm(s) locations	318	750	—	30	40	250	240	80	30	—	—	—	60
Arm(s), n.e.c.	319	70	—	—	—	—	—	—	—	—	—	—	—
Wrist(s)	32	5,490	50	930	800	630	650	840	220	70	40	—	1,250
Hand(s), except finger(s)	33	6,750	—	380	500	1,280	790	1,710	480	80	40	—	1,470
Finger(s), fingernail(s)	34	8,810	50	660	1,080	2,280	1,820	1,090	450	180	80	—	1,100
Multiple upper extremities locations	38	2,600	—	140	430	740	300	280	180	40	140	30	320
Multiple upper extremities locations, unspecified	380	50	—	—	—	—	20	—	—	—	—	—	—
Hand(s) and finger(s)	381	500	—	—	30	220	60	50	40	20	—	—	50
Hand(s) and wrist(s)	382	590	—	60	20	140	50	80	100	—	—	—	110
Hand(s) and arm(s)	383	570	—	—	280	40	40	40	—	—	—	—	50
Multiple upper extremities locations, n.e.c.	389	890	—	60	100	330	140	110	—	—	30	—	100
Upper extremities, n.e.c.	39	60	—	—	—	30	—	—	—	—	—	—	—
Lower extremities	4	46,270	760	5,210	4,130	10,360	6,380	7,830	2,450	790	590	240	7,530
Lower extremities, unspecified	40	20	—	—	—	—	—	—	—	—	—	—	—
Leg(s)	41	27,920	360	3,180	2,350	6,590	3,520	5,390	1,450	520	180	150	4,210
Leg(s), unspecified	410	3,500	80	1,090	110	1,250	310	190	130	30	30	—	290

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2010 — Continued

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Thigh(s)	411	650	—	60	90	160	70	70	30	—	—	—	160
Knee(s)	412	20,420	270	1,800	1,980	4,620	2,850	3,960	1,160	320	120	140	3,200
Lower leg(s)	413	1,990	—	200	120	450	220	250	110	150	30	—	450
Multiple leg(s) locations	418	810	—	40	40	110	40	450	—	20	—	—	100
Leg(s), n.e.c.	419	540	—	—	—	—	30	470	30	—	—	—	—
Ankle(s)	42	9,260	310	1,260	1,010	1,670	1,200	990	610	190	330	50	1,630
Foot(foot), except toe(s)	43	5,690	70	460	490	1,280	790	1,020	240	30	60	—	1,220
Foot(foot), except toe(s), unspecified ..	430	4,970	60	400	410	1,180	690	860	180	30	60	—	1,050
Instep(s)	431	30	—	—	—	—	20	—	—	—	—	—	—
Sole	432	470	—	50	—	80	50	120	50	—	—	—	90
Sole(s), unspecified	4320	30	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	4323	420	—	50	—	50	50	120	50	—	—	—	90
Multiple foot(foot) locations	438	90	—	—	20	—	20	30	—	—	—	—	—
Foot(foot), n.e.c.	439	130	—	—	40	—	—	—	—	—	—	—	—
Toe(s), toenail(s)	44	1,210	—	120	80	290	220	140	40	—	—	—	310
Multiple lower extremities locations	48	2,140	20	180	200	510	640	280	120	30	—	—	160
Multiple lower extremities locations, unspecified	480	170	—	—	—	160	—	—	—	—	—	—	—
Foot(foot) and leg(s)	481	220	—	30	—	20	100	30	30	—	—	—	—
Foot(foot) and ankle(s)	482	500	—	50	50	140	40	110	70	—	—	—	40
Foot(foot) and toe(s)	483	90	—	—	—	20	40	20	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	1,160	—	100	140	170	450	120	20	20	—	—	110
Lower extremities, n.e.c.	49	30	—	—	—	—	—	—	—	—	—	—	—
Body systems	5	5,080	—	830	310	710	480	780	400	200	160	—	1,200
Multiple body parts	8	32,770	880	4,410	3,380	5,300	5,250	4,320	1,790	800	590	80	5,960
Nonclassifiable	9999	2,500	80	210	—	120	150	100	—	30	—	—	1,780

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies