

TABLE L105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, local government, 2010

Part of body	Part of body code ³	Local government ⁴	Gender		
			Men	Women	Not reported
Total		180.6	246.3	129.5	-
Head	0	10.0	15.3	6.1	-
Head, unspecified	00	2.0	2.5	1.7	-
Cranial region, including skull	01	2.9	5.1	1.2	-
Cranial region, unspecified	010	(⁵)	.1	-	-
Brain	011	2.2	4.0	.9	-
Scalp	012	.5	.9	.2	-
Skull	013	(⁵)	-	.1	-
Ear(s)	02	.2	.3	-	-
Face	03	4.5	6.7	2.9	-
Face, unspecified	030	.5	.6	.3	-
Forehead	031	.4	.4	.4	-
Eye(s)	032	1.8	2.9	1.0	-
Nose, nasal cavity	033	.4	.5	.2	-
Nose, except internal location of diseases or disorders	0330	.4	.5	.2	-
Cheek(s)	034	.5	1.1	-	-
Jaw/chin	035	.1	.3	(⁵)	-
Mouth	036	.2	.3	.2	-
Tooth(teeth)	0363	.2	.2	.1	-
Multiple face locations	038	.7	.7	.7	-
Face, n.e.c.	039	(⁵)	.1	-	-
Multiple head locations	08	.4	.7	.3	-
Neck, including throat	1	2.6	2.8	2.4	-
Neck, except internal location of diseases or disorders	10	2.6	2.8	2.4	-
Trunk	2	54.6	83.0	33.1	-
Trunk, unspecified	20	.2	.1	.3	-
Shoulder, including clavicle, scapula	21	13.9	21.1	8.4	-
Chest, including ribs, internal organs	22	4.0	6.3	2.4	-
Chest, except internal location of diseases or disorders	220	2.6	3.5	2.0	-
Internal chest location, unspecified	221	.1	.2	-	-
Heart	223	.9	2.1	.1	-
Lung(s), pleura	225	.3	.5	.2	-
Back, including spine, spinal cord	23	30.1	46.0	18.2	-
Back, including spine, spinal cord, unspecified	230	11.8	17.9	7.1	-
Lumbar region	231	15.8	24.6	9.1	-
Thoracic region	232	1.1	1.5	.8	-
Sacral region	233	(⁵)	-	.1	-
Coccygeal region	234	.1	.2	.1	-
Multiple back regions	238	1.0	1.2	.9	-
Back, including spine, spinal cord, n.e.c.	239	.3	.6	.1	-
Abdomen	24	2.5	4.8	.7	-
Abdomen, except internal location of diseases or disorders	240	.9	1.5	.5	-
Internal abdominal location, unspecified	241	.5	1.1	.1	-
Stomach organ	242	.1	.1	-	-
Urinary organs	244	.1	.3	-	-
Kidney(s)	2442	.1	.3	-	-
Intestines, peritoneum	245	.8	1.7	.1	-
Intestines, peritoneum, unspecified	2450	.8	1.7	(⁵)	-

See footnotes at end of table.

TABLE L105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, local government, 2010 — Continued

Part of body	Part of body code ³	Local government ⁴	Gender		
			Men	Women	Not reported
Peritoneum	2451	(⁵)	(⁵)	—	—
Pelvic region	25	2.4	3.1	1.8	—
Hip(s)	251	1.1	1.0	1.2	—
Pelvis	252	.1	.2	.1	—
Buttock(s)	253	.3	.1	.4	—
Groin	254	.8	1.7	.1	—
External reproductive tract structures	255	(⁵)	.1	—	—
Scrotum	2551	(⁵)	(⁵)	—	—
Multiple pelvic region locations	258	(⁵)	—	—	—
Multiple trunk locations	28	1.3	1.5	1.2	—
Trunk, n.e.c.	29	(⁵)	.1	—	—
Upper extremities	3	30.3	40.4	23.0	—
Upper extremities, unspecified	30	(⁵)	—	.1	—
Arm(s)	31	7.6	9.0	6.6	—
Arm(s), unspecified	310	2.5	2.4	2.6	—
Upper arm(s)	311	1.0	1.6	.7	—
Elbow(s)	312	2.4	2.9	2.0	—
Forearm(s)	313	.9	1.2	.6	—
Multiple arm(s) locations	318	.7	.8	.7	—
Arm(s), n.e.c.	319	.1	.1	(⁵)	—
Wrist(s)	32	5.3	5.2	5.4	—
Hand(s), except finger(s)	33	6.5	10.9	3.1	—
Finger(s), fingernail(s)	34	8.4	12.4	5.5	—
Multiple upper extremities locations	38	2.5	2.9	2.2	—
Multiple upper extremities locations, unspecified	380	(⁵)	(⁵)	(⁵)	—
Hand(s) and finger(s)	381	.5	.5	.5	—
Hand(s) and wrist(s)	382	.6	.7	.5	—
Hand(s) and arm(s)	383	.5	.7	.4	—
Multiple upper extremities locations, n.e.c.	389	.9	.9	.8	—
Upper extremities, n.e.c.	39	.1	(⁵)	.1	—
Lower extremities	4	44.3	57.6	34.5	—
Lower extremities, unspecified	40	(⁵)	—	(⁵)	—
Leg(s)	41	26.8	37.8	18.6	—
Leg(s), unspecified	410	3.4	6.0	1.4	—
Thigh(s)	411	.6	1.1	.3	—
Knee(s)	412	19.6	26.4	14.6	—
Lower leg(s)	413	1.9	2.4	1.6	—
Multiple leg(s) locations	418	.8	.9	.7	—
Leg(s), n.e.c.	419	.5	1.1	.1	—
Ankle(s)	42	8.9	10.6	7.5	—
Foot(feet), except toe(s)	43	5.5	5.9	5.1	—
Foot(feet), except toe(s), unspecified	430	4.8	4.8	4.7	—
Instep(s)	431	(⁵)	—	(⁵)	—
Sole	432	.4	.8	.2	—
Sole(s), unspecified	4320	(⁵)	.1	—	—
Heel(s)	4323	.4	.7	.2	—
Multiple foot(feet) locations	438	.1	—	.1	—
Foot(feet), n.e.c.	439	.1	.3	(⁵)	—
Toe(s), toenail(s)	44	1.2	1.7	.8	—

See footnotes at end of table.

TABLE L105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, local government, 2010 — Continued

Part of body	Part of body code ³	Local government ⁴	Gender		
			Men	Women	Not reported
Multiple lower extremities locations	48	2.1	1.6	2.5	—
Multiple lower extremities locations, unspecified	480	.2	—	.3	—
Foot(foot) and leg(s)	481	.2	.3	.2	—
Foot(foot) and ankle(s)	482	.5	.5	.5	—
Foot(foot) and toe(s)	483	.1	.1	.1	—
Multiple lower extremities locations, n.e.c.	489	1.1	.7	1.5	—
Lower extremities, n.e.c.	49	(⁵)	—	(⁵)	—
Body systems	5	4.9	8.6	2.0	—
Multiple body parts	8	31.4	37.3	27.4	—
Nonclassifiable	9999	2.4	1.2	1.0	—

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away

from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies