TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]**

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Total | | 104.3 | 27.7 | 13.0 | 52.0 | 96.7 | 145.1 | 55.8 |
| **Traumatic injuries and disorders** | 1 | 100.1 | 25.9 | 12.3 | 49.8 | 92.9 | 140.0 | 53.3 |
| Traumatic injuries and disorders, unspecified | 10 | 3.5 | 1.5 | .6 | 2.8 | 2.2 | 5.1 | 1.8 |
| Traumatic injuries to bones, nerves, spinal cord | 11 | 9.1 | 3.7 | 2.3 | 6.6 | 6.4 | 8.0 | 5.1 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | 110 | .2 | ([7]) | – | .1 | .2 | .3 | .2 |
| Fractures | 111 | 8.6 | 3.6 | 2.3 | 6.1 | 6.1 | 7.3 | 4.8 |
| Traumatic injuries to spinal cord | 112 | ([7]) | – | – | .2 | – | ([7]) | – |
| Traumatic injuries to spinal cord, unspecified | 1120 | ([7]) | – | – | – | – | ([7]) | – |
| Traumatic injuries to spinal cord, n.e.c. | 1129 | ([7]) | – | – | – | – | – | – |
| Traumatic injuries to nerves, except the spinal cord | 113 | .2 | ([7]) | – | .2 | .1 | .3 | .1 |
| Traumatic injuries to nerves, except the spinal cord, unspecified | 1130 | ([7]) | – | – | – | – | ([7]) | – |
| Pinched nerve | 1131 | .2 | ([7]) | – | .2 | .1 | .3 | .1 |
| Traumatic injuries to nerves, except the spinal cord, n.e.c. | 1139 | ([7]) | – | – | – | – | – | – |
| Multiple traumatic injuries to bones, nerves, spinal cord | 118 | ([7]) | – | – | – | – | ([7]) | – |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | 119 | ([7]) | – | – | – | – | ([7]) | – |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 12 | 42.5 | 9.4 | 4.2 | 20.9 | 48.8 | 60.2 | 25.2 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 120 | .5 | .1 | – | .2 | .3 | .7 | .2 |
| Dislocations | 121 | 1.0 | .3 | .1 | .5 | .8 | 1.2 | .5 |
| Dislocations, unspecified | 1210 | .2 | – | – | .1 | .1 | .3 | .1 |
| Herniated discs | 1211 | .3 | .1 | – | .1 | .3 | .3 | .1 |
| Dislocation of joints | 1212 | .5 | .1 | .1 | .4 | .4 | .6 | .2 |
| Dislocations, n.e.c. | 1219 | ([7]) | – | – | – | – | ([7]) | – |
| Cartilage fractures and tears | 122 | .5 | .1 | .1 | .2 | .3 | .6 | .3 |
| Cartilage fractures and tears, unspecified | 1220 | .1 | – | – | – | – | .1 | .1 |
| Meniscus tears | 1221 | .4 | .1 | .1 | .2 | .3 | .4 | .3 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Total | 51.7 | 149.1 | 187.7 | 210.0 | 150.9 | 246.7 |
| **Traumatic injuries and disorders** | 48.1 | 143.8 | 183.5 | 203.5 | 142.2 | 239.5 |
| Traumatic injuries and disorders, unspecified | 1.3 | 8.8 | 6.6 | 6.8 | 3.5 | 8.6 |
| Traumatic injuries to bones, nerves, spinal cord | 4.7 | 13.6 | 26.5 | 16.1 | 14.6 | 22.5 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | .1 | .9 | .4 | .6 | .1 | .4 |
| Fractures | 4.5 | 12.2 | 25.7 | 15.3 | 13.5 | 21.5 |
| Traumatic injuries to spinal cord | – | – | .1 | – | ([7]) | .1 |
| Traumatic injuries to spinal cord, unspecified | – | – | – | – | – | – |
| Traumatic injuries to spinal cord, n.e.c. | – | – | – | – | – | .1 |
| Traumatic injuries to nerves, except the spinal cord | .1 | .5 | .2 | .2 | .7 | .3 |
| Traumatic injuries to nerves, except the spinal cord, unspecified | – | – | – | – | ([7]) | ([7]) |
| Pinched nerve | .1 | .3 | .1 | .2 | .7 | .3 |
| Traumatic injuries to nerves, except the spinal cord, n.e.c. | – | – | ([7]) | – | – | ([7]) |
| Multiple traumatic injuries to bones, nerves, spinal cord | – | – | ([7]) | – | – | .1 |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | – | – | – | .1 | .1 | – |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 21.8 | 46.5 | 62.8 | 89.5 | 50.0 | 110.3 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | .2 | .9 | .5 | 1.5 | .8 | 1.5 |
| Dislocations | .5 | .8 | 2.2 | 2.7 | 1.5 | 2.3 |
| Dislocations, unspecified | .1 | .2 | .3 | .5 | .1 | .2 |
| Herniated discs | .1 | .2 | .7 | 1.3 | .4 | .8 |
| Dislocation of joints | .3 | .3 | .9 | .9 | .9 | 1.3 |
| Dislocations, n.e.c. | ([7]) | – | .1 | ([7]) | ([7]) | ([7]) |
| Cartilage fractures and tears | .4 | – | .9 | 1.2 | .8 | 1.5 |
| Cartilage fractures and tears, unspecified | ([7]) | – | – | .1 | ([7]) | .2 |
| Meniscus tears | .3 | – | .8 | 1.1 | .7 | 1.2 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Cartilage fractures and tears, n.e.c. | 1229 | ([7]) | – | – | – | – | 0.2 | – |
| Sprains, strains, tears | 123 | 39.0 | 8.5 | 3.7 | 19.8 | 46.8 | 56.5 | 23.5 |
| Sprains, strains, tears, unspecified | 1230 | 2.6 | .4 | .2 | 1.6 | 2.4 | 2.9 | 2.2 |
| Major tears to muscles, tendons, ligaments | 1231 | 2.0 | .8 | .4 | .9 | 1.7 | 1.8 | 1.4 |
| Sprains | 1232 | 9.7 | 2.3 | .9 | 7.2 | 8.8 | 14.8 | 5.3 |
| Strains | 1233 | 24.0 | 4.9 | 2.1 | 9.7 | 32.6 | 36.0 | 14.1 |
| Multiple sprains, strains, tears | 1238 | .8 | .1 | .1 | .4 | 1.4 | 1.1 | .5 |
| Hernias due to traumatic incidents | 124 | 1.3 | .3 | .1 | .1 | .3 | 1.0 | .7 |
| Whiplash | 125 | .1 | .1 | ([7]) | – | .1 | .1 | ([7]) |
| Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. | 128 | .1 | ([7]) | – | .1 | .1 | ([7]) | ([7]) |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 129 | ([7]) | – | – | – | ([7]) | ([7]) | – |
| Open wounds | 13 | 10.7 | 1.6 | 1.0 | 1.7 | 5.2 | 16.4 | 4.0 |
| Open wounds, unspecified | 130 | .1 | – | ([7]) | – | – | .1 | – |
| Amputations, avulsions, enucleations | 131 | .9 | .1 | .1 | .1 | .1 | .8 | .3 |
| Amputations, avulsions, enucleations, unspecified | 1310 | ([7]) | – | – | – | – | ([7]) | – |
| Amputations | 1311 | .6 | .1 | – | – | – | .5 | ([7]) |
| Avulsions, enucleations | 1312 | .3 | – | .1 | – | ([7]) | .3 | .3 |
| Amputations, avulsions, enucleations, n.e.c. | 1319 | ([7]) | – | – | – | – | ([7]) | – |
| Cuts, lacerations | 132 | 8.1 | 1.4 | .7 | 1.4 | 1.9 | 13.9 | 3.3 |
| Puncture wounds, except gunshot wounds | 133 | 1.6 | .1 | .2 | .3 | 3.2 | 1.6 | .4 |
| Gunshot wounds | 134 | ([7]) | – | – | – | – | ([7]) | – |
| Multiple types of open wounds | 138 | ([7]) | – | – | – | – | ([7]) | – |
| Open wounds, n.e.c. | 139 | ([7]) | – | – | – | – | ([7]) | – |
| Surface wounds and bruises | 14 | 9.8 | 2.4 | .7 | 5.9 | 9.9 | 13.0 | 6.2 |
| Surface wounds and bruises, unspecified | 140 | .1 | – | – | – | – | .1 | .1 |
| Abrasions, scratches | 141 | .7 | .1 | .1 | .3 | .4 | 1.0 | .3 |
| Blisters | 142 | ([7]) | – | – | – | – | ([7]) | – |
| Bruises, contusions | 143 | 8.8 | 2.2 | .6 | 5.5 | 9.2 | 11.7 | 5.7 |
| Multiple surface wounds and bruises | 148 | .2 | ([7]) | – | .1 | .2 | .1 | .1 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Cartilage fractures and tears, n.e.c. | – | – | – | 0.1 | ([7]) | 0.1 |
| Sprains, strains, tears | 20.0 | 43.4 | 55.2 | 80.0 | 43.5 | 101.0 |
| Sprains, strains, tears, unspecified | 1.1 | 1.6 | 5.0 | 7.4 | 2.9 | 6.9 |
| Major tears to muscles, tendons, ligaments | .7 | .9 | 4.4 | 6.4 | 2.9 | 5.0 |
| Sprains | 4.6 | 11.4 | 12.8 | 20.6 | 10.1 | 26.5 |
| Strains | 13.1 | 28.3 | 32.1 | 44.3 | 26.8 | 60.4 |
| Multiple sprains, strains, tears | .4 | 1.2 | .9 | 1.3 | .8 | 2.3 |
| Hernias due to traumatic incidents | .5 | 1.3 | 3.6 | 3.7 | 3.2 | 3.4 |
| Whiplash | .2 | – | .1 | .1 | – | .4 |
| Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. | ([7]) | – | .1 | .1 | .1 | .2 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | ([7]) | – | .2 | – | .1 | .1 |
| Open wounds | 2.9 | 20.5 | 30.1 | 27.3 | 26.0 | 15.8 |
| Open wounds, unspecified | .1 | .6 | .4 | .6 | .2 | .2 |
| Amputations, avulsions, enucleations | .3 | 2.0 | 2.4 | 2.5 | 3.5 | 1.5 |
| Amputations, avulsions, enucleations, unspecified | – | – | – | .2 | .1 | ([7]) |
| Amputations | ([7]) | 1.6 | 1.9 | 1.5 | 2.6 | 1.0 |
| Avulsions, enucleations | .3 | .3 | .5 | .7 | .8 | .5 |
| Amputations, avulsions, enucleations, n.e.c. | – | – | – | – | ([7]) | – |
| Cuts, lacerations | 2.1 | 15.0 | 22.2 | 19.4 | 18.7 | 11.6 |
| Puncture wounds, except gunshot wounds | .4 | 2.6 | 4.9 | 4.8 | 3.5 | 2.4 |
| Gunshot wounds | – | – | – | – | – | – |
| Multiple types of open wounds | – | – | .1 | .1 | .1 | – |
| Open wounds, n.e.c. | – | .2 | ([7]) | – | ([7]) | ([7]) |
| Surface wounds and bruises | 6.1 | 17.9 | 13.4 | 14.7 | 12.2 | 26.8 |
| Surface wounds and bruises, unspecified | ([7]) | .4 | .1 | .1 | .1 | .1 |
| Abrasions, scratches | .3 | 1.4 | 1.8 | 1.8 | 1.3 | 1.7 |
| Blisters | – | – | – | – | ([7]) | – |
| Bruises, contusions | 5.5 | 15.3 | 11.0 | 12.5 | 10.5 | 24.3 |
| Multiple surface wounds and bruises | .2 | .7 | .2 | .2 | .3 | .5 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Surface wounds and bruises, n.e.c. | 149 | 0.1 | ([7]) | – | – | 0.1 | 0.1 | – |
| Burns and corrosions | 15 | 2.3 | .2 | 0.3 | 0.2 | .8 | 5.5 | 0.7 |
| Burns and corrosions, unspecified | 150 | .1 | ([7]) | – | – | .1 | .1 | – |
| Chemical burns and corrosions | 151 | .4 | ([7]) | .2 | – | .1 | .6 | .1 |
| Chemical burns and corrosions, unspecified | 1510 | .3 | – | .1 | – | .1 | .6 | .1 |
| First degree chemical burns and corrosions | 1511 | ([7]) | – | – | – | – | – | – |
| Second degree chemical burns and corrosions | 1512 | ([7]) | – | – | – | – | ([7]) | – |
| Third or fourth degree chemical burns and corrosions | 1513 | ([7]) | – | – | – | – | – | – |
| Chemical burns and corrosions, n.e.c. | 1519 | ([7]) | – | – | – | – | ([7]) | – |
| Heat (thermal) burns | 152 | 1.6 | .1 | .1 | .1 | .6 | 4.6 | .6 |
| Heat (thermal) burns, unspecified | 1520 | 1.1 | .1 | .1 | .1 | .5 | 3.5 | .5 |
| First degree heat (thermal) burns | 1521 | .1 | ([7]) | – | – | – | .2 | – |
| Second degree heat (thermal) burns | 1522 | .2 | – | – | – | .1 | .6 | ([7]) |
| Third or fourth degree heat (thermal) burns | 1523 | ([7]) | – | – | – | – | .1 | ([7]) |
| Heat (thermal) burns, n.e.c. | 1529 | .1 | – | – | – | ([7]) | .1 | ([7]) |
| Electrical burns | 153 | .1 | – | – | – | – | ([7]) | – |
| Electrical burns, unspecified | 1530 | .1 | – | – | – | – | ([7]) | – |
| First degree electrical burns | 1531 | ([7]) | – | – | – | – | ([7]) | – |
| Second degree electrical burns | 1532 | ([7]) | – | – | – | – | – | – |
| Third or fourth degree electrical burns | 1533 | ([7]) | – | – | – | – | – | – |
| Electrical burns, n.e.c. | 1539 | ([7]) | – | – | – | – | – | – |
| Other burns | 159 | .2 | – | – | ([7]) | – | .1 | – |
| Other burns, unspecified | 1590 | ([7]) | – | – | – | – | ([7]) | – |
| Other burns, first degree | 1591 | .1 | – | – | – | – | .1 | – |
| Other burns, second degree | 1592 | ([7]) | – | – | – | – | ([7]) | – |
| Other burns, n.e.c. | 1599 | ([7]) | – | – | – | – | – | – |
| Intracranial injuries | 16 | .9 | .8 | .2 | 1.0 | .8 | 1.1 | .6 |
| Intracranial injuries, unspecified | 160 | .1 | ([7]) | – | .1 | .1 | .1 | ([7]) |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Surface wounds and bruises, n.e.c. | ([7]) | – | 0.3 | 0.1 | – | 0.1 |
| Burns and corrosions | .2 | 2.1 | 4.4 | 5.6 | 5.6 | 1.9 |
| Burns and corrosions, unspecified | – | – | .2 | .1 | .1 | ([7]) |
| Chemical burns and corrosions | .1 | .7 | .3 | 1.3 | 1.0 | .7 |
| Chemical burns and corrosions, unspecified | ([7]) | .7 | .3 | 1.0 | .8 | .6 |
| First degree chemical burns and corrosions | – | – | – | – | – | – |
| Second degree chemical burns and corrosions | ([7]) | – | – | ([7]) | .1 | ([7]) |
| Third or fourth degree chemical burns and corrosions | – | – | – | – | – | – |
| Chemical burns and corrosions, n.e.c. | – | – | – | .1 | .1 | – |
| Heat (thermal) burns | .1 | 1.3 | 2.6 | 2.9 | 3.5 | .6 |
| Heat (thermal) burns, unspecified | ([7]) | .6 | 2.0 | 1.9 | 2.0 | .4 |
| First degree heat (thermal) burns | – | – | .1 | .2 | .1 | – |
| Second degree heat (thermal) burns | ([7]) | .4 | .3 | .7 | .7 | .1 |
| Third or fourth degree heat (thermal) burns | – | – | .1 | – | .2 | – |
| Heat (thermal) burns, n.e.c. | – | – | .2 | ([7]) | .5 | – |
| Electrical burns | ([7]) | – | 1.0 | .8 | .1 | .1 |
| Electrical burns, unspecified | – | – | .7 | .6 | .1 | .1 |
| First degree electrical burns | – | – | – | – | – | – |
| Second degree electrical burns | – | – | .1 | – | – | – |
| Third or fourth degree electrical burns | – | – | .1 | .2 | – | – |
| Electrical burns, n.e.c. | – | – | .1 | – | – | ([7]) |
| Other burns | – | – | .2 | .5 | 1.0 | .4 |
| Other burns, unspecified | – | – | .1 | .1 | .1 | ([7]) |
| Other burns, first degree | – | – | .1 | .3 | .7 | .1 |
| Other burns, second degree | – | – | – | ([7]) | .1 | .3 |
| Other burns, n.e.c. | – | – | – | – | ([7]) | – |
| Intracranial injuries | .6 | 1.0 | .9 | 1.5 | .7 | 2.0 |
| Intracranial injuries, unspecified | .1 | – | .1 | .1 | .1 | .1 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Cerebral and other intracranial hemorrhages | 161 | ([7]) | – | – | – | – | – | – |
| Concussions | 162 | .8 | 0.7 | 0.2 | 0.9 | 0.8 | 1.1 | 0.6 |
| Multiple types of intracranial injuries | 168 | ([7]) | – | – | – | – | – | – |
| Skull fracture and intracranial injury | 1681 | ([7]) | – | – | – | – | – | – |
| Effects of environmental conditions | 17 | .4 | .1 | ([7]) | – | – | .3 | .1 |
| Effects of reduced temperature | 171 | ([7]) | – | – | – | – | ([7]) | – |
| Frostbite | 1711 | ([7]) | – | – | – | – | ([7]) | – |
| Effects of heat and light | 172 | .4 | .1 | ([7]) | – | – | .3 | .1 |
| Effects of heat and light, unspecified | 1720 | ([7]) | – | – | – | – | – | – |
| Heat stroke | 1721 | ([7]) | – | – | – | – | .1 | – |
| Heat syncope | 1722 | ([7]) | – | – | – | – | ([7]) | – |
| Heat fatigue | 1723 | ([7]) | – | – | – | – | ([7]) | – |
| Heat exhaustion, prostration | 1725 | .2 | ([7]) | – | – | – | .1 | ([7]) |
| Multiple effects of heat and light | 1728 | ([7]) | – | – | – | – | – | – |
| Effects of heat and light, n.e.c. | 1729 | ([7]) | ([7]) | – | – | – | ([7]) | – |
| Effects of air or water pressure | 173 | ([7]) | – | – | – | – | – | – |
| Effects of air or water pressure, unspecified | 1730 | ([7]) | – | – | – | – | – | – |
| Aero-otitis media | 1731 | ([7]) | – | – | – | – | – | – |
| Effects of air or water pressure, n.e.c. | 1739 | ([7]) | – | – | – | – | – | – |
| Multiple traumatic injuries and disorders | 18 | 3.5 | 1.2 | .7 | 2.4 | 3.2 | 4.6 | 2.0 |
| Multiple traumatic injuries and disorders, unspecified | 180 | .2 | .1 | .1 | .1 | .2 | .3 | .2 |
| Cuts and abrasions or bruises | 181 | .6 | .5 | .1 | .2 | .3 | 1.0 | .4 |
| Sprains and other injuries | 182 | 1.4 | .3 | .3 | .8 | 1.9 | 2.3 | .8 |
| Sprains and other injuries, unspecified | 1820 | .1 | – | ([7]) | .1 | – | .2 | .1 |
| Sprains and bruises | 1821 | 1.1 | .3 | .1 | .6 | 1.7 | 1.7 | .7 |
| Sprains and cuts | 1822 | .1 | ([7]) | – | .1 | – | .2 | ([7]) |
| Sprains and other injuries, n.e.c. | 1829 | .2 | .1 | .2 | .1 | .1 | .3 | .1 |
| Fractures and other injuries | 183 | .7 | .2 | .2 | .9 | .3 | .5 | .3 |
| Fractures and other injuries, unspecified | 1830 | .1 | – | ([7]) | .1 | – | ([7]) | ([7]) |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Cerebral and other intracranial hemorrhages | – | – | – | – | – | ([7]) |
| Concussions | 0.5 | 1.0 | 0.7 | 1.4 | 0.6 | 1.8 |
| Multiple types of intracranial injuries | – | – | ([7]) | – | ([7]) | – |
| Skull fracture and intracranial injury | – | – | ([7]) | – | ([7]) | – |
| Effects of environmental conditions | .1 | 1.4 | 2.1 | 1.1 | .8 | 1.2 |
| Effects of reduced temperature | ([7]) | – | .1 | – | ([7]) | .1 |
| Frostbite | ([7]) | – | .1 | – | ([7]) | .1 |
| Effects of heat and light | ([7]) | 1.3 | 2.0 | 1.0 | .7 | 1.0 |
| Effects of heat and light, unspecified | – | – | .1 | – | .1 | .1 |
| Heat stroke | – | – | .1 | .1 | ([7]) | .1 |
| Heat syncope | – | – | – | .1 | .1 | – |
| Heat fatigue | – | – | .3 | .1 | .1 | .1 |
| Heat exhaustion, prostration | ([7]) | .9 | 1.3 | .6 | .4 | .6 |
| Multiple effects of heat and light | – | – | – | – | – | – |
| Effects of heat and light, n.e.c. | – | .2 | .2 | .2 | .1 | .1 |
| Effects of air or water pressure | – | – | – | – | – | .1 |
| Effects of air or water pressure, unspecified | – | – | – | – | – | .1 |
| Aero-otitis media | – | – | – | – | – | ([7]) |
| Effects of air or water pressure, n.e.c. | – | – | – | – | – | ([7]) |
| Multiple traumatic injuries and disorders | 1.4 | 5.6 | 5.7 | 6.2 | 4.9 | 8.6 |
| Multiple traumatic injuries and disorders, unspecified | .1 | .4 | .5 | .7 | .3 | .5 |
| Cuts and abrasions or bruises | .2 | 1.7 | .8 | 1.0 | .8 | 1.5 |
| Sprains and other injuries | .7 | 2.0 | 1.5 | 2.3 | 1.3 | 3.6 |
| Sprains and other injuries, unspecified | – | – | – | .3 | ([7]) | .1 |
| Sprains and bruises | .6 | 1.9 | 1.1 | 1.5 | 1.0 | 2.8 |
| Sprains and cuts | ([7]) | – | .2 | .4 | .1 | .2 |
| Sprains and other injuries, n.e.c. | .1 | – | .2 | .2 | .1 | .5 |
| Fractures and other injuries | .3 | 1.1 | 2.1 | 1.6 | 1.8 | 1.8 |
| Fractures and other injuries, unspecified | – | – | .2 | .1 | .2 | .1 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Fractures (except skull fractures) and concussions | 1831 | ([7]) | ([7]) | – | – | – | ([7]) | – |
| Fractures (except rib, trunk fractures) and internal injuries | 1832 | ([7]) | – | – | – | – | – | – |
| Fractures and burns | 1833 | ([7]) | – | – | – | – | – | – |
| Fractures and dislocations | 1834 | .1 | ([7]) | – | 0.6 | ([7]) | .1 | 0.1 |
| Fractures and other injuries, n.e.c. | 1839 | .5 | .2 | 0.1 | .2 | .2 | .3 | .2 |
| Burns and other injuries, except fractures | 184 | ([7]) | – | – | – | – | ([7]) | – |
| Burns and other injuries, except fractures, unspecified | 1840 | ([7]) | – | – | – | – | ([7]) | – |
| Burns and other injuries, n.e.c. | 1849 | ([7]) | – | – | – | – | – | – |
| Intracranial injuries and injuries to internal organs | 185 | ([7]) | – | – | – | – | – | – |
| Multiple traumatic injuries and disorders, n.e.c. | 189 | .4 | .1 | .1 | .4 | .6 | .4 | .3 |
| Other traumatic injuries and disorders | 19 | 17.5 | 5.1 | 2.2 | 8.2 | 15.5 | 25.8 | 7.6 |
| Other traumatic injuries and disorders, unspecified | 190 | .1 | – | – | .1 | ([7]) | ([7]) | .1 |
| Asphyxiations, strangulations, suffocations | 191 | ([7]) | – | – | – | – | ([7]) | – |
| Electrocutions, electric shocks | 193 | .1 | ([7]) | ([7]) | – | ([7]) | .2 | ([7]) |
| Internal injuries to organs and blood vessels of the trunk | 194 | ([7]) | – | – | – | – | – | – |
| Dermatitis and reactions affecting the skin—acute | 195 | .3 | .1 | ([7]) | .1 | .3 | .6 | .1 |
| Dermatitis and reactions affecting the skin—acute, unspecified | 1950 | .2 | .1 | ([7]) | ([7]) | .2 | .3 | ([7]) |
| Allergic dermatitis—acute | 1951 | .1 | – | – | – | .1 | .2 | ([7]) |
| Irritant dermatitis—acute | 1952 | .1 | – | – | – | ([7]) | .1 | .1 |
| Hives, urticaria—acute | 1953 | ([7]) | – | – | – | ([7]) | ([7]) | – |
| Dermatitis and reactions affecting the skin—acute, n.e.c. | 1959 | ([7]) | – | – | – | – | .1 | – |
| Other poisoning, toxic, noxious, or allergenic effects | 196 | .8 | .3 | .1 | .3 | .8 | 1.4 | .3 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Fractures (except skull fractures) and concussions | 0.1 | – | 0.1 | 0.2 | – | ([7]) |
| Fractures (except rib, trunk fractures) and internal injuries | – | – | .1 | – | – | – |
| Fractures and burns | – | – | .3 | – | ([7]) | – |
| Fractures and dislocations | ([7]) | – | .2 | .1 | .1 | ([7]) |
| Fractures and other injuries, n.e.c. | .2 | 0.7 | 1.3 | 1.1 | 1.4 | 1.6 |
| Burns and other injuries, except fractures | – | – | – | – | .1 | .1 |
| Burns and other injuries, except fractures, unspecified | – | – | – | – | – | ([7]) |
| Burns and other injuries, n.e.c. | – | – | – | – | .1 | ([7]) |
| Intracranial injuries and injuries to internal organs | – | – | – | – | – | – |
| Multiple traumatic injuries and disorders, n.e.c. | .2 | .5 | .8 | .6 | .7 | 1.0 |
| Other traumatic injuries and disorders | 9.1 | 26.5 | 31.2 | 34.6 | 24.0 | 41.7 |
| Other traumatic injuries and disorders, unspecified | .2 | – | .1 | .1 | .1 | ([7]) |
| Asphyxiations, strangulations, suffocations | ([7]) | – | – | – | – | .1 |
| Electrocutions, electric shocks | ([7]) | – | .5 | .9 | .2 | .1 |
| Internal injuries to organs and blood vessels of the trunk | – | – | .2 | – | – | .1 |
| Dermatitis and reactions affecting the skin—acute | .1 | .6 | .3 | 1.3 | .6 | .3 |
| Dermatitis and reactions affecting the skin—acute, unspecified | .1 | .3 | .1 | .8 | .3 | .2 |
| Allergic dermatitis—acute | ([7]) | – | .1 | .4 | .1 | ([7]) |
| Irritant dermatitis—acute | – | – | .1 | – | .2 | ([7]) |
| Hives, urticaria—acute | – | – | – | – | – | – |
| Dermatitis and reactions affecting the skin—acute, n.e.c. | – | – | – | – | – | ([7]) |
| Other poisoning, toxic, noxious, or allergenic effects | .9 | 1.0 | .8 | 2.4 | .8 | 1.3 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Poisoning, toxic, noxious, or allergenic effect, unspecified | 1960 | 0.3 | 0.1 | ([7]) | 0.1 | 0.1 | 0.7 | 0.1 |
| Poisoning, including poisoning-related asphyxia | 1961 | .1 | ([7]) | ([7]) | .1 | .1 | .1 | ([7]) |
| Anaphylactic shock, anaphylaxis | 1962 | ([7]) | – | – | – | – | ([7]) | – |
| Other respiratory system symptoms—toxic, noxious, or allergenic effect | 1963 | .2 | .1 | ([7]) | .1 | .3 | .2 | .1 |
| Coughing and throat irritation— toxic, noxious, or allergenic effect | 1964 | ([7]) | – | – | – | – | ([7]) | – |
| Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect | 1965 | ([7]) | – | – | – | .1 | ([7]) | – |
| Other or unspecified allergic reactions | 1966 | .1 | .1 | – | .1 | .1 | .2 | ([7]) |
| Nausea, vomiting— toxic, noxious, or allergenic effect | 1967 | ([7]) | – | – | – | – | ([7]) | – |
| Multiple poisoning, toxic, noxious, or allergenic effects | 1968 | .1 | – | – | – | .1 | ([7]) | .1 |
| Other poisoning, toxic, noxious, or allergenic effects, n.e.c. | 1969 | ([7]) | – | – | – | – | .1 | – |
| Nonspecified injuries and disorders | 197 | 16.0 | 4.6 | 2.0 | 7.7 | 14.2 | 23.4 | 7.0 |
| Crushing injuries | 1971 | 1.2 | .1 | .1 | .1 | .4 | .8 | .2 |
| Soreness, pain, hurt—nonspecified injury | 1972 | 12.5 | 3.9 | 1.7 | 7.1 | 12.6 | 20.1 | 5.8 |
| Swelling, inflammation, irritation—nonspecified injury | 1973 | 1.7 | .5 | .2 | .4 | .7 | 1.8 | .7 |
| Numbness—nonspecified injury | 1974 | .1 | ([7]) | .1 | – | ([7]) | .1 | .1 |
| Multiple nonspecified injuries and disorders | 1978 | .2 | ([7]) | – | .1 | .2 | .2 | .2 |
| Nonspecified injuries and disorders, n.e.c. | 1979 | .3 | ([7]) | – | .1 | .3 | .4 | .1 |
| Other traumatic injuries and disorders, n.e.c. | 199 | .1 | .1 | – | – | .1 | .1 | ([7]) |
| Traumatic shock | 1991 | ([7]) | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Poisoning, toxic, noxious, or allergenic effect, unspecified | 0.1 | 0.6 | 0.3 | 0.6 | 0.2 | 0.5 |
| Poisoning, including poisoning-related asphyxia | .2 | – | .2 | .8 | .2 | .3 |
| Anaphylactic shock, anaphylaxis | – | – | – | – | – | – |
| Other respiratory system symptoms—toxic, noxious, or allergenic effect | .2 | – | .2 | .6 | .2 | .2 |
| Coughing and throat irritation— toxic, noxious, or allergenic effect | – | – | – | .2 | – | .1 |
| Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect | ([7]) | – | – | – | .1 | .1 |
| Other or unspecified allergic reactions | ([7]) | – | .1 | ([7]) | .1 | .1 |
| Nausea, vomiting— toxic, noxious, or allergenic effect | .1 | – | – | – | – | ([7]) |
| Multiple poisoning, toxic, noxious, or allergenic effects | .2 | – | – | .1 | – | – |
| Other poisoning, toxic, noxious, or allergenic effects, n.e.c. | ([7]) | – | – | – | – | – |
| Nonspecified injuries and disorders | 7.9 | 24.7 | 29.1 | 29.9 | 22.1 | 39.7 |
| Crushing injuries | .4 | 2.9 | 3.2 | 3.4 | 3.8 | 3.0 |
| Soreness, pain, hurt—nonspecified injury | 6.3 | 17.5 | 20.4 | 20.5 | 13.4 | 31.4 |
| Swelling, inflammation, irritation—nonspecified injury | .8 | 2.7 | 4.8 | 4.1 | 4.2 | 3.8 |
| Numbness—nonspecified injury | .1 | – | .1 | .3 | .2 | .2 |
| Multiple nonspecified injuries and disorders | .2 | 1.3 | .3 | .6 | .3 | .5 |
| Nonspecified injuries and disorders, n.e.c. | .1 | – | .3 | 1.0 | .2 | .8 |
| Other traumatic injuries and disorders, n.e.c. | ([7]) | – | .2 | .1 | .1 | .2 |
| Traumatic shock | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Traumatic injuries and disorders, n.e.c. | 1999 | 0.1 | – | – | – | 0.1 | 0.1 | ([7]) |
| **Diseases and disorders of body systems** | 2 | 2.7 | 1.2 | 0.6 | 0.5 | 1.7 | 2.7 | 1.5 |
| Systemic diseases and disorders, unspecified | 20 | ([7]) | – | – | – | – | – | – |
| Nervous system and sense organs diseases | 22 | 1.2 | .6 | .2 | .1 | .5 | 1.0 | .8 |
| Inflammatory diseases of the central nervous system | 221 | ([7]) | – | – | – | – | – | – |
| Degenerative diseases of the central nervous system | 222 | ([7]) | – | – | – | – | – | – |
| Other disorders of the central nervous system | 223 | ([7]) | ([7]) | – | – | – | .1 | ([7]) |
| Seizure disorder, epilepsy | 2231 | ([7]) | – | – | – | – | – | ([7]) |
| Migraine | 2232 | ([7]) | – | – | – | – | ([7]) | – |
| Disorders of the peripheral nervous system | 224 | 1.0 | .6 | .2 | .1 | .3 | .8 | .6 |
| Disorders of the peripheral nervous system, unspecified | 2240 | ([7]) | – | – | – | – | ([7]) | – |
| Carpal tunnel syndrome | 2241 | 1.0 | .6 | .2 | .1 | .3 | .7 | .6 |
| Inflammatory and toxic neuropathy, toxic polyneuropathy | 2242 | ([7]) | – | – | – | – | – | – |
| Disorders of the peripheral nervous system, n.e.c. | 2249 | ([7]) | – | – | – | – | – | – |
| Disorders of the eye, adnexa, vision | 225 | .2 | – | – | ([7]) | .1 | .2 | .2 |
| Disorders of the eye, adnexa, vision, unspecified | 2250 | ([7]) | – | – | – | – | – | – |
| Conjunctivitis—non-viral | 2251 | .1 | – | – | – | ([7]) | .1 | .2 |
| Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion) | 2252 | ([7]) | – | – | – | – | – | – |
| Blindness, low vision | 2254 | ([7]) | – | – | – | – | ([7]) | – |
| Disorders of the eye, adnexa, vision, n.e.c. | 2259 | .1 | – | – | – | – | .1 | ([7]) |
| Disorders of the ear, mastoid process, hearing | 226 | ([7]) | – | – | – | – | – | – |
| Disorders of the ear, mastoid process, hearing, unspecified | 2260 | ([7]) | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Traumatic injuries and disorders, n.e.c. | – | – | 0.2 | 0.1 | 0.1 | 0.2 |
| **Diseases and disorders of body systems** | 2.6 | 3.6 | 3.1 | 4.4 | 7.8 | 4.1 |
| Systemic diseases and disorders, unspecified | – | – | – | – | ([7]) | – |
| Nervous system and sense organs diseases | 1.5 | 1.2 | .8 | 2.1 | 3.8 | 1.5 |
| Inflammatory diseases of the central nervous system | – | – | – | – | – | – |
| Degenerative diseases of the central nervous system | – | – | – | – | – | – |
| Other disorders of the central nervous system | ([7]) | – | – | – | – | – |
| Seizure disorder, epilepsy | ([7]) | – | – | – | – | – |
| Migraine | – | – | – | – | – | – |
| Disorders of the peripheral nervous system | 1.5 | .2 | .6 | 1.4 | 3.4 | 1.0 |
| Disorders of the peripheral nervous system, unspecified | ([7]) | – | – | – | .1 | – |
| Carpal tunnel syndrome | 1.4 | .2 | .6 | 1.4 | 3.3 | 1.0 |
| Inflammatory and toxic neuropathy, toxic polyneuropathy | – | – | – | – | – | – |
| Disorders of the peripheral nervous system, n.e.c. | ([7]) | – | – | – | .1 | – |
| Disorders of the eye, adnexa, vision | ([7]) | 1.0 | .2 | .5 | .4 | .4 |
| Disorders of the eye, adnexa, vision, unspecified | – | – | – | – | ([7]) | .1 |
| Conjunctivitis—non-viral | – | .2 | ([7]) | .3 | .1 | .1 |
| Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion) | – | – | – | ([7]) | .1 | – |
| Blindness, low vision | – | – | .1 | – | – | – |
| Disorders of the eye, adnexa, vision, n.e.c. | – | .7 | ([7]) | .2 | .1 | .1 |
| Disorders of the ear, mastoid process, hearing | – | – | – | .1 | – | .1 |
| Disorders of the ear, mastoid process, hearing, unspecified | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Deafness, hearing loss and impairment | 2261 | ([7]) | – | – | – | – | – | – |
| Disorders of the ear, mastoid process, and hearing, n.e.c. | 2269 | ([7]) | – | – | – | – | – | – |
| Circulatory system diseases | 23 | ([7]) | – | – | – | – | 0.1 | ([7]) |
| Circulatory system diseases, unspecified | 230 | ([7]) | – | – | – | – | ([7]) | – |
| Ischemic heart disease, including heart attack | 233 | ([7]) | – | – | – | – | ([7]) | ([7]) |
| Myocardial infarction (heart attack) | 2331 | ([7]) | – | – | – | – | ([7]) | – |
| Cerebrovascular disease | 236 | ([7]) | – | – | – | – | – | – |
| Stroke | 2361 | ([7]) | – | – | – | – | – | – |
| Diseases of arteries, arterioles, capillaries | 237 | ([7]) | – | – | – | – | – | – |
| Diseases of the veins, lymphatics | 238 | ([7]) | – | – | – | – | – | – |
| Diseases of the veins, lymphatics, unspecified | 2380 | ([7]) | – | – | – | – | – | – |
| Respiratory system diseases | 24 | .1 | 0.1 | – | ([7]) | 0.1 | .1 | – |
| Respiratory system diseases, unspecified | 240 | ([7]) | – | – | – | .1 | ([7]) | – |
| Acute respiratory infections (including common cold) | 241 | ([7]) | .1 | – | – | ([7]) | – | – |
| Pneumonia, influenza | 243 | ([7]) | – | – | – | – | ([7]) | – |
| Pneumonia | 2431 | ([7]) | – | – | – | – | – | – |
| Influenza—common | 2432 | ([7]) | – | – | – | – | ([7]) | – |
| Chronic obstructive pulmonary disease and allied conditions | 244 | ([7]) | – | – | – | – | ([7]) | – |
| Asthma, except intrinsic | 2443 | ([7]) | – | – | – | – | ([7]) | – |
| Pneumoconioses | 245 | ([7]) | – | – | – | – | ([7]) | – |
| Other respiratory system diseases | 249 | ([7]) | – | – | – | – | – | – |
| Digestive system diseases and disorders | 25 | .2 | .1 | – | – | – | .1 | .1 |
| Diseases of esophagus, stomach, and duodenum | 252 | ([7]) | – | – | – | – | ([7]) | – |
| Hernia—nontraumatic | 253 | .2 | .1 | – | – | – | .1 | .1 |
| Musculoskeletal system and connective tissue diseases and disorders | 27 | 1.0 | .3 | 0.2 | .2 | .9 | 1.2 | .4 |
| Musculoskeletal system and connective tissue diseases and disorders, unspecified | 270 | ([7]) | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Deafness, hearing loss and impairment | – | – | – | 0.1 | – | ([7]) |
| Disorders of the ear, mastoid process, and hearing, n.e.c. | – | – | – | – | – | ([7]) |
| Circulatory system diseases | ([7]) | – | 0.1 | .1 | ([7]) | .1 |
| Circulatory system diseases, unspecified | – | – | – | – | – | – |
| Ischemic heart disease, including heart attack | ([7]) | – | .1 | – | – | ([7]) |
| Myocardial infarction (heart attack) | ([7]) | – | .1 | – | – | ([7]) |
| Cerebrovascular disease | – | – | – | – | – | – |
| Stroke | – | – | – | – | – | – |
| Diseases of arteries, arterioles, capillaries | – | – | – | – | – | – |
| Diseases of the veins, lymphatics | – | – | – | – | – | ([7]) |
| Diseases of the veins, lymphatics, unspecified | – | – | – | – | – | – |
| Respiratory system diseases | ([7]) | – | – | .1 | .1 | .1 |
| Respiratory system diseases, unspecified | – | – | – | – | ([7]) | – |
| Acute respiratory infections (including common cold) | – | – | – | – | ([7]) | – |
| Pneumonia, influenza | – | – | – | – | – | – |
| Pneumonia | – | – | – | – | – | – |
| Influenza—common | – | – | – | – | – | – |
| Chronic obstructive pulmonary disease and allied conditions | – | – | – | – | – | ([7]) |
| Asthma, except intrinsic | – | – | – | – | – | ([7]) |
| Pneumoconioses | – | – | – | – | – | – |
| Other respiratory system diseases | – | – | – | – | – | – |
| Digestive system diseases and disorders | .1 | 0.3 | .2 | .3 | .4 | .5 |
| Diseases of esophagus, stomach, and duodenum | – | – | – | – | – | – |
| Hernia—nontraumatic | .1 | .3 | .2 | .3 | .4 | .5 |
| Musculoskeletal system and connective tissue diseases and disorders | .7 | 1.1 | 1.3 | 1.6 | 3.1 | 1.6 |
| Musculoskeletal system and connective tissue diseases and disorders, unspecified | – | – | .1 | ([7]) | .1 | ([7]) |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Arthropathies and related disorders (arthritis) | 271 | ([7]) | – | – | – | – | ([7]) | – |
| Dorsopathies | 272 | .1 | – | ([7]) | – | 0.1 | .1 | ([7]) |
| Sciatica | 2721 | ([7]) | – | – | – | ([7]) | ([7]) | – |
| Lumbago | 2722 | ([7]) | – | – | – | – | ([7]) | – |
| Disc disorders, except dislocation | 2723 | ([7]) | – | – | – | – | – | – |
| Dorsopathies, n.e.c. | 2729 | ([7]) | – | – | – | ([7]) | ([7]) | ([7]) |
| Soft tissue disorders, except the back | 273 | .9 | 0.3 | .2 | 0.2 | .8 | 1.1 | .4 |
| Soft tissue disorder, except the back, unspecified | 2730 | ([7]) | – | – | – | .1 | .1 | .1 |
| Bursitis | 2731 | .1 | ([7]) | – | – | .1 | .1 | – |
| Stenosing tenosynovitis | 2732 | .1 | ([7]) | – | – | ([7]) | .1 | ([7]) |
| Other tenosynovitis, synovitis | 2733 | .1 | – | – | – | – | .1 | ([7]) |
| Epicondylitis | 2734 | .1 | ([7]) | .1 | – | .1 | .2 | .1 |
| Other or unspecified tendonitis (tendinitis) | 2735 | .4 | .1 | .1 | .1 | .3 | .5 | .2 |
| Ganglion or cystic tumor | 2736 | ([7]) | – | – | – | – | ([7]) | ([7]) |
| Multiple soft tissue disorders | 2738 | ([7]) | – | – | – | – | – | – |
| Soft tissue disorder, except the back, n.e.c. | 2739 | .1 | .1 | – | – | – | .1 | ([7]) |
| Osteopathies, chondropathies, and acquired deformities | 274 | ([7]) | – | – | – | – | – | – |
| Osteopathies, chondropathies, and acquired deformities, n.e.c. | 2749 | ([7]) | – | – | – | – | – | – |
| Musculoskeletal system and connective tissue diseases and disorders, n.e.c. | 279 | ([7]) | – | – | – | – | – | – |
| Disorders of the skin and subcutaneous tissue | 28 | .1 | – | – | .1 | .1 | .2 | ([7]) |
| Disorders of the skin and subcutaneous tissue, unspecified | 280 | ([7]) | – | – | – | – | – | – |
| Infections of the skin and subcutaneous tissue | 281 | .1 | – | – | ([7]) | .1 | .2 | ([7]) |
| Infections of the skin and subcutaneous tissue, unspecified | 2810 | ([7]) | – | – | – | – | ([7]) | ([7]) |
| Cellulitis and abscess | 2811 | ([7]) | – | – | – | .1 | .1 | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Arthropathies and related disorders (arthritis) | ([7]) | – | – | 0.1 | 0.1 | ([7]) |
| Dorsopathies | .1 | – | 0.1 | .1 | .1 | .1 |
| Sciatica | – | – | – | .1 | ([7]) | .1 |
| Lumbago | – | – | – | – | .1 | – |
| Disc disorders, except dislocation | ([7]) | – | – | – | ([7]) | – |
| Dorsopathies, n.e.c. | – | – | – | – | – | – |
| Soft tissue disorders, except the back | .7 | 1.1 | 1.1 | 1.3 | 2.8 | 1.4 |
| Soft tissue disorder, except the back, unspecified | ([7]) | – | .1 | .1 | .1 | .1 |
| Bursitis | ([7]) | – | .2 | .1 | .1 | .3 |
| Stenosing tenosynovitis | .1 | – | ([7]) | .3 | .6 | .1 |
| Other tenosynovitis, synovitis | ([7]) | – | – | .1 | .2 | ([7]) |
| Epicondylitis | .1 | – | – | .3 | .4 | .3 |
| Other or unspecified tendonitis (tendinitis) | .4 | .7 | .6 | .3 | .9 | .4 |
| Ganglion or cystic tumor | ([7]) | – | – | ([7]) | .2 | ([7]) |
| Multiple soft tissue disorders | – | – | – | – | ([7]) | – |
| Soft tissue disorder, except the back, n.e.c. | ([7]) | – | – | .1 | .2 | .2 |
| Osteopathies, chondropathies, and acquired deformities | – | – | – | – | – | – |
| Osteopathies, chondropathies, and acquired deformities, n.e.c. | – | – | – | – | – | – |
| Musculoskeletal system and connective tissue diseases and disorders, n.e.c. | – | – | – | – | ([7]) | ([7]) |
| Disorders of the skin and subcutaneous tissue | ([7]) | 1.0 | .7 | .2 | .2 | .1 |
| Disorders of the skin and subcutaneous tissue, unspecified | – | – | – | – | – | – |
| Infections of the skin and subcutaneous tissue | ([7]) | 1.0 | .4 | .1 | .2 | .1 |
| Infections of the skin and subcutaneous tissue, unspecified | – | .8 | ([7]) | .1 | ([7]) | ([7]) |
| Cellulitis and abscess | ([7]) | – | .1 | .1 | .1 | .1 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Methicillin-resistant staphylococcus aureus (MRSA) infection | 2813 | ([7]) | – | – | – | ([7]) | ([7]) | – |
| Other staphylococcus skin infection | 2814 | ([7]) | – | – | – | – | – | – |
| Infections of the skin and subcutaneous tissue, n.e.c. | 2819 | ([7]) | – | – | – | – | ([7]) | – |
| Dermatitis resulting from long-term exposures | 282 | ([7]) | – | – | – | – | – | – |
| Diseases of sebaceous glands | 283 | ([7]) | – | – | – | – | – | – |
| Sebaceous cyst | 2832 | ([7]) | – | – | – | – | – | – |
| Other diseases and disorders of the skin and subcutaneous tissue | 289 | ([7]) | – | – | – | – | ([7]) | – |
| Other diseases and disorders of the skin and subcutaneous tissue, unspecified | 2890 | ([7]) | – | – | – | – | – | – |
| Other diseases and disorders of the skin and subcutaneous tissue, n.e.c. | 2899 | ([7]) | – | – | – | – | ([7]) | – |
| Other systemic diseases and disorders | 29 | .1 | ([7]) | ([7]) | – | – | ([7]) | – |
| Other systemic diseases and disorders, unspecified | 290 | ([7]) | ([7]) | – | – | – | ([7]) | – |
| Endocrine, nutritional, metabolic, and immunity disorders | 291 | ([7]) | – | – | – | – | ([7]) | – |
| Endocrine, nutritional, metabolic, and immunity disorders, n.e.c. | 2919 | ([7]) | – | – | – | – | ([7]) | – |
| Other systemic diseases and disorders, n.e.c. | 299 | ([7]) | – | – | – | – | – | – |
| **Infectious and parasitic diseases** | 3 | .1 | ([7]) | – | 0.2 | .6 | .4 | – |
| Infectious and parasitic diseases, unspecified | 30 | ([7]) | – | – | – | – | – | – |
| Bacterial diseases | 31 | ([7]) | – | – | – | .1 | ([7]) | – |
| Other bacterial diseases | 319 | ([7]) | – | – | – | .1 | ([7]) | – |
| Diphtheria, whooping cough | 3192 | ([7]) | – | – | – | .1 | – | – |
| Viral diseases | 32 | ([7]) | – | – | .1 | .1 | .1 | – |
| Non-arthropod-borne viral diseases of the central nervous system | 322 | ([7]) | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Methicillin-resistant staphylococcus aureus (MRSA) infection | – | – | 0.3 | – | – | – |
| Other staphylococcus skin infection | – | – | – | – | – | – |
| Infections of the skin and subcutaneous tissue, n.e.c. | – | – | – | – | – | – |
| Dermatitis resulting from long-term exposures | – | – | – | – | – | – |
| Diseases of sebaceous glands | – | – | – | – | – | – |
| Sebaceous cyst | – | – | – | – | – | – |
| Other diseases and disorders of the skin and subcutaneous tissue | ([7]) | – | – | 0.1 | – | – |
| Other diseases and disorders of the skin and subcutaneous tissue, unspecified | – | – | – | – | – | – |
| Other diseases and disorders of the skin and subcutaneous tissue, n.e.c. | ([7]) | – | – | – | – | – |
| Other systemic diseases and disorders | .2 | – | ([7]) | .1 | 0.1 | 0.2 |
| Other systemic diseases and disorders, unspecified | .2 | – | – | .1 | .1 | ([7]) |
| Endocrine, nutritional, metabolic, and immunity disorders | – | – | – | – | – | .1 |
| Endocrine, nutritional, metabolic, and immunity disorders, n.e.c. | – | – | – | – | – | .1 |
| Other systemic diseases and disorders, n.e.c. | – | – | – | – | – | .1 |
| **Infectious and parasitic diseases** | ([7]) | – | .1 | ([7]) | ([7]) | .1 |
| Infectious and parasitic diseases, unspecified | – | – | – | – | – | – |
| Bacterial diseases | – | – | – | – | – | – |
| Other bacterial diseases | – | – | – | – | – | – |
| Diphtheria, whooping cough | – | – | – | – | – | – |
| Viral diseases | – | – | – | – | – | – |
| Non-arthropod-borne viral diseases of the central nervous system | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Viral diseases accompanied by exanthem (eruptive fever) | 323 | ([7]) | – | – | – | ([7]) | ([7]) | – |
| Chickenpox, varicella | 3233 | ([7]) | – | – | – | – | ([7]) | – |
| Herpes zoster, shingles | 3234 | ([7]) | – | – | – | ([7]) | ([7]) | – |
| Viral diseases of the conjunctiva | 326 | ([7]) | – | – | – | – | ([7]) | – |
| Viral conjunctivitis (ophthalmia) | 3261 | ([7]) | – | – | – | – | – | – |
| Other diseases due to viruses | 329 | ([7]) | – | – | 0.1 | – | ([7]) | – |
| Foot and mouth disease | 3294 | ([7]) | – | – | ([7]) | – | – | – |
| Other diseases due to viruses, n.e.c. | 3299 | ([7]) | – | – | – | – | ([7]) | – |
| Other arthropod-borne diseases | 33 | ([7]) | – | – | – | – | – | – |
| Mycoses (fungal infections) | 34 | ([7]) | – | – | – | – | – | – |
| Infectious diseases peculiar to the intestines | 36 | ([7]) | – | – | – | – | ([7]) | – |
| Other bacterial food poisoning (including botulism and staphylococcal food poisoning) | 364 | ([7]) | – | – | – | – | – | – |
| Infectious diseases peculiar to the intestines, n.e.c. | 369 | ([7]) | – | – | – | – | – | – |
| Other infectious and parasitic diseases | 39 | .1 | – | – | .1 | .4 | .3 | – |
| Pediculosis and phthirus infestation (lice) | 391 | ([7]) | – | – | – | – | – | – |
| Scabies and other acariases | 392 | .1 | – | – | .1 | .4 | .3 | – |
| Other infestations (including maggots, leeches, jigger disease) | 393 | ([7]) | – | – | – | – | ([7]) | – |
| **Symptoms, signs, and ill-defined conditions** | 5 | .6 | 0.1 | 0.1 | .7 | .5 | 1.1 | 0.6 |
| Symptoms, signs, and ill-defined conditions, unspecified | 50 | ([7]) | – | – | – | – | – | – |
| Symptoms | 51 | .6 | .1 | .1 | .7 | .5 | 1.1 | .6 |
| Symptoms, unspecified | 510 | ([7]) | – | – | – | – | – | – |
| General symptoms | 511 | .3 | .1 | ([7]) | .2 | .2 | .6 | .3 |
| General symptoms, unspecified | 5110 | ([7]) | – | – | – | – | – | – |
| Loss of consciousness—not heat related | 5111 | .2 | ([7]) | – | .2 | .1 | .4 | .2 |
| Convulsions, seizures | 5112 | ([7]) | – | – | – | – | ([7]) | .1 |
| Dizziness—general | 5114 | .1 | – | – | .1 | .1 | .1 | ([7]) |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Viral diseases accompanied by exanthem (eruptive fever) | – | – | – | – | – | – |
| Chickenpox, varicella | – | – | – | – | – | – |
| Herpes zoster, shingles | – | – | – | – | – | – |
| Viral diseases of the conjunctiva | – | – | – | – | – | – |
| Viral conjunctivitis (ophthalmia) | – | – | – | – | – | – |
| Other diseases due to viruses | – | – | – | – | – | – |
| Foot and mouth disease | – | – | – | – | – | – |
| Other diseases due to viruses, n.e.c. | – | – | – | – | – | – |
| Other arthropod-borne diseases | – | – | – | – | – | – |
| Mycoses (fungal infections) | – | – | – | – | – | – |
| Infectious diseases peculiar to the intestines | ([7]) | – | – | – | – | ([7]) |
| Other bacterial food poisoning (including botulism and staphylococcal food poisoning) | ([7]) | – | – | – | – | – |
| Infectious diseases peculiar to the intestines, n.e.c. | – | – | – | – | – | – |
| Other infectious and parasitic diseases | – | – | – | – | – | – |
| Pediculosis and phthirus infestation (lice) | – | – | – | – | – | – |
| Scabies and other acariases | – | – | – | – | – | – |
| Other infestations (including maggots, leeches, jigger disease) | – | – | – | – | – | – |
| **Symptoms, signs, and ill-defined conditions** | .4 | 0.8 | 0.5 | 0.5 | 0.6 | 1.0 |
| Symptoms, signs, and ill-defined conditions, unspecified | .1 | – | – | – | – | – |
| Symptoms | .3 | .8 | .4 | .5 | .6 | .9 |
| Symptoms, unspecified | ([7]) | – | – | – | – | ([7]) |
| General symptoms | .2 | .6 | .4 | .3 | .2 | .6 |
| General symptoms, unspecified | – | – | – | – | – | – |
| Loss of consciousness—not heat related | .1 | – | .1 | .2 | .1 | .2 |
| Convulsions, seizures | ([7]) | – | .1 | – | – | – |
| Dizziness—general | ([7]) | .3 | .2 | .1 | – | .1 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Inflammation, swelling—general | 5115 | ([7]) | – | – | – | – | 0.1 | – |
| Numbness—general | 5116 | ([7]) | – | – | – | – | ([7]) | – |
| Multiple general symptoms | 5118 | ([7]) | ([7]) | – | – | – | – | ([7]) |
| General symptoms, n.e.c. | 5119 | ([7]) | – | – | – | – | – | – |
| Symptoms involving nervous and musculoskeletal systems | 512 | ([7]) | – | – | 0.1 | – | – | – |
| Symptoms involving nervous and musculoskeletal systems, unspecified | 5120 | ([7]) | – | – | – | – | – | – |
| Symptoms involving skin and other integumentary tissue | 513 | ([7]) | – | – | – | – | – | – |
| Symptoms involving head and neck | 514 | .1 | – | – | – | 0.1 | .2 | ([7]) |
| Symptoms involving head and neck, unspecified | 5140 | ([7]) | – | – | – | – | – | – |
| Headache, except migraine | 5141 | .1 | – | – | – | ([7]) | .2 | ([7]) |
| Symptoms involving head and neck, n.e.c. | 5149 | ([7]) | – | – | – | – | – | – |
| Symptoms involving cardiovascular system | 515 | ([7]) | – | – | – | – | – | – |
| Symptoms involving cardiovascular system, unspecified | 5150 | ([7]) | – | – | – | – | – | – |
| Symptoms involving respiratory system and chest | 516 | .1 | – | – | .3 | .1 | .2 | .2 |
| Symptoms involving respiratory system and chest, unspecified | 5160 | .1 | – | – | – | – | .1 | .2 |
| Chest pain | 5164 | ([7]) | – | – | .3 | – | ([7]) | ([7]) |
| Multiple symptoms involving respiratory system and chest | 5168 | ([7]) | – | – | – | – | – | – |
| Symptoms involving respiratory system and chest, n.e.c. | 5169 | ([7]) | – | – | – | .1 | ([7]) | – |
| Symptoms involving digestive and urinary system | 517 | ([7]) | – | – | – | – | ([7]) | ([7]) |
| Nausea and vomiting—general | 5171 | ([7]) | – | – | – | – | – | ([7]) |
| Abdominal pain, unspecified | 5174 | ([7]) | – | – | – | – | ([7]) | – |
| Multiple symptoms | 518 | ([7]) | – | – | – | – | ([7]) | ([7]) |
| Abnormal findings | 52 | ([7]) | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Inflammation, swelling—general | ([7]) | – | – | – | ([7]) | 0.1 |
| Numbness—general | – | – | – | – | ([7]) | – |
| Multiple general symptoms | – | – | – | – | .1 | .1 |
| General symptoms, n.e.c. | – | – | – | – | – | – |
| Symptoms involving nervous and musculoskeletal systems | – | – | – | – | – | – |
| Symptoms involving nervous and musculoskeletal systems, unspecified | – | – | – | – | – | – |
| Symptoms involving skin and other integumentary tissue | – | – | – | – | – | – |
| Symptoms involving head and neck | ([7]) | – | – | ([7]) | ([7]) | .1 |
| Symptoms involving head and neck, unspecified | – | – | – | – | – | – |
| Headache, except migraine | ([7]) | – | – | – | – | .1 |
| Symptoms involving head and neck, n.e.c. | – | – | – | – | – | – |
| Symptoms involving cardiovascular system | – | – | – | – | – | – |
| Symptoms involving cardiovascular system, unspecified | – | – | – | – | – | – |
| Symptoms involving respiratory system and chest | .1 | – | ([7]) | .1 | .2 | .1 |
| Symptoms involving respiratory system and chest, unspecified | ([7]) | – | ([7]) | .1 | .1 | – |
| Chest pain | ([7]) | – | – | – | – | .1 |
| Multiple symptoms involving respiratory system and chest | – | – | – | – | – | – |
| Symptoms involving respiratory system and chest, n.e.c. | ([7]) | – | – | – | .1 | ([7]) |
| Symptoms involving digestive and urinary system | ([7]) | – | – | – | – | .1 |
| Nausea and vomiting—general | – | – | – | – | – | .1 |
| Abdominal pain, unspecified | – | – | – | – | – | – |
| Multiple symptoms | ([7]) | – | – | – | ([7]) | .1 |
| Abnormal findings | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Symptoms, signs, and ill-defined conditions, n.e.c. | 59 | ([7]) | – | – | – | – | – | – |
| **Other diseases, conditions, and disorders** | 6 | .4 | 0.3 | ([7]) | 0.6 | 0.4 | 0.3 | 0.3 |
| Damage to prosthetic and orthopedic devices | 61 | ([7]) | – | – | – | – | – | – |
| Mental disorders and syndromes | 62 | .3 | .3 | ([7]) | .6 | .4 | .3 | .3 |
| Mental disorders and syndromes, unspecified | 620 | ([7]) | – | – | – | – | ([7]) | ([7]) |
| Anxiety, stress | 621 | .3 | .3 | ([7]) | .5 | .4 | .3 | .2 |
| Anxiety, stress, unspecified | 6210 | .2 | .2 | – | .2 | .2 | .2 | .1 |
| Post-traumatic stress disorder | 6211 | .1 | ([7]) | – | .3 | .1 | ([7]) | ([7]) |
| Anxiety or panic disorder | 6213 | ([7]) | – | – | – | – | ([7]) | – |
| Anxiety, stress, n.e.c. | 6219 | .1 | .1 | – | – | ([7]) | .1 | .1 |
| Depression or depressive episode | 622 | ([7]) | – | – | .1 | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Symptoms, signs, and ill-defined conditions, n.e.c. | – | – | – | – | – | – |
| **Other diseases, conditions, and disorders** | 0.5 | – | – | 0.3 | 0.1 | 0.8 |
| Damage to prosthetic and orthopedic devices | – | – | – | – | – | – |
| Mental disorders and syndromes | .5 | – | – | .3 | .1 | .8 |
| Mental disorders and syndromes, unspecified | ([7]) | – | – | – | – | ([7]) |
| Anxiety, stress | .4 | – | – | .3 | .1 | .8 |
| Anxiety, stress, unspecified | .3 | – | – | .1 | ([7]) | .2 |
| Post-traumatic stress disorder | ([7]) | – | – | .1 | – | .6 |
| Anxiety or panic disorder | ([7]) | – | – | – | – | – |
| Anxiety, stress, n.e.c. | .1 | – | – | .1 | – | ([7]) |
| Depression or depressive episode | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Mental disorders and syndromes, n.e.c. ..... | 629 | ( [7] ) | – | – | – | – | – | – |
| Other diseases, conditions, and disorders, n.e.c. ..... | 69 | ( [7] ) | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Mental disorders and syndromes, n.e.c. | – | – | – | – | – | – |
| Other diseases, conditions, and disorders, n.e.c. | – | – | – | – | – | – |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Nature code[4] | Private industry[5] | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| **Exposures to disease—no illness incurred** | 7 | ([7]) | – | – | – | 0.5 | ([7]) | – |
| **Multiple diseases, conditions, and disorders** | 8 | .1 | ([7]) | – | – | ([7]) | .1 | ([7]) |
| **Nonclassifiable** | 9999 | .4 | .1 | ([7]) | 0.1 | .1 | .5 | .2 |

See footnotes at end of table.

TABLE R103. **Incidence rates[1] for nonfatal occupational injuries and illnesses involving days away from work[2] per 10,000 full-time workers by nature of injury or illness and summary occupational groups, private industry, 2011[3]** — Continued

| Nature | Summary occupational groups[6] | | | | | |
|---|---|---|---|---|---|---|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| **Exposures to disease—no illness incurred** | – | – | – | – | – | – |
| **Multiple diseases, conditions, and disorders** | 0.1 | – | 0.1 | 1.0 | – | 0.1 |
| **Nonclassifiable** | .1 | 0.7 | .5 | .3 | 0.3 | 1.1 |

[1] The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000, where
N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers
(working 40 hours per week, 50 weeks per year)

[2] Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

[3] Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: http://www.bls.gov/bls/errata/iif_errata_1014.htm.

[4] Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

[5] Excludes farms with fewer than 11 employees.

[6] *Standard Occupational Classification Manual,* 2010, Office of Management and Budget.

[7] Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.