

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012²

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		918,720	342,920	73,810	86,660	73,150	13,510	75,070	13,780	3,320
Head	1	66,880	280	3,090	11,730	10,740	990	8,760	820	1,440
Head, unspecified	10	14,870	140	50	3,700	3,670	30	4,170	—	—
Cranial region, including skull	11	13,980	70	200	1,590	1,570	20	1,380	—	—
Cranial region, unspecified	110	380	40	—	90	90	—	80	—	—
Brain	111	9,940	—	—	—	—	—	40	—	—
Scalp	112	2,980	20	—	1,480	1,460	20	1,060	—	—
Skull	113	410	—	200	—	—	—	150	—	—
Multiple cranial region locations	118	160	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	119	120	—	—	20	20	—	50	—	—
Ear(s)	12	1,090	—	—	120	90	20	70	—	—
Face	13	35,980	70	2,810	6,150	5,230	920	2,870	790	1,420
Face, unspecified	130	3,580	—	130	1,330	1,080	250	680	260	90
Forehead	131	2,530	—	—	1,420	1,410	—	570	—	—
Eye(s)	132	21,370	20	—	1,240	830	410	750	370	1,250
Nose, nasal cavity	133	2,320	—	1,070	580	560	—	220	—	—
Nose, except internal location of diseases or disorders	1330	2,310	—	1,070	580	560	—	220	—	—
Cheek(s)	134	410	—	60	100	70	30	130	30	—
Jaw, chin	135	1,120	30	140	420	380	40	220	—	—
Mouth	136	2,370	—	960	460	400	60	40	—	—
Mouth, unspecified	1360	200	—	20	70	40	30	20	—	—
Lip(s)	1361	500	—	—	330	310	20	—	—	—
Tongue	1362	20	—	—	—	—	—	—	—	—
Tooth (teeth)	1363	1,140	—	940	—	—	—	—	—	—
Multiple mouth locations	1368	460	—	—	30	30	—	—	—	—
Mouth, n.e.c.	1369	50	—	—	—	—	—	—	—	—
Multiple face locations	138	1,930	—	360	540	410	120	220	110	60
Face, n.e.c.	139	360	—	60	80	80	—	30	—	—
Multiple head locations	18	780	—	40	110	110	—	230	—	—
Head, n.e.c.	19	180	—	—	70	70	—	30	—	—
Neck, including throat	2	12,380	8,010	150	90	70	20	200	30	—
Neck, except internal location of diseases or disorders ...	20	12,280	8,010	150	90	70	20	200	30	—
Internal neck location, unspecified	21	90	—	—	—	—	—	—	—	—
Trunk	3	235,260	143,490	8,240	940	540	400	12,110	530	120
Trunk, unspecified	30	1,530	370	60	—	—	—	240	—	—
Chest, including ribs, internal organs	31	14,470	2,160	3,770	300	210	90	4,100	190	—
Chest, except internal location of diseases or disorders	310	13,500	2,160	3,770	300	210	90	4,100	190	—
Internal chest location, unspecified	311	100	—	—	—	—	—	—	—	—
Heart	313	420	—	—	—	—	—	—	—	—
Lung(s), pleura	315	440	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012² — Continued

Part of body	Nature of injury or illness ⁵							Soreness, pain	All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Total	5,120	7,590	2,600	28,180	6,180	12,210	135,140	144,530	
Head	—	—	—	1,630	680	—	7,860	31,280	
Head, unspecified	—	—	—	250	—	—	3,990	2,560	
Cranial region, including skull	—	—	—	130	—	—	400	10,210	
Cranial region, unspecified	—	—	—	—	—	—	110	60	
Brain	—	—	—	—	—	—	60	9,850	
Scalp	—	—	—	60	—	—	180	190	
Skull	—	—	—	—	—	—	40	—	
Multiple cranial region locations	—	—	—	50	—	—	20	60	
Cranial region, n.e.c.	—	—	—	—	—	—	—	40	
Ear(s)	—	—	—	—	—	—	460	430	
Face	—	—	—	1,060	570	—	2,840	17,970	
Face, unspecified	—	—	—	70	—	—	280	740	
Forehead	—	—	—	40	—	—	250	210	
Eye(s)	—	—	—	120	—	—	1,660	15,960	
Nose, nasal cavity	—	—	—	50	40	—	180	210	
Nose, except internal location of diseases or disorders	—	—	—	50	40	—	180	200	
Cheek(s)	—	—	—	—	—	—	20	50	
Jaw, chin	—	—	—	40	—	—	130	150	
Mouth	—	—	—	420	380	—	150	320	
Mouth, unspecified	—	—	—	—	—	—	—	60	
Lip(s)	—	—	—	—	—	—	—	140	
Tongue	—	—	—	—	—	—	—	—	
Tooth (teeth)	—	—	—	—	—	—	90	110	
Multiple mouth locations	—	—	—	380	380	—	30	—	
Mouth, n.e.c.	—	—	—	—	—	—	—	—	
Multiple face locations	—	—	—	250	130	—	110	270	
Face, n.e.c.	—	—	—	80	—	—	50	50	
Multiple head locations	—	—	—	180	80	—	120	90	
Head, n.e.c.	—	—	—	20	—	—	50	20	
Neck, including throat	—	—	—	180	40	130	1,840	1,890	
Neck, except internal location of diseases or disorders ...	—	—	—	180	40	130	1,840	1,790	
Internal neck location, unspecified	—	—	—	—	—	—	—	90	
Trunk	—	—	20	1,630	240	1,050	43,680	24,510	
Trunk, unspecified	—	—	—	—	—	—	570	260	
Chest, including ribs, internal organs	—	—	—	180	130	20	2,130	1,630	
Chest, except internal location of diseases or disorders	—	—	—	180	130	20	2,130	660	
Internal chest location, unspecified	—	—	—	—	—	—	—	100	
Heart	—	—	—	—	—	—	—	420	
Lung(s), pleura	—	—	—	—	—	—	—	440	

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Back, including spine, spinal cord	32	178,190	129,130	1,570	130	90	30	4,250	30	—
Back, including spine, spinal cord, unspecified	320	71,730	50,170	460	70	60	20	2,060	20	—
Thoracic region	321	7,830	5,830	120	—	—	—	300	—	—
Lumbar region	322	91,300	68,710	650	30	20	—	980	—	—
Sacral region	323	440	260	30	—	—	—	60	—	—
Coccygeal region	324	1,390	60	270	—	—	—	740	—	—
Multiple back regions	328	5,220	3,950	40	—	—	—	100	—	—
Back, including spine, spinal cord, n.e.c.	329	280	160	—	—	—	—	—	—	—
Abdomen	33	20,510	3,320	20	250	130	120	680	180	40
Abdomen, except internal location of diseases or disorders	330	19,560	3,320	20	250	130	120	680	180	40
Internal abdominal location, unspecified	331	440	—	—	—	—	—	—	—	—
Stomach organ	332	70	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	300	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	120	—	—	—	—	—	—	—	—
Peritoneum	3351	50	—	—	—	—	—	—	—	—
Large intestine, colon, rectum	3353	40	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	70	—	—	—	—	—	—	—	—
Pelvic region	34	16,060	7,110	2,630	150	80	70	2,290	40	50
Pelvic region, unspecified	340	120	50	20	—	—	—	—	—	—
Hip(s)	341	7,210	2,040	2,180	—	—	—	1,350	—	—
Pelvis	342	790	60	430	—	—	—	130	—	—
Buttock(s)	343	1,340	290	—	70	20	50	520	—	—
Groin	344	6,040	4,510	—	60	60	—	190	40	—
External reproductive tract structures	345	210	50	—	—	—	—	50	—	40
External reproductive tract structures, unspecified ..	3450	20	20	—	—	—	—	—	—	—
Scrotum	3451	160	30	—	—	—	—	40	—	40
Internal reproductive tract structures	346	60	—	—	—	—	—	—	—	—
Testis (testes)	3462	40	—	—	—	—	—	—	—	—
Uterus	3464	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	230	80	—	—	—	—	30	—	—
Pelvic region, n.e.c.	349	50	30	—	—	—	—	—	—	—
Multiple trunk locations	38	4,350	1,370	180	100	—	90	540	70	—
Trunk, n.e.c.	39	150	30	—	—	—	—	20	—	—
Upper extremities	4	289,940	84,230	30,990	62,720	54,400	8,320	18,010	7,360	560
Upper extremities, unspecified	40	460	210	30	20	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	69,020	44,670	1,760	80	20	60	2,640	50	—
Arm(s)	42	42,200	12,860	7,020	4,300	3,410	890	4,300	2,110	70
Arm(s), unspecified	420	13,740	3,830	2,400	1,510	1,240	260	1,150	1,040	20
Upper arm(s)	421	5,620	3,320	790	200	90	110	280	50	—
Elbow(s)	422	13,170	3,590	2,470	370	230	130	2,010	20	—
Forearm(s)	423	7,060	1,080	1,180	2,090	1,750	330	680	820	50
Multiple arm locations	428	1,910	780	70	50	40	—	130	110	—
Multiple arm locations, unspecified	4280	250	70	50	20	20	—	—	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012² — Continued

Part of body	Nature of injury or illness ⁵							Soreness, pain	All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Back, including spine, spinal cord	-	-	-	840	20	650	34,870	7,370	
Back, including spine, spinal cord, unspecified	-	-	-	360	-	250	14,820	3,760	
Thoracic region	-	-	-	20	-	-	1,350	180	
Lumbar region	-	-	-	230	-	210	17,580	3,120	
Sacral region	-	-	-	-	-	-	80	20	
Coccygeal region	-	-	-	20	-	-	260	40	
Multiple back regions	-	-	-	210	-	180	700	220	
Back, including spine, spinal cord, n.e.c.	-	-	-	-	-	-	80	30	
Abdomen	-	-	-	50	-	-	1,890	14,070	
Abdomen, except internal location of diseases or disorders	-	-	-	50	-	-	1,890	13,130	
Internal abdominal location, unspecified	-	-	-	-	-	-	-	440	
Stomach organ	-	-	-	-	-	-	-	70	
Intestines, peritoneum	-	-	-	-	-	-	-	300	
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	120	
Peritoneum	-	-	-	-	-	-	-	50	
Large intestine, colon, rectum	-	-	-	-	-	-	-	40	
Intestines, peritoneum, n.e.c.	-	-	-	-	-	-	-	70	
Pelvic region	-	-	-	90	-	80	2,860	830	
Pelvic region, unspecified	-	-	-	-	-	-	30	-	
Hip(s)	-	-	-	80	-	70	1,180	360	
Pelvis	-	-	-	-	-	-	40	130	
Buttock(s)	-	-	-	-	-	-	420	50	
Groin	-	-	-	-	-	-	1,050	180	
External reproductive tract structures	-	-	-	-	-	-	30	30	
External reproductive tract structures, unspecified ..	-	-	-	-	-	-	-	-	
Scrotum	-	-	-	-	-	-	20	30	
Internal reproductive tract structures	-	-	-	-	-	-	-	60	
Testis (testes)	-	-	-	-	-	-	-	40	
Uterus	-	-	-	-	-	-	-	20	
Multiple pelvic region locations	-	-	-	-	-	-	100	-	
Pelvic region, n.e.c.	-	-	-	-	-	-	-	-	
Multiple trunk locations	-	-	-	460	90	290	1,290	320	
Trunk, n.e.c.	-	-	-	-	-	-	70	30	
Upper extremities	4,930	7,590	2,360	4,500	1,740	1,390	32,580	34,100	
Upper extremities, unspecified	-	-	-	20	-	-	100	60	
Shoulder(s), including clavicle(s), scapula(e)	-	-	560	350	50	240	12,800	6,110	
Arm(s)	60	-	420	440	90	170	5,460	5,150	
Arm(s), unspecified	30	-	90	120	20	30	1,900	1,650	
Upper arm(s)	-	-	-	20	-	20	750	180	
Elbow(s)	-	-	260	90	20	30	2,020	2,340	
Forearm(s)	30	-	40	70	20	20	410	620	
Multiple arm locations	-	-	-	150	30	80	310	310	
Multiple arm locations, unspecified	-	-	-	20	-	-	-	80	

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Elbow(s) and arm(s)	4281	790	410	20	—	—	—	90	—	—
Multiple arm locations, n.e.c.	4289	870	310	—	20	—	—	30	100	—
Arm(s), n.e.c.	429	700	260	120	90	50	40	60	70	—
Wrist(s)	43	38,600	11,960	7,600	1,870	1,290	580	1,180	410	20
Hand(s)	44	123,560	7,750	14,010	56,050	49,400	6,650	8,940	3,680	430
Hand(s), unspecified	440	29,250	2,910	2,460	10,120	7,890	2,230	3,840	2,210	280
Hand(s), except finger(s)	441	5,940	260	550	3,050	2,400	650	750	370	20
Finger(s), fingernail(s)	442	81,890	3,900	10,410	40,740	37,300	3,450	3,750	660	90
Finger(s), fingernail(s), unspecified	4420	58,660	2,790	8,070	29,840	27,230	2,610	2,900	530	60
Fingernail(s), nailbed(s)	4421	1,590	20	90	730	590	140	30	—	—
Fingertip(s)	4422	7,390	150	680	2,910	2,800	100	100	30	—
Finger(s), fingernail(s), n.e.c.	4429	14,240	940	1,560	7,270	6,680	590	720	100	30
Hand(s) and finger(s)	448	3,660	470	430	950	910	40	110	210	20
Hand(s), n.e.c.	449	2,810	210	160	1,180	900	280	490	220	—
Multiple upper extremities locations	48	15,970	6,770	570	390	260	130	930	1,080	30
Multiple upper extremities locations, unspecified	480	600	140	70	40	40	—	40	—	—
Hand(s) and arms(s)	481	1,640	180	50	60	40	20	70	590	—
Hand(s) and arm(s), unspecified	4810	700	90	—	30	30	—	30	180	—
Hand(s) and elbow(s)	4811	110	—	—	—	—	—	30	—	—
Hand(s) and arm(s), n.e.c.	4819	840	70	40	30	—	20	20	410	—
Hand(s) and wrist(s)	482	3,130	1,210	60	110	40	70	290	250	—
Wrist(s) and arm(s)	483	2,070	1,000	210	40	40	—	70	70	—
Wrist(s) and arm(s), unspecified	4830	1,030	670	30	—	—	—	30	—	—
Wrist(s) and elbow(s)	4831	460	190	90	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	580	150	90	40	30	—	40	60	—
Shoulder(s) and arm(s)	484	5,180	3,080	50	20	—	—	250	20	—
Multiple upper extremities locations, n.e.c.	489	3,360	1,160	130	110	90	20	210	140	—
Upper extremities, n.e.c.	49	130	—	—	—	—	—	—	30	—
Lower extremities	5	204,220	84,170	29,540	9,680	6,580	3,100	25,560	2,650	500
Lower extremities, unspecified	50	470	70	—	40	—	—	50	90	—
Leg(s)	51	107,900	45,890	7,520	5,680	4,500	1,180	14,480	790	250
Leg(s), unspecified	510	12,070	1,980	2,110	1,820	1,570	260	1,960	190	150
Thigh(s)	511	4,930	1,400	640	790	410	380	980	360	—
Knee(s)	512	78,360	39,260	2,410	1,710	1,400	310	9,940	20	—
Lower leg(s)	513	8,760	2,160	2,050	1,250	1,040	220	1,170	200	50
Multiple leg locations	518	2,940	940	90	—	—	—	330	20	—
Multiple leg locations, unspecified	5180	430	40	—	—	—	—	60	—	—
Knee(s) and leg(s)	5181	1,830	750	50	—	—	—	180	—	—
Multiple leg locations, n.e.c.	5189	670	150	30	—	—	—	90	—	—
Leg(s), n.e.c.	519	840	150	220	90	70	—	110	—	—
Ankle(s)	52	44,860	29,680	8,290	450	380	70	1,450	260	—
Foot (feet)	53	42,920	6,010	13,070	3,370	1,570	1,800	8,600	1,180	170
Foot (feet), unspecified	530	27,950	4,850	7,190	2,170	720	1,440	5,950	1,040	160
Sole(s)	531	2,420	210	790	370	130	240	330	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012² — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Elbow(s) and arm(s)	—	—	—	20	—	—	120	130
Multiple arm locations, n.e.c.	—	—	—	110	20	70	180	100
Arm(s), n.e.c.	—	—	—	—	—	—	60	50
Wrist(s)	—	7,590	820	320	60	210	4,100	2,730
Hand(s)	4,870	—	280	2,700	1,360	420	6,730	18,120
Hand(s), unspecified	50	—	130	460	120	130	2,310	4,460
Hand(s), except finger(s)	—	—	—	30	—	—	220	690
Finger(s), fingernail(s)	4,770	—	100	1,750	1,020	220	3,590	12,130
Finger(s), fingernail(s), unspecified	1,960	—	80	1,140	700	170	2,790	8,500
Fingernail(s), nailbed(s)	50	—	—	20	—	—	120	530
Fingertip(s)	2,280	—	—	90	30	—	180	980
Finger(s), fingernail(s), n.e.c.	480	—	—	510	270	50	510	2,120
Hand(s) and finger(s)	40	—	20	420	210	30	550	430
Hand(s), n.e.c.	—	—	—	40	—	30	60	410
Multiple upper extremities locations	—	—	260	660	180	320	3,350	1,930
Multiple upper extremities locations, unspecified	—	—	—	20	—	—	180	100
Hand(s) and arms(s)	—	—	—	40	—	—	250	370
Hand(s) and arm(s), unspecified	—	—	—	20	—	—	140	190
Hand(s) and elbow(s)	—	—	—	—	—	—	30	30
Hand(s) and arm(s), n.e.c.	—	—	—	20	—	—	80	150
Hand(s) and wrist(s)	—	—	70	70	—	50	510	550
Wrist(s) and arm(s)	—	—	20	100	40	50	300	230
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—	150	100
Wrist(s) and elbow(s)	—	—	—	70	40	20	50	60
Wrist(s) and arm(s), n.e.c.	—	—	—	20	—	20	100	70
Shoulder(s) and arm(s)	—	—	100	150	80	50	1,250	240
Multiple upper extremities locations, n.e.c.	—	—	50	270	40	150	850	440
Upper extremities, n.e.c.	—	—	—	—	—	—	40	—
Lower extremities	190	—	180	4,620	850	2,430	26,010	21,130
Lower extremities, unspecified	—	—	—	—	—	—	170	40
Leg(s)	50	—	70	2,220	170	1,350	17,390	13,550
Leg(s), unspecified	30	—	—	340	30	200	1,920	1,550
Thigh(s)	—	—	—	—	—	—	270	480
Knee(s)	—	—	60	1,200	50	880	13,290	10,450
Lower leg(s)	20	—	—	270	—	60	800	790
Multiple leg locations	—	—	—	330	80	180	1,010	200
Multiple leg locations, unspecified	—	—	—	70	—	—	240	—
Knee(s) and leg(s)	—	—	—	220	30	120	500	120
Multiple leg locations, n.e.c.	—	—	—	50	—	40	270	80
Leg(s), n.e.c.	—	—	—	70	—	20	100	80
Ankle(s)	—	—	60	460	180	250	2,450	1,750
Foot (feet)	110	—	50	810	200	290	4,850	4,700
Foot (feet), unspecified	20	—	30	320	50	200	3,140	3,080
Sole(s)	—	—	20	50	—	40	550	90

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Sole(s), unspecified	5310	260	—	—	190	—	190	20	—	—
Ball(s) of the foot	5311	20	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	130	40	50	—	—	—	—	—	—
Heel(s)	5313	1,950	170	650	170	120	50	310	—	—
Sole(s), n.e.c.	5319	60	—	50	—	—	—	—	—	—
Toes(s), toenail(s)	532	9,870	770	4,310	720	640	80	1,480	30	—
Multiple foot (feet) locations	538	550	30	40	40	30	—	160	30	—
Foot (feet), n.e.c.	539	2,120	150	750	70	50	20	670	60	—
Multiple lower extremities locations	58	8,050	2,520	650	140	130	—	970	340	70
Multiple lower extremities locations, unspecified	580	270	120	30	—	—	—	20	—	—
Foot (feet) and leg(s)	581	1,240	70	220	—	—	—	200	70	20
Foot(feet) and leg(s), unspecified	5810	220	—	40	—	—	—	70	20	—
Foot(feet) and knee(s)	5811	670	50	—	—	—	—	100	—	—
Foot(feet) and leg(s), n.e.c.	5819	350	—	180	—	—	—	30	50	—
Foot (feet) and ankle(s)	582	2,690	1,110	280	—	—	—	320	140	—
Ankle(s) and leg(s)	583	2,620	1,070	110	110	100	—	210	120	—
Ankle(s) and leg(s), unspecified	5830	320	50	50	50	50	—	40	—	—
Ankle(s) and knee(s)	5831	1,840	950	20	20	20	—	100	—	—
Ankle(s) and leg(s), n.e.c.	5839	450	70	40	30	30	—	70	110	—
Multiple lower extremities locations, n.e.c.	589	1,240	150	20	—	—	—	220	—	—
Lower extremities, n.e.c.	59	20	—	—	—	—	—	—	—	—
Body systems	6	17,770	—	—	—	—	—	—	—	—
Multiple body parts	8	83,900	21,740	1,740	870	670	200	10,210	2,210	670
Multiple body parts, unspecified	80	7,410	1,420	140	120	30	90	1,160	160	50
Head and neck	81	2,360	200	—	20	20	—	380	70	50
Head, neck, and trunk	82	740	70	—	—	—	—	80	—	20
Head and trunk	83	980	—	20	40	20	—	130	20	—
Neck and back	84	6,930	4,090	40	—	—	—	100	—	—
Shoulder(s) and back	85	3,890	2,120	—	—	—	—	190	80	—
Hip(s) and leg(s)	86	1,440	510	40	—	—	—	240	30	—
Upper and lower limb(s)	87	6,430	1,000	140	160	130	20	1,470	110	40
Other multiple body parts	89	53,720	12,320	1,340	540	480	60	6,460	1,720	500
Whole body	891	810	20	—	—	—	—	250	—	—
Multiple body parts, n.e.c.	899	52,910	12,300	1,340	540	480	60	6,210	1,720	500

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012² — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Sole(s), unspecified	-	-	-	-	-	-	20	-
Ball(s) of the foot	-	-	-	-	-	-	-	-
Arch(es), instep(s)	-	-	-	-	-	-	40	-
Heel(s)	-	-	20	50	-	40	500	80
Sole(s), n.e.c.	-	-	-	-	-	-	-	-
Toes(s), toenail(s)	90	-	-	220	100	-	930	1,320
Multiple foot (feet) locations	-	-	-	90	30	30	100	60
Foot (feet), n.e.c.	-	-	-	140	-	-	120	150
Multiple lower extremities locations	-	-	-	1,120	300	550	1,130	1,090
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	20	30
Foot (feet) and leg(s)	-	-	-	130	70	40	120	370
Foot(feet) and leg(s), unspecified	-	-	-	-	-	-	20	30
Foot(feet) and knee(s)	-	-	-	110	70	30	70	320
Foot(feet) and leg(s), n.e.c.	-	-	-	20	-	-	20	20
Foot (feet) and ankle(s)	-	-	-	320	100	130	330	170
Ankle(s) and leg(s)	-	-	-	470	90	270	400	130
Ankle(s) and leg(s), unspecified	-	-	-	60	-	40	40	40
Ankle(s) and knee(s)	-	-	-	340	30	220	330	80
Ankle(s) and leg(s), n.e.c.	-	-	-	70	50	-	40	20
Multiple lower extremities locations, n.e.c.	-	-	-	190	20	110	270	380
Lower extremities, n.e.c.	-	-	-	-	-	-	-	-
Body systems	-	-	-	-	-	-	60	17,710
Multiple body parts	-	-	30	15,450	2,630	7,150	22,120	8,850
Multiple body parts, unspecified	-	-	-	1,020	240	460	1,850	1,470
Head and neck	-	-	-	650	20	350	850	160
Head, neck, and trunk	-	-	-	170	-	80	340	60
Head and trunk	-	-	-	420	250	100	240	90
Neck and back	-	-	-	490	-	420	1,760	430
Shoulder(s) and back	-	-	-	130	-	100	1,220	130
Hip(s) and leg(s)	-	-	-	160	30	120	320	130
Upper and lower limb(s)	-	-	-	1,000	150	550	1,700	800
Other multiple body parts	-	-	-	11,390	1,930	4,950	13,850	5,580
Whole body	-	-	-	20	-	-	190	310
Multiple body parts, n.e.c.	-	-	-	11,370	1,930	4,950	13,660	5,270

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Nonclassifiable	9999	8,360	1,000	60	640	150	490	220	190	40

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2012² — Continued

Part of body	Nature of injury or illness ⁵							Soreness, pain	All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Nonclassifiable	—	—	—	170	—	50	1,000	5,050	

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.