

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2012²

Part of body	Part of body code ³	Local government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		181,060	23,320	12.9	16,210	9.0	33,790	18.7
Head	1	11,330	2,900	25.6	2,030	17.9	2,660	23.5
Head, unspecified	10	1,990	580	29.1	330	16.6	500	25.1
Cranial region, including skull	11	2,760	420	15.2	180	6.5	480	17.4
Cranial region, unspecified	110	410	30	7.3	—	—	40	9.8
Brain	111	1,810	310	17.1	150	8.3	330	18.2
Scalp	112	380	60	15.8	20	5.3	100	26.3
Skull	113	100	—	—	—	—	—	—
Cranial region, n.e.c.	119	50	—	—	—	—	—	—
Ear(s)	12	190	60	31.6	20	10.5	70	36.8
Face	13	6,040	1,800	29.8	1,460	24.2	1,560	25.8
Face, unspecified	130	1,230	150	12.2	120	9.8	630	51.2
Forehead	131	390	140	35.9	90	23.1	60	15.4
Eye(s)	132	2,700	1,100	40.7	560	20.7	620	23.0
Nose, nasal cavity	133	320	80	25.0	50	15.6	80	25.0
Nose, except internal location of diseases or disorders	1330	320	80	25.0	50	15.6	80	25.0
Cheek(s)	134	60	—	—	—	—	—	—
Jaw, chin	135	90	20	22.2	—	—	30	33.3
Mouth	136	460	100	21.7	270	58.7	40	8.7
Lip(s)	1361	320	40	12.5	260	81.2	20	6.2
Tooth (teeth)	1363	110	40	36.4	—	—	20	18.2
Multiple face locations	138	690	140	20.3	350	50.7	70	10.1
Face, n.e.c.	139	100	50	50.0	—	—	—	—
Multiple head locations	18	340	30	8.8	40	11.8	50	14.7
Neck, including throat	2	2,660	260	9.8	230	8.6	660	24.8
Neck, except internal location of diseases or disorders ...	20	2,620	260	9.9	230	8.8	660	25.2
Trunk	3	39,120	4,580	11.7	3,250	8.3	7,230	18.5
Trunk, unspecified	30	210	—	—	60	28.6	40	19.0
Chest, including ribs, internal organs	31	2,890	430	14.9	260	9.0	750	26.0
Chest, except internal location of diseases or disorders	310	2,290	340	14.8	220	9.6	710	31.0
Internal chest location, unspecified	311	100	50	50.0	—	—	—	—
Heart	313	360	20	5.6	40	11.1	30	8.3
Lung(s), pleura	315	110	20	18.2	—	—	—	—
Back, including spine, spinal cord	32	29,790	3,680	12.4	2,530	8.5	5,440	18.3
Back, including spine, spinal cord, unspecified	320	11,780	1,810	15.4	950	8.1	2,420	20.5
Thoracic region	321	1,530	300	19.6	150	9.8	350	22.9
Lumbar region	322	15,210	1,500	9.9	1,300	8.5	2,430	16.0
Sacral region	323	130	—	—	—	—	70	53.8
Coccygeal region	324	220	20	9.1	50	22.7	20	9.1
Multiple back regions	328	860	50	5.8	80	9.3	150	17.4
Back, including spine, spinal cord, n.e.c.	329	60	—	—	—	—	—	—
Abdomen	33	2,440	100	4.1	220	9.0	290	11.9
Abdomen, except internal location of diseases or disorders	330	2,100	100	4.8	180	8.6	290	13.8

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2012² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	23,590	13.0	24,280	13.4	11,780	6.5	48,100	26.6	9
Head	1,030	9.1	1,160	10.2	370	3.3	1,190	10.5	3
Head, unspecified	250	12.6	110	5.5	30	1.5	200	10.1	3
Cranial region, including skull	210	7.6	750	27.2	220	8.0	500	18.1	15
Cranial region, unspecified	—	—	330	80.5	—	—	—	—	18
Brain	180	9.9	310	17.1	160	8.8	370	20.4	8
Scalp	20	5.3	40	10.5	60	15.8	80	21.1	6
Skull	—	—	60	60.0	—	—	—	—	18
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	37
Ear(s)	—	—	—	—	—	—	—	—	4
Face	550	9.1	280	4.6	110	1.8	290	4.8	2
Face, unspecified	40	3.3	90	7.3	40	3.3	160	13.0	3
Forehead	50	12.8	—	—	—	—	30	7.7	2
Eye(s)	330	12.2	70	2.6	—	—	—	—	2
Nose, nasal cavity	60	18.8	40	12.5	—	—	—	—	3
Nose, except internal location of diseases or disorders	50	15.6	40	12.5	—	—	—	—	3
Cheek(s)	—	—	—	—	—	—	—	—	5
Jaw, chin	—	—	—	—	—	—	—	—	4
Mouth	—	—	20	4.3	—	—	20	4.3	2
Lip(s)	—	—	—	—	—	—	—	—	2
Tooth (teeth)	—	—	—	—	—	—	20	18.2	3
Multiple face locations	30	4.3	40	5.8	20	2.9	40	5.8	2
Face, n.e.c.	30	30.0	—	—	—	—	—	—	1
Multiple head locations	20	5.9	20	5.9	20	5.9	150	44.1	16
Neck, including throat	300	11.3	190	7.1	160	6.0	860	32.3	7
Neck, except internal location of diseases or disorders ...	300	11.5	190	7.3	160	6.1	820	31.3	7
Trunk	5,760	14.7	5,540	14.2	2,560	6.5	10,190	26.0	9
Trunk, unspecified	20	9.5	—	—	30	14.3	50	23.8	6
Chest, including ribs, internal organs	450	15.6	300	10.4	130	4.5	570	19.7	6
Chest, except internal location of diseases or disorders	390	17.0	250	10.9	70	3.1	300	13.1	5
Internal chest location, unspecified	—	—	—	—	—	—	20	20.0	1
Heart	50	13.9	—	—	50	13.9	170	47.2	30
Lung(s), pleura	—	—	—	—	—	—	70	63.6	52
Back, including spine, spinal cord	4,510	15.1	4,440	14.9	1,880	6.3	7,320	24.6	8
Back, including spine, spinal cord, unspecified	1,600	13.6	1,190	10.1	580	4.9	3,240	27.5	7
Thoracic region	250	16.3	140	9.2	30	2.0	310	20.3	5
Lumbar region	2,480	16.3	2,850	18.7	1,130	7.4	3,520	23.1	10
Sacral region	—	—	—	—	30	23.1	30	23.1	4
Coccygeal region	30	13.6	60	27.3	—	—	20	9.1	6
Multiple back regions	150	17.4	130	15.1	90	10.5	200	23.3	10
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	12
Abdomen	320	13.1	390	16.0	350	14.3	770	31.6	18
Abdomen, except internal location of diseases or disorders	250	11.9	340	16.2	240	11.4	690	32.9	18

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Internal abdominal location, unspecified	331	250	—	—	—	—	—	—
Intestines, peritoneum	335	70	—	—	—	—	—	—
Large intestine, colon, rectum	3353	60	—	—	—	—	—	—
Pelvic region	34	2,890	300	10.4	130	4.5	470	16.3
Pelvic region, unspecified	340	40	40	100.0	—	—	—	—
Hip(s)	341	1,070	160	15.0	50	4.7	250	23.4
Pelvis	342	60	—	—	—	—	—	—
Buttock(s)	343	300	20	6.7	—	—	20	6.7
Groin	344	1,320	30	2.3	70	5.3	170	12.9
External reproductive tract structures	345	30	—	—	—	—	—	—
Scrotum	3451	20	—	—	—	—	—	—
Multiple pelvic region locations	348	60	40	66.7	—	—	—	—
Pelvic region, n.e.c.	349	20	—	—	—	—	—	—
Multiple trunk locations	38	860	70	8.1	50	5.8	240	27.9
Trunk, n.e.c.	39	40	—	—	—	—	—	—
Upper extremities	4	45,190	5,900	13.1	2,910	6.4	7,470	16.5
Upper extremities, unspecified	40	30	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	14,580	1,360	9.3	590	4.0	1,600	11.0
Arm(s)	42	8,020	1,610	20.1	590	7.4	1,240	15.5
Arm(s), unspecified	420	2,700	420	15.6	130	4.8	410	15.2
Upper arm(s)	421	930	70	7.5	30	3.2	150	16.1
Elbow(s)	422	2,140	240	11.2	260	12.1	410	19.2
Forearm(s)	423	1,390	370	26.6	150	10.8	170	12.2
Multiple arm locations	428	740	460	62.2	—	—	50	6.8
Multiple arm locations, unspecified	4280	100	40	40.0	—	—	—	—
Elbow(s) and arm(s)	4281	550	420	76.4	—	—	30	5.5
Multiple arm locations, n.e.c.	4289	90	—	—	—	—	—	—
Arm(s), n.e.c.	429	130	50	38.5	—	—	40	30.8
Wrist(s)	43	6,490	540	8.3	230	3.5	1,480	22.8
Hand(s)	44	12,940	2,090	16.2	1,330	10.3	2,650	20.5
Hand(s), unspecified	440	3,520	560	15.9	300	8.5	660	18.8
Hand(s), except finger(s)	441	780	180	23.1	60	7.7	120	15.4
Finger(s), fingernail(s)	442	7,500	1,190	15.9	930	12.4	1,630	21.7
Finger(s), fingernail(s), unspecified	4420	5,350	790	14.8	750	14.0	1,240	23.2
Fingernail(s), nailbed(s)	4421	120	40	33.3	—	—	50	41.7
Fingertip(s)	4422	420	90	21.4	30	7.1	60	14.3
Finger(s), fingernail(s), n.e.c.	4429	1,610	270	16.8	150	9.3	280	17.4
Hand(s) and finger(s)	448	660	80	12.1	40	6.1	160	24.2
Hand(s), n.e.c.	449	480	80	16.7	—	—	80	16.7
Multiple upper extremities locations	48	3,090	290	9.4	160	5.2	490	15.9
Multiple upper extremities locations, unspecified	480	80	—	—	—	—	—	—
Hand(s) and arms(s)	481	220	30	13.6	—	—	40	18.2
Hand(s) and arm(s), unspecified	4810	70	20	28.6	—	—	20	28.6
Hand(s) and elbow(s)	4811	40	—	—	—	—	30	75.0
Hand(s) and arm(s), n.e.c.	4819	110	—	—	—	—	—	—
Hand(s) and wrist(s)	482	580	40	6.9	40	6.9	190	32.8
Wrist(s) and arm(s)	483	270	30	11.1	—	—	70	25.9
Wrist(s) and arm(s), unspecified	4830	80	—	—	—	—	—	—

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2012² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Internal abdominal location, unspecified	—	—	40	16.0	80	32.0	60	24.0	24
Intestines, peritoneum	30	42.9	—	—	20	28.6	—	—	21
Large intestine, colon, rectum	30	50.0	—	—	—	—	—	—	8
Pelvic region	380	13.1	260	9.0	140	4.8	1,210	41.9	15
Pelvic region, unspecified	—	—	—	—	—	—	—	—	1
Hip(s)	130	12.1	80	7.5	50	4.7	350	32.7	7
Pelvis	—	—	—	—	—	—	40	66.7	67
Buttock(s)	130	43.3	90	30.0	—	—	40	13.3	6
Groin	120	9.1	80	6.1	80	6.1	770	58.3	54
External reproductive tract structures	—	—	—	—	—	—	—	—	3
Scrotum	—	—	—	—	—	—	—	—	3
Multiple pelvic region locations	—	—	—	—	—	—	—	—	1
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	134
Multiple trunk locations	70	8.1	120	14.0	30	3.5	280	32.6	11
Trunk, n.e.c.	—	—	—	—	—	—	—	—	12
Upper extremities	5,630	12.5	6,850	15.2	3,600	8.0	12,830	28.4	11
Upper extremities, unspecified	—	—	—	—	—	—	—	—	8
Shoulder(s), including clavicle(s), scapula(e)	1,790	12.3	1,710	11.7	1,240	8.5	6,300	43.2	23
Arm(s)	970	12.1	1,230	15.3	590	7.4	1,800	22.4	9
Arm(s), unspecified	580	21.5	250	9.3	90	3.3	820	30.4	9
Upper arm(s)	50	5.4	150	16.1	90	9.7	380	40.9	22
Elbow(s)	160	7.5	340	15.9	230	10.7	490	22.9	10
Forearm(s)	100	7.2	450	32.4	80	5.8	70	5.0	6
Multiple arm locations	80	10.8	20	2.7	100	13.5	40	5.4	1
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—	21
Elbow(s) and arm(s)	70	12.7	—	—	—	—	20	3.6	1
Multiple arm locations, n.e.c.	—	—	—	—	40	44.4	20	22.2	27
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	4
Wrist(s)	670	10.3	1,570	24.2	430	6.6	1,560	24.0	11
Hand(s)	1,660	12.8	1,870	14.5	1,130	8.7	2,200	17.0	6
Hand(s), unspecified	370	10.5	590	16.8	240	6.8	800	22.7	8
Hand(s), except finger(s)	170	21.8	110	14.1	50	6.4	100	12.8	7
Finger(s), fingernail(s)	940	12.5	1,060	14.1	530	7.1	1,210	16.1	5
Finger(s), fingernail(s), unspecified	650	12.1	770	14.4	280	5.2	880	16.4	5
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	—	3
Fingertip(s)	60	14.3	80	19.0	60	14.3	40	9.5	7
Finger(s), fingernail(s), n.e.c.	220	13.7	210	13.0	190	11.8	290	18.0	7
Hand(s) and finger(s)	160	24.2	110	16.7	50	7.6	60	9.1	9
Hand(s), n.e.c.	20	4.2	—	—	260	54.2	30	6.2	22
Multiple upper extremities locations	550	17.8	460	14.9	210	6.8	940	30.4	11
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	50	62.5	73
Hand(s) and arms(s)	70	31.8	20	9.1	20	9.1	40	18.2	7
Hand(s) and arm(s), unspecified	—	—	—	—	—	—	20	28.6	6
Hand(s) and elbow(s)	—	—	—	—	—	—	—	—	3
Hand(s) and arm(s), n.e.c.	60	54.5	—	—	20	18.2	20	18.2	7
Hand(s) and wrist(s)	60	10.3	70	12.1	40	6.9	150	25.9	6
Wrist(s) and arm(s)	20	7.4	40	14.8	—	—	90	33.3	11
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—	30	37.5	16

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Wrist(s) and elbow(s)	4831	40	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	150	20	13.3	—	—	40	26.7
Shoulder(s) and arm(s)	484	980	90	9.2	50	5.1	70	7.1
Multiple upper extremities locations, n.e.c.	489	960	90	9.4	60	6.2	110	11.5
Upper extremities, n.e.c.	49	40	—	—	—	—	—	—
Lower extremities	5	44,000	4,480	10.2	3,770	8.6	7,800	17.7
Leg(s)	51	25,390	2,080	8.2	2,070	8.2	3,540	13.9
Leg(s), unspecified	510	1,770	130	7.3	230	13.0	420	23.7
Thigh(s)	511	790	50	6.3	80	10.1	130	16.5
Knee(s)	512	20,360	1,620	8.0	1,550	7.6	2,660	13.1
Lower leg(s)	513	1,960	240	12.2	150	7.7	280	14.3
Multiple leg locations	518	420	30	7.1	20	4.8	40	9.5
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	—
Knee(s) and leg(s)	5181	320	30	9.4	20	6.2	40	12.5
Multiple leg locations, n.e.c.	5189	70	—	—	—	—	—	—
Leg(s), n.e.c.	519	110	—	—	50	45.5	—	—
Ankle(s)	52	10,130	1,310	12.9	920	9.1	2,430	24.0
Foot (feet)	53	6,070	930	15.3	650	10.7	1,360	22.4
Foot (feet), unspecified	530	4,130	590	14.3	400	9.7	1,060	25.7
Sole(s)	531	380	20	5.3	40	10.5	60	15.8
Sole(s), unspecified	5310	40	—	—	—	—	—	—
Heel(s)	5313	310	20	6.5	30	9.7	30	9.7
Toes(s), toenail(s)	532	1,030	280	27.2	170	16.5	200	19.4
Multiple foot (feet) locations	538	320	—	—	—	—	20	6.2
Foot (feet), n.e.c.	539	210	30	14.3	40	19.0	30	14.3
Multiple lower extremities locations	58	2,400	160	6.7	130	5.4	470	19.6
Multiple lower extremities locations, unspecified	580	40	—	—	—	—	20	50.0
Foot (feet) and leg(s)	581	350	—	—	—	—	150	42.9
Foot(feet) and leg(s), unspecified	5810	80	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	230	—	—	—	—	120	52.2
Foot(feet) and leg(s), n.e.c.	5819	40	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	760	30	3.9	50	6.6	50	6.6
Ankle(s) and leg(s)	583	880	100	11.4	50	5.7	110	12.5
Ankle(s) and leg(s), unspecified	5830	150	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	630	70	11.1	40	6.3	80	12.7
Ankle(s) and leg(s), n.e.c.	5839	100	20	20.0	—	—	20	20.0
Multiple lower extremities locations, n.e.c.	589	370	30	8.1	—	—	140	37.8
Body systems	6	5,810	850	14.6	540	9.3	1,570	27.0
Multiple body parts	8	31,130	3,930	12.6	3,280	10.5	5,930	19.0
Multiple body parts, unspecified	80	3,070	400	13.0	760	24.8	470	15.3
Head and neck	81	500	80	16.0	70	14.0	110	22.0
Head, neck, and trunk	82	230	20	8.7	40	17.4	30	13.0
Head and trunk	83	400	30	7.5	40	10.0	50	12.5
Neck and back	84	2,890	510	17.6	190	6.6	400	13.8
Shoulder(s) and back	85	830	40	4.8	50	6.0	120	14.5
Hip(s) and leg(s)	86	410	20	4.9	—	—	40	9.8

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2012² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Wrist(s) and elbow(s)	—	—	—	—	—	—	—	—	11
Wrist(s) and arm(s), n.e.c.	—	—	30	20.0	—	—	40	26.7	18
Shoulder(s) and arm(s)	80	8.2	210	21.4	110	11.2	370	37.8	19
Multiple upper extremities locations, n.e.c.	310	32.3	120	12.5	30	3.1	240	25.0	7
Upper extremities, n.e.c.	—	—	—	—	—	—	30	75.0	52
Lower extremities	5,870	13.3	6,500	14.8	3,200	7.3	12,370	28.1	11
Leg(s)	3,710	14.6	3,680	14.5	1,790	7.1	8,520	33.6	13
Leg(s), unspecified	200	11.3	210	11.9	70	4.0	520	29.4	8
Thigh(s)	230	29.1	90	11.4	100	12.7	110	13.9	8
Knee(s)	3,070	15.1	3,090	15.2	1,450	7.1	6,920	34.0	14
Lower leg(s)	160	8.2	180	9.2	130	6.6	820	41.8	18
Multiple leg locations	50	11.9	70	16.7	50	11.9	150	35.7	20
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	30
Knee(s) and leg(s)	30	9.4	50	15.6	20	6.2	140	43.8	20
Multiple leg locations, n.e.c.	20	28.6	30	42.9	—	—	—	—	19
Leg(s), n.e.c.	—	—	40	36.4	—	—	—	—	3
Ankle(s)	1,060	10.5	1,570	15.5	830	8.2	2,020	19.9	7
Foot (feet)	690	11.4	690	11.4	440	7.2	1,300	21.4	6
Foot (feet), unspecified	440	10.7	410	9.9	180	4.4	1,040	25.2	6
Sole(s)	110	28.9	20	5.3	30	7.9	100	26.3	6
Sole(s), unspecified	—	—	—	—	—	—	—	—	5
Heel(s)	100	32.3	—	—	30	9.7	90	29.0	7
Toes(s), toenail(s)	110	10.7	120	11.7	50	4.9	110	10.7	3
Multiple foot (feet) locations	20	6.2	100	31.2	140	43.8	20	6.2	24
Foot (feet), n.e.c.	20	9.5	30	14.3	40	19.0	30	14.3	8
Multiple lower extremities locations	410	17.1	560	23.3	140	5.8	530	22.1	12
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	6
Foot (feet) and leg(s)	—	—	50	14.3	—	—	100	28.6	7
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—	60	75.0	77
Foot(feet) and knee(s)	—	—	50	21.7	—	—	30	13.0	4
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	7
Foot (feet) and ankle(s)	150	19.7	260	34.2	50	6.6	170	22.4	15
Ankle(s) and leg(s)	160	18.2	210	23.9	60	6.8	190	21.6	12
Ankle(s) and leg(s), unspecified	—	—	100	66.7	—	—	20	13.3	14
Ankle(s) and knee(s)	150	23.8	100	15.9	60	9.5	130	20.6	7
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	30	30.0	3
Multiple lower extremities locations, n.e.c.	70	18.9	40	10.8	20	5.4	60	16.2	6
Body systems	800	13.8	560	9.6	220	3.8	1,270	21.9	5
Multiple body parts	4,030	12.9	3,160	10.2	1,640	5.3	9,150	29.4	9
Multiple body parts, unspecified	220	7.2	230	7.5	110	3.6	870	28.3	5
Head and neck	70	14.0	60	12.0	—	—	100	20.0	4
Head, neck, and trunk	40	17.4	20	8.7	—	—	80	34.8	10
Head and trunk	110	27.5	20	5.0	—	—	150	37.5	10
Neck and back	340	11.8	150	5.2	150	5.2	1,150	39.8	10
Shoulder(s) and back	50	6.0	70	8.4	20	2.4	480	57.8	43
Hip(s) and leg(s)	40	9.8	100	24.4	—	—	190	46.3	18

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Upper and lower limb(s)	87	2,820	230	8.2	490	17.4	560	19.9
Other multiple body parts	89	19,970	2,600	13.0	1,620	8.1	4,150	20.8
Whole body	891	60	—	—	20	33.3	—	—
Multiple body parts, n.e.c.	899	19,910	2,590	13.0	1,600	8.0	4,140	20.8
Nonclassifiable	9999	1,810	410	22.7	200	11.0	460	25.4

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2012² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Upper and lower limb(s)	500	17.7	180	6.4	250	8.9	610	21.6	7
Other multiple body parts	2,660	13.3	2,330	11.7	1,100	5.5	5,520	27.6	9
Whole body	—	—	—	—	—	—	—	—	4
Multiple body parts, n.e.c.	2,660	13.4	2,330	11.7	1,090	5.5	5,510	27.7	9
Nonclassifiable	160	8.8	320	17.7	30	1.7	240	13.3	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.