

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2012²

Part of body	Part of body code ³	Local government ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		181,060	11,470	29,190	37,620	33,200	31,760	27,610	10,200
Head	1	11,330	330	2,010	2,720	2,450	2,120	1,240	470
Head, unspecified	10	1,990	30	410	320	380	500	250	100
Cranial region, including skull	11	2,760	130	560	620	650	440	280	90
Cranial region, unspecified	110	410	-	130	220	20	30	-	-
Brain	111	1,810	90	340	310	480	330	200	60
Scalp	112	380	30	70	80	90	40	50	20
Skull	113	100	-	-	-	50	-	20	-
Cranial region, n.e.c.	119	50	-	-	-	-	40	-	-
Ear(s)	12	190	-	20	20	50	40	50	20
Face	13	6,040	160	980	1,610	1,320	1,130	620	230
Face, unspecified	130	1,230	20	110	260	130	540	80	90
Forehead	131	390	40	20	70	110	50	90	-
Eye(s)	132	2,700	30	410	960	610	370	270	40
Nose, nasal cavity	133	320	-	70	70	50	60	50	-
Nose, except internal location of diseases or disorders	1330	320	-	70	70	50	60	50	-
Cheek(s)	134	60	-	-	20	-	-	-	-
Jaw, chin	135	90	20	-	20	20	20	-	-
Mouth	136	460	-	310	40	30	20	40	-
Lip(s)	1361	320	-	290	-	-	-	-	-
Tooth (teeth)	1363	110	-	20	40	-	20	20	-
Multiple face locations	138	690	20	40	110	330	60	80	50
Face, n.e.c.	139	100	-	-	50	20	-	-	-
Multiple head locations	18	340	20	40	160	40	-	30	40
Neck, including throat	2	2,660	160	530	590	320	450	450	170
Neck, except internal location of diseases or disorders	20	2,620	160	530	540	310	450	450	170
Trunk	3	39,120	2,230	6,970	8,170	7,430	6,130	5,850	2,330
Trunk, unspecified	30	210	20	20	-	20	80	50	-
Chest, including ribs, internal organs	31	2,890	150	300	520	710	510	510	200
Chest, except internal location of diseases or disorders	310	2,290	140	230	400	650	410	370	90
Internal chest location, unspecified	311	100	-	-	-	-	20	-	50
Heart	313	360	-	50	120	-	60	60	50
Lung(s), pleura	315	110	-	-	-	-	20	60	-
Back, including spine, spinal cord	32	29,790	1,850	5,630	6,230	5,200	4,500	4,550	1,830
Back, including spine, spinal cord, unspecified	320	11,780	740	2,270	2,180	2,020	2,220	1,720	620
Thoracic region	321	1,530	50	400	360	280	140	200	110
Lumbar region	322	15,210	950	2,780	3,500	2,680	1,850	2,400	1,050
Sacral region	323	130	-	-	-	20	90	-	-
Coccygeal region	324	220	-	20	50	20	20	80	30
Multiple back regions	328	860	110	170	130	170	180	80	30
Back, including spine, spinal cord, n.e.c.	329	60	-	-	-	-	-	60	-
Abdomen	33	2,440	-	360	410	700	420	420	120

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Abdomen, except internal location of diseases or disorders	330	2,100	—	360	370	540	310	400	120
Internal abdominal location, unspecified	331	250	—	—	—	150	90	—	—
Intestines, peritoneum	335	70	—	—	—	—	—	20	—
Large intestine, colon, rectum	3353	60	—	—	—	—	—	—	—
Pelvic region	34	2,890	100	430	860	680	470	260	90
Pelvic region, unspecified	340	40	—	—	—	—	—	—	—
Hip(s)	341	1,070	—	210	220	290	150	140	40
Pelvis	342	60	—	—	20	—	—	—	—
Buttock(s)	343	300	—	40	20	40	150	20	—
Groin	344	1,320	50	110	550	330	150	80	50
External reproductive tract structures ..	345	30	—	—	—	—	—	—	—
Scrotum	3451	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	60	—	40	—	—	—	—	—
Pelvic region, n.e.c.	349	20	—	—	—	—	—	—	—
Multiple trunk locations	38	860	90	230	150	120	160	70	50
Trunk, n.e.c.	39	40	—	—	—	—	—	—	—
Upper extremities	4	45,190	3,670	7,370	8,280	7,460	8,650	7,000	2,780
Upper extremities, unspecified	40	30	—	—	20	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	14,580	1,420	3,050	2,760	2,420	2,340	1,950	650
Arm(s)	42	8,020	760	1,070	1,740	1,250	1,790	1,070	350
Arm(s), unspecified	420	2,700	500	320	490	430	450	340	160
Upper arm(s)	421	930	20	110	130	140	230	240	60
Elbow(s)	422	2,140	200	310	600	280	270	400	80
Forearm(s)	423	1,390	30	160	380	320	400	50	50
Multiple arm locations	428	740	—	90	120	70	420	20	—
Multiple arm locations, unspecified ..	4280	100	—	—	—	40	—	—	—
Elbow(s) and arm(s)	4281	550	—	30	60	—	420	20	—
Multiple arm locations, n.e.c.	4289	90	—	—	60	20	—	—	—
Arm(s), n.e.c.	429	130	—	70	20	—	—	20	—
Wrist(s)	43	6,490	230	1,130	870	1,150	990	1,400	720
Hand(s)	44	12,940	1,130	1,650	2,340	2,200	2,770	1,990	860
Hand(s), unspecified	440	3,520	380	500	610	570	640	530	280
Hand(s), except finger(s)	441	780	90	110	200	170	110	70	30
Finger(s), fingernail(s)	442	7,500	650	900	1,300	1,350	1,490	1,310	500
Finger(s), fingernail(s), unspecified ..	4420	5,350	320	590	910	1,140	1,110	1,050	220
Fingernail(s), nailbed(s)	4421	120	—	30	50	—	—	—	—
Fingertip(s)	4422	420	—	100	20	90	110	80	—
Finger(s), fingernail(s), n.e.c.	4429	1,610	320	170	320	120	260	170	260
Hand(s) and finger(s)	448	660	—	120	150	80	230	40	30
Hand(s), n.e.c.	449	480	—	—	70	20	310	50	20
Multiple upper extremities locations	48	3,090	130	460	550	430	720	590	200
Multiple upper extremities locations, unspecified	480	80	—	20	—	30	—	30	—
Hand(s) and arms(s)	481	220	20	30	40	40	—	40	50
Hand(s) and arm(s), unspecified	4810	70	—	—	20	30	—	—	—
Hand(s) and elbow(s)	4811	40	—	—	—	—	—	20	—
Hand(s) and arm(s), n.e.c.	4819	110	—	20	—	—	—	—	50

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Hand(s) and wrist(s)	482	580	—	160	120	90	60	120	20
Wrist(s) and arm(s)	483	270	40	20	70	30	50	30	30
Wrist(s) and arm(s), unspecified	4830	80	—	—	20	20	—	—	—
Wrist(s) and elbow(s)	4831	40	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	150	40	—	50	—	30	—	—
Shoulder(s) and arm(s)	484	980	30	130	170	120	220	250	50
Multiple upper extremities locations, n.e.c.	489	960	30	100	150	120	390	130	50
Upper extremities, n.e.c.	49	40	—	—	—	—	30	—	—
Lower extremities	5	44,000	2,070	6,280	9,350	9,400	7,680	6,510	2,710
Leg(s)	51	25,390	1,430	3,500	5,380	5,380	4,860	3,220	1,620
Leg(s), unspecified	510	1,770	50	230	260	400	450	320	40
Thigh(s)	511	790	—	100	190	200	110	80	90
Knee(s)	512	20,360	1,180	2,930	4,350	4,080	4,010	2,550	1,260
Lower leg(s)	513	1,960	150	140	530	500	240	190	210
Multiple leg locations	518	420	40	50	50	140	40	70	20
Multiple leg locations, unspecified ...	5180	20	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	320	—	30	40	140	40	50	20
Multiple leg locations, n.e.c.	5189	70	30	20	—	—	—	—	—
Leg(s), n.e.c.	519	110	—	40	—	50	—	—	—
Ankle(s)	52	10,130	420	1,570	2,080	2,050	1,400	1,820	790
Foot (feet)	53	6,070	220	900	1,290	1,230	1,070	1,140	210
Foot (feet), unspecified	530	4,130	110	620	780	910	780	770	150
Sole(s)	531	380	20	40	90	130	40	30	—
Sole(s), unspecified	5310	40	—	—	—	—	—	—	—
Heel(s)	5313	310	20	40	60	120	30	30	—
Toes(s), toenail(s)	532	1,030	60	180	270	130	150	210	30
Multiple foot (feet) locations	538	320	—	20	80	40	40	130	—
Foot (feet), n.e.c.	539	210	—	30	80	20	50	—	—
Multiple lower extremities locations	58	2,400	—	310	590	740	340	330	80
Multiple lower extremities locations, unspecified	580	40	—	—	—	—	—	20	—
Foot (feet) and leg(s)	581	350	—	40	20	110	140	—	—
Foot(feet) and leg(s), unspecified	5810	80	—	20	—	40	—	—	—
Foot(feet) and knee(s)	5811	230	—	—	—	60	140	—	—
Foot(feet) and leg(s), n.e.c.	5819	40	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	760	—	100	360	150	70	70	—
Ankle(s) and leg(s)	583	880	—	120	190	390	70	80	30
Ankle(s) and leg(s), unspecified	5830	150	—	20	—	100	—	—	—
Ankle(s) and knee(s)	5831	630	—	60	150	280	50	60	30
Ankle(s) and leg(s), n.e.c.	5839	100	—	40	40	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	370	—	40	20	80	60	140	30
Body systems	6	5,810	450	840	1,170	950	1,330	820	250
Multiple body parts	8	31,130	2,250	5,030	6,900	4,800	5,070	5,620	1,450
Multiple body parts, unspecified	80	3,070	100	420	540	550	300	970	180
Head and neck	81	500	20	80	130	100	90	70	20
Head, neck, and trunk	82	230	40	20	80	—	20	40	30

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Head and trunk	83	400	—	60	40	30	40	230	—
Neck and back	84	2,890	110	630	510	390	490	570	190
Shoulder(s) and back	85	830	60	100	110	160	220	150	20
Hip(s) and leg(s)	86	410	50	20	80	130	40	70	—
Upper and lower limb(s)	87	2,820	430	530	460	290	290	730	100
Other multiple body parts	89	19,970	1,430	3,180	4,960	3,150	3,580	2,780	900
Whole body	891	60	—	—	—	—	—	20	—
Multiple body parts, n.e.c.	899	19,910	1,430	3,160	4,950	3,140	3,570	2,760	890

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Nonclassifiable	9999	1,810	310	170	440	400	330	130	40

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.