

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		180,130	73,930	10,610	7,880	6,130	1,750	15,640	1,770	190
Head	1	12,550	80	810	1,790	1,660	130	2,520	110	100
Head, unspecified	10	2,900	70	—	370	370	—	930	—	—
Cranial region, including skull	11	3,600	—	40	260	260	—	300	—	—
Cranial region, unspecified	110	620	—	—	—	—	—	90	—	—
Brain	111	2,380	—	—	—	—	—	—	—	—
Scalp	112	450	—	—	240	240	—	140	—	—
Skull	113	140	—	40	—	—	—	70	—	—
Ear(s)	12	360	—	—	70	70	—	—	—	—
Face	13	5,240	—	750	1,050	930	120	1,050	100	100
Face, unspecified	130	650	—	—	110	110	—	320	60	—
Forehead	131	380	—	—	210	210	—	90	—	—
Eye(s)	132	2,160	—	20	400	340	60	160	30	80
Nose, nasal cavity	133	840	—	590	50	50	—	100	—	—
Nose, except internal location of diseases or disorders	1330	830	—	590	50	50	—	100	—	—
Cheek(s)	134	80	—	—	—	—	—	30	—	—
Jaw, chin	135	260	—	—	80	80	—	120	—	—
Mouth	136	250	—	100	60	60	—	—	—	—
Mouth, unspecified	1360	20	—	—	—	—	—	—	—	—
Lip(s)	1361	80	—	—	60	60	—	—	—	—
Tooth (teeth)	1363	110	—	90	—	—	—	—	—	—
Multiple mouth locations	1368	50	—	—	—	—	—	—	—	—
Multiple face locations	138	510	—	—	70	70	—	210	—	20
Face, n.e.c.	139	100	—	—	70	—	—	—	—	—
Multiple head locations	18	440	—	—	20	20	—	220	—	—
Neck, including throat	2	3,460	2,050	20	—	—	—	20	40	—
Neck, except internal location of diseases or disorders ...	20	3,460	2,050	20	—	—	—	20	40	—
Trunk	3	40,720	24,880	1,150	60	30	30	2,040	300	—
Trunk, unspecified	30	90	30	—	—	—	—	30	—	—
Chest, including ribs, internal organs	31	3,040	360	550	—	—	—	700	—	—
Chest, except internal location of diseases or disorders	310	2,290	360	550	—	—	—	700	—	—
Internal chest location, unspecified	311	150	—	—	—	—	—	—	—	—
Heart	313	490	—	—	—	—	—	—	—	—
Lung(s), pleura	315	110	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	31,570	22,260	280	—	—	—	680	—	—
Back, including spine, spinal cord, unspecified	320	12,270	8,390	50	—	—	—	420	—	—
Thoracic region	321	1,420	1,000	20	—	—	—	—	—	—
Lumbar region	322	16,820	12,270	140	—	—	—	120	—	—
Sacral region	323	90	70	—	—	—	—	—	—	—
Coccygeal region	324	230	—	50	—	—	—	100	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013 — Continued

Part of body	Nature of injury or illness ⁴							Soreness, pain	All other natures ⁵
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Total	280	830	150	6,220	900	2,900	35,280	27,330	
Head	-	-	-	230	70	-	1,850	5,060	
Head, unspecified	-	-	-	40	-	-	1,190	290	
Cranial region, including skull	-	-	-	60	-	-	120	2,810	
Cranial region, unspecified	-	-	-	-	-	-	80	440	
Brain	-	-	-	-	-	-	-	2,320	
Scalp	-	-	-	-	-	-	-	40	
Skull	-	-	-	-	-	-	20	-	
Ear(s)	-	-	-	-	-	-	-	260	
Face	-	-	-	70	20	-	460	1,660	
Face, unspecified	-	-	-	-	-	-	50	90	
Forehead	-	-	-	-	-	-	30	40	
Eye(s)	-	-	-	-	-	-	170	1,280	
Nose, nasal cavity	-	-	-	-	-	-	40	50	
Nose, except internal location of diseases or disorders	-	-	-	-	-	-	40	40	
Cheek(s)	-	-	-	-	-	-	-	50	
Jaw, chin	-	-	-	-	-	-	-	40	
Mouth	-	-	-	20	-	-	20	40	
Mouth, unspecified	-	-	-	-	-	-	-	-	
Lip(s)	-	-	-	-	-	-	-	-	
Tooth (teeth)	-	-	-	-	-	-	-	-	
Multiple mouth locations	-	-	-	-	-	-	-	20	
Multiple face locations	-	-	-	20	-	-	140	40	
Face, n.e.c.	-	-	-	-	-	-	-	20	
Multiple head locations	-	-	-	70	50	-	70	40	
Neck, including throat	-	-	-	40	-	20	550	710	
Neck, except internal location of diseases or disorders ...	-	-	-	40	-	20	550	710	
Trunk	-	-	-	480	140	260	8,550	3,260	
Trunk, unspecified	-	-	-	-	-	-	-	-	
Chest, including ribs, internal organs	-	-	-	20	-	-	360	1,030	
Chest, except internal location of diseases or disorders	-	-	-	20	-	-	360	280	
Internal chest location, unspecified	-	-	-	-	-	-	-	150	
Heart	-	-	-	-	-	-	-	490	
Lung(s), pleura	-	-	-	-	-	-	-	110	
Back, including spine, spinal cord	-	-	-	400	130	190	6,670	1,270	
Back, including spine, spinal cord, unspecified	-	-	-	140	-	100	2,980	280	
Thoracic region	-	-	-	20	-	-	280	90	
Lumbar region	-	-	-	210	-	80	3,210	860	
Sacral region	-	-	-	-	-	-	-	-	
Coccygeal region	-	-	-	-	-	-	60	-	

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Multiple back regions	328	730	520	—	—	—	—	20	—	—
Abdomen	33	1,640	290	—	20	20	—	30	—	—
Abdomen, except internal location of diseases or disorders	330	1,560	290	—	20	20	—	30	—	—
Internal abdominal location, unspecified	331	50	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	30	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	20	—	—	—	—	—	—	—	—
Pelvic region	34	3,090	1,480	320	20	—	—	440	—	—
Hip(s)	341	1,630	780	290	—	—	—	300	—	—
Pelvis	342	340	—	30	—	—	—	—	—	—
Buttock(s)	343	180	20	—	—	—	—	100	—	—
Groin	344	810	650	—	—	—	—	—	—	—
External reproductive tract structures	345	50	—	—	—	—	—	30	—	—
Scrotum	3451	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	349	30	20	—	—	—	—	—	—	—
Multiple trunk locations	38	1,280	460	—	—	—	—	160	—	—
Upper extremities	4	42,990	16,140	4,400	4,680	3,680	1,010	3,180	890	40
Upper extremities, unspecified	40	90	20	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	13,380	8,610	250	—	—	—	620	—	—
Arm(s)	42	6,660	2,230	860	740	270	470	740	400	20
Arm(s), unspecified	420	1,790	540	320	110	70	40	180	80	—
Upper arm(s)	421	1,360	780	70	340	50	290	60	30	—
Elbow(s)	422	2,130	650	340	60	30	—	350	—	—
Forearm(s)	423	1,200	200	110	220	110	110	130	280	—
Multiple arm locations	428	110	40	—	—	—	—	30	—	—
Elbow(s) and arm(s)	4281	50	20	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	60	—	—	—	—	—	—	—	—
Arm(s), n.e.c.	429	70	40	—	—	—	—	—	—	—
Wrist(s)	43	5,510	1,740	1,440	150	120	30	150	70	—
Hand(s)	44	13,110	1,560	1,730	3,660	3,190	470	1,440	360	20
Hand(s), unspecified	440	3,560	460	270	630	530	110	400	180	20
Hand(s), except finger(s)	441	850	120	60	260	220	40	40	20	—
Finger(s), fingernail(s)	442	8,200	920	1,390	2,660	2,370	290	950	130	—
Finger(s), fingernail(s), unspecified	4420	6,490	700	1,170	2,220	1,960	260	790	110	—
Fingernail(s), nailbed(s)	4421	130	—	—	30	30	—	—	—	—
Fingertip(s)	4422	460	60	20	80	70	—	40	—	—
Finger(s), fingernail(s), n.e.c.	4429	1,120	160	210	330	310	20	110	—	—
Hand(s) and finger(s)	448	390	60	—	40	30	—	40	20	—
Hand(s), n.e.c.	449	120	—	—	60	40	20	—	20	—
Multiple upper extremities locations	48	4,220	1,970	130	130	90	30	230	60	—
Multiple upper extremities locations, unspecified	480	40	20	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	270	30	—	60	60	—	—	—	—
Hand(s) and arm(s), unspecified	4810	110	—	—	50	50	—	—	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013 — Continued

Part of body	Nature of injury or illness ⁴							All other natures ⁵
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Multiple back regions	—	—	—	20	—	—	130	20
Abdomen	—	—	—	—	—	—	400	880
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	400	810
Internal abdominal location, unspecified	—	—	—	—	—	—	—	50
Intestines, peritoneum	—	—	—	—	—	—	—	30
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	20
Pelvic region	—	—	—	—	—	—	500	50
Hip(s)	—	—	—	—	—	—	230	20
Pelvis	—	—	—	—	—	—	30	—
Buttock(s)	—	—	—	—	—	—	50	—
Groin	—	—	—	—	—	—	150	—
External reproductive tract structures	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	20	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	—	60	—	50	600	—
Upper extremities	280	830	90	810	130	390	7,110	4,530
Upper extremities, unspecified	—	—	—	—	—	—	—	50
Shoulder(s), including clavicle(s), scapula(e)	—	—	20	70	—	50	2,990	820
Arm(s)	—	—	40	100	—	40	740	810
Arm(s), unspecified	—	—	—	40	—	—	290	220
Upper arm(s)	—	—	—	—	—	—	60	20
Elbow(s)	—	—	30	30	—	20	290	370
Forearm(s)	—	—	—	—	—	—	60	180
Multiple arm locations	—	—	—	—	—	—	20	—
Elbow(s) and arm(s)	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	—	—	—	—	—	—	—	—
Arm(s), n.e.c.	—	—	—	—	—	—	—	—
Wrist(s)	—	830	—	20	—	—	900	200
Hand(s)	280	—	20	390	40	210	1,320	2,330
Hand(s), unspecified	—	—	—	240	—	200	540	800
Hand(s), except finger(s)	—	—	—	—	—	—	40	310
Finger(s), fingernail(s)	280	—	—	120	20	—	630	1,120
Finger(s), fingernail(s), unspecified	50	—	—	100	—	—	580	760
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	60
Fingertip(s)	170	—	—	—	—	—	—	90
Finger(s), fingernail(s), n.e.c.	40	—	—	20	—	—	50	200
Hand(s) and finger(s)	—	—	—	30	20	—	90	90
Hand(s), n.e.c.	—	—	—	—	—	—	20	—
Multiple upper extremities locations	—	—	—	230	80	80	1,160	310
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	—	—	—	20	—	—	40	70
Hand(s) and arm(s), unspecified	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴								
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns	
					Total	Cuts, lacerations	Punctures				
Hand(s) and elbow(s)	4811	60	20	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	100	—	—	—	—	—	—	—	—	—
Hand(s) and wrist(s)	482	880	330	60	—	—	—	70	20	—	—
Wrist(s) and arm(s)	483	530	110	—	40	20	—	60	30	—	—
Wrist(s) and arm(s), unspecified	4830	140	50	—	30	20	—	—	—	—	—
Wrist(s) and elbow(s)	4831	220	20	—	—	—	—	40	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	170	50	—	—	—	—	—	—	—	—
Shoulder(s) and arm(s)	484	1,100	590	20	—	—	—	40	—	—	—
Multiple upper extremities locations, n.e.c.	489	1,400	880	30	—	—	—	50	—	—	—
Upper extremities, n.e.c.	49	20	—	—	—	—	—	—	—	—	—
Lower extremities	5	45,690	23,650	3,800	1,120	650	470	4,600	190	30	—
Lower extremities, unspecified	50	60	20	—	—	—	—	20	—	—	—
Leg(s)	51	25,350	12,530	1,070	640	430	210	3,080	70	20	—
Leg(s), unspecified	510	1,670	340	180	270	210	60	250	30	—	—
Thigh(s)	511	1,260	850	70	90	30	60	70	20	—	—
Knee(s)	512	19,570	9,750	680	150	140	20	2,480	—	—	—
Lower leg(s)	513	1,860	900	140	130	60	70	240	20	—	—
Multiple leg locations	518	960	680	—	—	—	—	40	—	—	—
Multiple leg locations, unspecified	5180	90	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	800	670	—	—	—	—	30	—	—	—
Multiple leg locations, n.e.c.	5189	70	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	30	20	—	—	—	—	—	—	—	—
Ankle(s)	52	10,650	7,920	1,160	20	—	—	180	—	—	—
Foot (feet)	53	7,240	1,810	1,510	430	200	220	1,230	100	20	—
Foot (feet), unspecified	530	4,490	1,180	1,130	190	40	150	620	80	20	—
Sole(s)	531	460	110	—	80	20	70	60	—	—	—
Sole(s), unspecified	5310	100	—	—	70	—	70	—	—	—	—
Arch(es), instep(s)	5312	40	—	—	—	—	—	—	—	—	—
Heel(s)	5313	320	100	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	532	1,810	310	290	150	140	—	490	—	—	—
Multiple foot (feet) locations	538	340	210	—	—	—	—	50	—	—	—
Foot (feet), n.e.c.	539	130	—	80	—	—	—	—	—	—	—
Multiple lower extremities locations	58	2,390	1,370	60	30	—	30	90	30	—	—
Multiple lower extremities locations, unspecified	580	100	50	—	—	—	—	—	—	—	—
Foot (feet) and leg(s)	581	290	130	—	—	—	—	30	20	—	—
Foot(feet) and leg(s), unspecified	5810	60	20	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	130	110	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	90	—	—	—	—	—	20	—	—	—
Foot (feet) and ankle(s)	582	600	290	30	—	—	—	—	—	—	—
Ankle(s) and leg(s)	583	850	540	20	—	—	—	—	—	—	—
Ankle(s) and leg(s), unspecified	5830	40	—	—	—	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	720	520	—	—	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	90	20	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	560	350	—	30	—	30	40	—	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013 — Continued

Part of body	Nature of injury or illness ⁴							All other natures ⁵
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Hand(s) and elbow(s)	-	-	-	-	-	-	-	20
Hand(s) and arm(s), n.e.c.	-	-	-	-	-	-	20	30
Hand(s) and wrist(s)	-	-	-	50	-	40	190	130
Wrist(s) and arm(s)	-	-	-	20	-	20	210	50
Wrist(s) and arm(s), unspecified	-	-	-	20	-	20	-	-
Wrist(s) and elbow(s)	-	-	-	-	-	-	150	-
Wrist(s) and arm(s), n.e.c.	-	-	-	-	-	-	50	30
Shoulder(s) and arm(s)	-	-	-	30	20	-	410	-
Multiple upper extremities locations, n.e.c.	-	-	-	100	60	-	290	40
Upper extremities, n.e.c.	-	-	-	-	-	-	-	-
Lower extremities	-	-	60	850	180	420	7,490	3,880
Lower extremities, unspecified	-	-	-	-	-	-	-	-
Leg(s)	-	-	-	450	50	210	4,930	2,550
Leg(s), unspecified	-	-	-	30	-	20	370	200
Thigh(s)	-	-	-	20	-	20	100	40
Knee(s)	-	-	-	270	50	160	4,100	2,130
Lower leg(s)	-	-	-	100	-	-	180	160
Multiple leg locations	-	-	-	30	-	-	180	30
Multiple leg locations, unspecified	-	-	-	-	-	-	80	-
Knee(s) and leg(s)	-	-	-	-	-	-	70	20
Multiple leg locations, n.e.c.	-	-	-	-	-	-	30	-
Leg(s), n.e.c.	-	-	-	-	-	-	-	-
Ankle(s)	-	-	20	110	30	80	980	270
Foot (feet)	-	-	40	80	30	-	1,030	1,000
Foot (feet), unspecified	-	-	-	40	-	-	740	480
Sole(s)	-	-	30	-	-	-	80	90
Sole(s), unspecified	-	-	-	-	-	-	-	-
Arch(es), instep(s)	-	-	-	-	-	-	-	-
Heel(s)	-	-	30	-	-	-	80	80
Toes(s), toenail(s)	-	-	-	40	20	-	170	370
Multiple foot (feet) locations	-	-	-	-	-	-	20	40
Foot (feet), n.e.c.	-	-	-	-	-	-	20	-
Multiple lower extremities locations	-	-	-	210	70	120	550	60
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	40	-
Foot (feet) and leg(s)	-	-	-	50	-	-	60	-
Foot(feet) and leg(s), unspecified	-	-	-	-	-	-	40	-
Foot(feet) and knee(s)	-	-	-	-	-	-	20	-
Foot(feet) and leg(s), n.e.c.	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s)	-	-	-	-	-	-	240	20
Ankle(s) and leg(s)	-	-	-	120	-	110	140	20
Ankle(s) and leg(s), unspecified	-	-	-	-	-	-	20	-
Ankle(s) and knee(s)	-	-	-	100	-	90	90	-
Ankle(s) and leg(s), n.e.c.	-	-	-	20	-	-	20	-
Multiple lower extremities locations, n.e.c.	-	-	-	30	-	-	70	20

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Body systems	6	5,130	—	—	—	—	—	—	—	—
Multiple body parts	8	27,370	6,980	410	140	110	30	3,050	220	—
Multiple body parts, unspecified	80	2,910	570	40	—	—	—	450	—	—
Head and neck	81	520	20	—	—	—	—	60	30	—
Head, neck, and trunk	82	500	—	—	—	—	—	—	—	—
Head and trunk	83	200	—	—	—	—	—	80	—	—
Neck and back	84	1,670	910	—	—	—	—	30	—	—
Shoulder(s) and back	85	710	500	—	—	—	—	40	—	—
Hip(s) and leg(s)	86	240	80	—	—	—	—	20	—	—
Upper and lower limb(s)	87	2,720	710	50	20	—	—	510	—	—
Other multiple body parts	89	17,900	4,180	320	100	90	—	1,870	190	—
Whole body	891	150	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	17,750	4,180	320	100	90	—	1,870	190	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013 — Continued

Part of body	Nature of injury or illness ⁴							Sore-ness, pain	All other natures ⁵
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Body systems	-	-	-	-	-	-	20	5,110	
Multiple body parts	-	-	-	3,800	380	1,800	9,620	3,130	
Multiple body parts, unspecified	-	-	-	430	20	220	1,060	340	
Head and neck	-	-	-	150	-	120	180	90	
Head, neck, and trunk	-	-	-	30	-	20	460	-	
Head and trunk	-	-	-	40	-	20	60	-	
Neck and back	-	-	-	-	-	-	600	110	
Shoulder(s) and back	-	-	-	-	-	-	140	-	
Hip(s) and leg(s)	-	-	-	30	-	30	70	30	
Upper and lower limb(s)	-	-	-	380	20	190	820	230	
Other multiple body parts	-	-	-	2,700	340	1,160	6,240	2,300	
Whole body	-	-	-	-	-	-	60	80	
Multiple body parts, n.e.c.	-	-	-	2,690	340	1,160	6,190	2,210	

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Nonclassifiable	9999	2,220	140	—	70	—	70	230	20	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2013 — Continued

Part of body	Nature of injury or illness ⁴							
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	All other natures ⁵
				Total	With fractures and other injuries	With sprains and other injuries		
Nonclassifiable	—	—	—	—	—	—	80	1,650

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.