

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total		180,130	27,130	15,120	8,630	2,010	51,160	7,570	33,380	9,180
Head	1	12,550	5,050	3,110	1,490	–	3,150	410	2,580	160
Head, unspecified	10	2,900	1,490	760	730	–	880	140	590	150
Cranial region, including skull	11	3,600	1,290	870	420	–	1,350	210	1,140	–
Cranial region, unspecified	110	620	150	120	30	–	130	–	120	–
Brain	111	2,380	820	600	210	–	1,060	170	890	–
Scalp	112	450	270	110	160	–	100	–	90	–
Skull	113	140	50	30	–	–	50	20	30	–
Ear(s)	12	360	100	30	60	–	–	–	–	–
Face	13	5,240	2,140	1,430	260	–	720	60	660	–
Face, unspecified	130	650	240	240	–	–	160	–	160	–
Forehead	131	380	170	80	80	–	120	–	120	–
Eye(s)	132	2,160	1,220	670	110	–	50	–	40	–
Nose, nasal cavity	133	840	200	140	60	–	110	–	100	–
Nose, except internal location of diseases or disorders	1330	830	200	140	60	–	110	–	100	–
Cheek(s)	134	80	–	–	–	–	–	–	–	–
Jaw, chin	135	260	170	170	–	–	70	–	70	–
Mouth	136	250	100	100	–	–	90	–	90	–
Mouth, unspecified	1360	20	–	–	–	–	–	–	–	–
Lip(s)	1361	80	30	30	–	–	40	–	40	–
Tooth (teeth)	1363	110	60	50	–	–	30	–	20	–
Multiple mouth locations	1368	50	–	–	–	–	30	–	30	–
Multiple face locations	138	510	30	30	–	–	110	–	70	–
Face, n.e.c.	139	100	–	–	–	–	–	–	–	–
Multiple head locations	18	440	40	20	20	–	190	–	180	–
Neck, including throat	2	3,460	400	160	240	–	390	70	230	100
Neck, except internal location of diseases or disorders ...	20	3,460	400	160	240	–	390	70	230	100
Trunk	3	40,720	1,030	520	230	30	8,200	1,580	5,360	1,160
Trunk, unspecified	30	90	–	–	–	–	50	–	50	–
Chest, including ribs, internal organs	31	3,040	250	90	140	–	770	120	630	–
Chest, except internal location of diseases or disorders	310	2,290	250	90	140	–	760	120	630	–
Internal chest location, unspecified	311	150	–	–	–	–	–	–	–	–
Heart	313	490	–	–	–	–	20	–	–	–
Lung(s), pleura	315	110	–	–	–	–	–	–	–	–
Back, including spine, spinal cord	32	31,570	570	270	30	–	5,640	1,040	3,650	870
Back, including spine, spinal cord, unspecified	320	12,270	260	160	–	–	2,080	380	1,450	230
Thoracic region	321	1,420	–	–	–	–	360	40	310	–
Lumbar region	322	16,820	280	100	–	–	2,850	590	1,620	600
Sacral region	323	90	–	–	–	–	–	–	–	–

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total	58,270	16,680	3,430	8,070	10,970	9,350	270	22,780	8,500	12,290	1,880	1,490
Head	140	—	—	890	800	700	30	2,450	1,660	610	180	40
Head, unspecified	60	—	—	—	110	40	—	350	190	160	—	—
Cranial region, including skull	50	—	—	—	470	440	—	420	240	140	—	30
Cranial region, unspecified	40	—	—	—	290	290	—	20	—	—	—	—
Brain	—	—	—	—	140	120	—	320	190	130	—	30
Scalp	—	—	—	—	20	—	—	60	20	—	—	—
Skull	—	—	—	—	30	30	—	—	—	—	—	—
Ear(s)	—	—	—	210	—	—	20	—	—	—	—	—
Face	30	—	—	650	210	200	—	1,480	1,060	270	140	—
Face, unspecified	—	—	—	70	—	—	—	160	150	—	—	—
Forehead	—	—	—	—	30	30	—	40	30	—	—	—
Eye(s)	20	—	—	490	140	130	—	250	100	120	30	—
Nose, nasal cavity	—	—	—	30	30	30	—	470	440	30	—	—
Nose, except internal location of diseases or disorders	—	—	—	30	30	30	—	470	440	30	—	—
Cheek(s)	—	—	—	—	—	—	—	80	40	—	—	—
Jaw, chin	—	—	—	—	—	—	—	20	—	20	—	—
Mouth	—	—	—	—	—	—	—	50	30	20	—	—
Mouth, unspecified	—	—	—	—	—	—	—	20	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	20	—	—	—	—
Tooth (teeth)	—	—	—	—	—	—	—	20	—	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	40	—	—	—	330	250	80	—	—
Face, n.e.c.	—	—	—	—	—	—	—	80	—	—	70	—
Multiple head locations	—	—	—	20	—	—	—	200	160	30	—	—
Neck, including throat	1,110	250	180	40	1,010	960	40	460	230	80	130	—
Neck, except internal location of diseases or disorders ...	1,110	250	180	40	1,010	960	40	460	230	80	130	—
Trunk	25,470	10,400	250	650	2,290	1,950	—	2,960	1,190	1,590	160	110
Trunk, unspecified	—	—	—	—	—	—	—	20	—	—	—	—
Chest, including ribs, internal organs	1,110	140	—	320	230	220	—	340	180	150	—	—
Chest, except internal location of diseases or disorders	570	140	—	130	230	220	—	340	180	150	—	—
Internal chest location, unspecified	140	—	—	—	—	—	—	—	—	—	—	—
Heart	400	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura	—	—	—	110	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	21,290	8,930	210	—	1,890	1,670	—	2,090	840	1,150	100	90
Back, including spine, spinal cord, unspecified	8,340	3,410	90	—	720	650	—	830	190	640	—	40
Thoracic region	850	400	—	—	70	40	—	130	40	20	—	—
Lumbar region	11,550	4,940	130	—	1,070	950	—	1,030	590	420	30	40
Sacral region	30	—	—	—	—	—	—	50	—	40	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Coccygeal region	324	230	—	—	—	—	190	—	190	—
Multiple back regions	328	730	—	—	—	—	150	30	80	30
Abdomen	33	1,640	60	50	—	—	30	—	20	—
Abdomen, except internal location of diseases or disorders	330	1,560	60	50	—	—	30	—	20	—
Internal abdominal location, unspecified	331	50	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	30	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	20	—	—	—	—	—	—	—	—
Pelvic region	34	3,090	70	40	30	—	1,090	100	830	140
Hip(s)	341	1,630	50	30	—	—	720	50	640	20
Pelvis	342	340	—	—	—	—	40	—	40	—
Buttock(s)	343	180	—	—	—	—	130	—	120	—
Groin	344	810	—	—	—	—	150	20	—	120
External reproductive tract structures	345	50	—	—	—	—	—	—	—	—
Scrotum	3451	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	20	—	—	—
Pelvic region, n.e.c.	349	30	—	—	—	—	—	—	—	—
Multiple trunk locations	38	1,280	90	60	30	—	620	330	170	120
Upper extremities	4	42,990	10,210	5,420	2,900	1,590	7,170	770	5,450	750
Upper extremities, unspecified	40	90	20	20	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	13,380	700	330	260	50	2,420	330	1,510	560
Arm(s)	42	6,660	1,050	500	500	30	1,360	200	1,120	50
Arm(s), unspecified	420	1,790	260	140	100	—	370	50	300	—
Upper arm(s)	421	1,360	150	90	60	—	140	30	90	20
Elbow(s)	422	2,130	420	170	230	—	590	40	530	—
Forearm(s)	423	1,200	210	100	110	—	200	50	160	—
Multiple arm locations	428	110	—	—	—	—	50	30	30	—
Elbow(s) and arm(s)	4281	50	—	—	—	—	20	—	—	—
Multiple arm locations, n.e.c.	4289	60	—	—	—	—	30	—	—	—
Arm(s), n.e.c.	429	70	—	—	—	—	20	—	—	—
Wrist(s)	43	5,510	500	280	110	80	1,650	100	1,330	40
Hand(s)	44	13,110	7,720	4,170	1,980	1,410	840	90	710	40
Hand(s), unspecified	440	3,560	1,490	560	590	290	310	70	220	30
Hand(s), except finger(s)	441	850	290	210	70	—	60	—	60	—
Finger(s), fingernail(s)	442	8,200	5,690	3,230	1,310	1,060	430	20	400	20
Finger(s), fingernail(s), unspecified	4420	6,490	4,490	2,510	1,080	810	310	—	300	—
Fingernail(s), nailbed(s)	4421	130	110	70	—	30	—	—	—	—
Fingertip(s)	4422	460	360	210	70	80	40	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	1,120	730	430	150	140	80	—	60	—
Hand(s) and finger(s)	448	390	180	120	—	50	40	—	30	—
Hand(s), n.e.c.	449	120	70	60	—	—	—	—	—	—
Multiple upper extremities locations	48	4,220	220	120	50	30	890	50	780	60
Multiple upper extremities locations, unspecified	480	40	—	—	—	—	20	—	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Coccygeal region	30	-	-	-	-	-	-	-	-	-	-	-
Multiple back regions	490	170	-	-	30	20	-	50	20	30	-	-
Abdomen	1,430	660	-	40	-	-	-	90	30	60	-	-
Abdomen, except internal location of diseases or disorders	1,380	660	-	-	-	-	-	90	30	60	-	-
Internal abdominal location, unspecified	50	-	-	-	-	-	-	-	-	-	-	-
Intestines, peritoneum	-	-	-	30	-	-	-	-	-	-	-	-
Intestines, peritoneum, unspecified	-	-	-	20	-	-	-	-	-	-	-	-
Pelvic region	1,150	510	20	280	130	30	-	360	130	190	30	-
Hip(s)	520	100	-	-	100	20	-	240	70	160	-	-
Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
Buttock(s)	20	-	-	-	-	-	-	-	-	-	-	-
Groin	570	390	-	-	-	-	-	70	50	20	-	-
External reproductive tract structures	-	-	-	-	-	-	-	30	-	-	-	-
Scrotum	-	-	-	-	-	-	-	-	-	-	-	-
Multiple pelvic region locations	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic region, n.e.c.	20	20	-	-	-	-	-	-	-	-	-	-
Multiple trunk locations	470	150	-	-	40	20	-	50	20	30	-	-
Upper extremities	14,730	4,630	2,480	1,400	1,190	900	-	7,960	2,430	4,850	660	310
Upper extremities, unspecified	50	-	40	-	-	-	-	-	-	-	-	-
Shoulder(s), including clavicle(s), scapula(e)	7,430	3,300	160	-	740	570	-	1,820	340	1,460	20	270
Arm(s)	2,240	560	330	530	140	80	-	1,330	580	420	330	-
Arm(s), unspecified	600	100	40	140	60	-	-	350	70	150	130	-
Upper arm(s)	640	260	20	30	-	-	-	400	320	70	-	-
Elbow(s)	720	150	170	50	50	50	-	300	100	150	50	-
Forearm(s)	210	30	90	300	20	-	-	250	70	30	140	-
Multiple arm locations	40	20	-	-	-	-	-	20	-	-	-	-
Elbow(s) and arm(s)	20	-	-	-	-	-	-	-	-	-	-	-
Multiple arm locations, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Arm(s), n.e.c.	30	-	-	-	-	-	-	-	-	-	-	-
Wrist(s)	2,130	270	1,140	80	100	80	-	1,050	270	760	20	-
Hand(s)	1,190	310	440	690	120	90	-	2,510	920	1,330	250	40
Hand(s), unspecified	690	210	290	370	50	40	-	630	80	440	110	20
Hand(s), except finger(s)	30	-	-	30	-	-	-	430	20	380	30	-
Finger(s), fingernail(s)	380	80	90	240	70	40	-	1,370	800	490	90	20
Finger(s), fingernail(s), unspecified	310	50	70	110	60	30	-	1,190	730	380	80	-
Fingernail(s), nailbed(s)	20	-	-	-	-	-	-	-	-	-	-	-
Fingertip(s)	20	-	-	30	-	-	-	-	-	-	-	-
Finger(s), fingernail(s), n.e.c.	40	20	-	90	-	-	-	170	70	100	-	-
Hand(s) and finger(s)	90	-	60	20	-	-	-	60	30	20	-	-
Hand(s), n.e.c.	-	-	-	20	-	-	-	20	-	-	20	-
Multiple upper extremities locations	1,690	190	370	90	80	80	-	1,250	320	870	50	-
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Hand(s) and arms(s)	481	270	30	-	-	-	20	-	-	-
Hand(s) and arm(s), unspecified	4810	110	-	-	-	-	-	-	-	-
Hand(s) and elbow(s)	4811	60	-	-	-	-	-	-	-	-
Hand(s) and arm(s), n.e.c.	4819	100	20	-	-	-	-	-	-	-
Hand(s) and wrist(s)	482	880	50	20	-	20	170	-	170	-
Wrist(s) and arm(s)	483	530	70	50	20	-	140	-	130	-
Wrist(s) and arm(s), unspecified	4830	140	30	-	-	-	30	-	30	-
Wrist(s) and elbow(s)	4831	220	-	-	-	-	70	-	70	-
Wrist(s) and arm(s), n.e.c.	4839	170	40	40	-	-	40	-	40	-
Shoulder(s) and arm(s)	484	1,100	30	20	-	-	190	-	150	20
Multiple upper extremities locations, n.e.c.	489	1,400	40	20	20	-	360	20	300	40
Upper extremities, n.e.c.	49	20	-	-	-	-	-	-	-	-
Lower extremities	5	45,690	7,800	3,930	3,330	360	20,570	3,480	10,030	6,490
Lower extremities, unspecified	50	60	20	-	20	-	-	-	-	-
Leg(s)	51	25,350	2,920	1,080	1,570	180	10,900	1,780	6,140	2,590
Leg(s), unspecified	510	1,670	350	120	220	-	540	100	410	30
Thigh(s)	511	1,260	80	60	20	-	430	20	220	190
Knee(s)	512	19,570	2,000	550	1,220	150	8,870	1,510	4,680	2,320
Lower leg(s)	513	1,860	330	210	100	20	420	80	270	40
Multiple leg locations	518	960	140	120	20	-	640	70	550	-
Multiple leg locations, unspecified	5180	90	-	-	-	-	-	-	-	-
Knee(s) and leg(s)	5181	800	120	120	-	-	590	60	520	-
Multiple leg locations, n.e.c.	5189	70	-	-	-	-	30	-	20	-
Leg(s), n.e.c.	519	30	-	-	-	-	-	-	-	-
Ankle(s)	52	10,650	860	240	500	80	6,340	1,310	2,250	2,680
Foot (feet)	53	7,240	3,780	2,500	1,130	90	1,690	170	1,010	440
Foot (feet), unspecified	530	4,490	1,930	1,340	520	30	1,200	80	760	340
Sole(s)	531	460	210	80	130	-	160	30	40	40
Sole(s), unspecified	5310	100	80	-	80	-	-	-	-	-
Arch(es), instep(s)	5312	40	-	-	-	-	-	-	-	-
Heel(s)	5313	320	130	80	50	-	130	30	-	40
Toes(s), toenail(s)	532	1,810	1,280	950	290	20	280	60	180	40
Multiple foot (feet) locations	538	340	300	70	190	-	20	-	-	-
Foot (feet), n.e.c.	539	130	50	50	-	-	20	-	20	-
Multiple lower extremities locations	58	2,390	220	110	100	-	1,630	220	630	780
Multiple lower extremities locations, unspecified	580	100	-	-	-	-	20	-	20	-
Foot (feet) and leg(s)	581	290	90	60	40	-	160	-	130	30
Foot(feet) and leg(s), unspecified	5810	60	30	-	-	-	20	-	20	-
Foot(feet) and knee(s)	5811	130	40	-	-	-	90	-	60	30
Foot(feet) and leg(s), n.e.c.	5819	90	20	20	-	-	50	-	50	-
Foot (feet) and ankle(s)	582	600	60	20	40	-	290	70	90	130
Ankle(s) and leg(s)	583	850	30	-	-	-	700	130	240	330
Ankle(s) and leg(s), unspecified	5830	40	-	-	-	-	20	-	-	-

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Hand(s) and arms(s)	90	-	30	30	-	-	-	100	80	20	-	-
Hand(s) and arm(s), unspecified	-	-	-	20	-	-	-	70	60	-	-	-
Hand(s) and elbow(s)	30	-	20	-	-	-	-	-	-	-	-	-
Hand(s) and arm(s), n.e.c.	50	-	-	-	-	-	-	20	-	-	-	-
Hand(s) and wrist(s)	350	20	140	30	-	-	-	280	60	200	20	-
Wrist(s) and arm(s)	120	-	30	30	-	-	-	160	30	120	-	-
Wrist(s) and arm(s), unspecified	50	-	20	-	-	-	-	20	-	-	-	-
Wrist(s) and elbow(s)	30	-	-	-	-	-	-	120	-	120	-	-
Wrist(s) and arm(s), n.e.c.	50	-	-	-	-	-	-	30	-	-	-	-
Shoulder(s) and arm(s)	620	160	90	-	40	40	-	220	90	120	-	-
Multiple upper extremities locations, n.e.c.	500	-	70	-	30	30	-	470	50	410	-	-
Upper extremities, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Lower extremities	12,130	420	210	360	730	450	30	3,960	820	2,810	330	110
Lower extremities, unspecified	20	-	-	-	-	-	-	-	-	-	-	-
Leg(s)	8,020	370	100	150	480	350	30	2,780	620	1,890	250	70
Leg(s), unspecified	260	30	-	20	210	130	20	250	70	120	60	-
Thigh(s)	550	-	-	20	-	-	-	170	50	40	80	-
Knee(s)	6,250	270	80	-	230	190	-	2,150	430	1,680	50	60
Lower leg(s)	790	70	-	110	30	20	-	180	60	50	60	-
Multiple leg locations	160	-	-	-	-	-	-	-	-	-	-	-
Multiple leg locations, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Knee(s) and leg(s)	60	-	-	-	-	-	-	-	-	-	-	-
Multiple leg locations, n.e.c.	20	-	-	-	-	-	-	-	-	-	-	-
Leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Ankle(s)	2,730	-	90	-	120	50	-	570	70	460	30	40
Foot (feet)	1,100	40	20	180	100	40	-	390	90	280	-	-
Foot (feet), unspecified	980	40	20	140	60	-	-	180	60	110	-	-
Sole(s)	70	-	-	-	-	-	-	-	-	-	-	-
Sole(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Arch(es), instep(s)	-	-	-	-	-	-	-	-	-	-	-	-
Heel(s)	50	-	-	-	-	-	-	-	-	-	-	-
Toes(s), toenail(s)	20	-	-	-	30	30	-	180	-	170	-	-
Multiple foot (feet) locations	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet), n.e.c.	20	-	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations	260	-	-	30	20	-	-	230	30	160	40	-
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet) and leg(s)	-	-	-	20	-	-	-	-	-	-	-	-
Foot(feet) and leg(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Foot(feet) and knee(s)	-	-	-	-	-	-	-	-	-	-	-	-
Foot(feet) and leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s)	130	-	-	-	-	-	-	110	-	100	-	-
Ankle(s) and leg(s)	60	-	-	-	-	-	-	50	20	-	-	-
Ankle(s) and leg(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Ankle(s) and knee(s)	5831	720	20	—	—	—	620	120	190	310
Ankle(s) and leg(s), n.e.c.	5839	90	—	—	—	60	—	40	—	
Multiple lower extremities locations, n.e.c.	589	560	30	20	—	—	460	20	150	290
Body systems	6	5,130	30	—	—	—	100	—	100	—
Multiple body parts	8	27,370	2,540	1,940	430	30	11,270	1,240	9,410	490
Multiple body parts, unspecified	80	2,910	480	300	130	—	1,170	100	990	80
Head and neck	81	520	180	100	80	—	100	—	90	—
Head, neck, and trunk	82	500	390	390	—	—	50	—	40	—
Head and trunk	83	200	20	20	—	—	120	30	90	—
Neck and back	84	1,670	100	90	—	—	190	—	160	—
Shoulder(s) and back	85	710	50	—	30	—	140	30	90	20
Hip(s) and leg(s)	86	240	20	20	—	—	150	30	90	20
Upper and lower limb(s)	87	2,720	130	110	—	—	1,620	140	1,390	90
Other multiple body parts	89	17,900	1,180	910	170	30	7,740	880	6,460	270
Whole body	891	150	—	—	—	—	40	—	40	—
Multiple body parts, n.e.c.	899	17,750	1,180	910	170	30	7,700	880	6,420	270

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Ankle(s) and knee(s)	60	-	-	-	-	-	-	20	20	-	-	-
Ankle(s) and leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	20	-	-	-	-	-	-	30	-	-	-	-
Body systems	810	-	-	3,870	40	40	60	170	60	20	90	40
Multiple body parts	3,730	910	300	790	4,380	3,830	100	4,490	1,970	2,310	170	80
Multiple body parts, unspecified	530	70	120	160	310	230	-	250	40	210	-	-
Head and neck	-	-	-	40	50	50	30	110	80	20	-	-
Head, neck, and trunk	-	-	-	-	40	40	-	-	-	-	-	-
Head and trunk	-	-	-	-	20	20	-	30	30	-	-	-
Neck and back	300	120	-	-	940	890	20	130	80	40	-	-
Shoulder(s) and back	420	70	-	-	80	80	-	20	-	20	-	-
Hip(s) and leg(s)	30	-	-	-	-	-	-	50	-	-	-	-
Upper and lower limb(s)	50	-	-	30	80	30	-	810	110	650	40	-
Other multiple body parts	2,380	640	180	550	2,860	2,490	50	3,080	1,610	1,350	90	70
Whole body	-	-	-	70	30	30	-	-	-	-	-	-
Multiple body parts, n.e.c.	2,370	640	180	470	2,830	2,460	50	3,080	1,610	1,350	80	70

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Nonclassifiable	9999	2,220	60	30	—	—	300	20	220	50

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Nonclassifiable	150	50	–	80	530	520	–	320	130	–	170	790

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.