

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2013

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		180,130	72,390	10,740	11,380	1,200	240	990	80	120	82,990
Traumatic injuries and disorders	1	172,610	69,410	10,320	10,940	1,130	190	980	50	100	79,490
Traumatic injuries and disorders, unspecified	10	520	40	-	-	-	-	-	-	-	470
Traumatic injuries to bones, nerves, spinal cord	11	12,760	5,910	550	670	110	20	30	-	-	5,470
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,860	380	190	170	30	-	-	-	-	1,080
Fractures	111	10,610	5,390	340	500	70	20	30	-	-	4,260
Traumatic injuries to nerves, except the spinal cord ..	113	90	60	-	-	-	-	-	-	-	30
Pinched nerve	1131	80	50	-	-	-	-	-	-	-	20
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	-	-	-	-	-	-	-	-	80
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	110	80	-	-	-	-	-	-	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	78,250	30,320	5,270	4,750	360	70	400	-	20	37,050
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	360	110	-	20	-	-	-	-	-	210
Dislocations	121	2,140	1,380	20	40	20	-	20	-	-	660
Dislocations, unspecified	1210	140	50	-	-	-	-	-	-	-	70
Herniated discs	1211	970	620	-	-	20	-	-	-	-	310
Dislocation of joints	1212	970	670	20	20	-	-	20	-	-	240
Dislocations, n.e.c.	1219	70	30	-	-	-	-	-	-	-	40
Cartilage fractures and tears	122	710	360	80	50	-	-	-	-	-	220
Cartilage fractures and tears, unspecified	1220	50	20	-	-	-	-	-	-	-	20
Meniscus tears	1221	650	330	70	50	-	-	-	-	-	200
Sprains, strains, tears	123	73,930	27,870	5,140	4,590	340	70	350	-	20	35,540
Sprains, strains, tears, unspecified	1230	5,260	2,510	150	150	-	-	-	-	-	2,430
Major tears to muscles, tendons, ligaments	1231	4,390	2,650	110	30	-	-	-	-	-	1,580
Sprains	1232	20,440	7,260	2,190	1,480	120	20	120	-	-	9,260
Strains	1233	42,810	15,200	2,650	2,810	190	50	210	-	-	21,680
Multiple sprains, strains, tears	1238	1,020	260	40	120	-	-	-	-	-	590
Hernias due to traumatic incidents	124	780	390	-	40	-	-	-	-	-	340
Whiplash	125	150	90	-	-	-	-	-	-	-	40
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	140	80	-	-	-	-	-	-	-	30
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	30	-	-	-	-	-	-	-	-
Open wounds	13	8,510	3,810	440	430	190	-	60	-	-	3,590
Open wounds, unspecified	130	90	30	-	-	-	-	-	-	-	40
Amputations, avulsions, enucleations	131	360	200	-	30	-	-	-	-	-	130
Amputations	1311	280	160	-	20	-	-	-	-	-	110
Avulsions, enucleations	1312	70	40	-	-	-	-	-	-	-	20
Cuts, lacerations	132	6,130	3,030	210	270	180	-	50	-	-	2,390
Puncture wounds, except gunshot wounds	133	1,750	480	220	110	-	-	-	-	-	920
Gunshot wounds	134	110	60	-	-	-	-	-	-	-	40

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Multiple types of open wounds	138	60	—	—	—	—	—	—	—	—	—	40
Surface wounds and bruises	14	17,980	5,720	1,150	970	140	—	—	160	—	—	9,820
Surface wounds and bruises, unspecified	140	500	100	30	—	—	—	—	—	—	—	360
Abrasions, scratches	141	1,490	610	90	60	—	—	—	—	—	—	730
Bruises, contusions	143	15,640	4,820	1,040	890	140	—	—	160	—	—	8,580
Multiple surface wounds and bruises	148	290	180	—	—	—	—	—	—	—	—	110
Surface wounds and bruises, n.e.c.	149	50	—	—	—	—	—	—	—	—	—	40
Burns and corrosions	15	2,230	940	100	160	40	—	—	70	—	—	910
Burns and corrosions, unspecified	150	120	20	—	—	—	—	—	—	—	—	100
Chemical burns and corrosions	151	190	110	20	—	—	—	—	—	—	—	60
Chemical burns and corrosions, unspecified	1510	190	110	20	—	—	—	—	—	—	—	60
Heat (thermal) burns	152	1,770	770	80	160	40	—	—	70	—	—	650
Heat (thermal) burns, unspecified	1520	1,100	220	70	150	40	—	—	70	—	—	540
First degree heat (thermal) burns	1521	50	20	—	—	—	—	—	—	—	—	30
Second degree heat (thermal) burns	1522	300	210	—	—	—	—	—	—	—	—	70
Heat (thermal) burns, n.e.c.	1529	320	300	—	—	—	—	—	—	—	—	—
Electrical burns	153	50	30	—	—	—	—	—	—	—	—	—
Electrical burns, unspecified	1530	40	30	—	—	—	—	—	—	—	—	—
Other burns	159	100	—	—	—	—	—	—	—	—	—	80
Other burns, unspecified	1590	60	—	—	—	—	—	—	—	—	—	60
Intracranial injuries	16	2,280	1,120	20	170	—	—	—	—	—	—	910
Intracranial injuries, unspecified	160	230	30	—	—	—	—	—	—	—	—	200
Concussions	162	2,030	1,070	20	170	—	—	—	—	—	—	710
Effects of environmental conditions	17	470	130	—	40	—	—	—	—	—	—	290
Effects of heat and light	172	420	130	—	40	—	—	—	—	—	—	250
Effects of heat and light, unspecified	1720	20	—	—	—	—	—	—	—	—	—	—
Heat syncope	1722	30	—	—	—	—	—	—	—	—	—	20
Heat fatigue	1723	20	—	—	—	—	—	—	—	—	—	—
Heat exhaustion, prostration	1725	230	80	—	—	—	—	—	—	—	—	130
Effects of heat and light, n.e.c.	1729	100	—	—	—	—	—	—	—	—	—	80
Effects of air or water pressure	173	40	—	—	—	—	—	—	—	—	—	40
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	6,220	2,790	290	560	70	—	—	60	—	—	2,420
Multiple traumatic injuries and disorders, unspecified	180	400	220	—	—	—	—	—	—	—	—	170
Cuts and abrasions or bruises	181	1,010	360	60	100	—	—	—	20	—	—	460
Sprains and other injuries	182	2,900	1,030	190	410	60	—	—	30	—	—	1,160
Sprains and other injuries, unspecified	1820	230	40	—	—	—	—	—	—	—	—	150
Sprains and bruises	1821	2,330	940	140	330	60	—	—	30	—	—	810
Sprains and cuts	1822	90	20	—	—	—	—	—	—	—	—	70
Sprains and other injuries, n.e.c.	1829	250	40	30	40	—	—	—	—	—	—	130
Fractures and other injuries	183	900	460	20	20	—	—	—	—	—	—	400
Fractures and other injuries, unspecified	1830	210	200	—	—	—	—	—	—	—	—	20
Fractures and dislocations	1834	50	40	—	—	—	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	630	220	20	20	—	—	—	—	—	—	370
Multiple traumatic injuries and disorders, n.e.c.	189	1,000	720	30	20	—	—	—	—	—	—	220
Other traumatic injuries and disorders	19	43,380	18,620	2,460	3,190	210	80	200	30	20	—	18,560

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Other traumatic injuries and disorders, unspecified ...	190	130	90	20	—	—	—	—	—	—	—	30
Asphyxiations, strangulations, suffocations	191	30	20	—	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	90	40	—	—	—	—	—	—	—	—	50
Dermatitis and reactions affecting the skin—acute	195	940	240	20	40	—	—	—	20	—	—	620
Dermatitis and reactions affecting the skin—acute, unspecified	1950	460	70	—	—	—	—	—	—	—	—	380
Allergic dermatitis—acute	1951	410	150	20	40	—	—	—	—	—	—	200
Irritant dermatitis—acute	1952	20	—	—	—	—	—	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute	1958	30	—	—	—	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	20	—	—	—	—	—	—	—	—	—	20
Other poisoning, toxic, noxious, or allergenic effects	196	2,380	1,400	130	100	—	—	—	—	—	—	730
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,090	510	80	60	—	—	—	—	—	—	440
Poisoning, including poisoning-related asphyxia ...	1961	100	40	—	—	—	—	—	—	—	—	40
Anaphylactic shock, anaphylaxis	1962	40	—	—	—	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	740	550	—	20	—	—	—	—	—	—	150
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	20	—	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	60	30	—	—	—	—	—	—	—	—	20
Other or unspecified allergic reactions	1966	220	190	—	—	—	—	—	—	—	—	30
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	50	50	—	—	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	40	—	—	—	—	—	—	—	—	—	20
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	30	—	—	—	—	—	—	—	—	—	20
Nonspecified injuries and disorders	197	39,790	16,840	2,290	3,040	200	80	190	30	20	—	17,110
Crushing injuries	1971	990	460	—	40	20	—	—	—	—	—	470
Soreness, pain, hurt—nonspecified injury	1972	35,280	15,300	2,030	2,800	170	60	140	30	20	—	14,720
Swelling, inflammation, irritation—nonspecified injury	1973	2,230	660	180	150	—	—	30	—	—	—	1,180
Numbness—nonspecified injury	1974	160	30	40	—	—	—	—	—	—	—	100
Multiple nonspecified injuries and disorders	1978	940	320	—	40	—	—	—	—	—	—	560
Nonspecified injuries and disorders, n.e.c.	1979	180	70	—	—	—	—	—	—	—	—	80
Diseases and disorders of body systems	2	3,230	1,600	210	290	40	—	—	—	—	—	1,080
Nervous system and sense organs diseases	22	1,200	650	30	110	—	—	—	—	—	—	390
Other disorders of the central nervous system	223	50	—	—	—	—	—	—	—	—	—	30
Migraine	2232	40	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	890	590	—	70	—	—	—	—	—	—	210
Disorders of the peripheral nervous system, unspecified	2240	30	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Carpal tunnel syndrome	2241	830	570	—	70	—	—	—	—	—	170
Disorders of the peripheral nervous system, n.e.c.	2249	40	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	150	50	20	—	—	—	—	—	—	70
Conjunctivitis—non-viral	2251	100	30	20	—	—	—	—	—	—	40
Disorders of the eye, adnexa, vision, n.e.c.	2259	20	—	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	—	—	—	—	60
Deafness, hearing loss and impairment	2261	80	—	—	—	—	—	—	—	—	40
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	—	—	—	—	20
Circulatory system diseases	23	590	390	—	—	—	—	—	—	—	180
Hypertensive disease	232	50	40	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	280	240	—	—	—	—	—	—	—	40
Ischemic heart disease, unspecified	2330	180	—	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	90	60	—	—	—	—	—	—	—	30
Other forms of heart disease	235	140	—	—	—	—	—	—	—	—	120
Other forms of heart disease, n.e.c.	2359	60	—	—	—	—	—	—	—	—	60
Cerebrovascular disease	236	40	20	—	—	—	—	—	—	—	—
Stroke	2361	30	20	—	—	—	—	—	—	—	—
Respiratory system diseases	24	240	90	—	50	—	—	—	—	—	40
Pneumonia, influenza	243	230	90	—	50	—	—	—	—	—	30
Pneumonia, influenza, unspecified	2430	130	—	—	—	—	—	—	—	—	30
Pneumonia	2431	100	60	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	50	30	—	—	—	—	—	—	—	20
Hernia—nontraumatic	253	50	30	—	—	—	—	—	—	—	20
Musculoskeletal system and connective tissue diseases and disorders	27	820	310	110	120	—	—	—	—	—	270
Soft tissue disorders, except the back	273	790	290	100	120	—	—	—	—	—	260
Soft tissue disorder, except the back, unspecified	2730	140	90	—	—	—	—	—	—	—	30
Bursitis	2731	90	30	—	—	—	—	—	—	—	60
Stenosing tenosynovitis	2732	40	20	—	—	—	—	—	—	—	20
Other tenosynovitis, synovitis	2733	30	20	—	—	—	—	—	—	—	—
Epicondylitis	2734	110	—	50	—	—	—	—	—	—	40
Other or unspecified tendonitis (tendinitis)	2735	150	70	40	—	—	—	—	—	—	30
Ganglion or cystic tumor	2736	20	—	—	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	200	30	—	100	—	—	—	—	—	70
Disorders of the skin and subcutaneous tissue	28	340	130	—	—	—	—	—	—	—	190
Infections of the skin and subcutaneous tissue	281	320	130	—	—	—	—	—	—	—	180
Cellulitis and abscess	2811	90	—	—	—	—	—	—	—	—	80
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	210	110	—	—	—	—	—	—	—	100
Infectious and parasitic diseases	3	280	120	—	—	—	—	—	—	—	140
Bacterial diseases	31	20	—	—	—	—	—	—	—	—	20
Viral diseases	32	20	—	—	—	—	—	—	—	—	20
Infectious diseases peculiar to the intestines	36	50	—	—	—	—	—	—	—	—	30
Infectious diseases peculiar to the intestines, n.e.c. ..	369	30	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Other infectious and parasitic diseases	39	180	90	—	—	—	—	—	—	—	70
Scabies and other acariases	392	170	90	—	—	—	—	—	—	—	60
Neoplasms, tumors, and cancers	4	50	30	—	—	—	—	—	—	—	20
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	50	30	—	—	—	—	—	—	—	20
Symptoms, signs, and ill-defined conditions	5	1,420	690	60	30	20	—	—	30	—	560
Symptoms	51	1,300	660	60	—	20	—	—	—	—	530
General symptoms	511	600	330	30	—	—	—	—	—	—	230
General symptoms, unspecified	5110	20	20	—	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	130	30	—	—	—	—	—	—	—	90
Dizziness—general	5114	330	240	20	—	—	—	—	—	—	50
Inflammation, swelling—general	5115	40	—	—	—	—	—	—	—	—	—
Multiple general symptoms	5118	40	—	—	—	—	—	—	—	—	30
General symptoms, n.e.c.	5119	40	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	100	50	20	—	—	—	—	—	—	20
Headache, except migraine	5141	90	30	20	—	—	—	—	—	—	20
Symptoms involving cardiovascular system	515	130	70	—	—	—	—	—	—	—	60
Unspecified tachycardia (rapid heartbeat)	5151	60	—	—	—	—	—	—	—	—	50
Symptoms involving cardiovascular system, n.e.c.	5159	70	70	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	310	90	—	—	—	—	—	—	—	200
Symptoms involving respiratory system and chest, unspecified	5160	90	30	—	—	—	—	—	—	—	50
Chest pain	5164	70	50	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	150	—	—	—	—	—	—	—	—	140
Multiple symptoms	518	50	—	—	—	—	—	—	—	—	20
Abnormal findings	52	40	20	—	—	—	—	—	—	—	20
Other abnormal findings	529	40	20	—	—	—	—	—	—	—	20
Multiple symptoms, signs, and ill-defined conditions	58	80	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	1,480	310	110	30	20	30	—	—	—	970
Mental disorders and syndromes	62	1,460	300	100	30	20	30	—	—	—	960
Mental disorders and syndromes, unspecified	620	20	—	—	—	—	—	—	—	—	—
Anxiety, stress	621	1,440	290	100	30	20	30	—	—	—	960
Anxiety, stress, unspecified	6210	720	190	70	—	—	—	—	—	—	440
Post-traumatic stress disorder	6211	490	30	—	20	—	—	—	—	—	420
Anxiety or panic disorder	6213	80	30	—	—	—	—	—	—	—	40
Anxiety, stress, n.e.c.	6219	130	30	—	—	—	—	—	—	—	70
Exposures to disease—no illness incurred	7	150	30	—	40	—	—	—	—	—	70
Multiple diseases, conditions, and disorders	8	40	20	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Nonclassifiable	9999	870	180	—	—	—	—	—	—	—	650

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.