

TABLE L92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, local government, 2013

Nature	Nature code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		180,130	6,800	19,780	53,510	42,380	17,550	8,890	31,220
Traumatic injuries and disorders	1	172,610	6,690	19,130	51,660	41,580	17,140	8,680	27,730
Traumatic injuries and disorders, unspecified	10	520	—	—	—	60	30	—	420
Traumatic injuries to bones, nerves, spinal cord	11	12,760	450	1,900	3,380	3,040	1,490	880	1,610
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,860	50	310	390	200	260	380	280
Fractures	111	10,610	380	1,510	2,960	2,790	1,150	490	1,330
Traumatic injuries to nerves, except the spinal cord	113	90	—	—	30	40	—	—	—
Pinched nerve	1131	80	—	—	20	30	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	—	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	110	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	78,250	3,910	8,040	23,120	16,940	8,950	4,270	13,030
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	360	20	40	80	30	60	30	100
Dislocations	121	2,140	420	270	650	330	250	60	160
Dislocations, unspecified	1210	140	—	—	40	30	30	—	—
Herniated discs	1211	970	360	210	130	100	60	—	90
Dislocation of joints	1212	970	30	60	470	180	130	40	50
Dislocations, n.e.c.	1219	70	—	—	—	20	20	—	—
Cartilage fractures and tears	122	710	—	40	240	190	130	80	40
Cartilage fractures and tears, unspecified	1220	50	—	—	—	—	30	20	—
Meniscus tears	1221	650	—	40	230	190	90	60	40
Sprains, strains, tears	123	73,930	3,440	7,560	21,800	16,030	8,420	4,040	12,640
Sprains, strains, tears, unspecified	1230	5,260	180	520	1,430	1,340	460	220	1,120
Major tears to muscles, tendons, ligaments	1231	4,390	90	180	1,090	1,270	1,020	250	500
Sprains	1232	20,440	1,410	1,880	5,730	4,140	2,810	1,460	3,020
Strains	1233	42,810	1,730	4,880	13,330	8,990	4,040	2,100	7,730
Multiple sprains, strains, tears	1238	1,020	40	100	210	290	90	—	280
Hernias due to traumatic incidents	124	780	20	100	250	240	30	40	90
Whiplash	125	150	—	20	—	60	50	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	140	—	—	80	30	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	—	—	—	40	—	—	—
Open wounds	13	8,510	330	830	3,210	1,960	760	360	1,060
Open wounds, unspecified	130	90	—	—	40	30	—	—	—
Amputations, avulsions, enucleations	131	360	—	80	90	130	—	—	60
Amputations	1311	280	—	70	70	120	—	—	30
Avulsions, enucleations	1312	70	—	—	20	—	—	—	—
Cuts, lacerations	132	6,130	250	630	2,320	1,380	540	290	720

See footnotes at end of table.

TABLE L92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Puncture wounds, except gunshot wounds	133	1,750	70	110	740	370	170	50	240
Gunshot wounds	134	110	—	—	20	—	20	20	20
Multiple types of open wounds	138	60	—	—	—	30	—	—	—
Surface wounds and bruises	14	17,980	570	2,070	5,610	4,580	1,500	970	2,680
Surface wounds and bruises, unspecified	140	500	—	—	370	50	—	—	50
Abrasions, scratches	141	1,490	30	400	290	430	120	90	130
Bruises, contusions	143	15,640	540	1,590	4,830	4,000	1,340	870	2,490
Multiple surface wounds and bruises	148	290	—	60	110	100	—	—	—
Surface wounds and bruises, n.e.c. ...	149	50	—	—	20	—	—	—	—
Burns and corrosions	15	2,230	20	230	580	700	420	50	240
Burns and corrosions, unspecified	150	120	—	—	—	30	—	—	80
Chemical burns and corrosions	151	190	—	30	60	60	20	—	—
Chemical burns and corrosions, unspecified	1510	190	—	30	60	60	20	—	—
Heat (thermal) burns	152	1,770	—	180	480	560	370	40	140
Heat (thermal) burns, unspecified ..	1520	1,100	—	130	290	220	320	—	120
First degree heat (thermal) burns ..	1521	50	—	—	50	—	—	—	—
Second degree heat (thermal) burns	1522	300	—	50	130	30	40	—	20
Heat (thermal) burns, n.e.c.	1529	320	—	—	—	310	—	—	—
Electrical burns	153	50	—	—	—	20	—	—	—
Electrical burns, unspecified	1530	40	—	—	—	—	—	—	—
Other burns	159	100	—	—	20	30	—	—	—
Other burns, unspecified	1590	60	—	—	—	—	—	—	—
Intracranial injuries	16	2,280	—	330	470	830	370	60	210
Intracranial injuries, unspecified	160	230	—	70	20	120	—	—	—
Concussions	162	2,030	—	250	440	700	360	60	210
Effects of environmental conditions	17	470	—	40	130	100	70	80	50
Effects of heat and light	172	420	—	40	120	100	70	40	50
Effects of heat and light, unspecified	1720	20	—	—	20	—	—	—	—
Heat syncope	1722	30	—	—	20	—	—	—	—
Heat fatigue	1723	20	—	—	—	—	—	—	—
Heat exhaustion, prostration	1725	230	—	40	50	60	20	40	30
Effects of heat and light, n.e.c.	1729	100	—	—	20	—	50	—	—
Effects of air or water pressure	173	40	—	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	6,220	160	840	2,090	1,770	740	230	400
Multiple traumatic injuries and disorders, unspecified	180	400	—	—	150	180	—	—	60
Cuts and abrasions or bruises	181	1,010	20	140	340	340	50	20	100
Sprains and other injuries	182	2,900	40	590	980	720	300	150	120
Sprains and other injuries, unspecified	1820	230	—	—	170	50	—	—	—
Sprains and bruises	1821	2,330	30	530	680	570	250	140	120
Sprains and cuts	1822	90	—	20	30	—	30	—	—
Sprains and other injuries, n.e.c. ...	1829	250	—	20	110	80	20	—	—

See footnotes at end of table.

TABLE L92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Fractures and other injuries	183	900	60	40	270	380	40	20	90
Fractures and other injuries, unspecified	1830	210	—	—	130	—	—	—	60
Fractures and dislocations	1834	50	—	—	—	30	—	—	—
Fractures and other injuries, n.e.c.	1839	630	—	30	120	350	30	20	30
Multiple traumatic injuries and disorders, n.e.c.	189	1,000	50	60	340	150	330	40	40
Other traumatic injuries and disorders ...	19	43,380	1,240	4,840	13,060	11,610	2,800	1,790	8,040
Other traumatic injuries and disorders, unspecified	190	130	—	—	40	60	—	—	20
Asphyxiations, strangulations, suffocations	191	30	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	90	—	—	40	30	—	—	—
Dermatitis and reactions affecting the skin—acute	195	940	—	20	290	160	170	—	300
Dermatitis and reactions affecting the skin—acute, unspecified	1950	460	—	—	170	50	160	—	70
Allergic dermatitis—acute	1951	410	—	—	100	90	—	—	210
Irritant dermatitis—acute	1952	20	—	—	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute	1958	30	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	20	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	2,380	20	160	590	1,240	110	30	230
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,090	—	60	370	510	70	—	70
Poisoning, including poisoning-related asphyxia	1961	100	—	20	20	40	—	—	—
Anaphylactic shock, anaphylaxis ...	1962	40	—	—	—	30	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	740	—	20	100	550	—	—	60
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	60	—	20	—	30	—	—	—
Other or unspecified allergic reactions	1966	220	—	20	70	40	—	—	70
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	50	—	—	—	30	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	40	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	30	—	—	—	—	—	—	—
Nonspecified injuries and disorders ...	197	39,790	1,210	4,650	12,100	10,110	2,500	1,730	7,490
Crushing injuries	1971	990	—	90	520	190	110	—	70
Soreness, pain, hurt—nonspecified injury	1972	35,280	1,140	4,130	10,430	8,740	2,310	1,550	6,970

See footnotes at end of table.

TABLE L92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Swelling, inflammation, irritation—nonspecified injury	1973	2,230	20	390	630	780	70	140	200
Numbness—nonspecified injury	1974	160	—	—	—	40	—	—	90
Multiple nonspecified injuries and disorders	1978	940	30	20	420	330	—	—	140
Nonspecified injuries and disorders, n.e.c.	1979	180	20	20	80	30	—	—	20
Diseases and disorders of body systems	2	3,230	20	270	510	260	150	70	1,950
Nervous system and sense organs diseases	22	1,200	—	60	90	110	30	50	850
Other disorders of the central nervous system	223	50	—	—	—	30	—	—	—
Migraine	2232	40	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	890	—	40	30	30	30	—	760
Disorders of the peripheral nervous system, unspecified	2240	30	—	—	—	—	—	—	30
Carpal tunnel syndrome	2241	830	—	40	30	30	20	—	710
Disorders of the peripheral nervous system, n.e.c.	2249	40	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision ..	225	150	—	—	40	—	—	40	50
Conjunctivitis—non-viral	2251	100	—	—	30	—	—	30	30
Disorders of the eye, adnexa, vision, n.e.c.	2259	20	—	—	—	—	—	20	—
Disorders of the ear, mastoid process, hearing	226	100	—	—	20	—	—	—	—
Deafness, hearing loss and impairment	2261	80	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	20	—	—	—	—
Circulatory system diseases	23	590	—	20	60	100	90	—	320
Hypertensive disease	232	50	—	—	30	—	—	—	20
Ischemic heart disease, including heart attack	233	280	—	20	20	—	—	—	240
Ischemic heart disease, unspecified	2330	180	—	—	—	—	—	—	180
Myocardial infarction (heart attack)	2331	90	—	20	20	—	—	—	50
Other forms of heart disease	235	140	—	—	—	—	—	—	60
Other forms of heart disease, n.e.c.	2359	60	—	—	—	—	—	—	60
Cerebrovascular disease	236	40	—	—	—	—	20	—	—
Stroke	2361	30	—	—	—	—	—	—	—
Respiratory system diseases	24	240	—	40	20	—	—	—	170
Pneumonia, influenza	243	230	—	40	—	—	—	—	160
Pneumonia, influenza, unspecified	2430	130	—	40	—	—	—	—	90
Pneumonia	2431	100	—	—	—	—	—	—	80
Digestive system diseases and disorders	25	50	—	—	—	—	—	—	40
Hernia—nontraumatic	253	50	—	—	—	—	—	—	40

See footnotes at end of table.

TABLE L92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Musculoskeletal system and connective tissue diseases and disorders	27	820	20	110	210	40	30	20	390
Soft tissue disorders, except the back	273	790	20	110	210	40	20	—	380
Soft tissue disorder, except the back, unspecified	2730	140	—	—	20	—	—	—	120
Bursitis	2731	90	—	—	50	—	—	—	—
Stenosing tenosynovitis	2732	40	—	—	—	—	—	—	30
Other tenosynovitis, synovitis	2733	30	—	—	—	—	—	—	20
Epicondylitis	2734	110	—	20	50	—	—	—	30
Other or unspecified tendonitis (tendinitis)	2735	150	—	—	50	20	20	—	70
Ganglion or cystic tumor	2736	20	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	200	—	—	—	—	—	—	100
Disorders of the skin and subcutaneous tissue	28	340	—	30	110	—	—	—	190
Infections of the skin and subcutaneous tissue	281	320	—	30	110	—	—	—	170
Cellulitis and abscess	2811	90	—	—	40	—	—	—	40
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	210	—	20	—	—	—	—	120
Infectious and parasitic diseases	3	280	—	70	50	60	—	60	40
Bacterial diseases	31	20	—	—	20	—	—	—	—
Viral diseases	32	20	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	50	—	20	30	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	369	30	—	20	—	—	—	—	—
Other infectious and parasitic diseases	39	180	—	50	—	50	—	—	20
Scabies and other acariases	392	170	—	40	—	50	—	—	20
Neoplasms, tumors, and cancers	4	50	—	—	—	—	—	—	50
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	50	—	—	—	—	—	—	50
Symptoms, signs, and ill-defined conditions	5	1,420	—	130	690	160	210	—	190
Symptoms	51	1,300	—	100	620	160	200	—	190
General symptoms	511	600	—	—	280	100	70	—	130
General symptoms, unspecified	5110	20	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	130	—	—	40	20	—	—	50
Dizziness—general	5114	330	—	—	200	50	—	—	50
Inflammation, swelling—general	5115	40	—	—	—	—	—	—	—
Multiple general symptoms	5118	40	—	—	—	—	—	—	—
General symptoms, n.e.c.	5119	40	—	—	20	—	—	—	—
Symptoms involving head and neck ..	514	100	—	—	—	20	50	—	—
Headache, except migraine	5141	90	—	—	—	20	40	—	—

See footnotes at end of table.

TABLE L92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Symptoms involving cardiovascular system	515	130	—	—	50	—	40	—	—
Unspecified tachycardia (rapid heartbeat)	5151	60	—	—	50	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	70	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	310	—	60	160	30	30	—	40
Symptoms involving respiratory system and chest, unspecified	5160	90	—	30	—	—	—	—	30
Chest pain	5164	70	—	20	20	—	20	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	150	—	—	140	—	—	—	—
Multiple symptoms	518	50	—	—	40	—	—	—	—
Abnormal findings	52	40	—	—	30	—	—	—	—
Other abnormal findings	529	40	—	—	30	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	80	—	30	30	—	—	—	—
Other diseases, conditions, and disorders	6	1,480	60	120	550	240	30	60	420
Mental disorders and syndromes	62	1,460	60	120	550	240	30	60	400
Mental disorders and syndromes, unspecified	620	20	—	—	—	—	—	—	—
Anxiety, stress	621	1,440	50	120	550	240	20	60	400
Anxiety, stress, unspecified	6210	720	—	90	180	70	20	20	320
Post-traumatic stress disorder	6211	490	—	30	310	90	—	40	20
Anxiety or panic disorder	6213	80	—	—	—	40	—	—	—
Anxiety, stress, n.e.c.	6219	130	—	—	30	50	—	—	50
Exposures to disease—no illness incurred	7	150	—	—	30	70	—	—	30
Multiple diseases, conditions, and disorders	8	40	—	—	—	—	—	—	40
Nonclassifiable	9999	870	—	—	30	—	—	—	760

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals. Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.