

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2014

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		916,440	21,520	88,460	195,090	188,490	216,280	155,410	32,250	18,810
Traumatic injuries and disorders	1	882,780	21,330	86,270	188,620	181,920	209,370	149,690	31,180	14,260
Traumatic injuries and disorders, unspecified	10	1,100	—	100	410	120	250	120	70	20
Traumatic injuries to bones, nerves, spinal cord	11	88,320	1,640	6,960	15,160	14,790	21,040	20,260	6,760	1,690
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,510	130	800	1,120	1,390	1,400	1,170	170	320
Fractures	111	80,160	1,490	6,080	13,610	13,000	19,170	18,900	6,550	1,350
Traumatic injuries to spinal cord	112	210	—	—	60	30	90	20	—	—
Traumatic injuries to spinal cord, unspecified	1120	70	—	—	50	—	30	—	—	—
Paralysis, paraplegia, quadriplegia	1121	40	—	—	—	—	—	—	—	—
Traumatic injuries to spinal cord, n.e.c.	1129	110	—	—	—	—	60	—	—	—
Traumatic injuries to nerves, except the spinal cord ..	113	1,080	20	60	170	330	330	130	20	30
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	70	—	—	—	50	—	—	—	—
Pinched nerve	1131	970	20	50	160	280	310	120	20	20
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	40	—	—	—	—	20	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	50	—	—	—	—	20	20	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	310	—	20	210	40	20	20	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	361,860	6,030	29,410	75,600	82,710	93,730	60,460	9,330	4,560
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	2,090	70	230	390	320	700	310	70	—
Dislocations	121	9,450	360	850	1,720	1,640	2,480	2,120	200	70
Dislocations, unspecified	1210	920	140	80	200	170	160	110	40	—
Herniated discs	1211	2,710	—	300	450	550	950	390	40	20
Dislocation of joints	1212	5,530	210	450	1,020	860	1,240	1,600	120	30
Dislocations, n.e.c.	1219	290	—	20	60	50	130	—	—	—
Cartilage fractures and tears	122	5,120	30	140	1,010	1,110	1,530	1,130	160	20
Cartilage fractures and tears, unspecified	1220	110	—	30	20	—	20	30	—	—
Meniscus tears	1221	4,800	30	110	940	1,050	1,400	1,090	150	20
Cartilage fractures and tears, n.e.c.	1229	210	—	—	50	50	110	—	—	—
Sprains, strains, tears	123	331,180	5,530	27,330	70,600	76,920	84,110	53,980	8,410	4,270
Sprains, strains, tears, unspecified	1230	26,440	320	1,770	5,930	6,120	6,970	4,480	650	200
Major tears to muscles, tendons, ligaments	1231	21,160	90	610	1,710	4,280	7,420	5,980	950	120
Sprains	1232	85,120	2,150	8,810	19,130	20,000	20,210	11,410	2,520	870
Strains	1233	193,130	2,930	15,900	42,850	45,380	48,000	30,820	4,190	3,040
Multiple sprains, strains, tears	1238	5,320	30	250	980	1,130	1,510	1,290	90	40
Hernias due to traumatic incidents	124	12,820	40	750	1,720	2,430	4,510	2,750	430	190
Whiplash	125	650	—	100	90	190	140	80	60	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	370	—	20	50	80	130	80	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	190	—	—	20	20	120	20	—	—
Open wounds	13	93,290	4,350	15,330	25,220	17,140	17,290	10,480	2,160	1,310
Open wounds, unspecified	130	1,600	80	200	510	360	230	150	60	—
Amputations, avulsions, enucleations	131	5,750	190	750	1,290	1,070	1,260	970	180	40

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Amputations, avulsions, enucleations, unspecified	1310	150	—	30	30	20	40	20	—	—
Amputations	1311	4,250	80	550	930	860	950	710	150	30
Avulsions, enucleations	1312	1,310	100	170	330	180	260	240	30	—
Amputations, avulsions, enucleations, n.e.c.	1319	30	—	—	—	—	—	—	—	—
Cuts, lacerations	132	71,100	3,470	12,210	18,060	12,810	13,420	8,370	1,760	980
Puncture wounds, except gunshot wounds	133	13,740	560	2,120	5,020	2,530	2,180	910	150	280
Gunshot wounds	134	760	50	—	250	260	180	—	—	—
Multiple types of open wounds	138	200	—	40	70	40	20	30	—	—
Open wounds, n.e.c.	139	140	—	—	20	70	—	40	—	—
Surface wounds and bruises	14	84,930	2,720	8,960	18,540	15,900	18,260	15,400	3,770	1,370
Surface wounds and bruises, unspecified	140	230	—	40	50	30	40	70	—	—
Abrasions, scratches	141	8,190	530	1,090	2,090	1,530	1,500	950	310	200
Blisters	142	220	—	120	—	—	30	30	—	—
Bruises, contusions	143	74,140	2,160	7,490	16,030	14,090	16,180	13,620	3,400	1,150
Multiple surface wounds and bruises	148	1,730	—	190	260	170	340	700	50	20
Surface wounds and bruises, n.e.c.	149	410	—	30	100	60	180	30	—	—
Burns and corrosions	15	18,730	1,870	3,340	5,040	3,430	2,740	1,760	330	240
Burns and corrosions, unspecified	150	520	90	60	180	30	50	90	—	—
Chemical burns and corrosions	151	3,440	140	550	890	700	520	590	30	20
Chemical burns and corrosions, unspecified	1510	3,190	140	500	850	620	460	570	30	20
First degree chemical burns and corrosions	1511	50	—	—	20	—	20	—	—	—
Second degree chemical burns and corrosions	1512	100	—	40	—	20	20	20	—	—
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	90	—	—	—	50	—	—	—	—
Heat (thermal) burns	152	12,890	1,580	2,380	3,480	2,150	1,880	950	290	190
Heat (thermal) burns, unspecified	1520	9,220	1,200	1,750	2,440	1,590	1,380	600	180	80
First degree heat (thermal) burns	1521	700	160	90	220	60	130	40	—	—
Second degree heat (thermal) burns	1522	2,510	220	430	730	420	260	260	100	100
Third or fourth degree heat (thermal) burns	1523	200	—	—	20	40	90	40	—	—
Heat (thermal) burns, n.e.c.	1529	260	—	110	70	40	20	20	—	—
Electrical burns	153	780	—	60	180	340	110	80	—	—
Electrical burns, unspecified	1530	620	—	40	120	320	60	60	—	—
First degree electrical burns	1531	20	—	—	—	—	—	—	—	—
Second degree electrical burns	1532	70	—	—	—	—	40	20	—	—
Third or fourth degree electrical burns	1533	60	—	—	40	—	—	—	—	—
Other burns	159	1,090	50	280	310	200	190	50	—	—
Other burns, unspecified	1590	120	—	30	40	20	—	—	—	—
Other burns, first degree	1591	850	30	250	200	170	170	30	—	—
Other burns, second degree	1592	80	—	—	50	—	—	—	—	—
Other burns, n.e.c.	1599	30	—	—	—	—	—	—	—	—
Intracranial injuries	16	12,230	450	2,230	2,620	2,470	2,070	1,730	420	230
Intracranial injuries, unspecified	160	870	40	120	140	180	120	190	60	30
Cerebral and other intracranial hemorrhages	161	130	—	—	—	50	20	30	20	—
Concussions	162	11,110	410	2,100	2,440	2,190	1,920	1,500	330	200
Multiple types of intracranial injuries	168	80	—	—	—	50	—	—	20	—
Multiple intracranial injuries, unspecified	1680	40	—	—	—	20	—	—	—	—
Skull fracture and intracranial injury	1681	30	—	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	40	—	—	30	—	—	—	—	—
Effects of environmental conditions	17	2,430	130	190	830	440	530	230	—	70

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Effects of environmental conditions, unspecified	170	30	—	—	—	—	—	—	—	—
Effects of reduced temperature	171	390	30	—	50	100	130	70	—	—
Frostbite	1711	320	—	—	30	80	120	60	—	—
Hypothermia	1712	40	—	—	20	—	—	—	—	—
Effects of reduced temperature, n.e.c.	1719	30	—	—	—	20	—	—	—	—
Effects of heat and light	172	1,920	100	170	730	340	380	120	—	70
Effects of heat and light, unspecified	1720	180	—	—	40	20	40	30	—	50
Heat stroke	1721	90	—	—	30	20	20	—	—	—
Heat syncope	1722	80	—	—	—	20	30	—	—	—
Heat fatigue	1723	70	—	—	—	—	30	20	—	—
Heat exhaustion, prostration	1725	870	90	100	230	220	160	40	—	—
Effects of heat and light, n.e.c.	1729	630	—	30	410	50	100	—	—	—
Effects of air or water pressure	173	80	—	—	40	—	20	—	—	—
Aero-otitis media	1731	20	—	—	—	—	20	—	—	—
Caisson disease, bends, divers palsy	1733	20	—	—	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	40	—	—	40	—	—	—	—	—
Multiple traumatic injuries and disorders	18	26,680	340	1,660	5,120	5,480	6,200	5,810	1,390	680
Multiple traumatic injuries and disorders, unspecified	180	1,150	—	30	340	280	210	180	80	30
Cuts and abrasions or bruises	181	4,300	90	320	1,410	610	780	720	270	80
Sprains and other injuries	182	11,980	150	580	1,810	2,650	2,980	2,860	510	450
Sprains and other injuries, unspecified	1820	410	—	—	30	50	180	110	20	—
Sprains and bruises	1821	8,970	140	460	1,420	2,150	2,020	1,970	380	430
Sprains and cuts	1822	870	—	30	120	60	180	420	40	—
Sprains and other injuries, n.e.c.	1829	1,730	—	60	230	390	600	370	70	—
Fractures and other injuries	183	5,540	80	420	830	1,210	1,320	1,300	340	50
Fractures and other injuries, unspecified	1830	830	—	—	70	390	200	120	40	—
Fractures (except skull fractures) and concussions	1831	320	—	—	80	90	30	70	20	—
Fractures (except rib, trunk fractures) and internal injuries	1832	80	—	30	—	—	—	—	—	—
Fractures and burns	1833	30	—	—	—	—	—	—	—	—
Fractures and dislocations	1834	270	—	—	40	70	30	80	30	—
Fractures and other injuries, n.e.c.	1839	4,010	50	350	610	640	1,050	1,020	250	40
Burns and other injuries, except fractures	184	180	—	20	100	20	20	30	—	—
Burns and other injuries, n.e.c.	1849	170	—	20	90	20	—	20	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,530	20	300	630	710	900	720	180	80
Other traumatic injuries and disorders	19	193,210	3,790	18,100	40,080	39,450	47,270	33,430	6,950	4,100
Other traumatic injuries and disorders, unspecified ...	190	280	—	—	90	60	60	30	—	—
Asphyxiations, strangulations, suffocations	191	90	—	—	30	30	—	20	—	—
Electrocutions, electric shocks	193	1,080	80	160	380	240	160	60	—	—
Internal injuries to organs and blood vessels of the trunk	194	100	—	—	20	—	30	20	—	—
Dermatitis and reactions affecting the skin—acute	195	2,320	110	320	630	550	410	260	20	30
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,080	40	100	290	360	160	110	—	30
Allergic dermatitis—acute	1951	660	40	100	200	100	110	100	—	—
Irritant dermatitis—acute	1952	430	30	80	130	70	90	30	—	—
Hives, urticaria—acute	1953	60	—	20	—	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute	1958	60	—	20	—	—	30	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Age								
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	30	—	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	6,880	140	670	1,780	1,370	1,770	980	110	50	
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	3,210	60	190	890	720	900	380	60	—	
Poisoning, including poisoning-related asphyxia ...	1961	500	—	50	100	90	190	60	—	—	
Anaphylactic shock, anaphylaxis	1962	140	—	110	—	—	—	30	—	—	
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	840	20	60	110	230	240	150	20	—	
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	130	—	20	20	—	20	40	—	—	
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	240	—	20	40	50	80	40	—	—	
Other or unspecified allergic reactions	1966	940	50	190	160	220	150	140	—	30	
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	150	—	20	50	20	20	40	—	—	
Multiple poisoning, toxic, noxious, or allergenic effects	1968	300	—	—	40	20	130	90	—	—	
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	430	—	—	370	—	30	20	—	—	
Nonspecified injuries and disorders	197	181,840	3,450	16,850	37,040	37,090	44,740	31,900	6,780	3,960	
Crushing injuries	1971	9,790	300	1,730	2,340	1,770	2,180	1,220	140	110	
Soreness, pain, hurt—nonspecified injury	1972	150,180	2,630	12,670	29,310	31,140	37,030	27,680	6,140	3,590	
Swelling, inflammation, irritation—nonspecified injury	1973	17,370	470	1,960	4,570	3,040	4,460	2,400	290	150	
Numbness—nonspecified injury	1974	1,060	—	70	150	460	170	90	90	20	
Multiple nonspecified injuries and disorders	1978	1,930	30	220	370	360	590	250	50	60	
Nonspecified injuries and disorders, n.e.c.	1979	1,520	20	190	300	320	310	270	70	30	
Other traumatic injuries and disorders, n.e.c.	199	620	—	90	100	110	100	170	—	50	
Traumatic shock	1991	30	—	—	—	—	—	30	—	—	
Traumatic injuries and disorders, n.e.c.	1999	590	—	90	100	110	100	140	—	50	
Diseases and disorders of body systems	2	19,580	70	1,090	3,850	4,350	4,910	4,300	760	250	
Nervous system and sense organs diseases	22	8,660	20	240	1,340	1,940	2,520	2,250	210	140	
Inflammatory diseases of the central nervous system	221	40	—	—	—	—	40	—	—	—	
Other disorders of the central nervous system	223	120	—	20	30	30	—	—	—	—	
Seizure disorder, epilepsy	2231	50	—	20	20	—	—	—	—	—	
Migraine	2232	70	—	—	20	20	—	—	—	—	
Disorders of the peripheral nervous system	224	7,590	—	150	1,100	1,660	2,340	2,040	180	110	
Disorders of the peripheral nervous system, unspecified	2240	690	—	50	300	140	110	70	—	20	
Carpal tunnel syndrome	2241	6,800	—	100	780	1,490	2,210	1,960	180	90	
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	40	—	—	—	20	—	—	—	—	
Disorders of the peripheral nervous system, n.e.c.	2249	60	—	—	20	20	—	—	—	—	
Disorders of the eye, adnexa, vision	225	760	—	60	170	190	110	180	30	—	
Disorders of the eye, adnexa, vision, unspecified ..	2250	90	—	—	20	40	20	—	—	—	
Conjunctivitis—non-viral	2251	370	—	20	70	120	70	80	—	—	
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	50	—	—	—	—	—	20	—	—	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Blindness, low vision	2254	20	-	-	-	-	-	-	-	-
Visual disturbances	2256	20	-	-	-	-	-	-	-	-
Disorders of the eye, adnexa, vision, n.e.c.	2259	200	-	40	70	-	-	50	-	-
Disorders of the ear, mastoid process, hearing	226	140	-	-	40	50	20	30	-	-
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	-	-	-	-	-	-	-	-
Deafness, hearing loss and impairment	2261	80	-	-	30	20	-	20	-	-
Tinnitus	2262	30	-	-	-	20	-	-	-	-
Circulatory system diseases	23	570	-	-	50	40	100	220	130	-
Circulatory system diseases, unspecified	230	30	-	-	-	-	-	-	-	-
Ischemic heart disease, including heart attack	233	160	-	-	-	20	30	100	-	-
Ischemic heart disease, unspecified	2330	20	-	-	-	-	-	-	-	-
Myocardial infarction (heart attack)	2331	130	-	-	-	-	-	100	-	-
Diseases of pulmonary circulation	234	20	-	-	-	-	-	-	-	-
Pulmonary embolism	2342	20	-	-	-	-	-	-	-	-
Other forms of heart disease	235	90	-	-	-	-	-	-	90	-
Other forms of heart disease, n.e.c.	2359	90	-	-	-	-	-	-	90	-
Cerebrovascular disease	236	180	-	-	20	-	20	90	40	-
Cerebrovascular disease, unspecified	2360	60	-	-	-	-	-	-	-	-
Stroke	2361	100	-	-	20	-	20	20	30	-
Transient ischemia attacks	2362	20	-	-	-	-	-	-	-	-
Diseases of the veins, lymphatics	238	80	-	-	30	-	-	30	-	-
Hemorrhoids	2382	60	-	-	30	-	-	-	-	-
Phlebitis, thrombosis	2383	20	-	-	-	-	-	-	-	-
Respiratory system diseases	24	1,500	-	290	650	370	110	60	-	-
Respiratory system diseases, unspecified	240	80	-	-	-	-	20	30	-	-
Acute respiratory infections (including common cold)	241	320	-	-	290	-	-	-	-	-
Other diseases of upper respiratory tract	242	50	-	-	30	-	-	-	-	-
Other diseases of upper respiratory tract, unspecified	2420	40	-	-	-	-	-	-	-	-
Pneumonia, influenza	243	910	-	-	290	320	30	-	-	-
Pneumonia, influenza, unspecified	2430	40	-	-	-	-	-	-	-	-
Influenza—common	2432	860	-	-	290	300	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions	244	50	-	-	30	-	-	-	-	-
Asthma, except intrinsic	2443	40	-	-	30	-	-	-	-	-
Pneumoconioses	245	20	-	-	-	-	-	-	-	-
Coal workers pneumoconiosis	2451	20	-	-	-	-	-	-	-	-
Other respiratory system diseases	249	60	-	-	-	-	40	-	-	-
Other respiratory system diseases, unspecified	2490	30	-	-	-	-	30	-	-	-
Atelectasis, collapsed lung	2494	20	-	-	-	-	-	-	-	-
Digestive system diseases and disorders	25	630	-	30	80	140	150	220	-	-
Hernia—nontraumatic	253	570	-	-	70	120	140	220	-	-
Digestive system diseases and disorders, n.e.c.	259	20	-	-	-	20	-	-	-	-
Genitourinary system diseases and disorders	26	60	-	40	-	-	-	-	-	-
Diseases and disorders of the genital tract	263	50	-	40	-	-	-	-	-	-
Spontaneous abortion, miscarriage	2632	50	-	40	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders	27	7,190	30	380	1,590	1,550	1,830	1,360	370	80

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	180	—	—	30	—	30	50	50	—
Arthropathies and related disorders (arthritis)	271	190	—	—	50	—	60	50	—	—
Dorsopathies	272	550	—	40	80	130	130	110	60	—
Sciatica	2721	170	—	—	20	30	40	60	20	—
Lumbago	2722	170	—	—	30	60	40	20	20	—
Disc disorders, except dislocation	2723	70	—	—	—	30	20	—	—	—
Dorsopathies, n.e.c.	2729	140	—	30	20	20	30	20	—	—
Soft tissue disorders, except the back	273	6,200	20	340	1,430	1,360	1,590	1,140	260	60
Soft tissue disorder, except the back, unspecified	2730	330	—	—	70	100	100	50	—	—
Bursitis	2731	400	—	20	90	100	110	80	—	—
Stenosing tenosynovitis	2732	1,030	—	40	130	230	260	360	—	—
Other tenosynovitis, synovitis	2733	730	—	20	390	50	200	70	—	—
Epicondylitis	2734	1,060	—	—	170	340	310	90	110	20
Other or unspecified tendonitis (tendinitis)	2735	1,930	—	210	430	410	470	300	70	20
Ganglion or cystic tumor	2736	260	—	20	60	60	70	50	—	—
Multiple soft tissue disorders	2738	110	—	—	40	20	—	30	—	—
Soft tissue disorder, except the back, n.e.c.	2739	330	—	—	50	60	60	120	40	—
Osteopathies, chondropathies, and acquired deformities	274	40	—	—	—	—	—	20	—	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	30	—	—	—	—	—	20	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	30	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	890	20	70	130	310	150	170	30	20
Infections of the skin and subcutaneous tissue	281	740	20	60	110	220	140	150	20	—
Infections of the skin and subcutaneous tissue, unspecified	2810	80	—	—	—	30	20	20	—	—
Cellulitis and abscess	2811	480	—	60	50	140	90	110	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	80	—	—	30	20	20	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	80	—	—	20	30	20	—	—	—
Dermatitis resulting from long-term exposures	282	30	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	100	—	—	—	90	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	20	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	80	—	30	—	—	40	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	291	60	—	30	—	—	20	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	50	—	30	—	—	20	—	—	—
Other systemic diseases and disorders, n.e.c.	299	20	—	—	—	—	20	—	—	—
Infectious and parasitic diseases	3	1,020	—	120	340	180	210	110	20	40
Infectious and parasitic diseases, unspecified	30	40	—	—	20	—	—	20	—	—
Bacterial diseases	31	120	—	—	50	—	—	30	—	—
Bacterial diseases, unspecified	310	20	—	—	—	—	—	—	—	—
Other bacterial diseases	319	80	—	—	40	—	—	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Diphtheria, whooping cough	3192	60	-	-	40	-	-	-	-	-
Viral diseases	32	230	-	50	70	30	60	-	-	-
Viral diseases, unspecified	320	30	-	-	-	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	323	120	-	40	20	20	40	-	-	-
Chickenpox, varicella	3233	90	-	30	20	20	30	-	-	-
Herpes zoster, shingles	3234	20	-	-	-	-	-	-	-	-
Viral diseases of the conjunctiva	326	60	-	-	30	-	-	-	-	-
Viral conjunctivitis (ophthalmia)	3261	50	-	-	30	-	-	-	-	-
Other arthropod-borne diseases	33	20	-	-	-	-	-	-	-	-
Mycoses (fungal infections)	34	20	-	-	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	36	110	-	-	30	20	40	-	-	-
Infectious diseases peculiar to the intestines, n.e.c. ..	369	90	-	-	30	-	30	-	-	-
Other infectious and parasitic diseases	39	490	-	60	170	100	90	30	-	40
Pediculosis and phthirus infestation (lice)	391	20	-	-	-	-	-	-	-	-
Scabies and other acariases	392	470	-	60	160	90	80	30	-	40
Symptoms, signs, and ill-defined conditions	5	3,700	90	500	860	710	720	620	150	40
Symptoms, signs, and ill-defined conditions, unspecified	50	230	-	-	60	70	20	40	-	-
Symptoms	51	3,350	90	450	750	620	690	560	150	40
Symptoms, unspecified	510	30	-	-	-	-	20	-	-	-
General symptoms	511	2,280	70	330	600	320	380	410	130	30
General symptoms, unspecified	5110	20	-	-	-	-	-	-	-	-
Loss of consciousness—not heat related	5111	1,150	60	110	330	140	140	250	110	-
Convulsions, seizures	5112	300	-	150	20	40	40	40	-	-
Malaise and fatigue	5113	20	-	-	-	-	-	-	-	-
Dizziness—general	5114	470	-	40	150	100	90	70	20	-
Inflammation, swelling—general	5115	70	-	-	20	-	-	30	-	-
Numbness—general	5116	80	-	-	20	-	50	-	-	-
Multiple general symptoms	5118	130	-	20	40	30	20	20	-	-
General symptoms, n.e.c.	5119	40	-	-	-	-	-	-	-	20
Symptoms involving nervous and musculoskeletal systems	512	40	-	-	-	20	-	-	-	-
Earache	5122	30	-	-	-	20	-	-	-	-
Symptoms involving skin and other integumentary tissue	513	50	-	-	-	-	-	20	-	-
Edema (including dropsy)	5131	20	-	-	-	-	-	20	-	-
Symptoms involving head and neck	514	250	-	50	40	50	80	20	-	-
Headache, except migraine	5141	180	-	-	30	40	70	-	-	-
Symptoms involving head and neck, n.e.c.	5149	50	-	-	-	-	-	-	-	-
Symptoms involving cardiovascular system	515	70	-	-	-	-	50	-	-	-
Unspecified tachycardia (rapid heartbeat)	5151	20	-	-	-	-	-	-	-	-
Symptoms involving cardiovascular system, n.e.c.	5159	20	-	-	-	-	-	-	-	-
Symptoms involving respiratory system and chest	516	510	-	30	50	190	140	90	-	-
Symptoms involving respiratory system and chest, unspecified	5160	220	-	-	20	130	20	40	-	-
Chest pain	5164	130	-	-	-	30	60	20	-	-
Multiple symptoms involving respiratory system and chest	5168	20	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Symptoms involving respiratory system and chest, n.e.c.	5169	120	—	—	—	30	50	—	—	—
Symptoms involving digestive and urinary system	517	70	—	20	30	20	—	—	—	—
Nausea and vomiting—general	5171	30	—	—	—	—	—	—	—	—
Abdominal pain, unspecified	5174	30	—	—	30	—	—	—	—	—
Multiple symptoms	518	40	—	—	—	—	20	—	—	—
Abnormal findings	52	30	—	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	30	—	—	—	20	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	50	—	—	50	—	—	—	—	—
Other diseases, conditions, and disorders	6	3,960	—	280	1,090	970	710	510	60	340
Damage to prosthetic and orthopedic devices	61	60	—	—	—	—	20	20	—	—
Damage to prosthetic devices and aids	611	20	—	—	—	—	—	—	—	—
Damage to orthopedic devices	612	20	—	—	—	—	—	—	—	—
Damage to pins, rods, plates, and screws	6122	20	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	3,890	—	280	1,090	960	690	490	60	340
Mental disorders and syndromes, unspecified	620	80	—	—	—	50	—	—	—	—
Anxiety, stress	621	3,780	—	280	1,080	880	670	480	50	330
Anxiety, stress, unspecified	6210	2,510	—	250	870	230	440	370	40	310
Post-traumatic stress disorder	6211	840	—	20	160	430	130	80	—	—
Anxiety or panic disorder	6213	150	—	—	30	50	40	—	—	—
Anxiety, stress, n.e.c.	6219	270	—	—	30	160	60	—	—	—
Depression or depressive episode	622	30	—	—	—	30	—	—	—	—
Exposures to disease—no illness incurred	7	320	—	60	80	140	20	—	—	—
Multiple diseases, conditions, and disorders	8	120	—	—	20	30	40	30	—	—
Nonclassifiable	9999	4,960	—	130	230	200	290	160	70	3,880

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.