

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2014

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		916,440	560,970	348,720	6,760	98,860	177,790	299,670	323,760	16,370
Traumatic injuries and disorders	1	882,780	548,030	331,240	3,500	97,140	173,520	289,960	310,330	11,810
Traumatic injuries and disorders, unspecified	10	1,100	900	190	-	180	520	190	180	40
Traumatic injuries to bones, nerves, spinal cord	11	88,320	57,430	30,570	320	10,420	15,610	27,480	33,610	1,200
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,510	3,440	3,040	30	600	1,050	2,350	2,260	260
Fractures	111	80,160	52,870	27,000	290	9,660	14,330	24,380	30,870	930
Traumatic injuries to spinal cord	112	210	140	70	-	60	20	40	80	-
Traumatic injuries to spinal cord, unspecified	1120	70	30	50	-	40	-	-	20	-
Paralysis, paraplegia, quadriplegia	1121	40	30	-	-	-	-	-	-	-
Traumatic injuries to spinal cord, n.e.c.	1129	110	80	20	-	-	-	30	50	-
Traumatic injuries to nerves, except the spinal cord ..	113	1,080	660	420	-	90	170	470	340	-
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	70	20	50	-	-	20	20	20	-
Pinched nerve	1131	970	620	350	-	80	140	430	310	-
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	40	20	20	-	-	-	20	-	-
Multiple traumatic injuries to bones, nerves, spinal cord	118	50	30	20	-	-	-	-	20	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	310	290	20	-	-	40	230	40	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	361,860	221,080	138,810	1,970	33,260	66,500	117,940	138,900	5,240
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	2,090	1,110	980	-	190	420	580	900	-
Dislocations	121	9,450	6,250	3,180	20	930	1,540	3,020	3,900	60
Dislocations, unspecified	1210	920	750	150	20	110	100	380	300	40
Herniated discs	1211	2,710	1,600	1,110	-	190	610	860	1,050	-
Dislocation of joints	1212	5,530	3,700	1,830	-	570	810	1,650	2,480	30
Dislocations, n.e.c.	1219	290	190	90	-	60	30	130	70	-
Cartilage fractures and tears	122	5,120	3,910	1,210	-	240	700	1,770	2,400	-
Cartilage fractures and tears, unspecified	1220	110	70	40	-	20	40	30	30	-
Meniscus tears	1221	4,800	3,690	1,100	-	220	640	1,690	2,240	-
Cartilage fractures and tears, n.e.c.	1229	210	150	70	-	-	30	50	140	-
Sprains, strains, tears	123	331,180	196,920	132,330	1,930	30,680	61,610	108,330	125,520	5,040
Sprains, strains, tears, unspecified	1230	26,440	14,480	10,300	1,660	1,890	3,920	8,440	10,370	1,820
Major tears to muscles, tendons, ligaments	1231	21,160	16,510	4,540	110	1,370	3,060	6,950	9,630	160
Sprains	1232	85,120	49,000	36,050	70	9,550	17,830	27,130	29,940	670
Strains	1233	193,130	113,810	79,230	80	17,440	35,870	64,030	73,410	2,370
Multiple sprains, strains, tears	1238	5,320	3,120	2,200	-	430	920	1,770	2,170	20
Hernias due to traumatic incidents	124	12,820	12,120	670	20	1,180	2,040	3,830	5,650	120
Whiplash	125	650	400	250	-	30	110	260	250	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	370	230	140	-	-	60	130	170	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	190	140	40	-	-	30	40	120	-
Open wounds	13	93,290	72,190	21,010	90	14,610	19,540	32,530	25,670	950
Open wounds, unspecified	130	1,600	1,470	130	-	380	200	500	500	20

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Amputations, avulsions, enucleations	131	5,750	4,750	970	20	760	1,450	1,670	1,820	60
Amputations, avulsions, enucleations, unspecified	1310	150	130	20	-	30	30	30	50	-
Amputations	1311	4,250	3,730	500	20	550	1,100	1,310	1,250	50
Avulsions, enucleations	1312	1,310	870	440	-	160	320	320	500	-
Amputations, avulsions, enucleations, n.e.c.	1319	30	30	-	-	-	-	-	20	-
Cuts, lacerations	132	71,100	56,110	14,960	30	11,450	14,190	24,360	20,380	720
Puncture wounds, except gunshot wounds	133	13,740	9,180	4,520	40	2,000	3,340	5,390	2,870	140
Gunshot wounds	134	760	490	260	-	-	290	450	-	-
Multiple types of open wounds	138	200	130	70	-	20	60	70	60	-
Open wounds, n.e.c.	139	140	60	90	-	-	-	90	40	-
Surface wounds and bruises	14	84,930	45,970	38,410	540	10,210	17,560	27,180	28,690	1,280
Surface wounds and bruises, unspecified	140	230	170	60	-	40	30	60	100	-
Abrasions, scratches	141	8,190	6,160	2,030	-	1,240	2,270	2,380	2,150	160
Blisters	142	220	180	30	-	130	20	40	30	-
Bruises, contusions	143	74,140	37,980	35,620	540	8,590	14,810	24,010	25,620	1,110
Multiple surface wounds and bruises	148	1,730	1,250	490	-	180	300	540	710	-
Surface wounds and bruises, n.e.c.	149	410	230	180	-	30	130	160	90	-
Burns and corrosions	15	18,730	12,170	6,540	30	2,740	5,320	6,410	4,130	130
Burns and corrosions, unspecified	150	520	370	130	20	80	110	100	210	20
Chemical burns and corrosions	151	3,440	2,720	720	-	540	690	1,120	1,090	-
Chemical burns and corrosions, unspecified	1510	3,190	2,540	650	-	500	640	1,040	1,010	-
First degree chemical burns and corrosions	1511	50	30	20	-	-	-	20	20	-
Second degree chemical burns and corrosions	1512	100	70	30	-	-	-	50	30	-
Third or fourth degree chemical burns and corrosions	1513	20	-	-	-	-	-	-	-	-
Chemical burns and corrosions, n.e.c.	1519	90	80	-	-	20	30	20	20	-
Heat (thermal) burns	152	12,890	7,310	5,580	-	1,800	3,920	4,580	2,510	90
Heat (thermal) burns, unspecified	1520	9,220	4,990	4,230	-	1,290	2,650	3,450	1,790	50
First degree heat (thermal) burns	1521	700	280	410	-	40	290	280	80	-
Second degree heat (thermal) burns	1522	2,510	1,680	830	-	350	870	740	520	30
Third or fourth degree heat (thermal) burns	1523	200	150	50	-	50	20	60	80	-
Heat (thermal) burns, n.e.c.	1529	260	200	60	-	60	90	60	50	-
Electrical burns	153	780	730	50	-	50	340	180	200	-
Electrical burns, unspecified	1530	620	560	50	-	40	340	100	130	-
First degree electrical burns	1531	20	20	-	-	-	-	-	-	-
Second degree electrical burns	1532	70	70	-	-	-	-	20	50	-
Third or fourth degree electrical burns	1533	60	60	-	-	-	-	50	-	-
Other burns	159	1,090	1,030	50	-	280	250	430	120	-
Other burns, unspecified	1590	120	90	30	-	40	30	20	20	-
Other burns, first degree	1591	850	840	-	-	180	200	390	80	-
Other burns, second degree	1592	80	70	-	-	-	-	-	20	-
Other burns, n.e.c.	1599	30	30	-	-	-	-	-	-	-
Intracranial injuries	16	12,230	6,550	5,620	60	1,410	3,550	3,730	3,450	90
Intracranial injuries, unspecified	160	870	450	420	-	160	180	240	290	-
Cerebral and other intracranial hemorrhages	161	130	90	40	-	-	80	-	40	-
Concussions	162	11,110	5,950	5,100	60	1,240	3,290	3,450	3,050	90
Multiple types of intracranial injuries	168	80	60	20	-	-	-	30	30	-
Multiple intracranial injuries, unspecified	1680	40	30	-	-	-	-	-	30	-
Skull fracture and intracranial injury	1681	30	30	-	-	-	-	30	-	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Intracranial injuries, n.e.c.	169	40	—	40	—	—	—	—	40	—
Effects of environmental conditions	17	2,430	2,020	390	20	510	350	840	690	40
Effects of environmental conditions, unspecified	170	30	—	—	—	—	—	—	—	—
Effects of reduced temperature	171	390	360	20	—	60	40	200	70	—
Frostbite	1711	320	310	—	—	50	40	160	60	—
Hypothermia	1712	40	40	—	—	—	—	30	—	—
Effects of reduced temperature, n.e.c.	1719	30	—	20	—	—	—	—	—	—
Effects of heat and light	172	1,920	1,600	310	—	450	290	590	570	30
Effects of heat and light, unspecified	1720	180	140	50	—	—	20	110	50	—
Heat stroke	1721	90	40	50	—	50	—	—	20	—
Heat syncope	1722	80	60	20	—	—	20	40	20	—
Heat fatigue	1723	70	60	—	—	30	30	—	—	—
Heat exhaustion, prostration	1725	870	710	140	—	260	170	320	90	30
Effects of heat and light, n.e.c.	1729	630	590	40	—	90	40	100	390	—
Effects of air or water pressure	173	80	60	20	—	—	—	50	20	—
Aero-otitis media	1731	20	—	—	—	—	—	—	20	—
Caisson disease, bends, divers palsy	1733	20	20	—	—	—	—	20	—	—
Effects of air or water pressure, n.e.c.	1739	40	40	—	—	—	—	30	—	—
Multiple traumatic injuries and disorders	18	26,680	15,440	11,240	—	2,860	5,810	7,670	10,250	90
Multiple traumatic injuries and disorders, unspecified	180	1,150	540	620	—	100	370	260	420	—
Cuts and abrasions or bruises	181	4,300	2,740	1,560	—	490	810	1,250	1,700	40
Sprains and other injuries	182	11,980	5,950	6,030	—	1,000	2,630	3,390	4,940	30
Sprains and other injuries, unspecified	1820	410	240	170	—	—	120	100	170	—
Sprains and bruises	1821	8,970	3,940	5,030	—	850	1,990	2,640	3,460	20
Sprains and cuts	1822	870	680	190	—	20	140	150	550	—
Sprains and other injuries, n.e.c.	1829	1,730	1,090	640	—	110	370	500	750	—
Fractures and other injuries	183	5,540	3,910	1,630	—	750	1,100	1,870	1,800	20
Fractures and other injuries, unspecified	1830	830	660	170	—	50	50	480	240	—
Fractures (except skull fractures) and concussions	1831	320	240	90	—	50	70	120	90	—
Fractures (except rib, trunk fractures) and internal injuries	1832	80	70	—	—	20	40	—	—	—
Fractures and burns	1833	30	30	—	—	—	20	—	—	—
Fractures and dislocations	1834	270	190	70	—	30	90	—	140	—
Fractures and other injuries, n.e.c.	1839	4,010	2,720	1,290	—	610	840	1,240	1,320	—
Burns and other injuries, except fractures	184	180	140	40	—	—	130	—	20	—
Burns and other injuries, n.e.c.	1849	170	130	40	—	—	130	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,530	2,160	1,370	—	510	760	890	1,360	—
Other traumatic injuries and disorders	19	193,210	114,290	78,450	460	20,950	38,760	66,000	64,750	2,760
Other traumatic injuries and disorders, unspecified	190	280	160	110	—	30	70	120	50	—
Asphyxiations, strangulations, suffocations	191	90	70	20	—	—	20	40	20	—
Electrocutions, electric shocks	193	1,080	820	250	—	70	220	500	270	20
Internal injuries to organs and blood vessels of the trunk	194	100	90	—	—	—	—	30	50	—
Dermatitis and reactions affecting the skin—acute	195	2,320	1,220	1,090	—	370	490	900	520	30
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,080	540	530	—	150	190	500	220	30
Allergic dermatitis—acute	1951	660	380	280	—	140	120	220	180	—
Irritant dermatitis—acute	1952	430	220	200	—	70	140	120	90	—
Hives, urticaria—acute	1953	60	—	50	—	20	—	30	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple types of dermatitis and skin reactions—acute	1958	60	50	—	—	—	20	40	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	30	20	20	—	—	—	—	20	—
Other poisoning, toxic, noxious, or allergenic effects	196	6,880	3,420	3,460	—	1,250	1,570	2,300	1,750	20
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	3,210	2,000	1,200	—	690	700	1,160	640	—
Poisoning, including poisoning-related asphyxia ...	1961	500	290	210	—	20	110	160	210	—
Anaphylactic shock, anaphylaxis	1962	140	130	20	—	—	—	—	30	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	840	290	550	—	90	130	320	300	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	130	40	90	—	—	30	30	70	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	240	90	150	—	70	50	30	100	—
Other or unspecified allergic reactions	1966	940	470	460	—	210	210	320	190	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	150	30	120	—	30	40	20	60	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	300	50	250	—	30	100	40	130	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	430	30	400	—	—	200	200	30	—
Nonspecified injuries and disorders	197	181,840	108,230	73,170	440	19,160	36,250	61,900	61,860	2,680
Crushing injuries	1971	9,790	7,720	2,010	60	1,270	2,530	3,090	2,740	160
Soreness, pain, hurt—nonspecified injury	1972	150,180	86,080	63,750	350	15,620	29,500	50,670	52,080	2,310
Swelling, inflammation, irritation—nonspecified injury	1973	17,370	12,030	5,310	30	1,740	3,400	6,730	5,360	140
Numbness—nonspecified injury	1974	1,060	510	540	—	260	140	260	390	—
Multiple nonspecified injuries and disorders	1978	1,930	1,030	900	—	170	500	550	700	—
Nonspecified injuries and disorders, n.e.c.	1979	1,520	860	660	—	100	190	600	590	40
Other traumatic injuries and disorders, n.e.c.	199	620	280	340	—	50	130	220	220	—
Traumatic shock	1991	30	30	—	—	—	—	—	30	—
Traumatic injuries and disorders, n.e.c.	1999	590	250	340	—	50	130	220	190	—
Diseases and disorders of body systems	2	19,580	8,190	11,360	30	880	2,460	6,160	9,900	180
Nervous system and sense organs diseases	22	8,660	2,910	5,730	20	300	750	2,130	5,370	100
Inflammatory diseases of the central nervous system	221	40	—	30	—	—	—	—	—	—
Other disorders of the central nervous system	223	120	40	80	—	30	40	20	20	—
Seizure disorder, epilepsy	2231	50	20	30	—	30	—	—	—	—
Migraine	2232	70	20	50	—	—	30	20	20	—
Disorders of the peripheral nervous system	224	7,590	2,280	5,300	20	140	580	1,780	5,010	80
Disorders of the peripheral nervous system, unspecified	2240	690	110	570	—	—	—	190	480	20
Carpal tunnel syndrome	2241	6,800	2,120	4,680	—	120	580	1,560	4,490	50
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	40	20	20	—	—	—	—	20	—
Disorders of the peripheral nervous system, n.e.c.	2249	60	20	30	—	—	—	30	20	—
Disorders of the eye, adnexa, vision	225	760	490	260	—	80	110	300	270	—
Disorders of the eye, adnexa, vision, unspecified ..	2250	90	50	40	—	—	30	30	30	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Conjunctivitis—non-viral	2251	370	180	190	—	50	50	130	140	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	50	40	—	—	—	—	30	—	—
Blindness, low vision	2254	20	—	—	—	—	—	—	—	—
Visual disturbances	2256	20	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	200	190	20	—	—	20	100	60	—
Disorders of the ear, mastoid process, hearing	226	140	80	60	—	20	—	40	70	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	80	70	—	—	—	—	20	30	—
Tinnitus	2262	30	—	30	—	—	—	—	20	—
Circulatory system diseases	23	570	480	80	—	60	60	130	320	—
Circulatory system diseases, unspecified	230	30	—	20	—	—	—	20	—	—
Ischemic heart disease, including heart attack	233	160	140	20	—	40	—	60	40	—
Ischemic heart disease, unspecified	2330	20	20	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	130	120	20	—	—	—	40	40	—
Diseases of pulmonary circulation	234	20	—	—	—	—	—	—	—	—
Pulmonary embolism	2342	20	—	—	—	—	—	—	—	—
Other forms of heart disease	235	90	90	—	—	—	—	—	90	—
Other forms of heart disease, n.e.c.	2359	90	90	—	—	—	—	—	90	—
Cerebrovascular disease	236	180	150	30	—	—	20	20	130	—
Cerebrovascular disease, unspecified	2360	60	—	—	—	—	—	—	60	—
Stroke	2361	100	80	20	—	—	—	20	60	—
Transient ischemia attacks	2362	20	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	80	70	—	—	—	20	20	40	—
Hemorrhoids	2382	60	60	—	—	—	20	—	—	—
Phlebitis, thrombosis	2383	20	—	—	—	—	—	—	—	—
Respiratory system diseases	24	1,500	160	1,330	—	60	320	980	140	—
Respiratory system diseases, unspecified	240	80	30	50	—	—	—	50	20	—
Acute respiratory infections (including common cold)	241	320	—	310	—	—	300	20	—	—
Other diseases of upper respiratory tract	242	50	40	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	2420	40	40	—	—	—	—	—	—	—
Pneumonia, influenza	243	910	20	890	—	—	—	870	30	—
Pneumonia, influenza, unspecified	2430	40	—	40	—	—	—	—	—	—
Influenza—common	2432	860	—	840	—	—	—	850	—	—
Chronic obstructive pulmonary disease and allied conditions	244	50	—	40	—	—	—	30	—	—
Asthma, except intrinsic	2443	40	—	40	—	—	—	30	—	—
Pneumoconioses	245	20	20	—	—	—	—	—	—	—
Coal workers pneumoconiosis	2451	20	20	—	—	—	—	—	—	—
Other respiratory system diseases	249	60	20	30	—	—	—	—	40	—
Other respiratory system diseases, unspecified	2490	30	—	—	—	—	—	—	—	—
Atelectasis, collapsed lung	2494	20	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	630	580	50	—	—	40	230	340	—
Hernia—nontraumatic	253	570	540	30	—	—	30	200	330	—
Digestive system diseases and disorders, n.e.c.	259	20	20	—	—	—	—	—	—	—
Genitourinary system diseases and disorders	26	60	—	50	—	—	50	—	—	—
Diseases and disorders of the genital tract	263	50	—	50	—	—	50	—	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Spontaneous abortion, miscarriage	2632	50	—	50	—	—	50	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	7,190	3,490	3,700	—	350	1,050	2,380	3,340	70
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	180	160	20	—	—	—	30	140	—
Arthropathies and related disorders (arthritis)	271	190	140	50	—	—	60	70	50	—
Dorsopathies	272	550	340	210	—	20	120	150	260	—
Sciatica	2721	170	110	70	—	—	20	60	80	—
Lumbago	2722	170	70	100	—	—	60	20	80	—
Disc disorders, except dislocation	2723	70	40	30	—	—	—	20	40	—
Dorsopathies, n.e.c.	2729	140	120	20	—	—	30	50	50	—
Soft tissue disorders, except the back	273	6,200	2,800	3,390	—	310	860	2,120	2,850	50
Soft tissue disorder, except the back, unspecified	2730	330	140	190	—	—	20	110	190	—
Bursitis	2731	400	330	70	—	—	100	170	120	—
Stenosing tenosynovitis	2732	1,030	300	740	—	70	130	290	540	—
Other tenosynovitis, synovitis	2733	730	220	510	—	30	30	410	260	—
Epicondylitis	2734	1,060	600	450	—	40	110	300	600	—
Other or unspecified tendonitis (tendinitis)	2735	1,930	900	1,030	—	120	350	510	920	20
Ganglion or cystic tumor	2736	260	90	170	—	20	60	90	90	—
Multiple soft tissue disorders	2738	110	60	50	—	—	40	40	30	—
Soft tissue disorder, except the back, n.e.c.	2739	330	150	180	—	—	30	190	100	—
Osteopathies, chondropathies, and acquired deformities	274	40	20	20	—	—	—	—	20	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	30	20	—	—	—	—	—	20	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	30	30	—	—	—	—	—	20	—
Disorders of the skin and subcutaneous tissue	28	890	510	380	—	90	190	280	320	—
Infections of the skin and subcutaneous tissue	281	740	480	260	—	80	100	270	280	—
Infections of the skin and subcutaneous tissue, unspecified	2810	80	50	20	—	—	—	40	30	—
Cellulitis and abscess	2811	480	360	120	—	50	80	160	180	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	80	20	60	—	—	—	20	40	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	80	30	50	—	—	—	50	30	—
Dermatitis resulting from long-term exposures	282	30	—	20	—	—	—	—	20	—
Other diseases and disorders of the skin and subcutaneous tissue	289	100	—	100	—	—	90	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	20	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	80	60	30	—	—	—	20	50	—
Endocrine, nutritional, metabolic, and immunity disorders	291	60	40	20	—	—	—	20	30	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	50	40	—	—	—	—	20	30	—
Other systemic diseases and disorders, n.e.c.	299	20	—	—	—	—	—	—	20	—
Infectious and parasitic diseases	3	1,020	260	760	—	70	200	440	280	40

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Infectious and parasitic diseases, unspecified	30	40	—	20	—	—	—	—	20	—
Bacterial diseases	31	120	30	80	—	—	20	40	50	—
Bacterial diseases, unspecified	310	20	—	—	—	—	—	—	20	—
Other bacterial diseases	319	80	—	70	—	—	20	30	20	—
Diphtheria, whooping cough	3192	60	—	60	—	—	—	20	20	—
Viral diseases	32	230	30	200	—	—	60	110	50	—
Viral diseases, unspecified	320	30	—	20	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	120	20	110	—	—	40	70	—	—
Chickenpox, varicella	3233	90	—	80	—	—	30	60	—	—
Herpes zoster, shingles	3234	20	—	20	—	—	—	20	—	—
Viral diseases of the conjunctiva	326	60	—	50	—	—	—	20	20	—
Viral conjunctivitis (ophthalmia)	3261	50	—	50	—	—	—	20	20	—
Other arthropod-borne diseases	33	20	—	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	20	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	110	30	90	—	—	20	20	60	—
Infectious diseases peculiar to the intestines, n.e.c. ..	369	90	—	70	—	—	—	20	40	—
Other infectious and parasitic diseases	39	490	130	370	—	40	80	260	80	40
Pediculosis and phthirus infestation (lice)	391	20	—	—	—	—	—	—	—	—
Scabies and other acariases	392	470	120	350	—	30	80	240	80	40
Symptoms, signs, and ill-defined conditions	5	3,700	1,710	1,990	—	480	790	1,000	1,410	—
Symptoms, signs, and ill-defined conditions, unspecified	50	230	220	20	—	60	—	60	60	—
Symptoms	51	3,350	1,450	1,890	—	420	720	870	1,320	—
Symptoms, unspecified	510	30	20	—	—	—	—	—	20	—
General symptoms	511	2,280	980	1,300	—	280	480	620	900	—
General symptoms, unspecified	5110	20	—	20	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,150	470	680	—	120	210	310	500	—
Convulsions, seizures	5112	300	180	120	—	50	130	50	70	—
Malaise and fatigue	5113	20	—	—	—	—	—	—	—	—
Dizziness—general	5114	470	180	300	—	60	70	140	210	—
Inflammation, swelling—general	5115	70	50	20	—	30	—	—	20	—
Numbness—general	5116	80	20	60	—	—	50	—	30	—
Multiple general symptoms	5118	130	60	70	—	30	—	60	40	—
General symptoms, n.e.c.	5119	40	30	20	—	—	—	—	20	—
Symptoms involving nervous and musculoskeletal systems	512	40	—	30	—	—	—	—	20	—
Earache	5122	30	—	20	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	50	20	30	—	—	—	30	20	—
Edema (including dropsy)	5131	20	—	—	—	—	—	—	20	—
Symptoms involving head and neck	514	250	130	120	—	40	120	50	40	—
Headache, except migraine	5141	180	80	100	—	40	70	40	30	—
Symptoms involving head and neck, n.e.c.	5149	50	50	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	70	50	30	—	20	—	20	—	—
Unspecified tachycardia (rapid heartbeat)	5151	20	—	20	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c. ..	5159	20	20	—	—	—	—	20	—	—
Symptoms involving respiratory system and chest	516	510	210	290	—	40	80	100	290	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms involving respiratory system and chest, unspecified	5160	220	50	170	—	—	20	30	170	—
Chest pain	5164	130	100	30	—	20	30	30	60	—
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	120	40	90	—	20	20	40	60	—
Symptoms involving digestive and urinary system	517	70	20	50	—	—	—	40	—	—
Nausea and vomiting—general	5171	30	—	20	—	—	—	30	—	—
Abdominal pain, unspecified	5174	30	—	30	—	—	—	—	—	—
Multiple symptoms	518	40	—	30	—	—	—	—	20	—
Abnormal findings	52	30	—	20	—	—	—	—	—	—
Other abnormal findings	529	20	—	20	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	30	20	—	—	—	—	20	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	50	—	40	—	—	—	40	—	—
Other diseases, conditions, and disorders	6	3,960	1,560	2,340	50	140	340	1,730	1,400	350
Damage to prosthetic and orthopedic devices	61	60	30	30	—	—	—	20	30	—
Damage to prosthetic devices and aids	611	20	—	—	—	—	—	—	—	—
Damage to orthopedic devices	612	20	20	—	—	—	—	—	—	—
Damage to pins, rods, plates, and screws	6122	20	20	—	—	—	—	—	—	—
Mental disorders and syndromes	62	3,890	1,520	2,320	50	130	340	1,720	1,350	350
Mental disorders and syndromes, unspecified	620	80	—	50	20	—	—	30	20	20
Anxiety, stress	621	3,780	1,510	2,250	20	130	330	1,680	1,300	330
Anxiety, stress, unspecified	6210	2,510	740	1,770	—	70	170	1,360	620	300
Post-traumatic stress disorder	6211	840	590	250	—	40	70	170	560	—
Anxiety or panic disorder	6213	150	70	70	—	—	30	70	30	20
Anxiety, stress, n.e.c.	6219	270	110	160	—	20	60	90	100	—
Depression or depressive episode	622	30	—	20	—	—	—	—	30	—
Exposures to disease—no illness incurred	7	320	160	160	—	30	160	60	70	—
Multiple diseases, conditions, and disorders	8	120	80	40	—	—	30	50	30	—
Nonclassifiable	9999	4,960	980	820	3,160	110	280	270	340	3,960

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals. Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.