

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		916,440	27,070	7,920	23,610	51,060	218,820	55,460
Traumatic injuries and disorders	1	882,780	25,720	7,450	22,410	48,890	212,610	53,300
Traumatic injuries and disorders, unspecified	10	1,100	30	–	20	30	180	20
Traumatic injuries to bones, nerves, spinal cord	11	88,320	4,000	1,460	2,660	3,460	16,800	5,650
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,510	400	–	200	240	2,150	260
Fractures	111	80,160	3,570	1,440	2,440	3,180	14,050	5,250
Traumatic injuries to spinal cord	112	210	–	–	–	–	60	40
Traumatic injuries to spinal cord, unspecified	1120	70	–	–	–	–	40	20
Paralysis, paraplegia, quadriplegia	1121	40	–	–	–	–	–	20
Traumatic injuries to spinal cord, n.e.c.	1129	110	–	–	–	–	20	–
Traumatic injuries to nerves, except the spinal cord	113	1,080	30	–	20	40	290	90
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	70	–	–	–	–	–	20
Pinched nerve	1131	970	30	–	–	20	270	70
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	40	–	–	–	–	–	–
Multiple traumatic injuries to bones, nerves, spinal cord	118	50	–	–	–	–	–	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	310	–	–	–	–	250	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	12	361,860	9,380	2,450	8,660	25,180	82,500	23,160
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	2,090	80	–	20	160	580	130
Dislocations	121	9,450	930	70	510	470	1,650	770
Dislocations, unspecified	1210	920	–	20	70	40	320	50
Herniated discs	1211	2,710	180	–	100	170	310	90
Dislocation of joints	1212	5,530	740	50	320	250	910	580
Dislocations, n.e.c.	1219	290	–	–	–	–	110	50
Cartilage fractures and tears ...	122	5,120	290	70	190	570	650	170
Cartilage fractures and tears, unspecified	1220	110	–	–	–	–	20	–

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	70,750	14,780	73,460	81,730	104,980	182,800
Traumatic injuries and disorders	65,960	14,440	72,480	80,030	99,260	179,110
Traumatic injuries and disorders, unspecified	40	—	260	110	90	320
Traumatic injuries to bones, nerves, spinal cord	5,840	1,680	9,690	8,230	10,640	18,070
Traumatic injuries to bones, nerves, spinal cord, unspecified	480	340	740	410	390	870
Fractures	5,280	1,290	8,850	7,670	10,070	16,930
Traumatic injuries to spinal cord	—	—	30	—	—	50
Traumatic injuries to spinal cord, unspecified	—	—	—	—	—	—
Paralysis, paraplegia, quadriplegia	—	—	—	—	—	—
Traumatic injuries to spinal cord, n.e.c.	—	—	30	—	—	30
Traumatic injuries to nerves, except the spinal cord	70	40	60	130	140	170
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	—
Pinched nerve	60	40	50	120	130	160
Traumatic injuries to nerves, except the spinal cord, n.e.c.	—	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	—	—	20	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	30
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	32,050	4,660	22,910	31,720	33,720	85,030
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	30	110	350	190	340
Dislocations	810	260	800	1,000	700	1,480
Dislocations, unspecified	60	20	120	40	70	110
Herniated discs	540	90	190	310	250	480
Dislocation of joints	200	150	490	650	360	850
Dislocations, n.e.c.	20	—	—	—	20	50
Cartilage fractures and tears	310	50	370	600	570	1,290
Cartilage fractures and tears, unspecified	20	—	—	—	—	30

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Meniscus tears	1221	4,800	290	70	180	550	560	160
Cartilage fractures and tears, n.e.c.	1229	210	—	—	—	—	70	—
Sprains, strains, tears	123	331,180	7,870	2,190	7,870	23,690	78,010	21,190
Sprains, strains, tears, unspecified	1230	26,440	420	180	340	2,400	5,770	1,940
Major tears to muscles, tendons, ligaments	1231	21,160	570	200	360	800	2,610	730
Sprains	1232	85,120	2,990	600	2,810	4,770	22,380	4,940
Strains	1233	193,130	3,790	1,140	4,320	15,310	46,150	13,170
Multiple sprains, strains, tears	1238	5,320	100	60	40	410	1,100	420
Hernias due to traumatic incidents	124	12,820	170	100	20	210	1,360	840
Whiplash	125	650	40	—	30	30	160	30
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	370	—	—	—	20	70	30
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	190	—	—	—	30	30	—
Open wounds	13	93,290	1,320	1,100	890	2,450	25,370	3,510
Open wounds, unspecified	130	1,600	—	20	100	30	150	30
Amputations, avulsions, enucleations	131	5,750	40	30	50	80	700	70
Amputations, avulsions, enucleations, unspecified	1310	150	—	—	—	—	20	—
Amputations	1311	4,250	40	20	—	50	490	50
Avulsions, enucleations	1312	1,310	—	—	50	20	180	20
Amputations, avulsions, enucleations, n.e.c.	1319	30	—	—	—	—	—	—
Cuts, lacerations	132	71,100	1,090	750	530	1,030	20,820	2,700
Puncture wounds, except gunshot wounds	133	13,740	170	300	190	1,290	3,540	320
Gunshot wounds	134	760	—	—	—	—	70	370
Multiple types of open wounds	138	200	—	—	20	—	30	—
Open wounds, n.e.c.	139	140	—	—	—	—	60	—
Surface wounds and bruises	14	84,930	2,540	480	2,380	4,950	20,890	6,770
Surface wounds and bruises, unspecified	140	230	—	—	—	—	40	—
Abrasions, scratches	141	8,190	170	30	140	220	1,530	210
Blisters	142	220	—	—	—	—	20	—
Bruises, contusions	143	74,140	2,100	410	2,050	4,650	18,800	6,400
Multiple surface wounds and bruises	148	1,730	270	20	60	50	360	120

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Meniscus tears	260	40	370	540	550	1,220
Cartilage fractures and tears, n.e.c.	20	—	—	50	—	30
Sprains, strains, tears	30,220	4,030	20,040	27,660	29,520	78,430
Sprains, strains, tears, unspecified	2,580	190	1,800	2,040	2,390	6,380
Major tears to muscles, tendons, ligaments	1,130	150	2,300	3,090	2,740	6,460
Sprains	6,990	1,270	5,430	6,100	6,630	20,030
Strains	18,840	2,380	10,330	15,930	17,310	44,250
Multiple sprains, strains, tears	680	40	190	500	460	1,300
Hernias due to traumatic incidents	540	290	1,570	2,000	2,620	3,100
Whiplash	30	—	—	80	—	230
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	20	—	—	20	30	150
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	90	20
Open wounds	4,680	1,620	11,840	10,870	18,110	11,470
Open wounds, unspecified	40	50	310	190	340	280
Amputations, avulsions, enucleations	170	100	490	880	2,330	800
Amputations, avulsions, enucleations, unspecified ...	—	—	—	—	90	20
Amputations	110	50	390	700	1,750	590
Avulsions, enucleations	60	50	90	170	470	190
Amputations, avulsions, enucleations, n.e.c.	—	—	—	—	20	—
Cuts, lacerations	3,760	1,150	8,800	8,160	13,710	8,560
Puncture wounds, except gunshot wounds	480	310	2,220	1,620	1,600	1,700
Gunshot wounds	220	—	—	—	—	90
Multiple types of open wounds	—	—	—	—	80	30
Open wounds, n.e.c.	—	—	—	—	30	—
Surface wounds and bruises	7,460	1,810	5,370	6,050	9,330	16,790
Surface wounds and bruises, unspecified	—	—	40	20	40	50
Abrasions, scratches	830	340	920	1,000	1,200	1,620
Blisters	20	—	—	—	—	20
Bruises, contusions	6,520	1,440	4,330	4,890	7,870	14,580
Multiple surface wounds and bruises	50	—	40	100	190	460

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Surface wounds and bruises, n.e.c.	149	410	—	—	20	—	150	—
Burns and corrosions	15	18,730	530	170	50	310	9,410	360
Burns and corrosions, unspecified	150	520	20	—	—	—	280	—
Chemical burns and corrosions	151	3,440	260	80	—	90	930	70
Chemical burns and corrosions, unspecified	1510	3,190	260	80	—	90	890	40
First degree chemical burns and corrosions	1511	50	—	—	—	—	—	—
Second degree chemical burns and corrosions	1512	100	—	—	—	—	20	—
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	90	—	—	—	—	—	—
Heat (thermal) burns	152	12,890	210	60	40	210	8,140	200
Heat (thermal) burns, unspecified	1520	9,220	120	20	40	130	6,050	180
First degree heat (thermal) burns	1521	700	—	—	—	30	470	—
Second degree heat (thermal) burns	1522	2,510	90	40	—	40	1,420	—
Third or fourth degree heat (thermal) burns	1523	200	—	—	—	—	40	—
Heat (thermal) burns, n.e.c.	1529	260	—	—	—	—	160	—
Electrical burns	153	780	—	20	—	—	20	30
Electrical burns, unspecified	1530	620	—	—	—	—	20	30
First degree electrical burns	1531	20	—	—	—	—	—	—
Second degree electrical burns	1532	70	—	—	—	—	—	—
Third or fourth degree electrical burns	1533	60	—	—	—	—	—	—
Other burns	159	1,090	40	—	—	—	40	60
Other burns, unspecified	1590	120	—	—	—	—	—	—
Other burns, first degree	1591	850	—	—	—	—	20	—
Other burns, second degree	1592	80	—	—	—	—	—	—
Other burns, n.e.c.	1599	30	—	—	—	—	—	—
Intracranial injuries	16	12,230	520	220	790	740	2,630	1,470
Intracranial injuries, unspecified	160	870	20	—	60	20	240	40
Cerebral and other intracranial hemorrhages	161	130	—	—	—	—	60	—
Concussions	162	11,110	480	210	710	710	2,310	1,430

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Surface wounds and bruises, n.e.c.	30	—	40	40	20	70
Burns and corrosions	320	130	1,270	2,000	3,110	1,040
Burns and corrosions, unspecified	—	—	20	130	30	50
Chemical burns and corrosions	70	100	260	640	540	400
Chemical burns and corrosions, unspecified	60	80	240	620	490	340
First degree chemical burns and corrosions	—	—	—	—	—	20
Second degree chemical burns and corrosions	—	—	—	—	—	20
Third or fourth degree chemical burns and corrosions	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	—	—	20	—	20	20
Heat (thermal) burns	240	30	430	900	1,930	470
Heat (thermal) burns, unspecified	150	30	310	590	1,240	340
First degree heat (thermal) burns	—	—	—	50	70	50
Second degree heat (thermal) burns	60	—	90	230	440	70
Third or fourth degree heat (thermal) burns	—	—	—	20	120	—
Heat (thermal) burns, n.e.c.	—	—	20	—	60	—
Electrical burns	—	—	460	190	40	20
Electrical burns, unspecified	—	—	390	120	30	20
First degree electrical burns	—	—	—	—	—	—
Second degree electrical burns	—	—	20	50	—	—
Third or fourth degree electrical burns	—	—	40	20	—	—
Other burns	—	—	100	140	590	100
Other burns, unspecified	—	—	—	30	50	—
Other burns, first degree	—	—	40	110	510	90
Other burns, second degree	—	—	50	—	—	—
Other burns, n.e.c.	—	—	—	—	—	—
Intracranial injuries	1,110	30	410	780	1,020	2,500
Intracranial injuries, unspecified	90	—	30	70	90	190
Cerebral and other intracranial hemorrhages	—	—	—	—	20	—
Concussions	1,010	20	360	700	910	2,250

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple types of intracranial injuries	168	80	—	—	—	—	20	—
Multiple intracranial injuries, unspecified	1680	40	—	—	—	—	—	—
Skull fracture and intracranial injury	1681	30	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	40	—	—	—	—	—	—
Effects of environmental conditions	17	2,430	20	40	80	20	140	100
Effects of environmental conditions, unspecified	170	30	—	—	—	—	—	—
Effects of reduced temperature	171	390	—	—	—	—	30	—
Frostbite	1711	320	—	—	—	—	20	—
Hypothermia	1712	40	—	—	—	—	—	—
Effects of reduced temperature, n.e.c.	1719	30	—	—	—	—	—	—
Effects of heat and light	172	1,920	—	40	30	20	120	90
Effects of heat and light, unspecified	1720	180	—	—	—	—	—	—
Heat stroke	1721	90	—	—	—	—	—	—
Heat syncope	1722	80	—	—	—	—	—	—
Heat fatigue	1723	70	—	—	—	—	—	—
Heat exhaustion, prostration	1725	870	—	30	—	—	70	70
Effects of heat and light, n.e.c.	1729	630	—	—	—	—	—	—
Effects of air or water pressure	173	80	—	—	—	—	—	—
Aero-otitis media	1731	20	—	—	—	—	—	—
Caisson disease, bends, divers palsy	1733	20	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	26,680	1,610	200	1,160	1,380	6,080	1,940
Multiple traumatic injuries and disorders, unspecified	180	1,150	290	—	30	30	180	120
Cuts and abrasions or bruises	181	4,300	220	—	160	170	950	260
Sprains and other injuries	182	11,980	710	110	500	850	3,150	1,170
Sprains and other injuries, unspecified	1820	410	—	—	20	20	130	30
Sprains and bruises	1821	8,970	390	50	430	760	2,520	650
Sprains and cuts	1822	870	70	50	—	20	40	330
Sprains and other injuries, n.e.c.	1829	1,730	240	—	50	60	460	160
Fractures and other injuries	183	5,540	200	60	290	110	970	280

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple types of intracranial injuries	-	-	-	-	-	50
Multiple intracranial injuries, unspecified	-	-	-	-	-	20
Skull fracture and intracranial injury	-	-	-	-	-	30
Intracranial injuries, n.e.c.	-	-	-	-	-	-
Effects of environmental conditions	60	150	470	240	600	510
Effects of environmental conditions, unspecified	-	-	-	-	-	-
Effects of reduced temperature	20	-	50	100	20	150
Frostbite	20	-	20	90	20	150
Hypothermia	-	-	20	20	-	-
Effects of reduced temperature, n.e.c.	-	-	-	-	-	-
Effects of heat and light	20	150	420	110	570	340
Effects of heat and light, unspecified	-	-	30	20	-	90
Heat stroke	-	30	-	-	-	-
Heat syncope	-	-	-	-	30	-
Heat fatigue	-	-	30	20	-	-
Heat exhaustion, prostration	-	100	250	40	130	150
Effects of heat and light, n.e.c.	-	-	100	30	390	60
Effects of air or water pressure	-	-	-	20	-	20
Aero-otitis media	-	-	-	-	-	20
Caisson disease, bends, divers palsy	-	-	-	-	-	-
Effects of air or water pressure, n.e.c.	-	-	-	20	-	-
Multiple traumatic injuries and disorders	1,540	570	2,390	2,200	2,260	5,350
Multiple traumatic injuries and disorders, unspecified	50	-	80	130	50	170
Cuts and abrasions or bruises	390	70	320	250	400	1,090
Sprains and other injuries	680	270	560	920	700	2,370
Sprains and other injuries, unspecified	30	-	-	50	-	90
Sprains and bruises	570	250	350	620	500	1,890
Sprains and cuts	-	-	50	80	30	180
Sprains and other injuries, n.e.c.	60	20	150	170	160	200
Fractures and other injuries	300	140	1,140	440	850	760

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Fractures and other injuries, unspecified	1830	830	20	—	20	20	70	40
Fractures (except skull fractures) and concussions	1831	320	—	—	20	—	120	50
Fractures (except rib, trunk fractures) and internal injuries	1832	80	—	—	—	—	—	—
Fractures and burns	1833	30	—	—	—	—	—	—
Fractures and dislocations ...	1834	270	20	—	—	—	30	—
Fractures and other injuries, n.e.c.	1839	4,010	150	40	250	80	750	180
Burns and other injuries, except fractures	184	180	20	—	—	—	30	—
Burns and other injuries, n.e.c.	1849	170	20	—	—	—	30	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,530	160	20	180	210	790	120
Other traumatic injuries and disorders	19	193,210	5,780	1,320	5,710	10,370	48,610	10,340
Other traumatic injuries and disorders, unspecified	190	280	—	—	20	—	70	30
Asphyxiations, strangulations, suffocations	191	90	—	—	—	—	—	—
Electrocutions, electric shocks	193	1,080	—	20	40	20	260	40
Internal injuries to organs and blood vessels of the trunk	194	100	—	—	—	—	20	—
Dermatitis and reactions affecting the skin—acute	195	2,320	20	—	20	260	800	50
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,080	—	—	—	140	370	30
Allergic dermatitis—acute	1951	660	—	—	—	20	230	—
Irritant dermatitis—acute	1952	430	—	—	—	80	130	—
Hives, urticaria—acute	1953	60	—	—	—	20	20	—
Multiple types of dermatitis and skin reactions—acute ..	1958	60	—	—	—	—	40	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	30	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	6,880	350	80	230	420	1,510	540
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	3,210	40	20	90	80	740	250

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Fractures and other injuries, unspecified	30	—	430	30	100	60
Fractures (except skull fractures) and concussions	—	—	30	30	—	30
Fractures (except rib, trunk fractures) and internal injuries	—	—	30	—	—	—
Fractures and burns	—	—	—	—	20	—
Fractures and dislocations ...	30	—	40	30	40	40
Fractures and other injuries, n.e.c.	230	130	600	330	660	610
Burns and other injuries, except fractures	—	—	—	80	30	—
Burns and other injuries, n.e.c.	—	—	—	80	30	—
Multiple traumatic injuries and disorders, n.e.c.	130	70	300	380	230	960
Other traumatic injuries and disorders	12,860	3,800	17,870	17,840	20,380	38,040
Other traumatic injuries and disorders, unspecified	—	—	30	—	20	70
Asphyxiations, strangulations, suffocations	—	—	—	40	—	—
Electrocutions, electric shocks	20	—	150	260	200	70
Internal injuries to organs and blood vessels of the trunk	—	—	20	20	20	—
Dermatitis and reactions affecting the skin—acute	60	170	220	190	330	190
Dermatitis and reactions affecting the skin—acute, unspecified	30	80	130	70	140	80
Allergic dermatitis—acute	20	70	40	90	90	40
Irritant dermatitis—acute	—	—	40	—	90	60
Hives, urticaria—acute	—	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute ..	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	660	370	870	410	560	880
Poisoning, toxic, noxious, or allergenic effect, unspecified	120	190	750	220	230	480

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Poisoning, including poisoning-related asphyxia	1961	500	—	30	20	40	70	50
Anaphylactic shock, anaphylaxis	1962	140	30	—	—	—	110	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	840	—	—	50	130	180	60
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	130	—	—	—	—	30	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	240	20	—	—	20	60	—
Other or unspecified allergic reactions	1966	940	40	30	—	100	250	60
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	150	—	—	30	—	20	30
Multiple poisoning, toxic, noxious, or allergenic effects	1968	300	—	—	—	20	20	80
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	430	170	—	—	—	20	—
Nonspecified injuries and disorders	197	181,840	5,390	1,210	5,370	9,530	45,780	9,670
Crushing injuries	1971	9,790	390	20	30	210	1,090	340
Soreness, pain, hurt—nonspecified injury	1972	150,180	4,440	930	4,830	8,580	40,260	8,260
Swelling, inflammation, irritation—nonspecified injury	1973	17,370	440	160	270	440	3,480	840
Numbness—nonspecified injury	1974	1,060	20	30	30	110	160	20
Multiple nonspecified injuries and disorders	1978	1,930	30	—	70	100	510	140
Nonspecified injuries and disorders, n.e.c.	1979	1,520	60	70	150	90	270	60
Other traumatic injuries and disorders, n.e.c.	199	620	—	—	30	120	170	—
Traumatic shock	1991	30	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	590	—	—	30	120	170	—
Diseases and disorders of body systems	2	19,580	710	210	640	940	3,600	900

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Poisoning, including poisoning-related asphyxia	20	50	20	70	40	90
Anaphylactic shock, anaphylaxis	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	100	—	20	20	170	80
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	20	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	30	20	—	—	—	60
Other or unspecified allergic reactions	50	100	50	40	50	140
Nausea, vomiting— toxic, noxious, or allergenic effect	30	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	100	—	20	—	20	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	190	—	—	—	—	—
Nonspecified injuries and disorders	12,090	3,230	16,560	16,890	19,170	36,670
Crushing injuries	490	190	1,120	1,200	2,550	2,160
Soreness, pain, hurt—nonspecified injury	10,020	2,670	12,350	13,240	13,250	31,100
Swelling, inflammation, irritation—nonspecified injury	1,010	360	2,730	2,170	2,910	2,530
Numbness—nonspecified injury	310	—	—	50	150	150
Multiple nonspecified injuries and disorders	120	—	210	100	190	460
Nonspecified injuries and disorders, n.e.c.	130	—	150	130	110	280
Other traumatic injuries and disorders, n.e.c.	30	—	—	30	70	140
Traumatic shock	—	—	—	—	—	30
Traumatic injuries and disorders, n.e.c.	30	—	—	30	70	110
Diseases and disorders of body systems	3,150	200	670	1,230	4,940	2,390

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Nervous system and sense organs diseases	22	8,660	290	110	170	300	1,020	590
Inflammatory diseases of the central nervous system	221	40	—	—	—	—	40	—
Other disorders of the central nervous system	223	120	20	—	—	—	50	20
Seizure disorder, epilepsy ...	2231	50	—	—	—	—	20	—
Migraine	2232	70	20	—	—	—	20	—
Disorders of the peripheral nervous system	224	7,590	270	110	130	260	730	550
Disorders of the peripheral nervous system, unspecified	2240	690	—	—	—	30	180	—
Carpal tunnel syndrome	2241	6,800	260	90	120	230	530	540
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	40	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	60	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	760	—	—	20	40	190	—
Disorders of the eye, adnexa, vision, unspecified	2250	90	—	—	—	—	30	—
Conjunctivitis—non-viral	2251	370	—	—	20	—	140	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	50	—	—	—	—	—	—
Blindness, low vision	2254	20	—	—	—	—	—	—
Visual disturbances	2256	20	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	200	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	140	—	—	—	—	20	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	80	—	—	—	—	20	—
Tinnitus	2262	30	—	—	—	—	—	—
Circulatory system diseases	23	570	50	—	30	—	40	50
Circulatory system diseases, unspecified	230	30	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	160	30	—	—	—	—	20

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nervous system and sense organs diseases	2,110	60	250	490	2,340	910
Inflammatory diseases of the central nervous system	—	—	—	—	—	—
Other disorders of the central nervous system	—	—	—	—	—	20
Seizure disorder, epilepsy ...	—	—	—	—	—	—
Migraine	—	—	—	—	—	—
Disorders of the peripheral nervous system	2,050	—	180	450	2,180	680
Disorders of the peripheral nervous system, unspecified	350	—	—	—	40	30
Carpal tunnel syndrome	1,690	—	150	440	2,100	640
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	—	—	—	—	30	—
Disorders of the eye, adnexa, vision	30	50	60	30	150	170
Disorders of the eye, adnexa, vision, unspecified	—	—	—	—	30	—
Conjunctivitis—non-viral	—	20	—	20	40	90
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	—	—	—
Blindness, low vision	—	—	—	—	—	—
Visual disturbances	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	—	—	40	—	70	60
Disorders of the ear, mastoid process, hearing	30	—	—	—	—	30
Disorders of the ear, mastoid process, hearing, unspecified	—	—	—	—	—	—
Deafness, hearing loss and impairment	20	—	—	—	—	—
Tinnitus	—	—	—	—	—	—
Circulatory system diseases	40	20	—	190	40	100
Circulatory system diseases, unspecified	—	—	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	40	—	20

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Ischemic heart disease, unspecified	2330	20	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	130	30	—	—	—	—	—
Diseases of pulmonary circulation	234	20	—	—	—	—	—	—
Pulmonary embolism	2342	20	—	—	—	—	—	—
Other forms of heart disease ...	235	90	—	—	—	—	—	—
Other forms of heart disease, n.e.c.	2359	90	—	—	—	—	—	—
Cerebrovascular disease	236	180	—	—	—	—	20	20
Cerebrovascular disease, unspecified	2360	60	—	—	—	—	—	—
Stroke	2361	100	—	—	—	—	20	—
Transient ischemia attacks ..	2362	20	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	80	—	—	—	—	—	—
Hemorrhoids	2382	60	—	—	—	—	—	—
Phlebitis, thrombosis	2383	20	—	—	—	—	—	—
Respiratory system diseases	24	1,500	—	—	280	60	970	—
Respiratory system diseases, unspecified	240	80	—	—	—	—	30	—
Acute respiratory infections (including common cold)	241	320	—	—	—	—	40	—
Other diseases of upper respiratory tract	242	50	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	2420	40	—	—	—	—	—	—
Pneumonia, influenza	243	910	—	—	—	50	850	—
Pneumonia, influenza, unspecified	2430	40	—	—	—	—	—	—
Influenza—common	2432	860	—	—	—	30	830	—
Chronic obstructive pulmonary disease and allied conditions ..	244	50	—	—	—	—	30	—
Asthma, except intrinsic	2443	40	—	—	—	—	20	—
Pneumoconioses	245	20	—	—	—	—	—	—
Coal workers pneumoconiosis	2451	20	—	—	—	—	—	—
Other respiratory system diseases	249	60	—	—	—	—	—	—
Other respiratory system diseases, unspecified	2490	30	—	—	—	—	—	—
Atelectasis, collapsed lung ..	2494	20	—	—	—	—	—	—
Digestive system diseases and disorders	25	630	—	—	—	20	120	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Ischemic heart disease, unspecified	—	—	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	40	—	20
Diseases of pulmonary circulation	—	—	—	—	—	—
Pulmonary embolism	—	—	—	—	—	—
Other forms of heart disease ..	—	—	—	—	—	—
Other forms of heart disease, n.e.c.	—	—	—	—	—	—
Cerebrovascular disease	20	20	—	—	—	20
Cerebrovascular disease, unspecified	—	—	—	—	—	—
Stroke	20	20	—	—	—	20
Transient ischemia attacks ..	—	—	—	—	—	—
Diseases of the veins, lymphatics	—	—	—	—	40	40
Hemorrhoids	—	—	—	—	30	30
Phlebitis, thrombosis	—	—	—	—	—	—
Respiratory system diseases	—	—	—	20	40	80
Respiratory system diseases, unspecified	—	—	—	—	—	20
Acute respiratory infections (including common cold)	—	—	—	—	—	—
Other diseases of upper respiratory tract	—	—	—	—	—	40
Other diseases of upper respiratory tract, unspecified ..	—	—	—	—	—	40
Pneumonia, influenza	—	—	—	—	—	—
Pneumonia, influenza, unspecified	—	—	—	—	—	—
Influenza—common	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ..	—	—	—	—	—	—
Asthma, except intrinsic	—	—	—	—	—	—
Pneumoconioses	—	—	—	—	—	—
Coal workers pneumoconiosis	—	—	—	—	—	—
Other respiratory system diseases	—	—	—	—	30	—
Other respiratory system diseases, unspecified	—	—	—	—	30	—
Atelectasis, collapsed lung ..	—	—	—	—	—	—
Digestive system diseases and disorders	40	—	60	20	150	90

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Hernia—nontraumatic	253	570	—	—	—	—	110	—
Digestive system diseases and disorders, n.e.c.	259	20	—	—	—	—	—	—
Genitourinary system diseases and disorders	26	60	—	—	—	—	—	—
Diseases and disorders of the genital tract	263	50	—	—	—	—	—	—
Spontaneous abortion, miscarriage	2632	50	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	7,190	240	50	140	500	1,090	230
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	180	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	271	190	—	—	—	—	20	—
Dorsopathies	272	550	—	—	—	80	190	30
Sciatica	2721	170	—	—	—	20	40	30
Lumbago	2722	170	—	—	—	40	70	—
Disc disorders, except dislocation	2723	70	—	—	—	—	20	—
Dorsopathies, n.e.c.	2729	140	—	—	—	—	60	—
Soft tissue disorders, except the back	273	6,200	190	40	140	410	860	180
Soft tissue disorder, except the back, unspecified	2730	330	20	—	—	—	40	—
Bursitis	2731	400	—	—	—	—	50	—
Stenosing tenosynovitis	2732	1,030	—	—	—	50	110	—
Other tenosynovitis, synovitis	2733	730	—	—	—	20	90	30
Epicondylitis	2734	1,060	120	—	—	20	170	30
Other or unspecified tendonitis (tendinitis)	2735	1,930	30	—	100	180	350	70
Ganglion or cystic tumor	2736	260	—	—	—	—	30	—
Multiple soft tissue disorders	2738	110	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	330	—	—	—	70	30	30
Osteopathies, chondropathies, and acquired deformities	274	40	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	30	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Hernia—nontraumatic	30	—	60	20	150	80
Digestive system diseases and disorders, n.e.c.	—	—	—	—	—	—
Genitourinary system diseases and disorders	—	—	—	—	—	—
Diseases and disorders of the genital tract	—	—	—	—	—	—
Spontaneous abortion, miscarriage	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	870	70	300	390	2,210	1,110
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	60	20	40	30
Arthropathies and related disorders (arthritis)	—	—	40	—	20	50
Dorsopathies	30	—	—	30	80	90
Sciatica	—	—	—	—	20	40
Lumbago	—	—	—	—	20	20
Disc disorders, except dislocation	—	—	—	—	—	—
Dorsopathies, n.e.c.	—	—	—	—	30	20
Soft tissue disorders, except the back	830	60	210	330	2,040	910
Soft tissue disorder, except the back, unspecified	40	—	20	—	80	40
Bursitis	30	—	110	80	80	40
Stenosing tenosynovitis	110	20	—	20	570	130
Other tenosynovitis, synovitis	310	—	—	40	150	70
Epicondylitis	70	—	60	80	330	170
Other or unspecified tendonitis (tendinitis)	220	—	—	60	640	270
Ganglion or cystic tumor	20	20	—	20	100	50
Multiple soft tissue disorders	—	—	—	30	40	30
Soft tissue disorder, except the back, n.e.c.	20	—	—	—	40	110
Osteopathies, chondropathies, and acquired deformities	—	—	—	—	—	20
Osteopathies, chondropathies, and acquired deformities, n.e.c.	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	30	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	890	—	—	—	50	340	20
Infections of the skin and subcutaneous tissue	281	740	—	—	—	40	230	20
Infections of the skin and subcutaneous tissue, unspecified	2810	80	—	—	—	—	—	—
Cellulitis and abscess	2811	480	—	—	—	20	120	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	80	—	—	—	—	30	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	80	—	—	—	—	50	—
Dermatitis resulting from long-term exposures	282	30	—	—	—	—	20	—
Other diseases and disorders of the skin and subcutaneous tissue	289	100	—	—	—	—	90	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	20	—	—	—	—	—	—
Other systemic diseases and disorders	29	80	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	291	60	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	50	—	—	—	—	—	—
Other systemic diseases and disorders, n.e.c.	299	20	—	—	—	—	—	—
Infectious and parasitic diseases	3	1,020	50	40	100	360	350	—
Infectious and parasitic diseases, unspecified	30	40	—	—	—	—	—	—
Bacterial diseases	31	120	—	—	—	40	40	—
Bacterial diseases, unspecified	310	20	—	—	—	—	—	—
Other bacterial diseases	319	80	—	—	—	40	30	—
Diphtheria, whooping cough	3192	60	—	—	—	40	20	—
Viral diseases	32	230	—	—	40	70	90	—
Viral diseases, unspecified	320	30	—	—	—	—	20	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	—	—	20	—
Disorders of the skin and subcutaneous tissue	60	30	40	110	140	90
Infections of the skin and subcutaneous tissue	60	30	40	110	130	80
Infections of the skin and subcutaneous tissue, unspecified	—	20	—	—	—	—
Cellulitis and abscess	30	—	30	100	100	40
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	20
Dermatitis resulting from long-term exposures	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—
Other systemic diseases and disorders	—	—	—	—	20	—
Endocrine, nutritional, metabolic, and immunity disorders	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	—
Other systemic diseases and disorders, n.e.c.	—	—	—	—	—	—
Infectious and parasitic diseases	30	—	—	—	—	50
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—
Bacterial diseases	—	—	—	—	—	—
Bacterial diseases, unspecified	—	—	—	—	—	—
Other bacterial diseases	—	—	—	—	—	—
Diphtheria, whooping cough	—	—	—	—	—	—
Viral diseases	—	—	—	—	—	—
Viral diseases, unspecified	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Viral diseases accompanied by exanthem (eruptive fever)	323	120	—	—	30	40	50	—
Chickenpox, varicella	3233	90	—	—	30	20	40	—
Herpes zoster, shingles	3234	20	—	—	—	20	—	—
Viral diseases of the conjunctiva	326	60	—	—	—	20	—	—
Viral conjunctivitis (ophthalmia)	3261	50	—	—	—	20	—	—
Other arthropod-borne diseases ..	33	20	—	—	—	—	—	—
Mycoses (fungal infections)	34	20	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	110	—	20	—	40	30	—
Infectious diseases peculiar to the intestines, n.e.c.	369	90	—	—	—	40	20	—
Other infectious and parasitic diseases	39	490	30	—	30	200	180	—
Pediculosis and phthirus infestation (lice)	391	20	—	—	—	—	—	—
Scabies and other acariases ...	392	470	30	—	30	190	170	—
Symptoms, signs, and ill-defined conditions	5	3,700	140	180	130	170	1,160	400
Symptoms, signs, and ill-defined conditions, unspecified	50	230	—	160	—	—	—	—
Symptoms	51	3,350	140	20	120	160	1,150	360
Symptoms, unspecified	510	30	—	—	20	—	—	—
General symptoms	511	2,280	120	—	50	100	740	300
General symptoms, unspecified	5110	20	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,150	70	—	30	60	290	210
Convulsions, seizures	5112	300	—	—	—	20	90	20
Malaise and fatigue	5113	20	—	—	—	—	—	—
Dizziness—general	5114	470	30	—	—	—	190	50
Inflammation, swelling—general	5115	70	—	—	—	—	50	—
Numbness—general	5116	80	—	—	—	—	50	—
Multiple general symptoms ..	5118	130	—	—	—	—	30	20
General symptoms, n.e.c.	5119	40	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems	512	40	—	—	—	—	—	—
Earache	5122	30	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	50	—	—	—	—	—	—
Edema (including dropsy)	5131	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Viral diseases accompanied by exanthem (eruptive fever)	-	-	-	-	-	-
Chickenpox, varicella	-	-	-	-	-	-
Herpes zoster, shingles	-	-	-	-	-	-
Viral diseases of the conjunctiva	-	-	-	-	-	-
Viral conjunctivitis (ophthalmia)	-	-	-	-	-	-
Other arthropod-borne diseases ..	-	-	-	-	-	-
Mycoses (fungal infections)	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	-	-	-	-	-	-
Infectious diseases peculiar to the intestines, n.e.c.	-	-	-	-	-	-
Other infectious and parasitic diseases	-	-	-	-	-	40
Pediculosis and phthirus infestation (lice)	-	-	-	-	-	-
Scabies and other acariases ...	-	-	-	-	-	40
Symptoms, signs, and ill-defined conditions	310	60	120	130	400	490
Symptoms, signs, and ill-defined conditions, unspecified	-	-	-	-	20	40
Symptoms	280	60	110	120	380	450
Symptoms, unspecified	-	-	-	-	-	-
General symptoms	190	40	70	80	280	330
General symptoms, unspecified	-	-	-	-	-	-
Loss of consciousness—not heat related	110	-	40	30	150	150
Convulsions, seizures	20	-	-	30	70	40
Malaise and fatigue	-	-	-	-	-	-
Dizziness—general	20	20	30	-	30	70
Inflammation, swelling—general	-	-	-	-	-	-
Numbness—general	-	-	-	-	-	-
Multiple general symptoms ..	-	-	-	-	-	20
General symptoms, n.e.c.	-	-	-	-	-	-
Symptoms involving nervous and musculoskeletal systems ..	-	-	-	-	-	-
Earache	-	-	-	-	-	-
Symptoms involving skin and other integumentary tissue	-	-	-	-	40	-
Edema (including dropsy)	-	-	-	-	-	-

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Symptoms involving head and neck	514	250	—	—	30	—	100	—
Headache, except migraine	5141	180	—	—	30	—	60	—
Symptoms involving head and neck, n.e.c.	5149	50	—	—	—	—	40	—
Symptoms involving cardiovascular system	515	70	—	—	—	20	—	—
Unspecified tachycardia (rapid heartbeat)	5151	20	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	510	—	—	20	20	230	30
Symptoms involving respiratory system and chest, unspecified	5160	220	—	—	—	—	130	—
Chest pain	5164	130	—	—	—	—	40	20
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	120	—	—	—	—	60	—
Symptoms involving digestive and urinary system	517	70	—	—	—	—	40	—
Nausea and vomiting—general	5171	30	—	—	—	—	—	—
Abdominal pain, unspecified	5174	30	—	—	—	—	30	—
Multiple symptoms	518	40	—	—	—	—	20	—
Abnormal findings	52	30	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	30	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	50	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	3,960	410	30	240	410	440	750
Damage to prosthetic and orthopedic devices	61	60	—	—	—	—	—	—
Damage to prosthetic devices and aids	611	20	—	—	—	—	—	—
Damage to orthopedic devices	612	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Symptoms involving head and neck	20	—	—	—	—	40
Headache, except migraine	20	—	—	—	—	40
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	—	—	—	—	—	—
Symptoms involving respiratory system and chest	50	—	—	40	50	40
Symptoms involving respiratory system and chest, unspecified	20	—	—	20	—	—
Chest pain	—	—	—	—	20	30
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	30	—	—	—	—	—
Symptoms involving digestive and urinary system	—	—	—	—	—	20
Nausea and vomiting—general	—	—	—	—	—	—
Abdominal pain, unspecified	—	—	—	—	—	—
Multiple symptoms	—	—	—	—	—	—
Abnormal findings	—	—	—	—	—	—
Other abnormal findings	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—
Other diseases, conditions, and disorders	1,160	—	50	70	100	280
Damage to prosthetic and orthopedic devices	—	—	—	—	—	—
Damage to prosthetic devices and aids	—	—	—	—	—	—
Damage to orthopedic devices	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Damage to pins, rods, plates, and screws	6122	20	—	—	—	—	—	—
Mental disorders and syndromes	62	3,890	410	30	230	400	430	740
Mental disorders and syndromes, unspecified	620	80	—	—	—	—	—	—
Anxiety, stress	621	3,780	390	30	230	390	430	740
Anxiety, stress, unspecified	6210	2,510	350	30	140	130	290	340
Post-traumatic stress disorder	6211	840	20	—	30	180	40	360
Anxiety or panic disorder	6213	150	—	—	—	—	50	20
Anxiety, stress, n.e.c.	6219	270	—	—	50	60	50	20
Depression or depressive episode	622	30	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	320	—	—	20	100	50	—
Multiple diseases, conditions, and disorders	8	120	—	—	—	—	30	—
Nonclassifiable	9999	4,960	30	—	80	180	580	100

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Damage to pins, rods, plates, and screws	—	—	—	—	—	—
Mental disorders and syndromes	1,160	—	50	60	80	270
Mental disorders and syndromes, unspecified	30	—	—	—	—	—
Anxiety, stress	1,130	—	50	60	60	260
Anxiety, stress, unspecified	1,020	—	40	20	20	120
Post-traumatic stress disorder	70	—	—	30	20	80
Anxiety or panic disorder	20	—	—	—	—	—
Anxiety, stress, n.e.c.	—	—	—	—	—	50
Depression or depressive episode	—	—	—	—	—	—
Exposures to disease—no illness incurred	—	—	—	100	—	30
Multiple diseases, conditions, and disorders	—	—	—	—	—	30
Nonclassifiable	100	70	120	160	260	440

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.