

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2014

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		916,440	560,970	348,720	6,760	98,860	177,790	299,670	323,760	16,370
Head	1	68,940	44,780	23,880	280	9,170	15,170	23,640	20,060	890
Head, unspecified	10	16,280	8,870	7,360	60	2,220	3,380	5,580	4,900	210
Cranial region, including skull	11	15,450	8,580	6,780	90	1,680	4,070	4,730	4,780	190
Cranial region, unspecified	110	230	140	60	40	-	60	50	60	40
Brain	111	12,540	6,750	5,740	60	1,440	3,580	3,830	3,590	100
Scalp	112	2,290	1,460	830	-	210	350	720	970	30
Skull	113	320	210	110	-	-	60	100	140	-
Multiple cranial region locations	118	30	20	20	-	-	-	-	-	-
Cranial region, n.e.c.	119	40	-	30	-	-	-	-	20	20
Ear(s)	12	960	680	260	-	190	160	260	330	-
Face	13	35,140	25,940	9,070	120	4,940	7,290	12,740	9,680	490
Face, unspecified	130	3,400	2,090	1,310	-	400	910	1,140	920	30
Forehead	131	2,610	1,640	950	20	290	520	830	900	60
Eye(s)	132	20,910	16,710	4,140	70	2,790	4,490	8,170	5,180	280
Nose, nasal cavity	133	2,340	1,410	910	-	290	340	910	760	40
Nose, except internal location of diseases or disorders	1330	2,330	1,410	910	-	290	340	910	750	40
Cheek(s)	134	410	230	170	-	100	60	80	160	-
Jaw, chin	135	840	620	210	-	200	150	240	240	-
Mouth	136	2,160	1,550	600	20	420	430	640	620	50
Mouth, unspecified	1360	240	190	40	20	-	130	50	40	20
Lip(s)	1361	760	580	180	-	260	60	200	230	-
Tooth (teeth)	1363	980	660	320	-	140	210	340	260	30
Multiple mouth locations	1368	140	90	50	-	-	30	40	60	-
Mouth, n.e.c.	1369	30	20	-	-	-	-	-	30	-
Multiple face locations	138	2,220	1,570	650	-	430	310	640	830	-
Face, n.e.c.	139	260	130	130	-	30	80	80	80	-
Multiple head locations	18	850	590	250	-	100	210	270	270	-
Head, n.e.c.	19	270	110	150	-	40	60	60	110	-
Neck, including throat	2	12,410	6,740	5,560	110	860	2,500	4,250	4,580	210
Neck, except internal location of diseases or disorders ...	20	12,390	6,730	5,550	110	860	2,500	4,250	4,570	210
Trunk	3	218,560	139,510	78,150	900	20,360	42,190	74,680	78,560	2,770
Trunk, unspecified	30	1,030	500	520	-	100	160	290	480	-
Chest, including ribs, internal organs	31	14,430	10,700	3,650	80	1,670	2,240	4,610	5,680	240
Chest, except internal location of diseases or disorders	310	13,860	10,260	3,530	70	1,560	2,170	4,460	5,440	230
Internal chest location, unspecified	311	110	80	20	-	-	-	30	30	-
Heart	313	330	260	70	-	70	40	80	140	-
Lung(s), pleura	315	120	80	30	-	-	20	30	50	-
Back, including spine, spinal cord	32	162,720	99,290	62,740	690	15,010	32,260	56,350	57,020	2,080
Back, including spine, spinal cord, unspecified	320	64,680	40,750	23,860	70	7,020	12,870	22,550	21,580	660
Thoracic region	321	7,410	4,200	3,130	80	660	1,460	2,840	2,340	110
Lumbar region	322	82,730	50,140	32,050	540	6,540	16,540	28,270	30,110	1,280
Sacral region	323	1,060	490	570	-	80	110	350	500	-
Coccygeal region	324	1,270	470	810	-	120	210	460	490	-

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple back regions	328	5,340	3,140	2,190	—	580	1,020	1,790	1,940	—
Back, including spine, spinal cord, n.e.c.	329	230	90	130	—	20	50	90	70	—
Abdomen	33	19,800	16,570	3,200	30	1,790	3,600	6,290	7,960	160
Abdomen, except internal location of diseases or disorders	330	18,960	15,920	3,010	30	1,730	3,520	6,030	7,530	150
Internal abdominal location, unspecified	331	370	320	40	—	30	20	150	170	—
Stomach organ	332	50	30	20	—	—	—	30	—	—
Intestines, peritoneum	335	370	290	90	—	30	50	70	230	—
Intestines, peritoneum, unspecified	3350	280	210	70	—	—	20	60	190	—
Large intestine, colon, rectum	3353	70	60	—	—	—	20	—	30	—
Other digestive structures	336	20	—	20	—	—	20	—	—	—
Internal abdominal location, n.e.c.	339	20	—	—	—	—	—	—	—	—
Pelvic region	34	16,060	9,890	6,080	90	1,320	3,010	5,860	5,660	200
Pelvic region, unspecified	340	150	50	70	40	20	—	20	60	40
Hip(s)	341	7,750	3,870	3,860	—	480	1,140	2,930	3,100	100
Pelvis	342	1,020	680	340	—	100	90	530	300	—
Buttock(s)	343	1,600	480	1,120	—	130	170	890	410	—
Groin	344	4,870	4,330	540	—	440	1,380	1,370	1,630	40
External reproductive tract structures	345	320	280	20	30	110	90	40	60	30
External reproductive tract structures, unspecified ..	3450	90	60	—	30	—	—	—	50	30
Scrotum	3451	200	200	—	—	100	60	30	—	—
Penis	3452	20	20	—	—	—	—	—	—	—
Internal reproductive tract structures	346	60	—	50	—	—	—	30	—	—
Ovary (ovaries)	3463	50	—	50	—	—	—	—	—	—
Multiple pelvic region locations	348	200	150	50	—	—	70	50	70	—
Pelvic region, n.e.c.	349	80	50	30	—	—	20	20	20	—
Multiple trunk locations	38	4,270	2,470	1,800	—	460	890	1,140	1,700	80
Trunk, n.e.c.	39	250	90	160	—	—	30	150	60	—
Upper extremities	4	288,240	180,670	106,560	1,010	33,360	53,420	94,310	103,420	3,730
Upper extremities, unspecified	40	340	110	220	—	20	50	170	80	—
Shoulder(s), including clavicle(s), scapula(e)	41	72,200	45,110	26,750	340	5,710	10,780	23,220	31,290	1,200
Arm(s)	42	44,290	26,340	17,740	220	5,320	8,100	13,950	16,340	580
Arm(s), unspecified	420	13,730	7,340	6,380	—	1,680	2,390	4,400	5,150	110
Upper arm(s)	421	5,650	4,080	1,510	70	620	700	1,630	2,610	90
Elbow(s)	422	14,310	8,680	5,530	100	1,760	2,680	4,440	5,160	270
Forearm(s)	423	8,170	4,940	3,180	50	1,080	1,680	2,640	2,670	100
Multiple arm locations	428	1,660	860	790	—	110	480	580	480	—
Multiple arm locations, unspecified	4280	280	140	140	—	—	120	70	80	—
Elbow(s) and arm(s)	4281	960	520	440	—	50	320	310	280	—
Multiple arm locations, n.e.c.	4289	410	200	210	—	50	40	200	130	—
Arm(s), n.e.c.	429	760	420	340	—	70	170	250	260	—
Wrist(s)	43	36,540	16,020	20,440	90	3,650	6,510	10,960	15,120	310
Hand(s)	44	119,810	86,350	33,110	350	17,450	25,340	40,780	34,730	1,510
Hand(s), unspecified	440	32,070	21,750	10,320	—	4,850	6,890	10,410	9,470	460
Hand(s), except finger(s)	441	4,410	3,300	1,010	100	530	1,230	1,470	1,070	110
Finger(s), fingernail(s)	442	77,840	57,420	20,190	230	11,340	16,340	27,020	22,270	860
Finger(s), fingernail(s), unspecified	4420	58,270	42,540	15,520	210	8,960	12,020	19,770	16,740	780
Fingernail(s), nailbed(s)	4421	1,040	630	390	20	100	150	400	370	20

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Fingertip(s)	4422	5,590	4,540	1,040	—	690	1,230	1,900	1,740	20
Finger(s), fingernail(s), n.e.c.	4429	12,940	9,700	3,230	—	1,580	2,940	4,950	3,410	50
Hand(s) and finger(s)	448	3,580	2,510	1,070	—	490	530	1,210	1,340	—
Hand(s), n.e.c.	449	1,920	1,380	530	—	240	360	670	590	60
Multiple upper extremities locations	48	14,620	6,500	8,100	—	1,160	2,440	5,180	5,700	130
Multiple upper extremities locations, unspecified	480	100	60	50	—	—	20	40	30	—
Hand(s) and arms(s)	481	1,520	790	730	—	120	350	540	500	—
Hand(s) and arm(s), unspecified	4810	720	430	280	—	70	160	270	220	—
Hand(s) and elbow(s)	4811	170	60	110	—	—	30	40	100	—
Hand(s) and arm(s), n.e.c.	4819	630	290	340	—	50	160	240	180	—
Hand(s) and wrist(s)	482	3,170	1,240	1,930	—	340	510	1,100	1,200	20
Wrist(s) and arm(s)	483	1,580	800	770	—	130	360	560	490	50
Wrist(s) and arm(s), unspecified	4830	520	220	300	—	60	170	90	200	—
Wrist(s) and elbow(s)	4831	390	220	170	—	—	60	190	100	20
Wrist(s) and arm(s), n.e.c.	4839	670	360	300	—	60	130	270	190	30
Shoulder(s) and arm(s)	484	5,180	2,450	2,730	—	410	740	1,920	2,060	50
Multiple upper extremities locations, n.e.c.	489	3,070	1,170	1,890	—	150	480	1,020	1,420	—
Upper extremities, n.e.c.	49	440	250	190	—	40	180	60	160	—
Lower extremities	5	211,990	132,180	78,710	1,090	24,650	42,370	66,340	75,390	3,230
Lower extremities, unspecified	50	200	130	50	20	—	40	80	50	30
Leg(s)	51	110,930	70,120	40,130	670	10,660	19,560	35,170	43,750	1,780
Leg(s), unspecified	510	11,930	8,850	3,080	—	1,220	1,940	3,990	4,670	120
Thigh(s)	511	4,710	3,240	1,440	30	420	940	1,320	1,970	60
Knee(s)	512	79,850	48,120	31,220	510	7,470	14,220	24,840	31,970	1,360
Lower leg(s)	513	11,500	8,250	3,130	120	1,250	2,060	4,210	3,760	230
Multiple leg locations	518	2,230	1,110	1,120	—	260	350	700	910	—
Multiple leg locations, unspecified	5180	160	90	70	—	20	50	50	40	—
Knee(s) and leg(s)	5181	1,810	880	930	—	210	240	590	760	—
Multiple leg locations, n.e.c.	5189	260	150	110	—	30	60	60	110	—
Leg(s), n.e.c.	519	700	550	150	—	40	50	130	480	—
Ankle(s)	52	47,950	28,800	18,880	270	6,160	11,650	14,630	14,580	930
Foot (feet)	53	43,460	28,310	15,010	140	6,680	9,430	13,350	13,520	470
Foot (feet), unspecified	530	28,170	18,070	9,990	110	4,190	6,330	8,220	9,060	380
Sole(s)	531	2,230	1,750	470	—	370	460	620	760	—
Sole(s), unspecified	5310	370	330	50	—	60	90	130	90	—
Ball(s) of the foot	5311	30	30	—	—	—	—	20	—	—
Arch(es), instep(s)	5312	200	110	90	—	—	80	60	50	—
Heel(s)	5313	1,570	1,230	330	—	300	260	390	610	—
Sole(s), n.e.c.	5319	50	40	—	—	—	—	20	—	—
Toes(s), toenail(s)	532	10,230	6,720	3,490	20	1,760	2,040	3,630	2,730	70
Multiple foot (feet) locations	538	630	410	220	—	110	110	190	220	—
Foot (feet), n.e.c.	539	2,190	1,360	840	—	260	490	680	750	20
Multiple lower extremities locations	58	9,060	4,670	4,390	—	1,140	1,460	3,090	3,360	20
Multiple lower extremities locations, unspecified	580	140	40	100	—	—	—	50	80	—
Foot (feet) and leg(s)	581	1,110	640	470	—	140	140	440	390	—
Foot(feet) and leg(s), unspecified	5810	460	260	200	—	90	80	190	110	—
Foot(feet) and knee(s)	5811	460	260	200	—	40	30	190	200	—
Foot(feet) and leg(s), n.e.c.	5819	190	120	70	—	20	30	70	80	—

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Foot (feet) and ankle(s)	582	3,310	1,830	1,480	—	440	600	1,020	1,250	—
Ankle(s) and leg(s)	583	3,550	1,630	1,920	—	370	600	1,350	1,240	—
Ankle(s) and leg(s), unspecified	5830	820	640	180	—	80	70	480	190	—
Ankle(s) and knee(s)	5831	2,150	570	1,580	—	160	430	720	850	—
Ankle(s) and leg(s), n.e.c.	5839	580	420	160	—	130	100	150	200	—
Multiple lower extremities locations, n.e.c.	589	940	520	420	—	170	110	240	410	—
Lower extremities, n.e.c.	59	390	150	240	—	—	240	20	140	—
Body systems	6	17,340	7,950	9,280	110	2,000	3,130	6,540	5,190	480
Multiple body parts	8	89,490	45,230	44,150	110	7,770	17,280	28,430	35,110	900
Multiple body parts, unspecified	80	6,890	3,670	3,150	70	330	900	2,270	3,230	160
Head and neck	81	1,900	1,060	840	—	260	590	420	600	40
Head, neck, and trunk	82	680	280	400	—	130	120	270	170	—
Head and trunk	83	1,080	510	570	—	80	210	350	440	—
Neck and back	84	7,630	4,580	3,040	—	720	1,300	2,500	2,880	220
Shoulder(s) and back	85	3,490	1,700	1,790	—	310	820	1,070	1,250	40
Hip(s) and leg(s)	86	1,580	440	1,140	—	150	190	680	530	30
Upper and lower limb(s)	87	6,090	2,270	3,810	—	520	1,090	1,920	2,510	60
Other multiple body parts	89	60,150	30,710	29,420	20	5,260	12,060	18,960	23,510	360
Whole body	891	570	390	180	—	40	100	220	210	—
Multiple body parts, n.e.c.	899	59,580	30,320	29,240	20	5,230	11,960	18,740	23,290	360

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other body parts	9	20	—	—	—	—	—	—	—	—
Prosthetic and orthopedic devices	91	20	—	—	—	—	—	—	—	—
Nonclassifiable	9999	9,450	3,890	2,410	3,150	680	1,720	1,480	1,430	4,140

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.