

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014

| Part of body | Part of body code ³ | State government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|--|--------------------------------|-------------------------------|--|-----------|------------------------------|-------------------|------------------|---------------------|------------|----------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Total [67,400 cases] | | 170.3 | 60.8 | 8.9 | 5.7 | 4.6 | 1.2 | 14.9 | 0.5 | 0.3 |
| Head | 1 | 11.7 | .1 | .3 | 1.1 | 1.1 | (⁷) | 2.3 | .1 | .2 |
| Head, unspecified | 10 | 2.7 | — | — | .4 | .3 | — | .8 | — | — |
| Cranial region, including skull | 11 | 2.8 | — | — | .1 | .1 | — | .1 | — | — |
| Brain | 111 | 2.5 | — | — | — | — | — | — | — | — |
| Scalp | 112 | .3 | — | — | .1 | .1 | — | .1 | — | — |
| Ear(s) | 12 | .2 | — | — | — | — | — | — | — | — |
| Face | 13 | 5.6 | .1 | .3 | .6 | .6 | — | 1.3 | .1 | .2 |
| Face, unspecified | 130 | .9 | — | — | .1 | .1 | — | .4 | .1 | — |
| Forehead | 131 | .4 | — | — | .1 | .1 | — | .1 | — | — |
| Eye(s) | 132 | 2.3 | .1 | — | .2 | .2 | — | .4 | — | .2 |
| Nose, nasal cavity | 133 | .3 | — | .2 | — | — | — | (⁷) | — | — |
| Nose, except internal location of diseases or disorders | 1330 | .3 | — | .2 | — | — | — | (⁷) | — | — |
| Cheek(s) | 134 | .1 | — | — | — | — | — | .1 | — | — |
| Jaw, chin | 135 | .3 | — | — | — | — | — | .1 | — | — |
| Mouth | 136 | .4 | — | .1 | .1 | .1 | — | — | — | — |
| Mouth, unspecified | 1360 | (⁷) | — | — | — | — | — | — | — | — |
| Lip(s) | 1361 | .1 | — | — | .1 | .1 | — | — | — | — |
| Tooth (teeth) | 1363 | .2 | — | .1 | — | — | — | — | — | — |
| Multiple face locations | 138 | .6 | — | — | — | — | — | .1 | — | — |
| Face, n.e.c. | 139 | .2 | — | — | — | — | — | (⁷) | — | — |
| Multiple head locations | 18 | .3 | — | — | — | — | — | .1 | — | — |
| Neck, including throat | 2 | 3.5 | 2.3 | .1 | — | — | — | — | — | — |
| Neck, except internal location of diseases or disorders | 20 | 3.5 | 2.3 | .1 | — | — | — | — | — | — |
| Trunk | 3 | 32.0 | 17.8 | .8 | .2 | — | .2 | 2.3 | — | — |
| Trunk, unspecified | 30 | .4 | .3 | — | — | — | — | .1 | — | — |
| Chest, including ribs, internal organs | 31 | 2.6 | .3 | .5 | — | — | — | .7 | — | — |
| Chest, except internal location of diseases or disorders | 310 | 2.2 | .3 | .5 | — | — | — | .7 | — | — |
| Internal chest location, unspecified | 311 | .1 | — | — | — | — | — | — | — | — |
| Heart | 313 | .2 | — | — | — | — | — | — | — | — |
| Lung(s), pleura | 315 | .1 | — | — | — | — | — | — | — | — |
| Back, including spine, spinal cord | 32 | 23.8 | 15.4 | .1 | — | — | — | .8 | — | — |
| Back, including spine, spinal cord, unspecified | 320 | 10.5 | 6.7 | .1 | — | — | — | .3 | — | — |
| Thoracic region | 321 | .8 | .6 | — | — | — | — | — | — | — |
| Lumbar region | 322 | 11.3 | 7.6 | — | — | — | — | .4 | — | — |
| Sacral region | 323 | .2 | (⁷) | — | — | — | — | — | — | — |
| Coccygeal region | 324 | .3 | — | — | — | — | — | .2 | — | — |
| Multiple back regions | 328 | .6 | .4 | — | — | — | — | — | — | — |
| Back, including spine, spinal cord, n.e.c. | 329 | .1 | — | — | — | — | — | — | — | — |
| Abdomen | 33 | 1.6 | .5 | — | .1 | — | .1 | .1 | — | — |

See footnotes at end of table.

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014 — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | All other natures ⁶ |
|--|--|------------------------|------------|---|-----------------------------------|---------------------------------|----------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | Soreness, pain | |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | |
| Total [67,400 cases] | 0.4 | 0.7 | 0.4 | 6.9 | 0.6 | 3.2 | 34.7 | 36.2 |
| Head | — | — | — | .5 | .1 | — | 2.3 | 4.7 |
| Head, unspecified | — | — | — | .1 | — | — | 1.2 | .2 |
| Cranial region, including skull | — | — | — | — | — | — | — | 2.5 |
| Brain | — | — | — | — | — | — | — | 2.5 |
| Scalp | — | — | — | — | — | — | — | — |
| Ear(s) | — | — | — | — | — | — | .1 | .1 |
| Face | — | — | — | .4 | — | — | .9 | 1.7 |
| Face, unspecified | — | — | — | (7) | — | — | .2 | .1 |
| Forehead | — | — | — | — | — | — | — | .1 |
| Eye(s) | — | — | — | (7) | — | — | .2 | 1.3 |
| Nose, nasal cavity | — | — | — | — | — | — | (7) | — |
| Nose, except internal location of diseases or disorders | — | — | — | — | — | — | (7) | — |
| Cheek(s) | — | — | — | — | — | — | — | — |
| Jaw, chin | — | — | — | — | — | — | — | .1 |
| Mouth | — | — | — | — | — | — | .2 | — |
| Mouth, unspecified | — | — | — | — | — | — | — | — |
| Lip(s) | — | — | — | — | — | — | — | — |
| Tooth (teeth) | — | — | — | — | — | — | .1 | — |
| Multiple face locations | — | — | — | .1 | — | — | .2 | .1 |
| Face, n.e.c. | — | — | — | — | — | — | .1 | — |
| Multiple head locations | — | — | — | (7) | (7) | — | .1 | .1 |
| Neck, including throat | — | — | — | — | — | — | .6 | .4 |
| Neck, except internal location of diseases or disorders ... | — | — | — | — | — | — | .6 | .3 |
| Trunk | — | — | — | .3 | — | .2 | 7.7 | 2.9 |
| Trunk, unspecified | — | — | — | — | — | — | .1 | — |
| Chest, including ribs, internal organs | — | — | — | (7) | — | — | .5 | .6 |
| Chest, except internal location of diseases or disorders | — | — | — | (7) | — | — | .5 | .2 |
| Internal chest location, unspecified | — | — | — | — | — | — | — | .1 |
| Heart | — | — | — | — | — | — | — | .2 |
| Lung(s), pleura | — | — | — | — | — | — | — | .1 |
| Back, including spine, spinal cord | — | — | — | .2 | — | .2 | 5.8 | 1.4 |
| Back, including spine, spinal cord, unspecified | — | — | — | .1 | — | .1 | 3.1 | .3 |
| Thoracic region | — | — | — | — | — | — | .2 | — |
| Lumbar region | — | — | — | — | — | — | 2.2 | 1.1 |
| Sacral region | — | — | — | — | — | — | .2 | — |
| Coccygeal region | — | — | — | — | — | — | — | — |
| Multiple back regions | — | — | — | .1 | — | .1 | .1 | .1 |
| Back, including spine, spinal cord, n.e.c. | — | — | — | — | — | — | — | — |
| Abdomen | — | — | — | — | — | — | .1 | .7 |

See footnotes at end of table.

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014 — Continued

| Part of body | Part of body code ³ | State government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|--|--------------------------------|-------------------------------|--|------------------|------------------------------|-------------------|------------------|---------------------|------------------|------------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Abdomen, except internal location of diseases or disorders | 330 | 1.5 | 0.5 | — | 0.1 | — | 0.1 | 0.1 | — | — |
| Intestines, peritoneum | 335 | (⁷) | — | — | — | — | — | — | — | — |
| Pelvic region | 34 | 2.6 | 1.1 | 0.2 | — | — | — | .5 | — | — |
| Hip(s) | 341 | 1.7 | .8 | .1 | — | — | — | .4 | — | — |
| Pelvis | 342 | .1 | — | — | — | — | — | — | — | — |
| Buttock(s) | 343 | .1 | — | — | — | — | — | — | — | — |
| Groin | 344 | .7 | .3 | — | — | — | — | .1 | — | — |
| External reproductive tract structures | 345 | (⁷) | — | — | — | — | — | — | — | — |
| Multiple trunk locations | 38 | .9 | .3 | — | — | — | — | .1 | — | — |
| Upper extremities | 4 | 38.8 | 14.7 | 3.5 | 3.5 | 2.7 | .8 | 3.1 | 0.3 | 0.1 |
| Upper extremities, unspecified | 40 | .1 | (⁷) | — | — | — | — | — | — | — |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 11.4 | 7.2 | .2 | .1 | — | — | .3 | — | — |
| Arm(s) | 42 | 6.3 | 2.6 | .8 | .3 | .1 | .2 | .5 | .1 | — |
| Arm(s), unspecified | 420 | 2.0 | 1.0 | .3 | .1 | — | — | .2 | .1 | — |
| Upper arm(s) | 421 | .7 | .3 | (⁷) | .2 | — | .1 | — | — | — |
| Elbow(s) | 422 | 2.4 | .9 | .4 | — | — | — | .3 | — | — |
| Forearm(s) | 423 | .7 | .2 | .1 | .1 | .1 | — | — | — | — |
| Multiple arm locations | 428 | .5 | .2 | — | — | — | — | — | — | — |
| Multiple arm locations, unspecified | 4280 | .1 | .1 | — | — | — | — | — | — | — |
| Elbow(s) and arm(s) | 4281 | .1 | .1 | — | — | — | — | — | — | — |
| Multiple arm locations, n.e.c. | 4289 | .3 | (⁷) | — | — | — | — | — | — | — |
| Arm(s), n.e.c. | 429 | .1 | — | — | — | — | — | — | — | — |
| Wrist(s) | 43 | 4.0 | 1.5 | .8 | — | — | — | .4 | — | — |
| Hand(s) | 44 | 12.8 | 1.8 | 1.7 | 3.0 | 2.5 | .5 | 1.5 | .2 | .1 |
| Hand(s), unspecified | 440 | 3.6 | .5 | .3 | .6 | .5 | .1 | .5 | .1 | (⁷) |
| Hand(s), except finger(s) | 441 | .3 | (⁷) | — | .2 | .2 | — | — | — | — |
| Finger(s), fingernail(s) | 442 | 8.1 | 1.3 | 1.4 | 2.1 | 1.8 | .3 | .9 | (⁷) | — |
| Finger(s), fingernail(s), unspecified | 4420 | 5.8 | .9 | .9 | 1.3 | 1.2 | .1 | .8 | (⁷) | — |
| Fingertip(s) | 4422 | .6 | — | — | (⁷) | — | — | — | — | — |
| Finger(s), fingernail(s), n.e.c. | 4429 | 1.8 | .3 | .2 | .7 | .6 | .1 | .1 | — | — |
| Hand(s) and finger(s) | 448 | .5 | — | — | .1 | .1 | — | .1 | — | — |
| Hand(s), n.e.c. | 449 | .2 | — | — | (⁷) | — | (⁷) | — | — | — |
| Multiple upper extremities locations | 48 | 4.2 | 1.6 | — | .1 | — | — | .4 | — | — |
| Multiple upper extremities locations, unspecified | 480 | .1 | .1 | — | — | — | — | — | — | — |
| Hand(s) and arms(s) | 481 | .6 | .2 | — | — | — | — | .1 | — | — |
| Hand(s) and arm(s), unspecified | 4810 | .2 | .1 | — | — | — | — | — | — | — |
| Hand(s) and elbow(s) | 4811 | .1 | — | — | — | — | — | — | — | — |
| Hand(s) and arm(s), n.e.c. | 4819 | .3 | .2 | — | — | — | — | — | — | — |
| Hand(s) and wrist(s) | 482 | 1.0 | .2 | — | — | — | — | .2 | — | — |
| Wrist(s) and arm(s) | 483 | .3 | .1 | — | — | — | — | — | — | — |
| Wrist(s) and arm(s), unspecified | 4830 | .1 | — | — | — | — | — | — | — | — |
| Wrist(s) and elbow(s) | 4831 | (⁷) | — | — | — | — | — | — | — | — |
| Wrist(s) and arm(s), n.e.c. | 4839 | .1 | .1 | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014 — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | All other natures ⁶ |
|--|--|------------------------|------------------|---|-----------------------------------|---------------------------------|------------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | Soreness, pain | |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | |
| Abdomen, except internal location of diseases or disorders | — | — | — | — | — | — | 0.1 | 0.7 |
| Intestines, peritoneum | — | — | — | — | — | — | — | (⁷) |
| Pelvic region | — | — | — | — | — | — | .7 | .1 |
| Hip(s) | — | — | — | — | — | — | .4 | — |
| Pelvis | — | — | — | — | — | — | — | — |
| Buttock(s) | — | — | — | — | — | — | — | — |
| Groin | — | — | — | — | — | — | .2 | .1 |
| External reproductive tract structures | — | — | — | — | — | — | — | — |
| Multiple trunk locations | — | — | — | — | — | — | .4 | (⁷) |
| Upper extremities | 0.3 | 0.7 | 0.2 | 0.5 | 0.1 | 0.1 | 7.2 | 4.7 |
| Upper extremities, unspecified | — | — | — | — | — | — | — | .1 |
| Shoulder(s), including clavicle(s), scapula(e) | — | — | .1 | — | — | — | 2.7 | .8 |
| Arm(s) | — | — | — | .1 | — | — | 1.0 | .9 |
| Arm(s), unspecified | — | — | — | — | — | — | .3 | .1 |
| Upper arm(s) | — | — | — | — | — | — | .1 | .1 |
| Elbow(s) | — | — | — | — | — | — | .4 | .4 |
| Forearm(s) | — | — | — | — | — | — | .1 | .1 |
| Multiple arm locations | — | — | — | .1 | — | — | .1 | .1 |
| Multiple arm locations, unspecified | — | — | — | — | — | — | — | — |
| Elbow(s) and arm(s) | — | — | — | (⁷) | — | — | — | — |
| Multiple arm locations, n.e.c. | — | — | — | — | — | — | .1 | — |
| Arm(s), n.e.c. | — | — | — | — | — | — | — | — |
| Wrist(s) | — | .7 | — | — | — | — | .5 | .1 |
| Hand(s) | .3 | — | .1 | .2 | (⁷) | — | 1.5 | 2.4 |
| Hand(s), unspecified | — | — | — | .1 | — | — | .5 | .9 |
| Hand(s), except finger(s) | — | — | — | — | — | — | — | (⁷) |
| Finger(s), fingernail(s) | .3 | — | (⁷) | .1 | (⁷) | — | .8 | 1.2 |
| Finger(s), fingernail(s), unspecified | .1 | — | (⁷) | .1 | — | — | .6 | 1.0 |
| Fingertip(s) | .3 | — | — | — | — | — | — | — |
| Finger(s), fingernail(s), n.e.c. | — | — | — | — | — | — | .2 | .2 |
| Hand(s) and finger(s) | — | — | — | — | — | — | .1 | .2 |
| Hand(s), n.e.c. | — | — | — | — | — | — | .1 | — |
| Multiple upper extremities locations | — | — | — | .2 | (⁷) | .1 | 1.6 | .4 |
| Multiple upper extremities locations, unspecified | — | — | — | — | — | — | — | — |
| Hand(s) and arms(s) | — | — | — | .1 | — | — | .1 | .2 |
| Hand(s) and arm(s), unspecified | — | — | — | — | — | — | (⁷) | .1 |
| Hand(s) and elbow(s) | — | — | — | — | — | — | .1 | — |
| Hand(s) and arm(s), n.e.c. | — | — | — | .1 | — | — | — | .1 |
| Hand(s) and wrist(s) | — | — | — | .1 | — | .1 | .4 | .1 |
| Wrist(s) and arm(s) | — | — | — | — | — | — | .1 | — |
| Wrist(s) and arm(s), unspecified | — | — | — | — | — | — | (⁷) | — |
| Wrist(s) and elbow(s) | — | — | — | — | — | — | — | — |
| Wrist(s) and arm(s), n.e.c. | — | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014 — Continued

| Part of body | Part of body code ³ | State government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|---|--------------------------------|-------------------------------|--|-----------|------------------------------|-------------------|-----------|---------------------|------------------|----------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Shoulder(s) and arm(s) | 484 | 1.4 | 0.8 | — | — | — | — | 0.1 | — | — |
| Multiple upper extremities locations, n.e.c. | 489 | .9 | .2 | — | — | — | — | .1 | — | — |
| Lower extremities | 5 | 36.1 | 16.7 | 3.9 | 0.6 | 0.5 | 0.1 | 3.6 | 0.1 | — |
| Lower extremities, unspecified | 50 | (⁷) | — | — | — | — | — | — | — | — |
| Leg(s) | 51 | 20.2 | 9.5 | .7 | .3 | .3 | .1 | 2.6 | — | — |
| Leg(s), unspecified | 510 | 1.7 | .7 | .1 | .1 | — | — | .1 | — | — |
| Thigh(s) | 511 | .7 | .4 | — | — | — | — | .1 | — | — |
| Knee(s) | 512 | 15.6 | 7.7 | .3 | — | — | — | 2.1 | — | — |
| Lower leg(s) | 513 | 1.5 | .5 | .2 | .2 | .2 | — | .2 | — | — |
| Multiple leg locations | 518 | .6 | .2 | — | — | — | — | .1 | — | — |
| Multiple leg locations, unspecified | 5180 | (⁷) | — | — | — | — | — | — | — | — |
| Knee(s) and leg(s) | 5181 | .5 | .1 | — | — | — | — | .1 | — | — |
| Multiple leg locations, n.e.c. | 5189 | .1 | — | — | — | — | — | — | — | — |
| Leg(s), n.e.c. | 519 | .1 | — | — | — | — | — | — | — | — |
| Ankle(s) | 52 | 7.7 | 5.2 | .8 | — | — | — | .1 | — | — |
| Foot (feet) | 53 | 6.5 | 1.3 | 2.3 | .3 | .2 | — | .9 | .1 | — |
| Foot (feet), unspecified | 530 | 3.7 | 1.0 | 1.3 | .1 | .1 | — | .5 | .1 | — |
| Sole(s) | 531 | .6 | .2 | — | — | — | — | .3 | — | — |
| Heel(s) | 5313 | .6 | .1 | — | — | — | — | .3 | — | — |
| Toes(s), toenail(s) | 532 | 1.4 | .1 | .9 | .1 | .1 | — | — | — | — |
| Multiple foot (feet) locations | 538 | .1 | — | — | — | — | — | — | — | — |
| Foot (feet), n.e.c. | 539 | .6 | (⁷) | — | — | — | — | .1 | — | — |
| Multiple lower extremities locations | 58 | 1.6 | .7 | .1 | — | — | — | (⁷) | — | — |
| Foot (feet) and leg(s) | 581 | .3 | .1 | — | — | — | — | — | — | — |
| Foot(feet) and leg(s), unspecified | 5810 | .1 | — | — | — | — | — | — | — | — |
| Foot(feet) and knee(s) | 5811 | .2 | .1 | — | — | — | — | — | — | — |
| Foot (feet) and ankle(s) | 582 | .3 | .2 | — | — | — | — | — | — | — |
| Ankle(s) and leg(s) | 583 | .7 | .4 | .1 | — | — | — | — | — | — |
| Ankle(s) and leg(s), unspecified | 5830 | .2 | .1 | .1 | — | — | — | — | — | — |
| Ankle(s) and knee(s) | 5831 | .4 | .2 | — | — | — | — | — | — | — |
| Ankle(s) and leg(s), n.e.c. | 5839 | .1 | — | — | — | — | — | — | — | — |
| Multiple lower extremities locations, n.e.c. | 589 | .3 | .1 | — | — | — | — | — | — | — |
| Body systems | 6 | 4.4 | — | — | — | — | — | — | — | — |
| Multiple body parts | 8 | 31.1 | 8.9 | .3 | .2 | .2 | .1 | 3.4 | (⁷) | — |
| Multiple body parts, unspecified | 80 | 2.0 | .6 | — | — | — | — | .2 | — | — |
| Head and neck | 81 | 1.1 | .2 | — | — | — | — | .1 | — | — |
| Head, neck, and trunk | 82 | .5 | — | — | — | — | — | .1 | — | — |
| Head and trunk | 83 | .4 | — | — | — | — | — | .1 | — | — |
| Neck and back | 84 | 2.3 | 1.3 | — | — | — | — | — | — | — |
| Shoulder(s) and back | 85 | 1.4 | .8 | — | — | — | — | — | — | — |
| Hip(s) and leg(s) | 86 | .4 | .1 | — | — | — | — | — | — | — |
| Upper and lower limb(s) | 87 | 2.6 | .5 | — | (⁷) | (⁷) | — | .5 | — | — |

See footnotes at end of table.

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014 — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | All other natures ⁶ |
|---|--|------------------------|------------|---|-----------------------------------|---------------------------------|----------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | Soreness, pain | |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | |
| Shoulder(s) and arm(s) | — | — | — | — | — | — | 0.5 | — |
| Multiple upper extremities locations, n.e.c. | — | — | — | 0.1 | — | — | .4 | 0.1 |
| Lower extremities | — | — | 0.1 | .8 | — | 0.6 | 6.7 | 3.5 |
| Lower extremities, unspecified | — | — | — | — | — | — | — | — |
| Leg(s) | — | — | — | .3 | — | .2 | 4.7 | 2.0 |
| Leg(s), unspecified | — | — | — | .1 | — | — | .5 | .2 |
| Thigh(s) | — | — | — | — | — | — | .1 | — |
| Knee(s) | — | — | — | .2 | — | .1 | 3.6 | 1.7 |
| Lower leg(s) | — | — | — | — | — | — | .3 | .1 |
| Multiple leg locations | — | — | — | .1 | — | .1 | .2 | — |
| Multiple leg locations, unspecified | — | — | — | — | — | — | — | — |
| Knee(s) and leg(s) | — | — | — | .1 | — | .1 | .2 | — |
| Multiple leg locations, n.e.c. | — | — | — | — | — | — | — | — |
| Leg(s), n.e.c. | — | — | — | — | — | — | — | (⁷) |
| Ankle(s) | — | — | — | .2 | — | .2 | .8 | .5 |
| Foot (feet) | — | — | — | — | — | — | .7 | .9 |
| Foot (feet), unspecified | — | — | — | — | — | — | .4 | .3 |
| Sole(s) | — | — | — | — | — | — | .1 | (⁷) |
| Heel(s) | — | — | — | — | — | — | .1 | (⁷) |
| Toes(s), toenail(s) | — | — | — | — | — | — | .1 | .2 |
| Multiple foot (feet) locations | — | — | — | — | — | — | — | — |
| Foot (feet), n.e.c. | — | — | — | — | — | — | .1 | .4 |
| Multiple lower extremities locations | — | — | — | .2 | — | .2 | .5 | — |
| Foot (feet) and leg(s) | — | — | — | .1 | — | .1 | .1 | — |
| Foot(feet) and leg(s), unspecified | — | — | — | — | — | — | — | — |
| Foot(feet) and knee(s) | — | — | — | (⁷) | — | (⁷) | .1 | — |
| Foot (feet) and ankle(s) | — | — | — | — | — | — | .1 | — |
| Ankle(s) and leg(s) | — | — | — | .1 | — | .1 | .1 | — |
| Ankle(s) and leg(s), unspecified | — | — | — | — | — | — | — | — |
| Ankle(s) and knee(s) | — | — | — | .1 | — | .1 | .1 | — |
| Ankle(s) and leg(s), n.e.c. | — | — | — | — | — | — | — | — |
| Multiple lower extremities locations, n.e.c. | — | — | — | .1 | — | .1 | .1 | — |
| Body systems | — | — | — | — | — | — | — | 4.4 |
| Multiple body parts | — | — | .1 | 4.7 | 0.4 | 2.2 | 10.0 | 3.3 |
| Multiple body parts, unspecified | — | — | — | .3 | — | (⁷) | .6 | .3 |
| Head and neck | — | — | — | .4 | — | .2 | .2 | .2 |
| Head, neck, and trunk | — | — | — | (⁷) | — | — | .3 | — |
| Head and trunk | — | — | — | — | — | — | .2 | — |
| Neck and back | — | — | — | — | — | — | .9 | .2 |
| Shoulder(s) and back | — | — | — | (⁷) | — | — | .5 | .1 |
| Hip(s) and leg(s) | — | — | — | .1 | — | (⁷) | .2 | — |
| Upper and lower limb(s) | — | — | — | .6 | .1 | .3 | .6 | .3 |

See footnotes at end of table.

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014 — Continued

| Part of body | Part of body code ³ | State government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|----------------------------------|--------------------------------|-------------------------------|--|-----------|------------------------------|-------------------|-----------|---------------------|------------------|----------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Other multiple body parts | 89 | 20.4 | 5.4 | 0.3 | 0.1 | 0.1 | — | 2.4 | (⁷) | — |
| Whole body | 891 | .1 | — | — | — | — | — | — | — | — |
| Multiple body parts, n.e.c. | 899 | 20.3 | 5.4 | .3 | .1 | .1 | — | 2.4 | (⁷) | — |

See footnotes at end of table.

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014 — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | Soreness, pain | All other natures ⁶ |
|----------------------------------|--|------------------------|------------|---|-----------------------------------|---------------------------------|-----|----------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | | | |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | | |
| Other multiple body parts | — | — | 0.1 | 3.2 | 0.3 | 1.6 | 6.6 | 2.3 | |
| Whole body | — | — | — | — | — | — | .1 | — | |
| Multiple body parts, n.e.c. | — | — | .1 | 3.2 | .3 | 1.6 | 6.5 | 2.3 | |

See footnotes at end of table.

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014 — Continued

| Part of body | Part of body code ³ | State government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|------------------------------|--------------------------------|-------------------------------|--|-----------|------------------------------|-------------------|------------------|---------------------|------------|----------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Nonclassifiable | 9999 | 12.7 | 0.1 | – | 0.1 | – | (⁷) | 0.1 | – | – |

See footnotes at end of table.

TABLE S22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, state government, 2014 — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | Soreness, pain | All other natures ⁶ |
|------------------------------|--|------------------------|------------|---|-----------------------------------|---------------------------------|-----|----------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | | | |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | | |
| Nonclassifiable | — | — | — | (⁷) | — | — | 0.1 | 12.2 | |

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as (N/EH) x 20,000,000, where
N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers
(working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.