

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		67,400	2,490	990	5,850	6,070	31,250	260
Traumatic injuries and disorders	1	60,400	2,130	960	5,750	5,880	30,040	230
Traumatic injuries and disorders, unspecified	10	40	–	–	–	–	–	–
Traumatic injuries to bones, nerves, spinal cord	11	4,360	450	100	530	440	1,590	–
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	730	–	–	50	110	520	–
Fractures	111	3,520	440	90	460	330	1,000	–
Traumatic injuries to nerves, except the spinal cord	113	90	–	–	–	–	60	–
Pinched nerve	1131	90	–	–	–	–	60	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	12	25,280	690	330	2,020	2,270	12,460	40
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	220	–	–	–	–	180	–
Dislocations	121	410	–	–	60	40	220	–
Dislocations, unspecified	1210	20	–	–	–	–	–	–
Herniated discs	1211	130	–	–	20	–	70	–
Dislocation of joints	1212	260	–	–	40	30	150	–
Cartilage fractures and tears ...	122	160	–	–	–	–	60	–
Meniscus tears	1221	140	–	–	–	–	60	–
Sprains, strains, tears	123	24,080	670	310	1,930	2,190	11,760	40
Sprains, strains, tears, unspecified	1230	2,840	60	30	500	200	1,510	–
Major tears to muscles, tendons, ligaments	1231	750	–	60	60	20	460	–
Sprains	1232	7,390	130	80	490	650	3,670	–
Strains	1233	12,510	450	140	830	1,280	5,820	30
Multiple sprains, strains, tears	1238	600	30	–	40	50	300	–
Hernias due to traumatic incidents	124	250	–	–	–	–	150	–
Whiplash	125	80	–	–	–	20	40	–
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	20	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	–	–	–	–	40	–
Open wounds	13	2,530	30	30	170	140	1,460	–

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	3,910	220	4,460	2,640	520	3,500
Traumatic injuries and disorders	3,670	220	4,360	2,600	520	3,440
Traumatic injuries and disorders, unspecified	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	330	40	350	130	—	400
Traumatic injuries to bones, nerves, spinal cord, unspecified	—	—	—	—	—	—
Fractures	310	40	340	120	—	390
Traumatic injuries to nerves, except the spinal cord	—	—	—	—	—	—
Pinched nerve	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	1,470	50	2,290	1,160	260	1,990
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	—	—	—	—	—	—
Dislocations	—	—	40	20	—	—
Dislocations, unspecified	—	—	—	—	—	—
Herniated discs	—	—	20	20	—	—
Dislocation of joints	—	—	20	—	—	—
Cartilage fractures and tears ...	30	—	20	—	—	—
Meniscus tears	—	—	20	—	—	—
Sprains, strains, tears	1,420	40	2,140	1,110	230	1,970
Sprains, strains, tears, unspecified	170	—	160	90	—	90
Major tears to muscles, tendons, ligaments	50	—	30	20	—	30
Sprains	310	30	530	260	120	1,090
Strains	810	—	1,410	670	90	770
Multiple sprains, strains, tears	90	—	—	60	—	—
Hernias due to traumatic incidents	—	—	70	20	—	—
Whiplash	—	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	—	—
Open wounds	130	20	210	280	20	40

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Amputations, avulsions, enucleations	131	190	—	—	20	—	30	—
Amputations	1311	140	—	—	—	—	—	—
Avulsions, enucleations	1312	40	—	—	—	—	—	—
Cuts, lacerations	132	1,800	20	20	120	70	1,070	—
Puncture wounds, except gunshot wounds	133	470	—	—	30	50	310	—
Gunshot wounds	134	40	—	—	—	—	30	—
Surface wounds and bruises	14	6,780	270	60	1,000	740	2,870	50
Surface wounds and bruises, unspecified	140	130	—	—	—	—	60	—
Abrasions, scratches	141	570	40	—	90	30	250	—
Bruises, contusions	143	5,880	200	40	840	690	2,510	30
Multiple surface wounds and bruises	148	160	20	—	40	—	30	20
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—	—
Burns and corrosions	15	370	—	40	—	30	220	—
Chemical burns and corrosions	151	110	—	—	—	—	70	—
Chemical burns and corrosions, unspecified	1510	100	—	—	—	—	70	—
Heat (thermal) burns	152	220	—	—	—	20	140	—
Heat (thermal) burns, unspecified	1520	160	—	—	—	—	110	—
First degree heat (thermal) burns	1521	40	—	—	—	—	30	—
Other burns	159	40	—	—	—	—	—	—
Intracranial injuries	16	950	40	30	60	130	480	—
Intracranial injuries, unspecified	160	100	—	—	—	—	80	—
Concussions	162	840	40	30	50	130	390	—
Effects of environmental conditions	17	230	—	—	—	—	170	—
Effects of reduced temperature	171	20	—	—	—	—	—	—
Frostbite	1711	20	—	—	—	—	—	—
Effects of heat and light	172	210	—	—	—	—	170	—
Heat exhaustion, prostration	1725	180	—	—	—	—	140	—
Effects of heat and light, n.e.c.	1729	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,720	90	80	340	270	1,380	40
Multiple traumatic injuries and disorders, unspecified	180	120	—	—	—	—	70	—
Cuts and abrasions or bruises	181	530	—	30	30	20	320	—
Sprains and other injuries	182	1,270	60	—	150	120	680	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Amputations, avulsions, enucleations	—	—	20	90	—	—
Amputations	—	—	—	90	—	—
Avulsions, enucleations	—	—	—	—	—	—
Cuts, lacerations	90	—	180	170	20	40
Puncture wounds, except gunshot wounds	30	—	—	—	—	—
Gunshot wounds	—	—	—	—	—	—
Surface wounds and bruises	520	20	500	220	30	290
Surface wounds and bruises, unspecified	—	—	—	—	—	—
Abrasions, scratches	50	—	30	50	—	—
Bruises, contusions	450	—	460	170	30	270
Multiple surface wounds and bruises	—	—	—	—	—	—
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—
Burns and corruptions	—	—	20	40	—	—
Chemical burns and corruptions	—	—	—	—	—	—
Chemical burns and corruptions, unspecified	—	—	—	—	—	—
Heat (thermal) burns	—	—	—	30	—	—
Heat (thermal) burns, unspecified	—	—	—	20	—	—
First degree heat (thermal) burns	—	—	—	—	—	—
Other burns	—	—	—	—	—	—
Intracranial injuries	60	—	70	30	—	20
Intracranial injuries, unspecified	—	—	—	—	—	—
Concussions	60	—	70	20	—	20
Effects of environmental conditions	—	—	20	—	—	—
Effects of reduced temperature	—	—	—	—	—	—
Frostbite	—	—	—	—	—	—
Effects of heat and light	—	—	20	—	—	—
Heat exhaustion, prostration	—	—	20	—	—	—
Effects of heat and light, n.e.c.	—	—	—	—	—	—
Multiple traumatic injuries and disorders	240	—	120	80	20	50
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	—	—
Cuts and abrasions or bruises	80	—	40	—	—	—
Sprains and other injuries	100	—	60	60	—	20

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Sprains and other injuries, unspecified	1820	40	—	—	—	—	—	—
Sprains and bruises	1821	990	50	—	120	110	530	—
Sprains and cuts	1822	80	—	—	—	—	20	—
Sprains and other injuries, n.e.c.	1829	160	—	—	—	—	120	—
Fractures and other injuries	183	230	—	—	40	—	90	—
Fractures (except skull fractures) and concussions	1831	30	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	170	—	—	20	—	80	—
Burns and other injuries, except fractures	184	40	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	40	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	530	20	30	80	130	220	—
Other traumatic injuries and disorders	19	17,120	550	270	1,620	1,880	9,380	60
Dermatitis and reactions affecting the skin—acute	195	390	—	—	—	30	190	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	—	—	—	—	—	—
Allergic dermatitis—acute	1951	190	—	—	—	—	170	—
Irritant dermatitis—acute	1952	50	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	680	20	70	20	70	290	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	280	—	70	—	60	100	—
Poisoning, including poisoning-related asphyxia	1961	60	—	—	—	—	30	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	110	—	—	—	—	60	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	20	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	40	—	—	—	—	30	—
Other or unspecified allergic reactions	1966	130	—	—	—	—	40	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Sprains and other injuries, unspecified	-	-	-	-	-	-
Sprains and bruises	80	-	20	50	-	20
Sprains and cuts	-	-	30	-	-	-
Sprains and other injuries, n.e.c.	-	-	-	-	-	-
Fractures and other injuries	30	-	-	20	-	-
Fractures (except skull fractures) and concussions	-	-	-	-	-	-
Fractures and other injuries, n.e.c.	30	-	-	20	-	-
Burns and other injuries, except fractures	-	-	-	-	-	-
Burns and other injuries, n.e.c.	-	-	-	-	-	-
Multiple traumatic injuries and disorders, n.e.c.	-	-	-	-	-	-
Other traumatic injuries and disorders	900	100	770	650	190	620
Dermatitis and reactions affecting the skin—acute	-	-	20	-	-	130
Dermatitis and reactions affecting the skin—acute, unspecified	-	-	-	-	-	120
Allergic dermatitis—acute	-	-	20	-	-	-
Irritant dermatitis—acute	-	-	-	-	-	-
Other poisoning, toxic, noxious, or allergenic effects	50	70	-	30	-	40
Poisoning, toxic, noxious, or allergenic effect, unspecified	20	-	-	-	-	-
Poisoning, including poisoning-related asphyxia	-	-	-	-	-	20
Other respiratory system symptoms—toxic, noxious, or allergenic effect	20	-	-	-	-	-
Coughing and throat irritation— toxic, noxious, or allergenic effect	-	-	-	-	-	-
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	-	-	-	-	-	-
Other or unspecified allergic reactions	-	-	-	20	-	-

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	—	—	—	20	—
Nonspecified injuries and disorders	197	15,940	530	190	1,590	1,760	8,850	60
Crushing injuries	1971	420	—	—	—	30	220	—
Soreness, pain, hurt—nonspecified injury	1972	13,740	480	170	1,410	1,560	7,640	30
Swelling, inflammation, irritation—nonspecified injury	1973	1,040	—	—	120	110	570	—
Numbness—nonspecified injury	1974	100	—	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	350	30	—	30	—	220	—
Nonspecified injuries and disorders, n.e.c.	1979	290	20	—	20	50	180	—
Other traumatic injuries and disorders, n.e.c.	199	100	—	—	—	—	60	—
Traumatic injuries and disorders, n.e.c.	1999	100	—	—	—	—	60	—
Diseases and disorders of body systems	2	1,220	300	—	50	40	610	—
Nervous system and sense organs diseases	22	440	60	—	20	20	220	—
Disorders of the peripheral nervous system	224	320	60	—	20	20	130	—
Disorders of the peripheral nervous system, unspecified	2240	60	—	—	—	—	40	—
Carpal tunnel syndrome	2241	260	60	—	20	—	100	—
Disorders of the eye, adnexa, vision	225	90	—	—	—	—	80	—
Conjunctivitis—non-viral	2251	70	—	—	—	—	70	—
Disorders of the ear, mastoid process, hearing	226	30	—	—	—	—	—	—
Circulatory system diseases	23	150	30	—	—	—	90	—
Ischemic heart disease, including heart attack	233	60	—	—	—	—	50	—
Myocardial infarction (heart attack)	2331	40	—	—	—	—	40	—
Other forms of heart disease ...	235	30	—	—	—	—	—	—
Cerebrovascular disease	236	40	—	—	—	—	30	—
Stroke	2361	40	—	—	—	—	30	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—
Nonspecified injuries and disorders	840	30	740	620	190	420
Crushing injuries	80	—	20	30	—	—
Soreness, pain, hurt—nonspecified injury	660	20	620	490	170	380
Swelling, inflammation, irritation—nonspecified injury	20	—	40	60	—	30
Numbness—nonspecified injury	40	—	30	—	—	—
Multiple nonspecified injuries and disorders	20	—	30	—	—	—
Nonspecified injuries and disorders, n.e.c.	20	—	—	—	—	—
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	—	20
Traumatic injuries and disorders, n.e.c.	—	—	—	—	—	20
Diseases and disorders of body systems	120	—	50	—	—	—
Nervous system and sense organs diseases	50	—	20	—	—	—
Disorders of the peripheral nervous system	50	—	20	—	—	—
Disorders of the peripheral nervous system, unspecified	—	—	—	—	—	—
Carpal tunnel syndrome	40	—	20	—	—	—
Disorders of the eye, adnexa, vision	—	—	—	—	—	—
Conjunctivitis—non-viral	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—
Circulatory system diseases	—	—	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	—	—	—
Other forms of heart disease ...	—	—	—	—	—	—
Cerebrovascular disease	—	—	—	—	—	—
Stroke	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Respiratory system diseases	24	90	—	—	—	—	70	—
Other diseases of upper respiratory tract	242	30	—	—	—	—	30	—
Chronic obstructive pulmonary disease and allied conditions ..	244	30	—	—	—	—	30	—
Asthma, except intrinsic	2443	30	—	—	—	—	30	—
Musculoskeletal system and connective tissue diseases and disorders	27	490	190	—	—	20	170	—
Dorsopathies	272	20	—	—	—	—	—	—
Soft tissue disorders, except the back	273	460	190	—	—	—	160	—
Stenosing tenosynovitis	2732	110	—	—	—	—	—	—
Epicondylitis	2734	130	—	—	—	—	20	—
Other or unspecified tendonitis (tendinitis)	2735	140	—	—	—	—	80	—
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	50	—
Disorders of the skin and subcutaneous tissue	28	40	—	—	—	—	40	—
Infections of the skin and subcutaneous tissue	281	40	—	—	—	—	40	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	20	—	—	—	—	20	—
Infectious and parasitic diseases	3	60	20	—	—	30	—	—
Other infectious and parasitic diseases	39	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	370	20	—	30	20	210	—
Symptoms	51	340	20	—	30	—	200	—
General symptoms	511	230	—	—	20	—	150	—
Loss of consciousness—not heat related	5111	110	—	—	—	—	80	—
Convulsions, seizures	5112	20	—	—	—	—	20	—
Dizziness—general	5114	50	—	—	—	—	30	—
Multiple general symptoms ..	5118	30	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	60	—	—	—	—	40	—
Symptoms involving respiratory system and chest, unspecified	5160	20	—	—	—	—	—	—
Chest pain	5164	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Respiratory system diseases	—	—	—	—	—	—
Other diseases of upper respiratory tract	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ..	—	—	—	—	—	—
Asthma, except intrinsic	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	60	—	20	—	—	—
Dorsopathies	—	—	—	—	—	—
Soft tissue disorders, except the back	60	—	—	—	—	—
Stenosing tenosynovitis	—	—	—	—	—	—
Epicondylitis	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	40	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	—	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	—	—
Infectious and parasitic diseases	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	40	—	—	—	—	20
Symptoms	40	—	—	—	—	20
General symptoms	30	—	—	—	—	—
Loss of consciousness—not heat related	—	—	—	—	—	—
Convulsions, seizures	—	—	—	—	—	—
Dizziness—general	—	—	—	—	—	—
Multiple general symptoms ..	30	—	—	—	—	—
Symptoms involving respiratory system and chest	—	—	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—
Chest pain	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple symptoms	518	20	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	520	20	—	30	100	230	—
Mental disorders and syndromes	62	510	20	—	30	100	230	—
Anxiety, stress	621	510	20	—	30	100	230	—
Anxiety, stress, unspecified	6210	340	—	—	30	40	140	—
Post-traumatic stress disorder	6211	90	—	—	—	30	60	—
Anxiety or panic disorder	6213	40	—	—	—	—	40	—
Anxiety, stress, n.e.c.	6219	40	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple symptoms	—	—	—	—	—	—
Other diseases, conditions, and disorders	60	—	20	—	—	30
Mental disorders and syndromes	60	—	20	—	—	30
Anxiety, stress	60	—	20	—	—	30
Anxiety, stress, unspecified	50	—	20	—	—	20
Post-traumatic stress disorder	—	—	—	—	—	—
Anxiety or panic disorder	—	—	—	—	—	—
Anxiety, stress, n.e.c.	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Exposures to disease—no illness incurred	7	80	—	—	—	—	80	—
Nonclassifiable	9999	4,730	—	—	—	—	60	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Exposures to disease—no illness incurred	—	—	—	—	—	—
Nonclassifiable	—	—	20	20	—	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ *Standard Occupational Classification Manual, 2010*, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.