

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2014

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		67,400	35,120	27,590	4,680	2,060	4,110	14,070	40,610	6,550
Head	1	4,620	2,550	2,060	—	280	490	1,160	2,610	80
Head, unspecified	10	1,060	460	590	—	40	160	230	620	—
Cranial region, including skull	11	1,130	710	420	—	70	110	290	640	30
Brain	111	1,000	620	390	—	70	100	280	530	20
Scalp	112	110	90	30	—	—	—	—	100	—
Ear(s)	12	80	20	60	—	30	—	30	—	—
Face	13	2,230	1,280	950	—	140	210	530	1,300	50
Face, unspecified	130	360	180	180	—	—	40	100	200	—
Forehead	131	160	40	120	—	—	—	—	150	—
Eye(s)	132	930	550	380	—	80	90	280	460	—
Nose, nasal cavity	133	120	70	50	—	—	—	—	100	—
Nose, except internal location of diseases or disorders	1330	120	70	50	—	—	—	—	100	—
Cheek(s)	134	50	20	30	—	—	—	—	40	—
Jaw, chin	135	120	60	60	—	—	50	50	20	—
Mouth	136	170	130	40	—	40	—	30	100	—
Mouth, unspecified	1360	20	—	—	—	—	—	—	—	—
Lip(s)	1361	60	50	—	—	—	—	—	50	—
Tooth (teeth)	1363	90	70	20	—	40	—	—	40	—
Multiple face locations	138	240	170	70	—	—	—	30	180	20
Face, n.e.c.	139	70	50	20	—	—	—	—	50	—
Multiple head locations	18	120	80	40	—	—	—	70	40	—
Neck, including throat	2	1,390	640	740	—	—	60	300	1,000	20
Neck, except internal location of diseases or disorders ...	20	1,380	630	740	—	—	60	300	980	20
Trunk	3	12,670	7,500	5,130	50	610	1,020	2,820	7,950	280
Trunk, unspecified	30	170	40	120	—	—	20	—	130	—
Chest, including ribs, internal organs	31	1,040	730	310	—	100	120	230	560	30
Chest, except internal location of diseases or disorders	310	880	590	300	—	70	120	230	440	30
Internal chest location, unspecified	311	30	30	—	—	—	—	—	30	—
Heart	313	100	90	—	—	—	—	—	90	—
Lung(s), pleura	315	40	30	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	9,440	5,480	3,910	50	440	740	2,060	6,010	190
Back, including spine, spinal cord, unspecified	320	4,160	2,340	1,820	—	120	290	940	2,790	20
Thoracic region	321	310	160	150	—	—	30	100	170	—
Lumbar region	322	4,470	2,680	1,780	—	270	400	930	2,730	150
Sacral region	323	90	70	20	—	—	—	—	70	—
Coccygeal region	324	130	90	20	—	—	—	40	90	—
Multiple back regions	328	250	140	110	—	40	20	50	140	—
Back, including spine, spinal cord, n.e.c.	329	20	—	20	—	—	—	—	20	—
Abdomen	33	630	440	180	—	50	80	150	310	30
Abdomen, except internal location of diseases or disorders	330	610	440	170	—	40	80	150	300	30
Intestines, peritoneum	335	20	—	—	—	—	—	—	—	—
Pelvic region	34	1,040	630	400	—	20	50	210	740	20

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Hip(s)	341	690	380	310	—	—	—	110	550	—
Pelvis	342	40	—	30	—	—	—	—	20	—
Buttock(s)	343	20	—	20	—	—	—	—	—	—
Groin	344	260	210	50	—	—	30	80	140	—
External reproductive tract structures	345	20	20	—	—	—	—	—	—	—
Multiple trunk locations	38	350	160	200	—	—	—	140	200	—
Upper extremities	4	15,360	8,910	6,430	20	360	1,020	3,590	9,970	410
Upper extremities, unspecified	40	60	—	50	—	—	—	—	50	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,500	2,820	1,690	—	120	170	1,100	2,990	120
Arm(s)	42	2,480	1,450	1,020	—	70	140	520	1,630	130
Arm(s), unspecified	420	780	420	350	—	20	50	190	490	20
Upper arm(s)	421	260	210	40	—	—	—	70	160	20
Elbow(s)	422	960	500	460	—	40	50	170	630	80
Forearm(s)	423	260	160	100	—	—	—	60	180	—
Multiple arm locations	428	190	140	50	—	—	—	30	160	—
Multiple arm locations, unspecified	4280	30	—	30	—	—	—	—	30	—
Elbow(s) and arm(s)	4281	60	30	30	—	—	—	—	40	—
Multiple arm locations, n.e.c.	4289	100	100	—	—	—	—	—	90	—
Arm(s), n.e.c.	429	30	20	—	—	—	—	—	20	—
Wrist(s)	43	1,590	660	920	—	30	180	270	1,090	30
Hand(s)	44	5,050	3,130	1,920	—	130	430	1,440	2,920	130
Hand(s), unspecified	440	1,420	800	620	—	—	100	460	790	60
Hand(s), except finger(s)	441	130	90	40	—	—	—	50	60	—
Finger(s), fingernail(s)	442	3,220	2,070	1,150	—	110	310	880	1,850	60
Finger(s), fingernail(s), unspecified	4420	2,280	1,310	960	—	110	250	580	1,290	60
Fingertip(s)	4422	220	210	—	—	—	—	170	40	—
Finger(s), fingernail(s), n.e.c.	4429	710	540	170	—	—	60	130	510	—
Hand(s) and finger(s)	448	200	120	90	—	—	—	30	160	—
Hand(s), n.e.c.	449	70	50	—	—	—	—	—	60	—
Multiple upper extremities locations	48	1,670	830	840	—	—	100	260	1,290	—
Multiple upper extremities locations, unspecified	480	40	30	—	—	—	—	—	20	—
Hand(s) and arms(s)	481	250	190	60	—	—	—	20	230	—
Hand(s) and arm(s), unspecified	4810	80	80	—	—	—	—	—	80	—
Hand(s) and elbow(s)	4811	40	40	—	—	—	—	—	40	—
Hand(s) and arm(s), n.e.c.	4819	130	70	50	—	—	—	—	110	—
Hand(s) and wrist(s)	482	380	120	260	—	—	—	50	310	—
Wrist(s) and arm(s)	483	100	50	50	—	—	20	—	70	—
Wrist(s) and arm(s), unspecified	4830	50	30	30	—	—	—	—	40	—
Wrist(s) and elbow(s)	4831	20	—	20	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	30	30	—	—	—	—	—	20	—
Shoulder(s) and arm(s)	484	560	260	300	—	—	20	160	380	—
Multiple upper extremities locations, n.e.c.	489	340	190	160	—	—	40	20	280	—
Lower extremities	5	14,290	8,300	5,970	30	570	840	2,980	9,170	730
Lower extremities, unspecified	50	20	—	—	—	—	—	—	—	—
Leg(s)	51	8,010	4,930	3,070	—	260	350	1,470	5,590	330
Leg(s), unspecified	510	680	390	300	—	20	30	140	490	—
Thigh(s)	511	260	150	110	—	—	—	20	230	—

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Knee(s)	512	6,170	3,750	2,410	—	200	300	1,090	4,310	270
Lower leg(s)	513	600	450	150	—	30	—	90	420	50
Multiple leg locations	518	240	150	90	—	—	—	100	120	—
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	200	130	70	—	—	—	100	90	—
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—	30	—
Leg(s), n.e.c.	519	50	50	—	—	—	—	30	20	—
Ankle(s)	52	3,050	1,610	1,420	20	260	310	710	1,630	130
Foot (feet)	53	2,580	1,420	1,160	—	30	150	690	1,440	270
Foot (feet), unspecified	530	1,480	810	670	—	20	90	320	990	60
Sole(s)	531	260	170	90	—	—	40	30	180	—
Heel(s)	5313	230	140	90	—	—	40	20	170	—
Toes(s), toenail(s)	532	560	220	340	—	—	—	190	170	—
Multiple foot (feet) locations	538	30	—	20	—	—	—	—	—	—
Foot (feet), n.e.c.	539	250	220	30	—	—	—	150	90	—
Multiple lower extremities locations	58	630	340	290	—	20	20	100	490	—
Foot (feet) and leg(s)	581	120	50	70	—	—	—	—	100	—
Foot(feet) and leg(s), unspecified	5810	30	—	20	—	—	—	—	30	—
Foot(feet) and knee(s)	5811	80	50	40	—	—	—	—	70	—
Foot (feet) and ankle(s)	582	120	40	80	—	—	—	20	80	—
Ankle(s) and leg(s)	583	280	180	110	—	—	—	40	230	—
Ankle(s) and leg(s), unspecified	5830	90	70	—	—	—	—	—	80	—
Ankle(s) and knee(s)	5831	170	100	70	—	—	—	20	130	—
Ankle(s) and leg(s), n.e.c.	5839	30	—	20	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	110	70	40	—	—	—	30	80	—
Body systems	6	1,760	960	800	—	60	80	400	1,150	70
Multiple body parts	8	12,300	6,040	6,250	—	150	590	2,660	8,560	340
Multiple body parts, unspecified	80	770	450	320	—	—	30	80	570	90
Head and neck	81	420	180	240	—	—	—	140	230	20
Head, neck, and trunk	82	200	90	110	—	—	—	110	50	—
Head and trunk	83	140	40	100	—	—	40	20	70	—
Neck and back	84	930	550	380	—	—	80	230	610	—
Shoulder(s) and back	85	560	360	200	—	—	20	80	460	—
Hip(s) and leg(s)	86	170	80	90	—	—	—	80	80	—
Upper and lower limb(s)	87	1,030	390	640	—	20	20	200	750	40
Other multiple body parts	89	8,070	3,900	4,170	—	110	370	1,720	5,730	140
Whole body	891	30	—	20	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	8,040	3,890	4,150	—	110	370	1,710	5,720	140

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Nonclassifiable	9999	5,010	230	200	4,580	–	20	150	210	4,610

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.