American Time Use Survey (ATUS) Data Dictionary: 2008 Interview Data Variables collected in ATUS

June 2009

Important Information about the ATUS Data Dictionary

Introduction

The American Time Use Survey (ATUS) is sponsored by the Bureau of Labor Statistics and conducted by the U.S. Census Bureau. The purpose of this document is to provide information about the variables available on five of the 2008 ATUS data files: the Respondent file, the Roster file, the Activity file, the Who file, and the Activity Summary file. These files contain information collected and assigned in the 2008 ATUS interviews.

This data dictionary lists all the variables available on these files and their valid values. It also provides directions on how to read the data dictionary.

Three additional data dictionaries describe other ATUS data files:

- 2008 ATUS-CPS Data Dictionary: Describes the variables available on the ATUS-CPS file as well as some variables on the Activity Summary file. The ATUS-CPS file contains data from the Current Population Survey (CPS) for persons selected to be surveyed for the ATUS and for members of their households. (The information on the ATUS-CPS file was collected two to five months before the ATUS interview and in some cases was out of date at the time the ATUS was conducted.)
- 2008 ATUS Survey Methodology Data Dictionary: Describes the variables available on the Case History file and the Call History file.
- 2008 Trips Data Dictionary: Describes the variables available on the Trips file.

These additional data dictionaries are available on the ATUS Web site at www.bls.gov/tus/dictionaries.htm.

ATUS Interview Data Files

The following five data files include data available from the ATUS interviews.

1. ATUS Respondent File

This file contains case-specific variables collected in ATUS (that is, variables for which there is one value for each respondent). These include, for example, labor force and earnings information, total time providing secondary childcare, and ATUS statistical weights.

There is one record for each ATUS respondent.

Below is a simplified example. The TUCASEID identifies each household, and TULINENO identifies each individual within the household. The example contains responses from five individuals; note that the respondent always has TULINENO=1. In the example, each respondent has corresponding values denoting school enrollment (TESCHENR), labor force status (TELFS), and total time spent alone (TRTALONE). The actual ATUS Respondent file contains many more variables as well as many more lines.

TUCASEID	TULINENO	TESCHENR	TELFS	TRTALONE
20080101020210	1	1	1	40
20080101020211	1	1	1	350
20080101020212	1	1	5	0
20080101020213	1	2	5	556
20080101020214	1	1	4	100

ATUS Roster File

This file contains information on the age, sex, and each household member's relationship to the ATUS respondent. The same information is also included for the respondent's own nonhousehold children under 18.

There is one record for each individual in the respondent's household (including the respondent's own nonhousehold children under 18).

A simplified example appears below. The TUCASEID identifies each household, and the TULINENO identifies each individual in the household. In the example below, TUCASEID 20080101020210 has three persons residing in the household, and TUCASEID 20080101020211 and TUCASEID 200801010120212 each have one person. The actual ATUS Roster file contains more variables and many additional lines.

Γ	TUCASEID	TULINENO	TERRP	TESEX	TEAGE
ŀ	TUCASEID	TULINEINU	IERRE	IESEA	TEAGE
	20080101020210	1	18	2	42
	20080101020210	2	20	1	45
	20080101020210	3	22	1	11
	20080101020211	1	18	1	65
	20080101020212	1	18	2	21

ATUS Activity File

This file includes activity-level information collected in ATUS, including activity code, location, duration, activity start and stop times, and whether respondents had a child under 13 in their care during the activity. Location (or "where") information is not collected for some selected activities (such as sleeping and grooming); a value that indicates the activity was "out of universe" for the "where" question (-1) is filled in these situations. There is one record for each activity.

A simplified example of the ATUS Activity file appears below. This is an illustration of one respondent's day. Because only one person is interviewed per household, each TUCASEID on the Activity file identifies a respondent. Each activity is identified by an activity number (TUACTIVITY_N). The ATUS Activity file contains more variables describing each activity as well as many more lines than does the example below.

TUCASEID	TUACTIVITY_N	TUSTARTTIM	TUSTOPTIME
20080101020210	1	04:00:00	07:00:00
20080101020210	2	07:00:00	07:30:00
20080101020210	3	07:30:00	14:00:00
20080101020210	4	14:00:00	21:00:00
20080101020210	5	21:00:00	04:00:00

4. ATUS Who File

This file includes codes that indicate who was present during each activity.

There is one record for each "who" code reported. Therefore, there will be one record for activities done alone and multiple records for activities with multiple people present. For some activities, no "who" codes are collected (such as sleeping and grooming); a value that indicates the activity was "out of universe" for the "who" question (-1) is filled in these situations.

A simplified example appears below. In the first activity (TUACTIVITY_N = 1), no "who" code information was collected because of the associated activity code. Only one person was with the respondent during the second activity, so there is one line for TUACTIVITY_N = 2. Three people were with the respondent during the third activity, so there are three lines for TUACTIVITY_N = 3. Two of those (TUWHO_CODE = 20 and 22) are members of the respondent's household and can be linked to the Roster file using TUCASEID and TULINENO. The third (TUWHO_CODE = 51) is not a member of the respondent's household and thus does not have a positive value for TULINENO.

The actual ATUS Who file contains more variables for each line as well as many additional lines than the example below.

TUCASEID	TUACTIVITY_N	TUWHO_CODE	TULINENO
20080101020210	1	-1	-1
20080101020210	2	22	3
20080101020210	3	20	2
20080101020210	3	22	3
20080101020210	3	51	-1

5. ATUS Activity Summary File

The ATUS Activity Summary file contains information about the total number of minutes each respondent spent doing each activity. The file also includes selected variables from the ATUS Respondent, ATUS Roster, and ATUS-CPS files. The Activity Summary file contains variables not described in this data dictionary. Variables beginning with a lower-case "t" correspond to specific activity codes; definitions for each activity code can be found in the 2008 Activity Lexicon (www.bls.gov/tus/lexiconwex2008.pdf).

There is one record for each ATUS respondent.

A simplified example of the ATUS Activity Summary file appears below. The variable TUCASEID is the unique identifier for each respondent and the variable TEAGE, which also appears on the ATUS Roster file, shows each respondent's age. The variable t010101 contains the total number of minutes each respondent spent doing activity 010101, "sleeping"; the variable t010102 contains the total number of minutes each respondent spent doing activity 010102, "sleeplessness."

The ATUS Activity Summary file contains more variables describing each activity as well as many more lines than the example below.

TUCASEID	TEAGE	t010101	t010102
20080101020210	26	480	0
20080101020211	53	430	30
20080101020212	76	457	0
20080101020213	16	600	0

Valid Values

Each variable has a number of valid values or a range of valid values. For example, the variable TESEX has two valid values: 1 for male and 2 for female. The variable TEAGE, on the other hand, has a range of valid values – any entry between 0 and 85 (except 81 through 84) is considered valid. Individual valid values or a range of valid values are listed under each variable in the data dictionary. A few variables have so many valid values that they are not included in the data dictionary; instead, they are provided in an appendix or a separate document. (References to these are included as a "Note" under the relevant variables in the data dictionary.) One example of such a variable is TEIO1CD, which identifies the industry code of the respondent's main job.

Many ATUS variables have the following possible valid values:

Value	Description
-1	Blank
-2	Don't know
-3	Refused

Because so many variables have these possible values, they are not shown as valid entries for each variable.

TUCASEID, the primary identification number for ATUS, does not have either a list of valid values or a range of valid values.

ATUS Naming Conventions and Definitions

ATUS variables are named according to specified rules. Variables with a first character of "T" (for time use) were collected or created through the ATUS interview. Variables with any other first character (most often "P", "G", or "H") were collected or created through the final CPS interview (conducted two to five months prior to the ATUS interview). All of the variables on the ATUS interview data files described in this dictionary begin with "T."

The second and third characters of the name identify the type of variable, and the remaining characters consist of a descriptive name. The rules regarding the first two or three characters are described in the table below (note that the variables on the Activity Summary file that start with a lowercase "t" do not follow these rules):

Abbreviation	Variable Type	Definition
U	Unedited	An unedited variable generally is produced by the Computer Assisted Telephone
	Variable	Interview (CATI) instrument, either collected or assigned during the interview.
		There are a few unedited variables that are computed by the processing system,
E	Edited Variable	such as the ATUS final weight (TUFINLWGT). An edited variable is one that has gone through an editing process (a process
	Edited Variable	checking for consistency). Values of edited variables are almost always equal to values of the corresponding unedited variables. Data differ when a value is allocated or imputed by the processing system based on allocation rules specified in CPS or ATUS processing. Allocations are typically performed when the unedited variable contains a value of blank, "don't know," or "refused."
		An edited version of a variable exists only if that variable goes through an editing process. If there are no edits for a variable, then only an unedited version of that variable exists.
R	Recode	A recode is a variable calculated by the processing system from a combination of
		other variables on the file. For example, TRMJOCC1 is the major occupation code
		for the respondent's main job; this is not a response to a question but rather a
		variable that summarizes (or "groups") the more finely detailed occupation variable
		TEIO1OCD. (Note that variables with second and third characters of "RT" are
DT	C	summary variables.)
RT	Summary Variable	These variables summarize the amount of time respondents spent with other people or did selected activities. For example, TRTALONE gives the total amount
	Variable	of time the respondent spent alone on the diary day. Variables that summarize the
		amount of time respondents spent with other people rely on "who" code
		information and therefore do not include activities for which no "who" code
		information was collected, such as sleeping.
X	Allocation Flag	Each edited variable has a corresponding allocation flag indicating the nature of
		the allocation. For example, if TUAGE is blank, TEAGE would be allocated, and
		this would be indicated by a TXAGE value of 41. See the section on allocation
		flags for the standard list of values.
XT	Summary	Some summary variables have a corresponding XT variable, which is a 0-1
	Allocation Flag	indicator of whether or not the summary variable contains allocated information.
		For example, a value of 1 in TXTCC indicates that TRTCC and TRTCC_LN
		contain allocated rather than calculated data.
T	Topcode Flag	These variables indicate whether another variable has been topcoded, or given a
		maximum value. The three topcode variables on the ATUS interview data files all
		relate to earnings.

Using these rules, variables can be more readily understood based on their names. For example, the variable TEAGE can be broken down as follows:

- The first character "T" indicates that this variable was collected or created through the ATUS interviews
- The second character "E" indicates that this variable went through an editing process; it also means that there
 will be a corresponding allocation flag, TXAGE, to indicate the nature of the allocation
- The final part of the variable name, "AGE," is descriptive

Some questions asked in the ATUS interview allow for more than one response. For such multiple entry questions, there is a separate variable for each possible response. Each variable has the same descriptive name but a different (sequential) number. For example, respondents can provide up to six answers to the question "You said you have been trying to find work – how did you go about looking?" The variable names are TULKDK1, TULKDK2, TULKDK3, etc.

Not all ATUS variables are on the files. When there is an edited variable, the corresponding unedited variable is usually omitted from the files. This is typically done to protect the confidentiality of ATUS respondents as required by law. If an unedited variable is included on the files, then an edited version does not exist and the unedited version cannot be used to identify individual respondents.

Allocation Flags

For every edited variable (or all "E" variables), there is a corresponding allocation flag whose second character is "X." All remaining characters of the two variables' names are the same. For example, TXSEX is the allocation flag for TESEX.

All allocation flags (except for variables with the second and third characters of "XT") have the following list of possible values:

- 0 Value no change
- 1 Blank no change
- 2 Don't know no change
- 3 Refused no change
- 10 Value to value
- 11 Blank to value
- 12 Don't know to value
- 13 Refused to value
- 20 Value to longitudinal value
- 21 Blank to longitudinal value
- 22 Don't know to longitudinal value
- 23 Refused to longitudinal value
- 30 Value to allocated longitudinal value (unused)
- 31 Blank to allocated longitudinal value (unused)
- 32 Don't know to allocated longitudinal value (unused)
- Refused to allocated longitudinal value (unused)
- 40 Value to allocated value
- 41 Blank to allocated value
- 42 Don't know to allocated value
- 43 Refused to allocated value
- Value to blank
- 52 Don't know to blank
- 53 Refused to blank

Each digit of these valid values identifies how and why edited variables were allocated.

The first digit indicates how the allocation was made to the "E" (or edited) variable.

	First Digit					
0 or Blank	No change between "U" variable and "E" variable					
1	"E" variable changed to a value					
2	"E" variable changed to a longitudinal value (the corresponding value from the CPS data)					
3	"E" variable changed to an allocated longitudinal value (the corresponding allocated value from CPS data) - unused					
4	"E" variable changed to allocated value					
5	"E" variable changed to a blank					

The second variable indicates why the "U" variable was allocated, whether the value was changed, missing, don't know, or refused.

Second Digit					
0	"U" variable was equal to some value				
1	"U" variable was blank (or -1)				
2	"U" variable was don't know (or -2)				
3	"U" variable was refused (or -3)				

Only one of the "X" allocation flags has more values than those listed above: TXAGE. There are two additional values to indicate that TEAGE has been topcoded or given a maximum value. These values are listed in the data dictionary.

Two other variables (TRWERNAL and TRHERNAL) indicate allocation and do not follow the "X" variable values; these variables have values of either 0 or 1, with 1 indicating that other variables (TRERNWA and TRERNHLY, respectively) have been allocated.

Additionally, the "XT" variables do not have the standard "X" variable values. Like the two variables indicated above, these variables all have values of either 0 or 1, with 1 indicating that another variable has been allocated.

Edited Universe


Edited variables and recodes are defined for certain universes, and these are listed in the data dictionary. For example, TEIO1OCD (occupation code) is only defined when the respondent is employed. Therefore, the universe for TEIO1OCD is TELFS = 1 or 2 (TELFS is the labor force status of the respondent, and values of 1 or 2 indicate that the respondent is employed).

Certain variables might initially appear to be the same because their descriptions are very similar. These variables are different in that they were asked of different groups of survey respondents. For example, the variables TEERNH1O and TEERNH2 both have the same question text of "Excluding overtime pay, tips, and commissions, what is your hourly rate of pay on your main job?" The difference in these two variables has to do with which respondents were asked each question. This can be determined by looking at the edited universes. TEERNH1O was asked of respondents with TEERNPER = 1, or those who said it was easiest to report their earnings hourly. TEERNH2, on the other hand, was asked of respondents with TEERNRT = 1, or those who said they were paid hourly but reported their earnings another way.

Organization of the Data Dictionary

Variables are listed in the data dictionary in alphabetical order.

Below is a sample entry from the ATUS interview data dictionary:



Frequently Used Variables

The ATUS files have many variables and users may sometimes have difficulty determining which variables to use. A list of the most commonly used ATUS variables is available at www.bls.gov/tus/freqvariables.pdf.

Linking ATUS Files

Each of the ATUS files contains useful information, but in order to produce most estimates, the files must be linked. All of the files contain the variable TUCASEID, which is the ATUS identification number. Two other variables that can be used for linking in conjunction with TUCASEID are TULINENO (person line number) and TUACTIVITY_N (activity line number). More information on linking ATUS files is available on the ATUS Web site at www.bls.gov/tus/howto.htm#linking.

For information on linking ATUS files to CPS files, see Appendix K of the ATUS User's Guide (www.bls.gov/tus/atususersguide.pdf).

Changes between years of ATUS data

Those wishing to combine multiple years of ATUS data should be aware of changes to ATUS survey methods between years—such as new, discontinued, and changed variables—as well as differences in activity codes between years. For a list of these changes, see the document describing ATUS changes (www.bls.gov/tus/changes.pdf) and the document describing Activity Coding Lexicon changes (www.bls.gov/tus/lexiconchanges.pdf).

Combining multiple years of ATUS Data

The method used to generate statistical weights (the variable TUFINLWGT) on the ATUS files changed each year from 2003 to 2006. Thus, researchers who create multi-year data sets should not use the weighting variable TUFINLWGT for all years. There were no changes to the method used to generate TUFINLWGT in 2007 and 2008.

Users who combine multiple years of ATUS data must use weights that were generated using comparable methods. Coinciding with the release of the 2006 ATUS data, the variable TU06FWGT was added to the 2003 to 2005 Respondent and Activity summary files. TU06FWGT is a weighting variable that was generated using the 2006 weighting method. Users who combine ATUS data for the years 2003 to 2008 should use the variable TU06FWGT to weight the 2003 to 2005 data and the variable TUFINLWGT to weight the 2006 to 2008 data.

The variables TU04FWGT (on the 2003 files) and TUFINLWGT on the 2004 and 2005 files were also generated using comparable weighting methods. Researchers who combine the 2003 to 2005 data files can use this combination of weighting variables or the variable TU06FWGT for all years.

For more information about ATUS populations weights, why researchers should use them, and details about how the ATUS weighting method changed, see the ATUS User's Guide (www.bls.gov/tus/atususersguide.pdf). For more information about combining activity codes between years, please see www.bls.gov/tus/multiyearcodes.pdf.

2008 ATUS Data Dictionary: Public ATUS Interview Data

Name	Description				File
TEABSRSN	Edited: what was the week?	ne main reaso	n you were abs	Respondent File	
	Edited Universe:	TELFS = 2			
TEAGE	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11 12 13	Slack work/bus Waiting for a n Vacation/perso Own illness/inj Childcare prob Other family/po Maternity/pate Labor dispute Weather affect School/training Civic/military dispute	jury/medical problems blems ersonal obligation wrnity leave ted job	Postor Filo Activity
TEAGE	Edited: age				Roster File, Activity Summary File
	Edited Universe:	All persons of	on roster		
	Valid Entries:	0 85		Min Value Max Value	
				ge 80 through 84 have TEA ndicates topcoding.	GE = 80. Those age 85
TEERN	Edited: total weekly	y overtime ear	nings (2 implied	d decimals)	Respondent File
	Edited Universe:	TEERNUOT	= 1 and TEERN	NPER = 1	
	Valid Entries:	0		Min Value	
TEERNH10	Edited: excluding o	288461 overtime pay t	ins and commi	Max Value ssions, what is your hourly	Respondent File
	rate of pay on your	main job? (2	implied decimal		
	Edited Universe:	TEERNPER	= 1		
	Valid Entries:	0		Min Value	
TEERNH2	Edited: excluding o	9999 overtime pay, t	ips, and commi	Max Value ssions, what is your hourly	Respondent File
	rate of pay on your	main job? (2	implied decimal		·
	Edited Universe:	TEERNRT =	1		
	Valid Entries:	0		Min Value	
TEERNHRO	Edited: how many l	9999 hours do vou i	usually work pe	Max Value r week at this rate?	Respondent File
	Edited Universe:	TEERNH10			
	Valid Entries:	1 99		Min Value Max Value	
TEERNHRY	Edited: hourly/non-				Respondent File

Valid Entries: 1	Name	Description Edited Universe:	TELES = 1	or 2 and TEIO10	COW = 1 - 5	File	
TEERNPER Edited: for your main job, what is the easiest way for you to report your total earnings before taxes or other deductions; hourly, weekly, annually, or some other way? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Hourly 2 Weekly 3 Bi-weekly 4 Twice monthly 5 Monthly 6 Annually 7 Other TEERNRT Edited: even though you told me it is easier to report your earnings another way, are you paid at an hourly rate on this job? Edited Universe: TEERNPER = 2 - 7 Valid Entries: 1 Yes 2 No TEERNUOT Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TEERS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes 2 No TEERNWKP Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TEERNPER = 6 Valid Entries: 1 Yes 2 No TEERNWKP Edited: do you usually weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRETTT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value *Note: -4 (Hours vary) is also valid for TEHRUSL1 Edited: how many hours per week do you usually work at your other job(s)? **TEHRUSL2 Edited: how many hours per week do you usually work at your other job(s)?		Luitou Omvoido.	TEELO IV				
Edited: for your main job, what is the easiest way for you to report your lot learnings before taxes or other deductions: hourly, weekly, annually, or some other way? Edited Universe: TELFS = 1 or 2 and TEIOTCOW = 1 - 5 Valid Entries:		Valid Entries:					
total earnings before taxes or other deductions: hourly, weekly, annually, or some other way? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Hourly 2 Weekly 3 Bi-weekly 4 Twice monthly 5 Monthly 6 Annually 7 Other TEERNRT Edited: even though you told me it is easier to report your earnings another way, are you paid at an hourly rate on this job? Edited Universe: TEERNPER = 2 - 7 Valid Entries: 1 Yes 2 No TEERNUOT Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes No 2 TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value Max Value Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited: how many hours per week do you usually work at your main job? Respondent File Edited: How many hours per week do you usually work at your main job? Respondent File Edited: How many hours per week do you usually work at your other Respondent File Edited: How many hours per week do you usually work at your other Respondent File Edited: How many hours per week do you usually work at your other Respondent File job(s)?				•	•		
Valid Entries: 1 Hourly	TEERNPER	total earnings befo	re taxes or ot ?	her deductions:	hourly, weekly, annually,	Respondent File	
2 Weekly 3 Bi-weekly 4 Twice monthly 5 Monthly 6 Annually 7 Other		Edited Universe:	TELFS = 1 o	or 2 and TEIO10	COW = 1 - 5		
Separate Separate		Valid Entries:		•			
### Twice monthly 5				•			
S				•			
TEERNRT Edited: even though you told me it is easier to report your earnings another way, are you paid at an hourly rate on this job? Edited Universe: TEERNPER = 2 - 7 Valid Entries: 1 Yes No TEERNUOT Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes No TEERNWKP Edited: how many weeks a year do you get paid? Edited: how many weeks a year do you get paid? Respondent File Edited: Divierse: TEERNPER = 6 Valid Entries: 1 Min Value Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value *Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?					у		
TEERNRT Edited: even though you told me it is easier to report your earnings another way, are you paid at an hourly rate on this job? Edited Universe: TEERNPER = 2 - 7 Valid Entries: 1 Yes 2 No TEERNUOT Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes 2 No TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value *Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?				•			
TEERNRT Edited: even though you told me it is easier to report your earnings another way, are you paid at an hourly rate on this job? Edited Universe: TEERNPER = 2 - 7 Valid Entries: 1 Yes 2 No TEERNUOT Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes 2 No TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value Max Value *Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?				,			
another way, are you paid at an hourly rate on this job? Edited Universe: TEERNPER = 2 - 7 Valid Entries: 1 Yes 2 No TEERNUOT Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes 2 No TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value *Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?	TEEDNET	Edited and the	•			Decreeded File	
TEERNUOT Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes 2 No TEERNWKP Edited: how many weeks a year do you get paid? Edited: Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited: Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited: how many hours per week do you usually work at your main job? Respondent File Edited: how many hours per week do you usually work at your main job? Respondent File Edited: how many hours per week do you usually work at your main job? Respondent File Edited: how many hours per week do you usually work at your other Respondent File job(s)?	TEERNRT	another way, are y	ou paid at an	hourly rate on t		Respondent File	
TEERNUOT Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes 2 No TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 *Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?		Edited Universe:	TEERNPER	R = 2 - 7			
TEERNUOT Edited: do you usually receive overtime pay, tips, or commissions at your main job? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes 2 No TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value *Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?		Valid Entries:	1	Yes			
main job? Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5 Valid Entries: 1 Yes 2 No TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?							
TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1	TEERNUOT	main job?				Respondent File	
TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?		Edited Universe:	TELFS = 1 (or 2 and TEIO10	COW = 1 - 5		
TEERNWKP Edited: how many weeks a year do you get paid? Respondent File Edited Universe: TEERNPER = 6 Valid Entries: 1 Min Value 52 Max Value TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?		Valid Entries:					
Edited Universe: TEERNPER = 6 Valid Entries: 1							
Valid Entries: 1	TEERNWKP	Edited: how many	weeks a year	do you get paid	1?	Respondent File	
TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other gespondent File		Edited Universe:	TEERNPER	R = 6			
TEHRFTPT Edited: do you usually work more than 35 hours per week at your job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other job(s)?		Valid Entries:	1		Min Value		
job(s)/family business? Edited Universe: TEHRUSL1 = -4 or TEHRUSL2 = -4 Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other job(s)?			52		Max Value		
Valid Entries: 1 Yes 2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other job(s)?	TEHRFTPT			e than 35 hours	s per week at your	Respondent File	
2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?		Edited Universe:	TEHRUSL1	= -4 or TEHRU	SL2 = -4		
2 No 3 Hours vary TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other pob(s)?		Valid Entries:	1	Yes			
TEHRUSL1 Edited: how many hours per week do you usually work at your main job? Respondent File Edited Universe: TELFS = 1 or 2 Valid Entries: 0			2	No			
Edited Universe: TELFS = 1 or 2 Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other job(s)?			3	Hours vary			
Valid Entries: 0 Min Value 999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other job(s)?	TEHRUSL1	Edited: how many	hours per we	ek do you usual	ly work at your main job?	Respondent File	
999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other pob(s)? Respondent File		Edited Universe:	TELFS = 1	or 2			
999 Max Value * Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other pob(s)? Respondent File		Valid Entries:	0		Min Value		
* Note: -4 (Hours vary) is also valid for TEHRUSL1 TEHRUSL2 Edited: how many hours per week do you usually work at your other piob(s)? Respondent File			-				
TEHRUSL2 Edited: how many hours per week do you usually work at your other Respondent File job(s)?		* Note: -4 (Hours		valid for TEHR			
	TEHRUSL2	Edited: how many				Respondent File	
		Edited Universe:	e: TELES = 1 or 2 and TEMJOT = 1				

Name	Description Valid Entries:	0	Min Value	File
	* Note: -4 (Hour	999 s vary) is also	Max Value valid for TEHRUSL2	
TEHRUSLT	Edited: total hours TEHRUSL2)	usually worke	ed per week (sum of TEHRUSL1 and	Respondent File, Activity Summary File
	Edited Universe:	TELFS = 1	or 2	
	Valid Entries:	0 999	Min Value Max Value	
	* Note: -4 (Hour		valid for TEHRUSLT	
TEIO1COW	Edited: individual	class of worke	er code (main job)	Respondent File
	Edited Universe:	TELFS = 1	or 2	
	Valid Entries:	1 2	Government, federal Government, state	
		3	Government, local	
		4	Private, for profit	
		5	Private, nonprofit	
		6 7	Self-employed, incorporated	
		8	Self-employed, unincorporated Without pay	
TEIO1ICD	Edited: industry co		• •	Respondent File
	Edited Universe:	TELFS = 1	or 2	
	Valid Entries:	0	Min Value	
	* Note: Refer to	9999 Appendix A f	Max Value or a list of industry codes	
TEIO1OCD	Edited: occupation		·	Respondent File
	Edited Universe:	TELFS = 1	<i>'</i>	
	Valid Entries:	0	Min Value	
		9999	Max Value	
	* Note: Refer to	Appendix A for	or a list of occupation codes	
TELAYAVL	Edited: could you been recalled?	have returned	to work in the last seven days if you had	Respondent File
	Edited Universe:	TELFS = 3		
	Valid Entries:	1	Yes	
TEL AVILLA	Edited	2	No	. D
TELAYLK	looking for work di	uring the last f		n Respondent File
	Edited Universe:	TELAYAVL	= 1 or 2	
	Valid Entries:	1	Yes	
TELFS	Edited: labor force	2 status	No	Respondent File,
. 22. 0	24104. 14001 10100	Juliu		Activity Summary File

Name	Description			File
	Edited Universe:	All responde	ents	
	Valid Entries:	1 2 3	Employed - at work Employed - absent Unemployed - on layoff	
		4 5	Unemployed - looking	
TELKAVL	Edited: could you h		Not in labor force a job in the last seven days if one had been	Respondent File
	offered?			
	Edited Universe:	TELKM1 =	1 - 13	
	Valid Entries:	1	Yes	
TELIZAM	Editod:loot o ol	2	No	Described File
TELKM1	last 4 weeks? (first		s you have done to find work during the	Respondent File
	Edited Universe:	TELFS = 4		
	Valid Entries:	1 2 3 4 5 6 7	Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers	center
			Placed or answered ads Other active Looked at ads Attended job training programs/courses Nothing Other passive b search methods, users must combine all - TULKDK6, and TULKPS1 - TULKPS6	l fields TELKM1, TULKM2
TEMJOT	Edited: in the last s	seven days di	d you have more than one job?	Respondent File, Activity Summary File
	Edited Universe:	TELFS = 1	or 2	
	Valid Entries:	1 2	Yes No	
TERET1	Edited: do vou curi		job, either full or part time?	Respondent File
	Edited Universe:		and (TURETOT = 1 or TUFABS = 3 or TUF	·
	Valid Entries:	1 2 3	Yes or maybe/it depends No Has a job	
TERRP	Edited: how is this	person relate	-	Roster File
	Edited Universe:	All persons	on roster	
	Valid Entries:	18 19 20	Self Self Spouse	

Name	Description			File
	Edited Universe:	All persons	on roster	
		21 22 23 24 25 26 27 28 29 30 40 no distinction ent's househo	Unmarried partner Own household child Grandchild Parent Brother/sister Other relative Foster child Housemate/roommate Roomer/boarder Other nonrelative Own nonhousehold child < 18 between 18 and 19. Codes of 40 refer to old.	people living outside the
TESCHENR	Edited: are you en	rolled in high	school, college, or university?	Respondent File, Activity Summary File
	Edited Universe:	Respondent	ts aged 15 to 49	
	Valid Entries:	1 2	Yes No	
TESCHFT	Edited: are you en	rolled as a ful	I-time or part-time student?	Respondent File
	Edited Universe:	TESCHENF	R = 1	
	Valid Entries:	1 2	Full time Part time	
TESCHLVL	Edited: would that	be high schoo	ol, college, or university?	Respondent File, Activity Summary File
	Edited Universe:	TESCHENF	R = 1	
	Valid Entries:	1 2	High school College or university	
TESEX	Edited: sex			Roster File, Activity Summary File
	Edited Universe:	All persons	on roster	,
	Valid Entries:	1 2	Male Female	
TESPEMPNOT	Edited: employme	nt status of sp	oouse or unmarried partner	Respondent File, Activity Summary File
	Edited Universe:	TRSPPRES	S = 1 or 2	
	Valid Entries:	1 2	Employed Not employed	
TESPUHRS	Edited: usual hours	s of work of sp	pouse or unmarried partner	Respondent File
	Edited Universe:	TESPEMPN	NOT = 1	

Name	Description		File
	Valid Entries:	0 Min Value	
		99 Max Value	
	* Note: -4 (Hours	s vary) is also valid for TESPUHRS	
TEWHERE	Edited: where were	e you during the activity?	Activity File
	Edited Universe:	All activities (except those noted below)	
	Valid Entries:	1 Respondent's home or yard	
	Valid Elitiles.	2 Respondent's workplace	
		3 Someone else's home	
		4 Restaurant or bar	
		5 Place of worship	
		6 Grocery store	
		7 Other store/mall	
		8 School	
		9 Outdoors away from home	
		10 Library	
		11 Other place	
		12 Car, truck, or motorcycle (driver)	
		13 Car, truck, or motorcycle (unver)	r)
		14 Walking	1)
		15 Bus	
		16 Subway/train	
		17 Bicycle	
		18 Boat/ferry	
		19 Taxi/limousine service	
		20 Airplane	
		21 Other mode of transportation	
		30 Bank	
		31 Gym/health club 32 Post Office	
		•	
	* Note: Not colle	99 Unspecified mode of transportation cted for activities with activity codes of 0101xx, 010	22vv 0104vv 500105 or
	500106.	•	J2XX, 0104XX, 300103, 01
TRCHILDNUM	Number of househ	old children < 18	Respondent File, Activity Summary File
			,
	Edited Universe:	All respondents	
	Valid Entries:	0 Min Value	
		30 Max Value	
TRCODE	Six digit activity co		Activity File
	Edited Universe:	All activities	
	* Note: This vari	able includes information from TUTIER1CODE, TU 3CODE.	TIER2CODE, and
TRDPFTPT	Full time or part tin	ne employment status of respondent	Respondent File, Activity Summary File
	Edited Universe:	TELFS = 1 or 2	

Name	Description			File
	Valid Entries:	1	Full time	
		2	Part time	
TRDTIND1	Detailed industry r	ecode (main j	ob)	Respondent File
	Edited Universe:	TELFS = 1 o	or 2	
	Valid Entries:	1 51	Min Value Max Value	
	* Note: Detailed		de values are listed in Appendix A	
TRDTOCC1	Detailed occupation		· · · · · · · · · · · · · · · · · · ·	Respondent File
	Edited Universe:	TELFS = 1	or 2	
	Valid Entries:	1	Management occupations	
	Valia Entrics.	2	Business and financial operations occup	ations
		3	Computer and mathematical science occ	
		4	Architecture and engineering occupation	-
		5	Life, physical, and social science occupa	
		6	Community and social service occupatio	ns
		7	Legal occupations	
		8	Education, training, and library occupation	
		9	Arts, design, entertainment, sports, and i	•
		10	Healthcare practitioner and technical occ	cupations
		11	Healthcare support occupations	
		12	Protective service occupations	
		13	Food preparation and serving related occ	cupations
		14	Building and grounds cleaning and main	
		15	Personal care and service occupations	•
		16	Sales and related occupations	
		17	Office and administrative support occupa	ations
		18	Farming, fishing, and forestry occupation	
		19	Construction and extraction occupations	
		20	Installation, maintenance, and repair occ	
		21	Production occupations	apations
		22	Transportation and material moving occu	inations
TREMODR	Eating and Health		_	Respondent File
	Edited Universe:	All responde		
	Valid Entries:	0	Did not respond to Eating and Health Mo	
	***	1	Responded to Eating and Health Module	
	interviev		hat the individual did not complete an Eatir als on the Respondent file were selected to dule.	
TRERNHLY	Hourly earnings (2	implied decir	nals)	Respondent File
	Edited Universe:	TEERNHRY	′=1	
	Valid Entrice:	0	Min Malica	
	Valid Entries:	0	Min Value	
		9999	Max Value	

Name	Description				File
	* Note:	employe The allo	ble in ATUS and is only defined for not self-employed or without pay. bject to topcoding based on the HLY <= 2884.61; topcoding is		
TRERNUPD	Earnings	update f	Respondent File		
	Edited U	niverse:	TELFS = 1	or 2 and TEIO1COW = 1 - 5	
	Valid En	tries:	0 1	Earnings carried forward from Earnings updated in ATUS	final CPS interview
TRERNWA	Weekly	earnings (2 implied dec	imals)	Respondent File, Activity Summary File
	Edited U	niverse:	TELFS = 1	or 2 and TEIO1COW = 1 - 5	
	Valid En	tries:	0 288461	Min Value Max Value	
	* Note:	employe variable	ed persons whis TRWERNA		out pay. The allocation flag for this ximum value cannot be greater than
TRHERNAL	TRERNI	HLY: alloc	ation flag		Respondent File
	Edited U	niverse:	TEERNHR'	Y = 1	
	Valid En	tries:	0 1	TRERNHLY does not contain TRERNHLY contains allocated	
TRHHCHILD	Presence	e of house	ehold children	< 18	Respondent File
	Edited U	niverse:	All respond	ents	
	Valid En	tries:	1	Yes	
TRHOLIDAY	Flag to in	ndicate if (2 diary day was	No a holiday	Respondent File, Activity Summary File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0 1	Diary day was not a holiday Diary day was a holiday	
	* Note:	New Ye and Chr	ar's Day, Eas istmas Day a		July, Labor Day, Thanksgiving Day,
TRIMIND1	Intermed	liate indus	stry recode (m	nain job)	Respondent File
	Edited U	niverse:	TELFS = 1	or 2	
	Valid En	tries:	1 2 3 4 5 6 7	Agriculture, forestry, fishing, a Mining Construction Manufacturing - durable goods Manufacturing - non-durable g Wholesale trade Retail trade	5

Name	Description			File
	Edited Universe:	TELFS = 1 c	or 2	
	Valid Entries:	8	Transportation and warehousing Utilities	
		10	Information	
		11	Finance and insurance	
		12 13	Real estate and rental and leasing Professional and technical services	
		13	Management, administrative and waste n	nanagement services
		15	Educational services	nanagement services
		16	Health care and social services	
		17	Arts, entertainment, and recreation	
		18	Accommodation and food services	
		19	Private households	
		20	Other services, except private household	s
		21	Public administration	
TRMJIND1	Major industry reco	` '		Respondent File
	Edited Universe:	TELFS = 1 c	DT 2	
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting	
		2	Mining	
		3	Construction	
		4 5	Manufacturing Wholesale and retail trade	
		6	Transportation and utilities	
		7	Information	
		8	Financial activities	
		9	Professional and business services	
		10	Educational and health services	
		11	Leisure and hospitality	
		12	Other services	
		13	Public administration	
TRMJOCC1	Major occupation r	ecode (main j	ob)	Respondent File
	Edited Universe:	TELFS = 1 c	or 2	
	Valid Entries:	1	Management, business, and financial occ	cupations
		2	Professional and related occupations	
		3	Service occupations	
		4	Sales and related occupations	
		5	Office and administrative support occupa	
		6	Farming, fishing, and forestry occupation	S
		7	Construction and extraction occupations	unations
		8 9	Installation, maintenance, and repair occuproduction occupations	upalions
		10	Transportation and material moving occu	inations
TRMJOCGR	Major occupation of		· · · · · · · · · · · · · · · · · · ·	Respondent File
	Edited Universe:	TELFS = 1 c	or 2	
	Valid Entries:	1	Management, professional, and related o	occupations
	vana Enuico.	2	Service occupations	

Name	Description Valid Entries:	3 4 5	Sales and office occupations Farming, fishing, and forestry occupation Construction and maintenance occupation Production, transportation, and material	ons
TRNHHCHILD	Presence of own n	-	•	Respondent File
	Edited Universe:	All responde	ents	
	Valid Entries:	1 2	Yes No	
TRNUMHOU	Number of people	living in respo	ondent's household	Respondent File
	Edited Universe:	All responde	ents	
	Valid Entries:	1 30	Min Value Max Value	
TROHHCHILD	Presence of own h			Respondent File
	Edited Universe:	All responde	ents	
	Valid Entries:	1 2	Yes No	
TRSPFTPT	Full time or part tin	ne employme	nt status of spouse or unmarried partner	Respondent File, Activity Summary File
	Edited Universe:	TESPEMPN	NOT = 1	
	Valid Entries:	1 2 3	Full time Part time Hours vary	
TRSPPRES	Presence of the re household		pouse or unmarried partner in the	Respondent File, Activity Summary File
	Edited Universe:	All responde	ents	
	Valid Entries:	1 2 3	Spouse present Unmarried partner present No spouse or unmarried partner present	
TRTALONE	Total time respond	lent spent alo	· · · · · · · · · · · · · · · · · · ·	Respondent File
	Edited Universe:	All responde	ents	
	Valid Entries:	0 1440	Min Value Max Value	
			uted using TUWHO_CODE information; all ected, such as sleeping, are omitted from the	
TRTCC			y providing secondary childcare for old children < 13 (in minutes)	Respondent File
	Edited Universe:	All responde	,	
	Valid Entries: * Note: TRTCC	0 1440 is the sum of	Min Value Max Value all values of TRTCC_LN for each TUCASE	:ID

Name	Description			File
TRTCC_LN		uring activity providing secor nonhousehold children < 1		Activity File
	Edited Universe:	All activities for responden nonhousehold child < 13	ts who have at least one ho	ousehold or own
	Valid Entries:	0 1440	Min Value Max Value	
		_LN is the maximum for the a HH_LN, and TRTONHH_LN	activity of the following varia	ables: TRTOHH_LN,
TRTCCC	Total time respond minutes)	dent spent with customers, cl	lients, and coworkers (in	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
		riable is computed using TUV tion is not collected, such as	VHO_CODE information; al	
TRTCCTOT		uring diary day providing sec		Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
	* Note: TRTCC	TOT is the sum of all values		TUCASEID
TRTCCTOT_LN	Total time spent d children < 13 (in n	uring activity providing secon ninutes)	ndary childcare for all	Activity File
	Edited Universe:	All activities		
	Valid Entries:	0 1440	Min Value Max Value	
	* Note: TRTCC TRTNO	TOT_LN is the maximum for HH_LN, TRTONHH_LN, and	the activity of the following	variables: TRTOHH_LN,
TRTCHILD		dent spent with household or		Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
	* Note: This var	riable is computed using TUV tion is not collected, such as	VHO_CODE information; al	l activities for which who the calculation
TRTCOC	Total time spent d	uring diary day providing sec ehold children < 13 (in minut	condary childcare for	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0 1440	Min Value Max Value	
	* Note: TRTCO	C is the sum of all values of		ASEID
TRTCOC_LN		uring activity providing secor Idren <13 (in minutes)	ndary child care for nonown	, Activity File
	Edited Universe:	All activities		
	Valid Entries:	0	Min Value	
		1440	Max Value	

Name	Description	File			
	* Note: TRTCOC_LN is calculated using TUCC8. It does not include activities with activity codes of 0101xx, 0301xx, 0302xx, 0303xx, 0401xx, 0402xx, 0403xx, 180301, 180302, 180303, 180401, 180402, or 180403. TXTCOC is the allocation flag for this variable.				
TRTFAMILY	Total time res	spondent spent	with family members (in minutes)	Respondent File	
	Edited Unive	rse: All respo	ondents		
	Valid Entries	1440	Min Value Max Value	ation all paticities for which who	
			mputed using TUWHO_CODE information in the collected, such as sleeping, are omitted the collected in the col		
TRTFRIEND	Total time res	spondent spent	with friends (in minutes)	Respondent File	
	Edited Unive	rse: All respo	ondents		
	Valid Entries * Note: Th	1440	Min Value Max Value mputed using TUWHO CODE informa	ation; all activities for which who	
			collected, such as sleeping, are omitte		
TRTHH		ent during diary nildren < 13 (in r	day providing secondary childcare for minutes)	Respondent File	
	Edited Unive	rse: All respo	ondents		
	Valid Entries	: 0 1440	Min Value Max Value		
	* Note: TR	THH is the sum	of all values of TRTHH_LN for each T	UCASEID	
TRTHH_LN		ent during activ	ity providing secondary childcare for minutes)	Activity File	
TRTHH_LN		nildren < 13 (in r		ŕ	
TRTHH_LN	household ch	nildren < 13 (in r e rse: All activi	minutes)	ŕ	
TRTHH_LN	household ch Edited Unive Valid Entries * Note: TR	nildren < 13 (in r vrse: All activi : 0 1440	ninutes) ties for respondents with at least one h Min Value	nousehold child < 13	
TRTHH_LN TRTHHFAMILY	household ch Edited Unive Valid Entries * Note: TR	nildren < 13 (in r erse: All activi : 0 1440 RTHH_LN is the RTNOHH_LN	ninutes) ties for respondents with at least one h Min Value Max Value	nousehold child < 13 ng variables: TRTOHH_LN and	
	household ch Edited Unive Valid Entries * Note: TR TR Total time res	nildren < 13 (in r erse: All activi : 0 1440 RTHH_LN is the RTNOHH_LN	minutes) ties for respondents with at least one h Min Value Max Value maximum for the activity of the following with household family members (in mi	nousehold child < 13 ng variables: TRTOHH_LN and	
	household ch Edited Unive Valid Entries * Note: TR TR Total time res	nildren < 13 (in r rse: All activi : 0 1440 RTHH_LN is the RTNOHH_LN spondent spent	minutes) ties for respondents with at least one h Min Value Max Value maximum for the activity of the following with household family members (in mi	nousehold child < 13 ng variables: TRTOHH_LN and	
	household ch Edited Unive Valid Entries * Note: TR TR Total time res Edited Unive Valid Entries * Note: Th	nildren < 13 (in r rse: All activi : 0 1440 RTHH_LN is the RTNOHH_LN spondent spent : 0 1440 : 0 1440 is variable is con	minutes) ties for respondents with at least one h Min Value Max Value maximum for the activity of the following with household family members (in minute and minute) Min Value	nousehold child < 13 Ing variables: TRTOHH_LN and Inutes) Respondent File ation; all activities for which who	
	household ch Edited Unive Valid Entries * Note: TR TR Total time res Edited Unive Valid Entries * Note: Th info	nildren < 13 (in r rse: All activi : 0 1440 RTHH_LN is the RTNOHH_LN spondent spent : 0 1440 : 0 1440 is variable is con	minutes) ties for respondents with at least one h Min Value Max Value maximum for the activity of the followin with household family members (in minute) andents Min Value Max Value mputed using TUWHO_CODE informaticollected, such as sleeping, are omittee	nousehold child < 13 Ing variables: TRTOHH_LN and Inutes) Respondent File ation; all activities for which who	
TRTHHFAMILY	household ch Edited Unive Valid Entries * Note: TR TR Total time res Edited Unive Valid Entries * Note: Th info	nildren < 13 (in rerse: All activities: 0 1440 RTHH_LN is the RTNOHH_LN spondent spent erse: All responses: 0 1440 is variable is contactivity tiers	minutes) ties for respondents with at least one h Min Value Max Value maximum for the activity of the following with household family members (in minute) andents Min Value Max Value mputed using TUWHO_CODE informate collected, such as sleeping, are omitted	nousehold child < 13 Ing variables: TRTOHH_LN and nutes) Respondent File ation; all activities for which who d from the calculation	
TRTHHFAMILY	household ch Edited Unive Valid Entries * Note: TR TR Total time res Edited Unive Valid Entries * Note: Th info First and sec Edited Unive	nildren < 13 (in r prise: All activi 1440 RTHH_LN is the RTNOHH_LN spondent spent 1440 1440 Is variable is conormation is not communicativity tiers 1480 1490 1440 1500 1600 17	minutes) ties for respondents with at least one h Min Value Max Value maximum for the activity of the following with household family members (in minute) andents Min Value Max Value mputed using TUWHO_CODE informate collected, such as sleeping, are omitted	nousehold child < 13 Ing variables: TRTOHH_LN and nutes) Respondent File ation; all activities for which who d from the calculation Activity File	
TRTHHFAMILY	household ch Edited Unive Valid Entries * Note: TR TR Total time res Edited Unive Valid Entries * Note: Th info First and sec Edited Unive * Note: Th	nildren < 13 (in r prise: All activi 1440 THH_LN is the TNOHH_LN spondent spent rise: All responsis variable is concernation is not concerned activity tiers rise: All activi rise: All activi is variable including	minutes) ties for respondents with at least one has Value Max Value maximum for the activity of the following with household family members (in minute ondents Min Value Max Value Max Value mputed using TUWHO_CODE informatical collected, such as sleeping, are omitted stees.	nousehold child < 13 Ing variables: TRTOHH_LN and Inutes) Respondent File Pation; all activities for which who defrom the calculation Activity File Activity File	
TRTHHFAMILY TRTIER2	household ch Edited Unive Valid Entries * Note: TR TR Total time res Edited Unive Valid Entries * Note: Th info First and sec Edited Unive * Note: Th	nildren < 13 (in r prise: All activi 1440 RTHH_LN is the RTNOHH_LN spondent spent 158: All responsis variable is contraction is not contractivity tiers 159: All activity spondent spent 159: All activities variable includes spondent spent	minutes) ties for respondents with at least one has Value Max Value maximum for the activity of the following with household family members (in minutes) Min Value Max Value Max Value mputed using TUWHO_CODE information from TUTIER1CODE at with nonown children < 18 (in minutes)	nousehold child < 13 Ing variables: TRTOHH_LN and Inutes) Respondent File Pation; all activities for which who defrom the calculation Activity File Activity File	

Name	Descriptio	n	File		
	* Note: This variable is computed using TUWHO_CODE information; all activities for which who information is not collected, such as sleeping, are omitted from the calculation				
TRTNOHH	Total time		Respondent File		
	Edited Un	iverse:	,		
	Valid Entr	ies:	0 1440	Min Value Max Value	
	* Note:	TRTNOH		es of TRTNOHH_LN for each T	UCASEID
TRTNOHH_LN	Total time household	spent du d childrer	uring activity providing sentence of a classification of the class	condary childcare for nonown	Activity File
	Edited Un	iverse:	All activities for respond	dents with at least one nonown	household child < 13
	Valid Entr	ies:	0 1440	Min Value Max Value	
		codes of include a	HH_LN is calculated usin 0101xx, 0301xx, 0302xx any activity or part of any	g TUCC5B. It does not include k, 0303xx, 180301, 180302, or activity in which no household C4). TXTNOHH is the allocatio	180303. It also does not child was awake
TRTO	Total time children <			secondary childcare for own	Respondent File
	Edited Un	iverse:	All respondents		
	Valid Entr	ies:	0 1440	Min Value Max Value	
	* Note:	TRTO is	the sum of all values of	TRTO_LN for each TUCASEID	
TRTO_LN	Total time children <			condary childcare for own	Activity File
TRTO_LN		13 (in m	inutes)	econdary childcare for own dents with at least one own chil	·
TRTO_LN	children <	13 (in m iverse:	inutes) All activities for respond	dents with at least one own chil	·
TRTO_LN	children < Edited Un Valid Entri * Note:	13 (in m iverse: ies:	inutes) All activities for respond 0 1440 N is the maximum for the	dents with at least one own chi	ld < 13
TRTO_LN TRTOHH	children < Edited Un Valid Entri * Note: Total time	13 (in miverse: ies: TRTO_L TRTONH	inutes) All activities for respond 0 1440 N is the maximum for the HH_LN uring diary day providing	dents with at least one own chil Min Value Max Value	ld < 13
	children < Edited Un Valid Entr * Note: Total time household	13 (in m iverse: ies: TRTO_L TRTONH spent du	inutes) All activities for respond 0 1440 N is the maximum for the HLLN uring diary day providing to 13 (in minutes)	dents with at least one own chil Min Value Max Value e activity of the following variab	ld < 13 les: TRTOHH_LN and
	children < Edited Un Valid Entri * Note: Total time	13 (in m iverse: ies: TRTO_L TRTONH spent du	inutes) All activities for respond 0 1440 N is the maximum for the HH_LN uring diary day providing	dents with at least one own chil Min Value Max Value e activity of the following variab	ld < 13 les: TRTOHH_LN and
	children < Edited Un Valid Entr * Note: Total time household	13 (in miverse: ies: TRTO_L TRTONH spent du d childrer iverse:	inutes) All activities for respond 1440 N is the maximum for the HLLN uring diary day providing to 13 (in minutes) All respondents	dents with at least one own chil Min Value Max Value e activity of the following variab secondary childcare for own Min Value	ld < 13 les: TRTOHH_LN and
	children < Edited Un Valid Entri * Note: Total time household Edited Un Valid Entri	13 (in m iverse: ies: TRTO_L TRTONH spent du d childrer iverse: ies:	inutes) All activities for respond 1440 N is the maximum for the HH_LN uring diary day providing of the 13 (in minutes) All respondents 0 1440	dents with at least one own chil Min Value Max Value e activity of the following variab secondary childcare for own	ld < 13 les: TRTOHH_LN and Respondent File
	children < Edited Un Valid Entri * Note: Total time household Edited Un Valid Entri * Note: Total time	13 (in milverse: ies: TRTO_L TRTONH spent du d childrer iverse: ies: TRTOHH	inutes) All activities for respond 1440 N is the maximum for the HLN uring diary day providing to < 13 (in minutes) All respondents 0 1440 H is the sum of all values	dents with at least one own chil Min Value Max Value e activity of the following variab secondary childcare for own Min Value Max Value	ld < 13 les: TRTOHH_LN and Respondent File
ТПТОНН	children < Edited Un Valid Entri * Note: Total time household Edited Un Valid Entri * Note: Total time	13 (in milverse: ies: TRTO_L TRTONHespent dud childreriverse: ies: TRTOHHespent dud childreriverse	inutes) All activities for respond 1440 N is the maximum for the HLN uring diary day providing to 13 (in minutes) All respondents 0 1440 I is the sum of all values aring activity providing set 13 (in minutes)	dents with at least one own chil Min Value Max Value e activity of the following variab secondary childcare for own Min Value Max Value of TRTOHH_LN for each TUC	Id < 13 Iles: TRTOHH_LN and Respondent File ASEID Activity File
ТПТОНН	children < Edited Un Valid Entri * Note: Total time household Edited Un Valid Entri * Note: Total time household	13 (in milverse: ies: TRTO_L TRTONHespent dud childrer iverse: ies: TRTOHHespent dud childrer iverse:	inutes) All activities for respond 1440 N is the maximum for the HLN uring diary day providing to 13 (in minutes) All respondents 0 1440 I is the sum of all values aring activity providing set 13 (in minutes)	Min Value Max Value e activity of the following variab secondary childcare for own Min Value Max Value of TRTOHH_LN for each TUC	Id < 13 Iles: TRTOHH_LN and Respondent File ASEID Activity File

Name	Descript	ion			File
TRTOHHCHILD	Total tim minutes)	e respond	Respondent File		
	Edited U	niverse:	All respondents		
	Valid En	tries:	0 1440	Min Value Max Value	
	* Note:			using TUWHO_CODE information; , such as sleeping, are omitted from	
TRTONHH			uring diary day pro dren < 13 (in minu	viding secondary childcare for owr tes)	n Respondent File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0 1440	Min Value Max Value	
	* Note:	TRTON	HH is the sum of al	I values of TRTONHH_LN for each	n TUCASEID
TRTONHH_LN			uring activity providuren < 13 (in minu	ling secondary childcare for own tes)	Activity File
	Edited U	niverse:	All activities for re	espondents with at least one own r	nonhousehold child < 13
	Valid En	tries:	0	Min Value	
	* Note:	codes of	0101xx, 0301xx, 0	Max Value ed using TUCC7. It does not includ 0302xx, 0303xx, 0401xx, 0402xx, 0 or 180403. TXTONHH is the alloca	0403xx, 180301, 180302,
TRTONHHCHILD	Total tim minutes)		lent spent with owr	n nonhousehold children < 18 (in	Respondent File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0	Min Value	
	* Note:	This var	1440	Max Value using TUWHO_CODE information;	all activities for which who
	Note.			, such as sleeping, are omitted from	
TRTSPONLY	Total tim	e respond	lent spent with spo	use only (in minutes)	Respondent File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0 1440	Min Value Max Value	
	* Note:		able is computed (using TUWHO_CODE information; , such as sleeping, are omitted from	
TRTSPOUSE	Total tim minutes)		lent spent with spo	use (others may be present) (in	Respondent File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0 1440	Min Value Max Value	
	* Note:		able is computed (using TUWHO_CODE information; , such as sleeping, are omitted from	
TRTUNMPART			lent spent with unn	narried partner (others may be	Respondent File
	Edited U	•	All respondents		

Name	Description			File			
	Valid Entries:	0	Min Value				
	***	1440	Max Value	n este de les l			
		n; all activities for which who om the calculation					
TRWERNAL	TRERNWA: alloca		3,	Respondent File			
	Edited Universe:	Edited Universe: TELFS = 1 or 2 and TEIO1COW = 1 - 5					
	Valid Entries:	0 1	TRERNWA does not contain allocat TRERNWA contains allocated inform				
TRWHONA	Who information n	•		Who File			
	Edited Universe:	All activities					
	Valid Entries:	0 1	TUWHO_CODE asked TUWHO_CODE not asked				
TRYHHCHILD	Age of youngest h	•		Respondent File,			
				Activity Summary File			
	Edito d Habrana	TRHHCHIL	D = 1				
	Edited Universe:	IRANCALL	D = 1				
	Valid Entries:	0	Min Value				
		17	Max Value				
TTHR	Hourly pay topcod	e flag		Respondent File			
	Valid Entries:	0 1	Not topcoded Topcoded				
	* Note: Indicate	•	f hourly pay in earnings variables				
TTOT	Overtime amount	topcode flag		Respondent File			
	Valid Entries:	0	Not topcoded				
	* Note: Indicate	1	Topcoded				
TT\\///			f overtime pay in earnings variables	Dognandant Fila			
TTWK	Weekly earnings t		Mattacasadad	Respondent File			
	Valid Entries:	0 1	Not topcoded Topcoded				
	* Note: Indicate	s topcoding of	f weekly pay in earnings variables				
TUABSOT	In the last seven d	ays, did you h	nave a job either full or part time?	Respondent File			
	Valid Entries:	1	Yes				
		2	No				
		3 4	Retired Disabled				
		5	Unable to work				
TUACTDUR	Duration of activity		ast activity not truncated at 4:00 a.m.)	Activity File			
	Valid Entries:	1	Min Value				
THAOTOUROA	Described of a strict	9999	Max Value	A at the Etha			
TUACTDUR24		,	ast activity truncated at 4:00 a.m.)	Activity File			
	Valid Entries:	1 1440	Min Value Max Value				
			iviax value	A .: :- E'! 14# E'!			
TUACTIVITY_N	Activity line number	er		Activity File, Who File,			

Name	Description				File
	Valid Entries:	1		Min Value	
TUDUO		91		Max Value	D . E''
TUBUS	Does anyone in the	e nousehold o		or a farm?	Respondent File
	Valid Entries:	1	Yes No		
TUBUS1	In the last seven da or farm?			ork in the family business	Respondent File
	Valid Entries:	1 2	Yes No		
TUBUS2OT	Do you receive pay	ments or prof	its from the bus	siness?	Respondent File
	Valid Entries:	1 2	Yes No		
TUBUSL1	TULINENO of farm	or business of	owner (first own	ner)	Respondent File
	Valid Entries:	0 30		Min Value Max Value	
TUBUSL2	TULINENO of farm		owner (second		Respondent File
	Valid Entries:	0 30		Min Value Max Value	
TUBUSL3	TULINENO of farm		owner (third ow		Respondent File
	Valid Entries:	0 30		Min Value Max Value	
TUBUSL4	TULINENO of farm	or business of	owner (fourth ov		Respondent File
	Valid Entries:	0 30		Min Value Max Value	
TUBWGT	ATUS base weight				Respondent File
	Valid Entries:	1 999999.9999	999	Min Value Max Value	
TUCASEID	ATUS Case ID (14-				All Files
TUCC2	Time first househol	d child < 13 w	oke up		Respondent File
	Valid Entries:	00:00:00 24:00:00		Min Value Max Value	
TUCC4	Time last househol	d child < 13 w	ent to bed		Respondent File
	Valid Entries:	00:00:00 24:00:00		Min Value Max Value	
TUCC5	Was at least one of this activity?	f your own ho	usehold childre	n < 13 in your care during	Activity File
	Valid Entries:	0 1	No Yes		
THOOF OV	_	97		activities involved childcare	
TUCC5_CK	household children			ildcare activities for own	Respondent File
	Valid Entries:	1		childcare activities	
		2	Respondent d	efused to answer	
		4	•	ay from home yesterday	
		5	Respondent w	vas away from home yester	
TUCC5B	Was at least one of during this activity?		n household ch	ildren < 13 in your care	Activity File

Name	Description				File
	Valid Entries:	0	No		
	Valla 211111001	1	Yes		
		97	No additional	activities involved childcare	
TUCC5B_CK	Reason responden		rt secondary ch	nildcare activities for	Respondent File
	Valid Entries:	1	No secondary	childcare activities	
		2	Respondent d	didn't know	
		3	Respondent r	efused to answer	
		4		ay from home yesterday	
		5	•	vas away from home yester	-
TUCC7	Was at least one or during this activity?		n-household ch	nildren < 13 in your care	Activity File
	Valid Entries:	0	No		
		1	Yes		
		97		activities involved childcare	
TUCC8	Other than househ child 0-12 in your c			nildren < 13, was there a	Activity File
	Valid Entries:	0	No		
		1	Yes		
		97		activities involved childcare	
TUCC9	to you?	on-household	l children you c	cared for in TUCC8 related	Respondent File
	Valid Entries:	1	Yes		
		2	No		
THOUNDIE	0 1 1	3	Some are, so		A
TUCUMDUR	Cumulative duratio truncated at 4:00ar each TUCASEID)			es; last activity not ve total of TUACTDUR for	Activity File
	Valid Entries:	1		Min Value	
		9999		Max Value	
TUCUMDUR24				es; last activity truncated at IACTDUR24 for each	Activity File
	Valid Entries:	1		Min Value	
		1440		Max Value	
TUDIARYDATE	Date of diary day (date about wh	ich the respond	dent was interviewed)	Respondent File
	Valid Entries:	20080101 20081230		Min Value Max Value	
	* Note: TUDIAR	YDATE is in Y	YYYMMDD for	rmat	
TUDIARYDAY	Day of the week of was interviewed)	diary day (da	y of the week a	bout which the respondent	Respondent File, Activity Summary File
	Valid Entries:	1 2 3 4 5 6 7	Sunday Monday Tuesday Wednesday Thursday Friday Saturday		

Name	Description			File
TUDIS		Does your disa	in this household you were reported bility prevent you from doing any kil	
	Valid Entries:	1	Yes	
		2 3	No Did not have a disability last time	
TUDIS1	Does your disabilithe next six month	ty prevent you	from accepting any kind of work du	ring Respondent File
	Valid Entries:	1	Yes	
TUDIS2	Do you have a dis		No vents you from accepting any kind o	of work Respondent File
	Valid Entries:	1 2	Yes No	
TUERN2	Weekly overtime e	earnings (2 im	olied decimals)	Respondent File
	Valid Entries:	0	Min Value	
		288461	Max Value	
TUERNH1C	commissions? (2 i		•	tips, or Respondent File
	Valid Entries:	0	Min Value	
	* Note: Only ask	9999 ad if the resn	Max Value ondent indicates that the recorded h	ourly rate read back by the
		ver is not corr		ically rate read back by the
TUFINLWGT	ATUS final weight			Respondent File, Activity Summary File
	Valid Entries:	0 999999999	Min Value 9999999 Max Value	
		ghting method	ology changed between years, so the ore information, please see the ATI	
TUFWK	In the last seven d	ays did you d	any work for pay or profit?	Respondent File
	Valid Entries:	1	Yes	
		2	No	
		3	Retired	
		4 5	Disabled Unable to work	
TUIO1MFG	Is this business or	•	mainly manufacturing, retail trade,	Respondent File
	wholesale trade, o			
	Valid Entries:	1	Manufacturing	
		2	Retail trade	
		3	Wholesale trade	
TUIODP1	Last time we snok	4 e to someone	Something else in this household, you were reporte	d to Respondent File
TOTOBLI			you still work for (employer's name)	
	Valid Entries:	1	Yes	
THORRO		2	No	
TUIODP2	CPS interview)? (r		ties of your job changed since (mon	th of Respondent File
	Valid Entries:	1	Yes	

Name	Description			File
	Valid Entries:	2	No	
TUIODP3		our usual dutie	in this household, you were reported as es were (activities). Is this an accurate main job)	Respondent File
	Valid Entries:	1	Yes	
		2	No	
TULAY	During the last sev	en days were	you on layoff from your job?	Respondent File
	Valid Entries:	1	Yes	
		2	No	
		3	Retired	
		4	Disabled	
THE AVONA	Hava van baan sin	5	Unable to work	Decreased and File
TULAY6M	the next 6 months?)	ion that you will be recalled to work within	Respondent File
	Valid Entries:	1	Yes No	
TULAYAVR	Why could you not		a job in the last week?	Respondent File
TOLATAVIT				Nespondent i lie
	Valid Entries:	1	Own temporary illness	
		2	Going to school Other	
TULAYDT	Has your employer		late to return to work? (to layoff job)	Respondent File
TOLKTOT		given you a c	` • • •	ricopolident i lic
	Valid Entries:	2	Yes No	
TULINENO	ATUS person line i	number		ATUS-CPS File, Respondent File, Roster File, Who File, EH Child File, EH Respondent File
	Valid Entries:	1	Min Value	
		30	Max Value	
	* Note: The pers	on selected to	be interviewed for ATUS is always TULIN	IENO = 1
TULK	Have you been doi	ng anything to	find work during the last four weeks?	Respondent File
	Valid Entries:	1	Yes	
		2	No	
		3	Retired	
		4	Disabled	
TIII I/A\/D	Mby sould you not	5	Unable to work	Dognandant File
TULKAVR	Why could you not	nave started a		Respondent File
	Valid Entries:	1	Waiting for new job to begin	
		2	Own temporary illness	
		3 4	Going to school Other	
TULKDK1	You said you have	-	ofind work. How did you go about	Respondent File
TOLKOKI	Tou Jaiu you nave		Tilla work. How ald you go about	rtespondent i lie
	looking? (first meth	iod)		
		1	Contacted employer directly/interview	
	looking? (first meth	1 2	Contacted public employment agency	
	looking? (first meth	1 2 3	Contacted public employment agency Contacted private employment agency	
	looking? (first meth	1 2 3 4	Contacted public employment agency Contacted private employment agency Contacted friends or relatives	
	looking? (first meth	1 2 3	Contacted public employment agency Contacted private employment agency	center

Name	Descripti	on				File
	Valid Ent	tries:	7	Checked unio	n/professional registers	
			8	Placed or ans		
			9	Other active		
			10	Looked at ads	5	
			11	Attended job t	raining programs/courses	
			12	Nothing		
			13	Other passive	•	
	* Note:				ds, users must combine all	fields TELKM1, TULKM2
		- TULKM	6, TULKDK1 -	- TULKDK6, an	d TULKPS1 - TULKPS6	
TULKDK2	TULKDK	1 text: (sed	cond method)			Respondent File
	Valid Ent	tries:	1		ployer directly/interview	
			2	•	blic employment agency	
			3	•	vate employment agency	
			4		ends or relatives	
			5		nool/university employment	center
			6		mes/filled out applications	
			7		n/professional registers	
			8	Placed or ans	wered ads	
			9	Other active		
			10	Looked at ads		
			11	•	raining programs/courses	
			13	Other passive		
	+ NI - 1		97		job search activities	C 11 TELLONA TULIONO
	* Note:	In order to	o research job 6, TULKDK1 -	o search metho - TULKDK6, an	ds, users must combine all d TULKPS6	fields IELKM1, IULKM2
TULKDK3	TULKDK	1 text: (thir	d method)			Respondent File
	Valid Ent	ries:	1		Min Value	
			97		Max Value	
	* Note:	See valid	values for TL	JLKDK2		
TULKDK4		· ·	rth method)			Respondent File
	Valid Ent	ries:	1		Min Value	
			97		Max Value	
	* Note:	See valid	values for TL	JLKDK2		
TULKDK5	TULKDK	1 text: (fifth	n method)			Respondent File
	Valid Ent	ries:	1		Min Value	
			97		Max Value	
	* Note:	See valid	values for TU	JLKDK2		
TULKDK6	TULKDK	1 text: (six	th method)			Respondent File
	Valid Ent	ries:	1		Min Value	
			97		Max Value	
	* Note:	See valid	values for TU	JLKDK2		
TULKM2		all of the t		ve done to find	work during the last 4	Respondent File
	Valid Ent		1	Contacted em	ployer directly/interview	
	EIII		2		blic employment agency	
			3		vate employment agency	
			4		ends or relatives	
			5		nool/university employment	center
			6		mes/filled out applications	
					111	

Name	Description				File
	Valid Entries:	7 8 9	Checked unio Placed or ans Other active	n/professional registers wered ads	
		10 11 13 97	Other passive	training programs/courses	
		der to research jo	b search metho	ods, users must combine al nd TULKPS1 - TULKPS6	fields TELKM1, TULKM2
TULKM3	TULKM2 text:	(third method)			Respondent File
	Valid Entries:	1 97		Min Value Max Value	
	* Note: See	valid values for T	ULKM2		
TULKM4	TULKM2 text:	(fourth method)			Respondent File
	Valid Entries:	1 97		Min Value Max Value	
		valid values for T	ULKM2		
TULKM5	TULKM2 text:	(fifth method)			Respondent File
	Valid Entries:	1 97		Min Value Max Value	
-		valid values for T	ULKM2		
TULKM6	TULKM2 text:	(sixth method)			Respondent File
	Valid Entries:	1 97		Min Value Max Value	
	* Note: See	valid values for T	ULKM2	IVIAX VAIUE	
TULKPS1	Can you tell m method)	e more about wha	at you did to sea	arch for work? (first	Respondent File
	* Note: In or	1 2 3 4 5 6 7 8 9 10 11 12 13 97	Contacted pull Contacted prince Contacted fried Contacted school Contacted	s training programs/courses	
TULKPS2	- TU	LKM6, TULKDK1 : (second method)	- TULKDK6, an	nd TULKPS1 - TULKPS6	Respondent File
TOLINI OZ		·		nlover directly/inton/iow	1.00pondent ile
	Valid Entries:	1 2 3 4 5	Contacted pul Contacted pri Contacted frie	aployer directly/interview blic employment agency vate employment agency ends or relatives nool/university employment	: center

Name	Description			File
	Valid Entries:	6	Sent out resumes/filled out applications	
		7	Checked union/professional registers	
		8	Placed or answered ads	
		9	Other active	
		10	Looked at ads	
		11 13	Attended job training programs/courses	
		97	Other passive No additional job search activities	
	* Note: In order t	-	b search methods, users must combine all	fields TFLKM1 THLKM2
	- TULKM	6, TULKDK1	- TULKDK6, and TULKPS1 - TULKPS6	
TULKPS3	TULKPS1 text: (thi	rd method)		Respondent File
	Valid Entries:	1	Min Value	
		97	Max Value	
	* Note: See valid	d values for Tl	JLKPS2	
TULKPS4	TULKPS1 text: (for	urth method)		Respondent File
	Valid Entries:	1	Min Value	
		97	Max Value	
	* Note: See valid	d values for Tl	JLKPS2	
TULKPS5	TULKPS1 text: (fift	h method)		Respondent File
	Valid Entries:	1	Min Value	
		97	Max Value	
	* Note: See valid	d values for Tl	JLKPS2	
TULKPS6	TULKPS1 text: (six	th method)		Respondent File
	Valid Entries:	1	Min Value	
	* Note: See valid	97 I values for Tl	Max Value	
TUNAGNITU				5
TUMONTH	Month of diary day interviewed)	(month of day	about which ATUS respondent was	Respondent File
	Valid Entries:	1	Min Value	
		12	Max Value	
TURETOT	The last time we sp be retired. Are you		one in this household you were reported to	Respondent File
	Valid Entries:	1	Yes	
		2	No	
		3	Was not retired last time	
TUSPABS	In the last seven da either full or part tir		spouse or unmarried partner have a job	Respondent File
	Valid Entries:	1	Yes	
		2	No	
		3	Retired	
		4	Disabled	
		5	Unable to work	
TUSPUSFT	Does your spouse week?	or unmarried	partner usually work 35 hours or more per	Respondent File
	Valid Entries:	1	Yes	
		2	No	
		3	Hours vary	
		4	No longer has a job	

Name	Descripti	on				File
TUSPWK			rried partner do any work	Respondent File		
	for pay o	•	4	V		
	Valid En	tries:	1 2	Yes No		
			3	Retired		
			4	Disabled		
			5	Unable to work	k	
TUSTARTTIM	Activity s	tart time				Activity File
	Valid Ent	tries:	00:00:00		Min Value	
			24:00:00		Max Value	
TUSTOPTIME	Activity s	top time				Activity File
	Valid Ent	tries:	00:00:00		Min Value	
			24:00:00		Max Value	
TUTIER1CODE	Lexicon	Tier 1: 1st	and 2nd digits	of 6-digit activi	ity code	Activity File
	Valid Ent	tries:	01		Min Value	
	***	0: 1: ::	50		Max Value	TUTIEDOGODE
	* Note:	TUTIER	CODE.	·	combining TUTIER1CODE,	
TUTIER2CODE	Lexicon	Tier 2: 3rd	and 4th digits	of 6-digit activi	ty code	Activity File
	Valid Ent	tries:	01		Min Value	
			99		Max Value	
	* Note:	Six-digit		are created by	combining TUTIER1CODE,	, TUTIER2CODE, and
TUTIER3CODE	Lexicon ⁻	Tier 3: 5th	and 6th digits	of 6-digit activity	ty code	Activity File
	Valid Ent	tries:	01		Min Value	
			99		Max Value	
	* Note:	Six-digit		are created by	combining TUTIER1CODE,	, TUTIER2CODE, and
TUWHO_CODE	Who was	s in the roc	m with you / V	Vho accompani	ied you?	Who File
	Valid En	tries:	18	Alone		
			19	Alone		
			20	Spouse		
			21	Unmarried par		
			22	Own househol	ld child	
			23	Grandchild		
			24	Parent		
			25 26	Brother/sister	noroon	
			27	Other related proster child	person	
			28	Housemate/ro	ommate	
			29	Roomer/board		
			30	Other nonrelat		
			40		ehold child < 18	
			51		ving in household)	
			52	,	sehold family members < 18	3
			53	Other nonhous parents-in-law	sehold family members 18 a	and older (including
			54	Friends	,	
			55		olleagues/clients	
			56	Neighbors/acq	_	

Name	Descript	ion			File
	Valid Entries: 57		57	Other nonhousehold children < 18	
	58		58	Other nonhousehold adults 18 and older	
	* Note:			ities with activity codes of 0101xx, 0102xx,	
				o distinction between 18 and 19. All codes of the respondent's household.	of 40 or greater refer to
TUYEAR	Voor of			·	Dognandant File
TUTEAR	real of C	ilaly day (year or day ar	bout which respondent was interviewed)	Respondent File
	Valid En	tries:	2008	Min Value	
			2008	Max Value	
TXABSRSN	TEABSF	RSN: alloc	ation flag		Respondent File
	Valid En	tries:	0	Min Value	
	***		53	Max Value	
	* Note:			llocation flag values	
TXAGE	TEAGE:	allocation	n flag		Roster File
	Valid En	tries:	00	Value - no change	
			01	Blank - no change	
			02	Don`t know - no change	
			03	Refused - no change	
			10	Value to value	
			11	Blank to value	
			12	Don't know to value	
			13	Refused to value	
			20	Value to longitudinal value	
			21	Blank to longitudinal value	
			22	Don't know to longitudinal value	
			23	Refused to longitudinal value	
			30	Value to allocated longitudinal value	
			31	Blank to allocated longitudinal value	
			32	Don't know to allocated longitudinal valu	e
			33	Refused to allocated longitudinal value	
			40	Value to allocated value	
			41	Blank to allocated value	
			42	Don't know to allocated value	
			43	Refused to allocated value	
			50	Value to blank	
			52 53	Don`t know to blank Refused to blank	
			53 60		
			61	Topcoded Topcoded and allocated	
	* Note:	There a		alues (60 and 61) that are not valid values f	or any other TX variable
TXERN	TEERN:	allocation	ı flag		Respondent File
	Valid En	tries:	0	Min Value	
			53	Max Value	
	* Note:	See Intr	oduction for a	llocation flag values	
TXERNH10	TEERN	H1O: alloc	ation flag		Respondent File
	Valid En	tries:	0	Min Value	
	***		53	Max Value	
	* Note:	See Intr	oduction for a	llocation flag values	

Name	Description		File	
TXERNH2	TEERNH2: alloca		Respondent File	
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value alues	
TXERNHRO	TEERNHRO: allo	<u> </u>		Respondent File
	Valid Entries:	0	Min Value	
	* Note: Coolete	53	Max Value	
TXERNHRY	* Note: See Intr	oduction for allocation flag va	alues	Respondent File
TALINITI I	Valid Entries:	0	Min Value	rtespondent riie
	valid Elitiles.	53	Max Value	
	* Note: See Intr	oduction for allocation flag va	alues	
TXERNPER	TEERNPER: alloc	ation flag		Respondent File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value alues	
TXERNRT	TEERNRT: alloca			Respondent File
	Valid Entries:	0	Min Value	
		53	Max Value	
		oduction for allocation flag va	alues	
TXERNUOT	TEERNUOT: alloc			Respondent File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr	oduction for allocation flag va		
TXERNWKP	TEERNWKP: allo	cation flag		Respondent File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value	
TXHRFTPT	TEHRFTPT: alloc	<u> </u>	ilues	Respondent File
1741141 11 1	Valid Entries:	0	Min Value	rtespondent riie
	valid Elitiles.	53	Max Value	
	* Note: See Intr	oduction for allocation flag va	alues	
TXHRUSL1	TEHRUSL1: alloc	ation flag		Respondent File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value	
TXHRUSL2	TEHRUSL2: alloc	<u>-</u>		Respondent File
	Valid Entries:	0	Min Value	•
		53	Max Value	
T)// ID/ IC: T		oduction for allocation flag va	alues	
TXHRUSLT	TEHRUSLT: alloc			Respondent File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr	oduction for allocation flag va		

Name	Description	File		
TXIO1COW	TEIO1COW: allo	cation flag		Respondent File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag	Max Value values	
TXIO1ICD	TEIO1ICD: alloca			Respondent File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag	Max Value	
TXIO10CD	TEIO1OCD: alloc		values	Respondent File
TAIOTOOD	Valid Entries:	0	Min Value	respondent inc
	Valid Entities.	53	Max Value	
	* Note: See Int	roduction for allocation flag	values	
TXLAYAVL	TELAYAVL: alloc	ation flag		Respondent File
	Valid Entries:	0 53	Min Value	
	* Note: See Int	າວວ roduction for allocation flag	Max Value values	
TXLAYLK	TELAYLK: alloca			Respondent File
	Valid Entries:	0	Min Value	
		53	Max Value	
TVLFO		roduction for allocation flag	values	Decreeded 5%
TXLFS	TELFS: allocation		14: V/ I	Respondent File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Int	roduction for allocation flag		
TXLKAVL	TELKAVL: alloca	tion flag		Respondent File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag	Max Value	
TXLKM1	TELKM1: allocati		values	Respondent File
17(2)(11)	Valid Entries:	0	Min Value	1 toopondont 1 no
	vana Emaioo.	53	Max Value	
		roduction for allocation flag	values	
TXMJOT	TEMJOT: allocati	on flag		Respondent File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Int	roduction for allocation flag		
TXRET1	TERET1: allocation			Respondent File
	Valid Entries:	0	Min Value	
	*Notes O 1 :	53	Max Value	
TVDDD		roduction for allocation flag	values	Doctor File
TXRRP	TERRP: allocatio		Min Value	Roster File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Int	roduction for allocation flag		

Name	Descript	ion				File
TXSCHENR	TESCHE	NR: alloc	ation flag			Respondent File
	Valid En	tries:	0 53		Min Value Max Value	
	* Note:	See Intro	oduction for al	location flag va	lues	
TXSCHFT	TESCH	T: allocat	ion flag			Respondent File
	Valid En		0 53		Min Value Max Value	
TVOOLULVII	* Note:			location flag va	lues	D 1 . E''
TXSCHLVL		.VL: alloca				Respondent File
	Valid En		0 53		Min Value Max Value	
TVOEV				location flag va	lues	D . E''
TXSEX		allocation				Roster File
	Valid En	tries:	0 53		Min Value Max Value	
	* Note:	See Intro	oduction for al	location flag va	lues	
TXSPEMPNOT	TESPEN	IPNOT: a	llocation flag			Respondent File
	Valid En		0 53		Min Value Max Value	
	* Note:			location flag va	lues	
TXSPUHRS		IRS: alloc	ation flag			Respondent File
	Valid En		0 53		Min Value Max Value	
	* Note:			location flag va	lues	
TXTCC			RTCC: allocat			Respondent File
	Valid En	tries:	0 1	_	nd TRTCC do not con nd TRTCC contain al	
	* Note:			that at least one OHH_LN, or TR	e of the following vari TONHH_LN	ables is allocated:
ТХТССТОТ	TRTCCT	OT_LN a	nd TRTCCTO	T: allocation fla	g	Respondent File
	Valid En	tries:	0	TRTCCTOT_	LN and TRTCCTOT	do not contain allocated data
			1	TRTCCTOT_	LN and TRTCCTOT	contain allocated data
	* Note:	TRTCO	C_LN, TRTOH	IH_LN, TRTNO	e of the following vari HH_LN, or TRTONH	H_LN
TXTCOC	TRTCO	C_LN and	TRTCOC: allo	ocation flag		Respondent File
	Valid En	tries:	0 1	_	and TRTCOC do not and TRTCOC contain	t contain allocated data
	* Note:	when no with acti	d values are b o other non-ho vity codes of 0	ased on time s usehold adult w	pent with non-own no vas present. Calculati , 0302xx, 0303xx, 04	on-household children < 18 ons do not include activities 01xx, 0402xx, 0403xx, 180301,
TXTHH	TRTHH_	LN and T	RTHH: allocat	ion flag		Respondent File
	Valid En	tries:	0 1		nd TRTHH do not co nd TRTHH contain al	

Name	Description					File
	* Note:		of 1 indicates t H_LN or TRTN		of the following variables is	s allocated:
TXTNOHH	TRTNOH	HLLN an	d TRTNOHH:	allocation flag		Respondent File
	Valid En	tries:	0	_	and TRTNOHH do not cor and TRTNOHH contain al	
	* Note:	Calculati 0303xx,	ions do not inc 180301, 1803 rities in which	clude activities wi 02, or 180303. Ti	nt with non-own househol th activity codes of 0101xx ney also do not include an ld was awake (determined	x, 0301xx, 0302xx, y activities or parts of
TXTO	TRTO_L	N and TR	TO: allocation	flag		Respondent File
	Valid En	tries:	0 1	_	TRTO do not contain alloc TRTO contain allocated da	
	* Note:		of 1 indicates t H_LN or TRTC		of the following variables is	s allocated:
ТХТОНН	TRTOH	H_LN and	TRTOHH: allo	cation flag		Respondent File
	Valid En	tries:	0 1	_	nd TRTOHH do not contai nd TRTOHH contain alloc	
	* Note:	do not in 180302,	clude activities or 180303. Th	s with activity cod ney also do not in	nt with own household chides of 0101xx, 0301xx, 03 clude any activities or part letermined by TUCC2 and	02xx, 0303xx, 180301, as of any activities in
TXTONHH	TRTONE	HLLN an	d TRTONHH:	allocation flag		Respondent File
	Valid En		0 1	TRTONHH_LN	and TRTONHH do not cor and TRTONHH contain al	located data
	* Note:	Calculati	ons do not inc	lude activities wi	nt with own non-househol th activity codes of 0101xx 01, 180302, 180303, 1804	k, 0301xx, 0302xx,
TXWHERE	TEWHER	RE: alloca	tion flag			Activity File
	Valid En	tries:	0 53	•	Min Value Max Value	

* Note: See Introduction for allocation flag values

APPENDIX A

Detailed Industry Code (TRDTIND1)

TRDTIND1	Description	TEIO1ICD
1	Agriculture	0170-0180, 0290
2	Forestry, logging, fishing, hunting, and trapping	0190-0280
3	Mining	0370-0490
4	Construction	770
5	Nonmetallic mineral product manufacturing	2470-2590
6	Primary metals and fabricated metal products	2670-2990
7	Machinery manufacturing	3070-3290
8	Computer and electronic product manufacturing	3360-3390
9	Electrical equipment, appliance manufacturing	3470, 3490
10	Transportation equipment manufacturing	3570-3690
11	Wood product manufacturing	3770-3870
12	Furniture and fixtures manufacturing	3890
13	Miscellaneous and not specified manufacturing	3960-3990
14	Food manufacturing	1070-1290
15	Beverage and tobacco product manufacturing	1370, 1390
16	Textile, apparel, and leather manufacturing	1470-1790
17	Paper manufacturing and printing	1870-1990
18	Petroleum and coal products manufacturing	2070, 2090
19	Chemical manufacturing	2170-2290
20	Plastics and rubber products manufacturing	2370-2390
21	Wholesale trade	4070-4590
22	Retail trade	4670-5790
23	Transportation and warehousing	6070-6390
24	Utilities	0570-0690
25	Publishing industries (except internet)	6470-6490
26	Motion picture and sound recording industries	6570, 6590
27	Broadcasting (except internet)	6670
28	Internet publishing and broadcasting	6675
29	Telecommunications	6680, 6690
30	Internet service providers and data processing services	6692, 6695
31	Other information services	6770, 6780
32	Finance	6870-6970
33	Insurance	6990
34	Real estate	7070
35	Rental and leasing services	7080-7190
36	Professional, scientific, and technical services	7270-7490
37	Management of companies and enterprises	7570
38	Administrative and support services	7580-7780
39	Waste management and remediation services	7790
40	Educational services	7860-7890
41	Hospitals	8190

42	Health care services, except hospitals	7970-8180, 8270, 8290
43	Social assistance	8370-8470
44	Arts, entertainment, and recreation	8560-8590
45	Traveler accommodation	8660, 8670
46	Food services and drinking places	8680, 8690
47	Repair and maintenance	8770-8890
48	Personal and laundry services	8970-9090
49	Membership associations and organizations	9160-9190
50	Private households	9290
51	Public administration	9370-9590

Industry Codes (TEIO1ICD)

Available at http://www.bls.gov/tus/census02iocodes.pdf

Occupation Codes (TEIO10CD)

Available at http://www.bls.gov/tus/census02iocodes.pdf