American Time Use Survey (ATUS) Data Dictionary:

2014 Interview Data

Variables collected in ATUS

June 2015

The American Time Use Survey (ATUS) is sponsored by the Bureau of Labor Statistics and conducted by the U.S. Census Bureau.

Important Information about the ATUS Data Dictionary

Introduction

The American Time Use Survey (ATUS) is sponsored by the Bureau of Labor Statistics and conducted by the U.S. Census Bureau. The purpose of this document is to provide information about the variables available on six of the 2014 ATUS data files: the Respondent file, the Roster file, the Activity file, the Who file, the Eldercare Roster file, and the Activity Summary file. These files contain information collected and assigned in the 2014 ATUS interviews.

This data dictionary lists all the variables available on these files and their valid values. It also provides directions on how to read the data dictionary.

Two additional data dictionaries describe other ATUS data files:

- 2014 ATUS-CPS Data Dictionary: Describes the variables available on the ATUS-CPS file as well as some variables on the Activity Summary file. The ATUS-CPS file contains data from the Current Population Survey (CPS) for persons selected to be surveyed for the ATUS and for members of their households. (The information on the ATUS-CPS file was collected two to five months before the ATUS interview and in some cases was out of date at the time the ATUS was conducted.)
- 2014 ATUS Survey Methodology Data Dictionary: Describes the variables available on the Case History file and the Call History file.

These additional data dictionaries are available on the ATUS Web site at www.bls.gov/tus/dictionaries.htm.

ATUS Interview Data Files

The following six data files include data available from the ATUS interviews.

1. ATUS Respondent File

This file contains case-specific variables collected in ATUS (that is, variables for which there is one value for each respondent). These include, for example, labor force and earnings information, total time providing secondary childcare, total time providing eldercare, and ATUS statistical weights.

There is one record for each ATUS respondent.

Below is a simplified example. The TUCASEID identifies each household, and TULINENO identifies each individual within the household. The example contains responses from five individuals; note that the respondent always has TULINENO=1. In the example, each respondent has corresponding values denoting school enrollment (TESCHENR), labor force status (TELFS), and total time spent alone (TRTALONE). The actual ATUS Respondent file contains many more variables as well as many more lines.

TUCASEID	TULINENO	TESCHENR	TELFS	TRTALONE
20140101020210	1	1	1	40
20140101020211	1	1	1	350
20140101020212	1	1	5	0
20140101020213	1	2	5	556
20140101020214	1	1	4	100

2. ATUS Roster File

This file contains information on the age, sex, and each household member's relationship to the ATUS respondent. The same information is also included for the respondent's own nonhousehold children under 18.

There is one record for each individual in the respondent's household (including the respondent's own nonhousehold children under 18).

A simplified example appears below. The TUCASEID identifies each household, and the TULINENO identifies each individual in the household. In the example below, TUCASEID 20140101020210 has three persons residing in the household, TUCASEID 20140101020211 has two persons in the household, and TUCASEID 20140101020212 has one person. The actual ATUS Roster file contains more variables and many additional lines.

TUCASEID	TULINENO	TERRP	TESEX	TEAGE
20140101020210	1	18	2	42
20140101020210	2	20	1	45
20140101020210	3	22	1	11
20140101020211	1	18	1	65
20140101020211	2	20	2	72
20140101020212	1	18	2	21

3. ATUS Activity File

This file includes activity-level information collected in ATUS, including activity code, location, duration, activity start and stop times, whether respondents had a child under 13 in their care during the activity, and whether the activity was identified as eldercare. Location (or "where") information is not collected for some selected activities (such as sleeping and grooming); a value that indicates the activity was "out of universe" for the "where" question (-1) is filled in these situations.

There is one record for each activity.

A simplified example of the ATUS Activity file appears below. This is an illustration of one respondent's day. Because only one person is interviewed per household, each TUCASEID on the Activity file identifies a respondent. Each activity is identified by an activity number (TUACTIVITY_N). The ATUS Activity file contains more variables describing each activity as well as many more lines than does the example below.

TUCASEID	TUACTIVITY_N	TUSTARTTIM	TUSTOPTIME
20140101020210	1	04:00:00	07:00:00
20140101020210	2	07:00:00	07:30:00
20140101020210	3	07:30:00	08:00:00
20140101020210	4	08:00:00	12:00:00
20140101020210	5	12:00:00	13:30:00
20140101020210	6	13:30:00	17:30:00
20140101020210	7	17:30:00	18:00:00
20140101020210	8	18:00:00	19:00:00
20140101020210	9	19:00:00	21:00:00
20140101020210	10	21:00:00	04:00:00

4. ATUS Who File

This file includes codes that indicate who was present during each activity.

There is one record for each "who" code reported. Therefore, there will be one record for activities done alone and multiple records for activities with multiple people present. For some activities, no "who" codes are collected (such

as sleeping and grooming); a value that indicates the activity was "out of universe" for the "who" question (-1) is filled in these situations.

A simplified example appears below. In the first activity (TUACTIVITY_N = 1), no "who" code information was collected because of the associated activity code. Only one person was with the respondent during the second activity, so there is one line for TUACTIVITY_N = 2. Three people were with the respondent during the third activity, so there are three lines for TUACTIVITY_N = 3. Two of those (TUWHO_CODE = 20 and 22) are members of the respondent's household and can be linked to the Roster file using TUCASEID and TULINENO. The third (TUWHO_CODE = 51) is not a member of the respondent's household and thus does not have a positive value for TULINENO.

The actual ATUS Who file contains more variables for each line as well as many additional lines than the example below.

TUCASEID	TUACTIVITY_N	TUWHO_CODE	TULINENO
20140101020210	1	-1	-1
20140101020210	2	22	3
20140101020210	3	20	2
20140101020210	3	22	3
20140101020210	3	51	-1

5. ATUS Eldercare Roster File (new in 2011)

The ATUS Eldercare Roster file contains information about people for whom the respondent provided care. If the respondent indicated that she had provided eldercare more than once, during the past 3 to 4 months, additional information about each eldercare recipient is collected. (The time frame varied slightly by respondent because the question asked about care provided between the 1st of a reference month and the interview day.) There is one record for each recipient, up to a maximum of 5 records for each respondent. Information about the relationship of the recipient to the respondent, the age of the recipient, and the duration that care had been provided appear on the file.

A simplified example of the ATUS Eldercare Roster file appears below. The TUCASEID identifies each respondent providing eldercare, and the TULINENO identifies recipients in the household. A value of -1 for TULINENO indicates that the eldercare recipient does not live in the household. In the example below, TUCASEID 20140101020210 provided care to two persons not living in the household, TUCASEID 20140101020211 provided care to one person, who does live in the household, and TUCASEID 20140101020218 each provided care to one person. The actual ATUS Eldercare Roster file contains more variables and many additional lines.

TUCASEID	TULINENO	TEELWHO	TEAGE_EC	TEELDUR
20140101020210	-1	33	76	4
20140101020210	-1	34	80	4
20140101020211	2	20	72	4
20140101020215	-1	46	88	3
20140101020218	-1	55	65	2

6. ATUS Activity Summary File

The ATUS Activity Summary file contains information about the total number of minutes each respondent spent doing each activity. The file also includes selected variables from the ATUS Respondent, ATUS Roster, and ATUS-CPS files. **The Activity Summary file contains variables not described in this data dictionary.**

Variables beginning with a lower-case "t" correspond to specific activity codes; definitions for each activity code can be found in the 2014 Activity Lexicon (<u>www.bls.gov/tus/lexiconwex2014.pdf</u>).

There is one record for each ATUS respondent.

A simplified example of the ATUS Activity Summary file appears below. The variable TUCASEID is the unique identifier for each respondent and the variable TEAGE, which also appears on the ATUS Roster file, shows each respondent's age. The variable t010101 contains the total number of minutes each respondent spent doing activity 010101, "sleeping"; the variable t010102 contains the total number of minutes each respondent spent doing activity 010102, "sleeplessness."

The ATUS Activity Summary file contains more variables describing each activity as well as many more lines than the example below.

TUCASEID	TEAGE	t010101	t010102
20140101020210	26	480	0
20140101020211	53	430	30
20140101020212	76	457	0
20140101020213	16	600	0

Valid Values

Each variable has a number of valid values or a range of valid values. For example, the variable TESEX has two valid values: 1 for male and 2 for female. The variable TEAGE, on the other hand, has a range of valid values – any entry between 0 and 85 (except 81 through 84) is considered valid. Individual valid values or a range of valid values are listed under each variable in the data dictionary. A few variables have so many valid values that they are not included in the data dictionary; instead, they are provided in an appendix or a separate document. (References to these are included as a "Note" under the relevant variables in the data dictionary.) One example of such a variable is TEIO1ICD, which identifies the industry code of the respondent's main job.

Many ATUS variables have the following possible valid values:

Value	Description
-1	Blank
-2	Don't know
-3	Refused

Because so many variables have these possible values, they are not shown as valid entries for each variable.

TUCASEID, the primary identification number for ATUS, does not have either a list of valid values or a range of valid values.

ATUS Naming Conventions and Definitions

ATUS variables are named according to specified rules. Variables with a first character of "T" (for time use) were collected or created through the ATUS interview. Variables with any other first character (most often "P", "G", or "H") were collected or created through the final CPS interview (conducted two to five months prior to the ATUS interview). All of the variables on the ATUS interview data files described in this dictionary begin with "T."

The second and third characters of the name identify the type of variable, and the remaining characters consist of a descriptive name. The rules regarding the first two or three characters are described in the table below (note that the variables on the Activity Summary file that start with a lowercase "t" do not follow these rules):

Abbreviation	Variable Type	Definition
U	Unedited Variable	An unedited variable generally is produced by the Computer Assisted Telephone Interview (CATI) instrument, either collected or assigned during the interview. There are a few unedited variables that are computed by the processing system, such as the ATUS final weight (TUFINLWGT).
E	Edited Variable	An edited variable is one that has gone through an editing process (a process checking for consistency). Values of edited variables are almost always equal to values of the corresponding unedited variables. Data differ when a value is allocated or imputed by the processing system based on allocation rules specified in CPS or ATUS processing. Allocations are typically performed when the unedited variable contains a value of blank, "don't know," or "refused." An edited version of a variable exists only if that variable goes through an editing process. If there are no edits for a variable, then only an unedited version of that variable exists.
R	Recode	A recode is a variable calculated by the processing system from a combination of other variables on the file. For example, TRMJOCC1 is the major occupation code for the respondent's main job; this is not a response to a question but rather a variable that summarizes (or "groups") the more finely detailed occupation variable TEIO1OCD. (Note that variables with second and third characters of "RT" are summary variables.)
RT	Summary Variable	These variables summarize the amount of time respondents spent with other people or did selected activities. For example, TRTALONE gives the total amount of time the respondent spent alone on the diary day. Variables that summarize the amount of time respondents spent with other people rely on "who" code information and therefore do not include activities for which no "who" code information was collected, such as sleeping.
X	Allocation Flag	Each edited variable has a corresponding allocation flag indicating the nature of the allocation. For example, if TUAGE is blank, TEAGE would be allocated, and this would be indicated by a TXAGE value of 41. See the section on allocation flags for the standard list of values.
XT	Summary Allocation Flag	Some summary variables have a corresponding XT variable, which is a 0-1 indicator of whether or not the summary variable contains allocated information. For example, a value of 1 in TXTCC indicates that TRTCC and TRTCC_LN contain allocated rather than calculated data.
Т	Topcode Flag	These variables indicate whether another variable has been topcoded, or given a maximum value. The three topcode variables on the ATUS interview data files all relate to earnings.

Using these rules, variables can be more readily understood based on their names. For example, the variable TEAGE can be broken down as follows:

- The first character "T" indicates that this variable was collected or created through the ATUS interviews
- The second character "E" indicates that this variable went through an editing process; it also means that there will be a corresponding allocation flag, TXAGE, to indicate the nature of the allocation
- The final part of the variable name, "AGE," is descriptive

Some questions asked in the ATUS interview allow for more than one response. For such multiple entry questions, there is a separate variable for each possible response. Each variable has the same descriptive name but a different (sequential) number. For example, respondents can provide up to six answers to the question "You said you have been trying to find work – how did you go about looking?" The variable names are TULKDK1, TULKDK2, TULKDK3, etc.

Not all ATUS variables are on the files. When there is an edited variable, the corresponding unedited variable is usually omitted from the files. This is typically done to protect the confidentiality of ATUS respondents as required by law. If an unedited variable is included on the files, then an edited version does not exist and the unedited version cannot be used to identify individual respondents.

Allocation Flags

For every edited variable (or all "E" variables), there is a corresponding allocation flag whose second character is "X." All remaining characters of the two variables' names are the same. For example, TXSEX is the allocation flag for TESEX.

All allocation flags (except for variables with the second and third characters of "XT") have the following list of possible values:

- 0 Value no change
- 1 Blank no change
- 2 Don't know no change
- 3 Refused no change
- 10 Value to value
- 11 Blank to value
- 12 Don't know to value
- 13 Refused to value
- 20 Value to longitudinal value
- 21 Blank to longitudinal value
- 22 Don't know to longitudinal value
- 23 Refused to longitudinal value
- 30 Value to allocated longitudinal value (unused)
- 31 Blank to allocated longitudinal value (unused)
- 32 Don't know to allocated longitudinal value (unused)
- 33 Refused to allocated longitudinal value (unused)
- 40 Value to allocated value
- 41 Blank to allocated value
- 42 Don't know to allocated value
- 43 Refused to allocated value
- 50 Value to blank
- 52 Don't know to blank
- 53 Refused to blank

Each digit of these valid values identifies how and why edited variables were allocated.

The first digit indicates how the allocation was made to the "E" (or edited) variable.

	First Digit				
0 or Blank No change between "U" variable and "E" variable					
1	"E" variable changed to a value				
2 "E" variable changed to a longitudinal value (the corresponding value from the CPS data)					
3	"E" variable changed to an allocated longitudinal value (the corresponding allocated value from CPS data) - unused				
4	"E" variable changed to allocated value				
5	"E" variable changed to a blank				

The second variable indicates why the "U" variable was allocated, whether the value was changed, missing, don't know, or refused.

Second Digit				
0	"U" variable was equal to some value			
1	1 "U" variable was blank (or -1)			
2	"U" variable was don't know (or -2)			
3	"U" variable was refused (or -3)			

Two of the "X" allocation flags have more values than those listed above: TXAGE and TXAGE_EC. There are two additional values to indicate that TEAGE or TEAGE_EC has been topcoded or given a maximum value. These values are listed in the data dictionary.

Two other variables (TRWERNAL and TRHERNAL) indicate allocation and do not follow the "X" variable values; these variables have values of either 0 or 1, with 1 indicating that other variables (TRERNWA and TRERNHLY, respectively) have been allocated.

Additionally, the "XT" variables do not have the standard "X" variable values. Like the two variables indicated above, these variables all have values of either 0 or 1, with 1 indicating that another variable has been allocated.

Edited Universe


Edited variables and recodes are defined for certain universes, and these are listed in the data dictionary. For example, TEIO1OCD (occupation code) is only defined when the respondent is employed. Therefore, the universe for TEIO1OCD is TELFS = 1 or 2 (TELFS is the labor force status of the respondent, and values of 1 or 2 indicate that the respondent is employed).

Certain variables might initially appear to be the same because their descriptions are very similar. These variables are different in that they were asked of different groups of survey respondents. For example, the variables TEERNH1O and TEERNH2 both have the same question text of "Excluding overtime pay, tips, and commissions, what is your hourly rate of pay on your main job?" The difference in these two variables has to do with which respondents were asked each question. This can be determined by looking at the edited universes. TEERNH1O was asked of respondents with TEERNPER = 1, or those who said it was easiest to report their earnings hourly. TEERNH2, on the other hand, was asked of respondents with TEERNRT = 1, or those who said they were paid hourly but reported their earnings another way.

Organization of the Data Dictionary

Variables are listed in the data dictionary in alphabetical order.

Below is a sample entry from the ATUS interview data dictionary:



Frequently Used Variables

The ATUS files have many variables and users may sometimes have difficulty determining which variables to use. A list of the most commonly used ATUS variables is available at www.bls.gov/tus/freqvariables.pdf.

Linking ATUS Files

Each of the ATUS files contains useful information, but in order to produce most estimates, the files must be linked. All of the files contain the variable TUCASEID, which is the ATUS identification number. Two other variables that can be used for linking in conjunction with TUCASEID are TULINENO (person line number) and TUACTIVITY_N (activity line number). More information on linking ATUS files is available on the ATUS Web site at www.bls.gov/tus/howto.htm#linking.

For information on linking ATUS files to CPS files, see Appendix K-L of the ATUS User's Guide (<u>www.bls.gov/tus/atususersguide.pdf</u>).

Changes between years of ATUS data

Those wishing to combine multiple years of ATUS data should be aware of changes to ATUS survey methods between years—such as new, discontinued, and changed variables—as well as differences in activity codes between years. For a list of these changes, see the document describing ATUS changes (<u>www.bls.gov/tus/changes.pdf</u>) and the document describing Activity Coding Lexicon changes (<u>www.bls.gov/tus/lexiconchanges.pdf</u>).

Combining multiple years of ATUS Data

The method used to generate statistical weights (the variable TUFINLWGT) on the ATUS files changed each year from 2003 to 2006. Thus, researchers who create multi-year data sets should not use the weighting variable TUFINLWGT for all years. There were no changes to the method used to generate TUFINLWGT after 2006.

Users who combine multiple years of ATUS data must use weights that were generated using comparable methods. Coinciding with the release of the 2006 ATUS data, the variable TU06FWGT was added to the 2003 to 2005 Respondent and Activity summary files. TU06FWGT is a weighting variable that was generated using the 2006 weighting method. Users who combine ATUS data for the years 2003 to 2014 should use the variable TU06FWGT to weight the 2003 to 2005 data and the variable TUFINLWGT to weight the 2006 to 2014 data.

The variables TU04FWGT (on the 2003 files) and TUFINLWGT on the 2004 and 2005 files were also generated using comparable weighting methods. Researchers who combine the 2003 to 2005 data files can use this combination of weighting variables or the variable TU06FWGT for all years.

Researchers may prefer to use the ATUS multi-year microdata files. These files combine several years of annual ATUS data. The multi-year data files use the 2006 weighting method for all years, and activity codes that take into account the changes that have occurred over the years. For more information about the multi-year data files, please see http://www.bls.gov/tus/datafiles_my.htm.

For more information about ATUS populations weights, why researchers should use them, and details about how the ATUS weighting method changed, see the ATUS User's Guide (<u>www.bls.gov/tus/atususersguide.pdf</u>). For more information about combining activity codes between years, please see <u>www.bls.gov/tus/multiyearcodes.pdf</u>.

Name	Description			File	
TEABSRSN	Edited: what was week?	the main reas	on you were absent from your job last	Respondent File	
	Edited Universe:	TELFS = 2			
	Valid Entries:	1 2 3	On layoff (temporary or indefinite) Slack work/business conditions Waiting for a new job to begin		
		4	Vacation/personal days		
		5	Own illness/injury/medical problems		
		6	Childcare problems		
		7 °	Other family/personal obligation		
		8 9	Maternity/paternity leave Labor dispute		
		9 10	Weather affected job		
		11	School/training		
		12	Civic/military duty		
		13	Does not work in the business		
		14	Other		
TEAGE	Edited: age			Roster File, Activity Summary File	
	Edited Universe:	All persons	on roster		
Valid Entries:		0 85	Min Value Max Value		
		E is topcoded t	o 85. All those age 80 through 84 have T E = 85. TXAGE indicates topcoding.	EAGE = 80. Those age 85	
TEAGE_EC	Edited: age of ele	dercare recipie	nt	EC Roster File	
	Edited Universe:	All eldercar	re recipients		
	Valid Entries:	0	Min Value		
	***	85	Max Value		
		rson's age on t	ehold members, this is the age on the diary day; for nonhousehold members it's on's age on the first of the month for the month corresponding to 3 months before <i>i</i> ew.		
	age 85	or above have	led to 85. All those age 80 through 84 ha TEAGE_EC = 85. TXAGE_EC indicate	s topcoding.	
TEELDUR	Edited: how long	have you prov	vided care to [NAME]?	EC Roster File	
	Edited Universe:	All eldercar	re recipients		
	Valid Entries:	1 2 3 4	0 to 5 months 6 to 11 months 1 year More than a year		
	* Note: The na	me is filled wit	h the information collected from the TUE	LWHO question	
TEELWHO	Edited: who did y	ou give this ca	are to?	EC Roster File	
	Edited Universe:		e recipients		
	Valid Entries:	20 21	Spouse		
		21 22	Unmarried partner Own household child		

2014 ATUS Data Dictionary: Public ATUS Interview Data

Name	lame Description			File
	Valid Entries:	23	Grandchild	
		24	Parent	
		25	Brother/sister	
		26	Other related person	
		27	Foster child	
		28	Housemate/roommate	
		20	Roomer/boarder	
		29 30	Other nonrelative	
		33	Mother	
		34	Father	
		35	Spouse	
		36	Partner	
		37	Brother	
		38	Sister	
		39	Mother-in-law	
		40	Father-in-law	
		41	Aunt	
		42	Uncle	
		43	Friend	
		44	Neighbor	
		47	Grandmother/Great-grandmother	
		48	Grandfather/Great-grandfather	
		49	Other related person	
		56	Other non-relative	
	* Note: All codes	s of 30 or less	refer to people living inside of the respond	ent's household
			2013, values 47, 48, 49, and 56 were adde andparent) and 55 (other) are no longer va	
TEELYRS			bu provided care (to this person)?	EC Roster File
	Edited Universe:	TEELDUR=4	,	
	Valid Entries:	1	Min Value	
		1 99		
TEERN	Edited: total wook		Max Value rnings (2 implied decimals)	Pospondont Filo
IEERN				Respondent File
	Edited Universe:	TEERNUOT	= 1 and TEERNPER = 1	
	Valid Entries:	0	Min Value	
		288461	Max Value	
TEERNH10	Edited: excluding of	overtime pay,	tips, and commissions, what is your hourly	Respondent File
	rate of pay on your			
	Edited Universe:	TEERNPER	:= 1	
	Valid Entries:	0	Min Value	
		9999	Max Value	
TEERNH2	Edited: excluding		tips, and commissions, what is your hourly	Pospondont Filo
	rate of pay on your			Respondent life
	Edited Universe:	TEERNRT =	· · · · · · · · · · · · · · · · · · ·	
	Valid Entries:	0	Min Value	
		9999	Max Value	
TEERNHRO	Edited: how many	hours do you	usually work per week at this rate?	Respondent File
	Edited Universe:	TEERNH10	>= 0	

Name	Description				File
	Valid Entries:	1		Min Value	
	Edited, heredy/nen	99 haurbu atatua		Max Value	Deenendent File
TEERNHRY	Edited: hourly/non	•			Respondent File
	Edited Universe:	TELFS = 1	or 2 and TEIO1	COW = 1 - 5	
	Valid Entries:	1 2	Paid hourly Not paid hour		
TEERNPER	total earnings before or some other way	re taxes or ot ?	her deductions:	ay for you to report your hourly, weekly, annually,	Respondent File
	Edited Universe:	TELFS = 1	or 2 and TEIO1	COW = 1 - 5	
	Valid Entries:	1 2 3 4 5 6 7	Hourly Weekly Bi-weekly Twice monthl Monthly Annually Other	у	
TEERNRT	another way, are y	ou paid at an	hourly rate on t	eport your earnings his job?	Respondent File
	Edited Universe:	TEERNPEF	R = 2 - 7		
	Valid Entries:	1 2	Yes No		
TEERNUOT	main job?			s, or commissions at your	Respondent File
	Edited Universe:	TELFS = 1	or 2 and TEIO1	COW = 1 - 5	
	Valid Entries:	1 2	Yes No		
TEERNWKP	Edited: how many	_		d?	Respondent File
	Edited Universe:	TEERNPER	• • •		•
	Valid Entries:	1 52		Min Value Max Value	
TEHRFTPT	Edited: do you usu job(s)/family busin	ally work moress?		s per week at your	Respondent File
	Edited Universe:	TEHRUSL1	= -4 or TEHRU	ISL2 = -4	
	Valid Entries:	1 2 3	Yes No Hours vary		
TEHRUSL1	Edited: how many			lly work at your main job?	Respondent File
	Edited Universe:	TELFS = 1	or 2		
	Valid Entries: * Note: -4 (Hour	0 999 s varv) is also	valid for TEHR	Min Value Max Value	
TEHRUSL2		• /		lly work at your other	Respondent File
	Edited Universe:	TELFS = 1	or 2 and TEMJO	DT = 1	
	Valid Entries:	0 999		Min Value Max Value	

Name	Description * Note: -4 (Hou	File			
TEHRUSLT		Edited: total hours usually worked per week (sum of TEHRUSL1 and			
	Edited Universe:	TELFS = 1 or 2			
	Valid Entries:	0 999	Min Value Max Value		
	•	rs vary) is also valid for TEHRI			
TEIO1COW	Edited: individual	class of worker code (main job))	Respondent File	
	Edited Universe:	TELFS = 1 or 2			
	Valid Entries:		state ocal ofit		
TEIO1ICD	Edited: industry co	ode (main job)		Respondent File	
	Edited Universe:	TELFS = 1 or 2			
	Valid Entries:	0 9999	Min Value Max Value		
	Census Classifie	ng with the January 2014 ATU Industry Classification system cation system. Appendix A for the list of 2012	n. This system replaced th	e 2007 Census Industry	
TEI010CD	Edited: occupation	••	,	Respondent File	
	Edited Universe:	TELFS = 1 or 2			
	Valid Entries:	0 9999	Min Value Max Value		
	Census	ng with the January 2011 ATU Occupation Classification sys tion Classification system. Occ	tem. This system replace	d the 2002 Census	
	Refer to	Appendix A for the list of 201	0 Census Occupation Cla	ssification codes.	
TELAYAVL	Edited: could you been recalled?	have returned to work in the la	ast seven days if you had	Respondent File	
	Edited Universe:	TELFS = 3			
	Valid Entries:	1 Yes 2 No			
TELAYLK		gh you expect to be called bac uring the last four weeks?	k to work, have you been	Respondent File	
	Edited Universe:	TELAYAVL = 1 or 2			
	Valid Entries:	1 Yes			
		2 No			

Name	Description			File
TELFS	Edited: labor force	status		Respondent File, Activity Summary File
	Edited Universe:	All responde	ents	
	Valid Entries:	1 2 3 4 5	Employed - at work Employed - absent Unemployed - on layoff Unemployed - looking Not in labor force	
TELKAVL	Edited: could you h offered?	-	job in the last seven days if one had been	Respondent File
	Edited Universe:	TELKM1 = 1	- 13	
	Valid Entries:	1 2	Yes No	
TELKM1			you have done to find work during the	Respondent File
	last 4 weeks? (first Edited Universe:	method) TELFS = 4		
		IELFS = 4		
TEMJOT	- TULKM Edited: in the last s	l6, TULKDK1 seven days dio	Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/courses Nothing Other passive b search methods, users must combine all - TULKDK6, and TULKPS1 - TULKPS6 d you have more than one job?	
	Edited Universe:	TELFS = 1 c	or 2	
	Valid Entries:	1 2	Yes No	
TERET1	Edited: do you curr		ob, either full or part time?	Respondent File
	Edited Universe:	TELFS = 5 a and TEAGE	nd (TURETOT = 1 or TUFABS = 3 or TUF >= 50	WK = 3 or TULAY = 3)
	Valid Entries:	1 2 3	Yes or maybe/it depends No Has a job	
TERRP	Edited: how is this	person related	d to you?	Roster File
	Edited Universe:	All persons of	on roster	
	Valid Entries:	18 19 20	Self Self Spouse	

Name	Description			File
	Edited Universe:	All persons	on roster	
	Valid Entries:	21 22 23 24 25 26	Unmarried partner Own household child Grandchild Parent Brother/sister Other relative	
			Foster child Housemate/roommate Roomer/boarder Other nonrelative Own nonhousehold child < 18 h between 18 and 19. Codes of 40 refe	er to people living outside the
TESCHENR	-	ent's househo rolled in high	school, college, or university?	Respondent File, Activity Summary File
	Edited Universe:	Responden	its aged 15 to 49	
	Valid Entries:	1 2	Yes No	
TESCHFT	Edited: are you en	rolled as a fu	II-time or part-time student?	Respondent File
	Edited Universe:	TESCHEN	R = 1	
	Valid Entries:	1 2	Full time Part time	
TESCHLVL	Edited: would that	be high scho	ol, college, or university?	Respondent File, Activity Summary File
	Edited Universe:	TESCHEN	R = 1	
	Valid Entries:	1 2	High school College or university	
TESEX	Edited: sex			Roster File, Activity Summary File
	Edited Universe:	All persons	on roster	
	Valid Entries:	1 2	Male Female	
TESPEMPNOT	Edited: employme	nt status of sp	pouse or unmarried partner	Respondent File, Activity Summary File
	Edited Universe:	TRSPPRES	5 = 1 or 2	
	Valid Entries:	1 2	Employed Not employed	
TESPUHRS	Edited: usual hour	s of work of s	pouse or unmarried partner	Respondent File
	Edited Universe:	TESPEMPI	NOT = 1	
	Valid Entries:	0 99	Min Value Max Value	
	* Note: -4 (Hour	rs vary) is also	o valid for TESPUHRS	
TEWHERE	Edited: where wer	e you during t	the activity?	Activity File
	Edited Universe:	All activities	s (except those noted below)	

Name	Description			File
	Valid Entries:	1	Respondent's home or yard	
		2	Respondent's workplace	
		3	Someone else's home	
		4	Restaurant or bar	
		5	Place of worship	
		6	Grocery store	
		7	Other store/mall	
		8	School	
		9	Outdoors away from home	
		10	Library	
		11	Other place	
		12	Car, truck, or motorcycle (driver)	
		13	Car, truck, or motorcycle (passenger)	
		14	Walking	
		15	Bus	
		16	Subway/train	
		17	Bicycle	
		18	Boat/ferry	
		19	Taxi/limousine service	
		20	Airplane	
		21	Other mode of transportation	
		30	Bank	
		31	Gym/health club	
		32	Post Office	
		89	Unspecified place	
		99	Unspecified mode of transportation	
	* Note: Not colle 500106.	ected for activi	ities with activity codes of 0101xx, 0102xx	, 0104xx, 500105, or
TRCHILDNUM	Number of househ	old children <	: 18	Respondent File,
				Activity Summary File
	Edited Universe:	All responde		
	Valid Entries:	0	Min Value	
TRCODE	Six digit activity co	30 	Max Value	Activity File
TROODE	c ,			Activity File
	Edited Universe:	All activities		
		iable includes 3CODE.	information from TUTIER1CODE, TUTIE	R2CODE, and
TRDPFTPT	Full time or part tir	ne employme	nt status of respondent	Respondent File, Activity Summary File
	Edited Universe:	TELFS = 1 o	or 2	
	Valid Entries:	1 2	Full time Part time	
TRDTIND1	Detailed industry r			Respondent File
	Edited Universe:	TELFS = 1 o	,	
	Valid Entries:	1	Min Value	
		51	Max Value	

Name	Descript	ion			File
	* Note:	Census		nuary 2014 ATUS, industry data were classification system. This system replaced the	
		Refer to	Appendix A f	for the list of 2012 Census Industry Classifi	ication codes.
TRDTOCC1	Detailed	occupatio	on recode (ma	ain job)	Respondent File
	Edited L	Iniverse:	TELFS = 1	or 2	
	Valid Er	ntries:	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	Management occupations Business and financial operations occup Computer and mathematical occupation Architecture and engineering occupation Life, physical, and social science occupation Community and social service occupation Legal occupations Education, training, and library occupation Arts, design, entertainment, sports, and Healthcare practitioner and technical occ Healthcare support occupations Protective service occupations Food preparation and serving related occ Building and grounds cleaning and main Personal care and service occupations Sales and related occupations Office and administrative support occup Farming, fishing, and forestry occupations Installation, maintenance, and repair occup Transportation and material moving occ	s ns ations ons ons media occupations cupations cupations atenance occupations ations ns s cupations
	* Note:	Census Occupa years.	ng with the Ja Occupation (tion Classifica	nuary 2011 ATUS, occupation data were of Classification system. This system replaced ation system. Occupation data are not strict	classified using the 2010 d the 2002 Census tly comparable to previous
	Eldoroo		••	for the list of 2010 Census Occupation Clas	
TRELHH		•	it is a househ		EC Roster File
		Iniverse:		re recipients	
	Valid Er	ntries:	0 1	Recipient is not a household member Recipient is a household member	
TREMODR	Eating a	nd Health	Module resp	•	Respondent File
	-	Iniverse:	All respond		
	Valid Er		0	Did not respond to Eating and Health Mo	odule
		10105.	1	Responded to Eating and Health Module	
	* Note:	interviev Eating a	w. All individuand Health Mo	that the individual did not complete an Eati als on the Respondent file were selected to odule.	ing and Health Module b be interviewed for the
TRERNHLY	Hourly e	arnings at	t main job (2 i	mplied decimals)	Respondent File
	Edited L	Iniverse:	TEERNHR	Y = 1	

Name	Description			File
	Valid Entries:	0	Min Value	
	* Note: This is t	9999 he most-frequently used t	Max Value	ATUS and is only defined for
	employe The allo entry in	ed persons who say they cation flag for this variable	work hourly and are not se	elf-employed or without pay. to topcoding based on the
TRERNUPD	Earnings update f	lag		Respondent File
	Edited Universe:	TELFS = 1 or 2 and TE	IO1COW = 1 - 5	
	Valid Entries:		carried forward from final (updated in ATUS	CPS interview
TRERNWA	Weekly earnings a	at main job (2 implied dec	imals)	Respondent File, Activity Summary File
	Edited Universe:	TELFS = 1 or 2 and TE	IO1COW = 1 - 5	
	Valid Entries:	0 288461	Min Value Max Value	
	employe variable	ed persons who are not se is TRWERNAL. Subject		y. The allocation flag for this n value cannot be greater than
TRHERNAL	TRERNHLY: alloc	ation flag		Respondent File
	Edited Universe:	TEERNHRY = 1		
	Valid Entries:	-	LY does not contain alloca LY contains allocated info	
TRHHCHILD	Presence of house	ehold children < 18		Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	1 Yes 2 No		
TRHOLIDAY	Flag to indicate if	diary day was a holiday		Respondent File, Activity Summary File
	Edited Universe:	All respondents		
	Valid Entries:		was not a holiday was a holiday	
	and Chr	istmas Day are identified		Labor Day, Thanksgiving Day, wers did not work on the day cted.
TRIMIND1	Intermediate indus	stry recode (main job)		Respondent File
	Edited Universe:	TELFS = 1 or 2		
	Valid Entries:	2Mining, qui3Construct4Manufactu5Manufactu6Wholesalu7Retail trac	uring - durable goods uring - non-durable goods e trade	extraction

Name	Descript	ion		File
	Edited U	Iniverse:	TELFS = 1 c	or 2
	Valid En	tries:	9	Utilities
			10	Information
			11	Finance and insurance
			12	Real estate and rental and leasing
			13	Professional and technical services
			14	Management, administrative and waste management services
			15	Educational services
			16	Health care and social services
			17	Arts, entertainment, and recreation
			18	Accommodation and food services
			19	Private households
			20	Other services, except private households
			21	Public administration
	* Note:	Census		nuary 2014 ATUS, industry data were classified using the 2012 sification system. This system replaced the 2007 Census Industry
TRMJIND1	Major in	dustry reco	ode (main job)	Respondent File
	Edited U	Iniverse:	TELFS = 1 c	or 2
	Valid En	tries:	1	Agriculture, forestry, fishing, and hunting
			2	Mining, quarrying, and oil and gas extraction
			3	Construction
			4	Manufacturing
			5	Wholesale and retail trade
			6	Transportation and utilities
			7	Information
			8	Financial activities
			9	Professional and business services
			10	Educational and health services
			11	Leisure and hospitality
			12	Other services
			13	Public administration
	* Note:			nuary 2014 ATUS, industry data were classified using the 2012
				sification system. This system replaced the 2007 Census Industry
TRMJOCC1	Major or		ation system. ecode (main j	ob) Respondent File
	Edited U	•	TELFS = 1 c	·
	Valid En	itries:	1	Management, business, and financial occupations
			2	Professional and related occupations
			3	Service occupations
			4	Sales and related occupations
			5	Office and administrative support occupations
			6	Farming, fishing, and forestry occupations
			7	Construction and extraction occupations
			8	Installation, maintenance, and repair occupations
			9	Production occupations
			10	Transportation and material moving occupations

Name		Beginnin Census (Occupation C	nuary 2011 ATUS, occupation data wer lassification system. This system replac tion system. Occupation data are not st	ced the 2002 Census
TRMJOCGR	Major occu	pation o	category (mai	n job)	Respondent File
	Edited Univ	verse:	TELFS = 1	or 2	
	C C y	Beginnin Census Occupat Pears.	Öccupation C ion Classifica	Management, professional, and relate Service occupations Sales and office occupations Farming, fishing, and forestry occupa Construction and maintenance occup Production, transportation, and mater nuary 2011 ATUS, occupation data wer classification system. This system replace tion system. Occupation data are not st	tions ations ial moving occupations e classified using the 2010 ced the 2002 Census rictly comparable to previous
TRNHHCHILD	Presence o	of own n	on-household	1 child < 18	Respondent File
	Edited Univ	/erse:	All responde	ents	
	Valid Entrie	es:	1 2	Yes No	
TRNUMHOU	Number of	people		ondent's household	Respondent File
	Edited Univ	/erse:	All responde	ents	
	Valid Entrie	es:	1 30	Min Value Max Value	
TROHHCHILD	Presence o	of own h	ousehold chil	dren < 18	Respondent File
	Edited Univ	verse:	All responde	ents	
	Valid Entrie		1 2	Yes No	
TRSPFTPT	Full time or	r part tin	ne employme	nt status of spouse or unmarried partne	r Respondent File, Activity Summary File
	Edited Univ	verse:	TESPEMPN	NOT = 1	
	Valid Entrie	es:	1 2 3	Full time Part time Hours vary	
TRSPPRES	Presence o household	of the re	spondent's sp	pouse or unmarried partner in the	Respondent File, Activity Summary File
	Edited Univ	/erse:	All responde	ents	
	Valid Entrie		1 2 3	Spouse present Unmarried partner present No spouse or unmarried partner prese	ent
TRTALONE	Total nonwo	ork-rela	ted time resp	ondent spent alone (in minutes)	Respondent File
	Edited Univ	/erse:	All responde	ents	
	Valid Entrie	es:	0 1440	Min Value Max Value	

Name	Descripti	on			File
	* Note:	activities calculation	for which who information	g TUWHO_CODE information; ation is not collected, such as s	leeping, are omitted from the
TRTALONE_WK	Total wo	rk- and no	nwork-related time res	pondent spent alone (in minute	es) Respondent File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0	Min Value	
	* Note:			Max Value g TUWHO_CODE information; ch as sleeping, are excluded fr	
TRTCC				ng secondary childcare for	Respondent File
	Edited U		n nonhousehold childre All respondents	en < 13 (in minutes)	
	Valid En		0 1440	Min Value Max Value	
	* Note:	TRTCC i		of TRTCC_LN for each TUCA	SEID
TRTCC_LN			ring activity providing	secondary child care for en < 13 (in minutes)	Activity File
	Edited U	niverse:	All activities for responses of the second s	ondents who have at least one < 13	household or own
	Valid En	tries:	0	Min Value	
	* Note:		1440 LN is the maximum fo H_LN, and TRTONH	Max Value r the activity of the following va H LN	riables: TRTOHH_LN,
TRTCCC				pent with customers, clients, an	nd Respondent File
	Edited U	rs (in minu niverse:	All respondents		
	Valid En		0	Min Value	
			1440	Max Value	
	* Note:	activities	for which who information. TUWHO_CODE =	g TUWHO_CODE information; ation is not collected, such as s (59, 60, 61, or 62) is included i	leeping, are omitted from the
TRTCCC_WK				pondent spent with customers	, Respondent File
	Edited U		kers (in minutes) All respondents		
	Valid En	tries:	0	Min Value	
			1440	Max Value	
	* Note:	informati	on is not collected are	g TUWHO_CODE information; omitted from the calculation. T culation (others may be preser	UWHO_CODE = (59, 60,
TRTCCTOT			iring diary day providir	ng secondary childcare for all	Respondent File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0	Min Value	
	* Note:	TRTOOT	1440 OT is the sum of all va	Max Value alues of TRTCCTOT_LN for ea	
TRTCCTOT_LN	Total tim	e spent du	iring activity providing	secondary childcare for all	Activity File
	children Edited U	< 13 (in m niverse :	inutes) All activities		

Name	Description			File
	Valid Entries:	0	Min Value	
		1440	Max Value	
		CTOT_LN is the maximum fo DHH_LN, TRTONHH_LN, an		variables: TRTOHH_LN,
TRTCHILD		lated time respondent spent hildren < 18 (in minutes)	with household or	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
		1440	Max Value	
		ariable is computed using TU es for which who information ttion		
TRTCOC	nonown, nonhou	during diary day providing se sehold children < 13 (in minu		Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
		1440	Max Value	
	* Note: TRTCO	DC is the sum of all values of	TRTCOC_LN for each TUC	ASEID
TRTCOC_LN		during activity providing secc nildren <13 (in minutes)	ndary child care for nonown	, Activity File
	Edited Universe:	All activities		
	Valid Entries:	0 1440	Min Value Max Value	
	of 010 ⁻	DC_LN is calculated using TU 1xx, 0301xx, 0302xx, 0303xx 1, 180402, or 180403. TXTC0	JCC8. It does not include ac , 0401xx, 0402xx, 0403xx, 1	80301, 180302, 180303,
TRTEC	Total time spent	providing eldercare (in minut	es)	Respondent File, Activity Summary File
	Edited Universe:	TUECYTD=1		
	Valid Entries:	0	Min Value	
	Valia Entrico.	1440	Max Value	
	* Note: TRTEC	C is the sum of all values of T		
	Exclud	es time spent in activities wit	h codes = 01xxxx or 0805xx	
TRTEC_LN	Time spent provi	ding eldercare by activity (in	minutes)	Activity File
	Edited Universe:	TUEC24 = 1 or 96		
	Valid Entries:	0 1440	Min Value Max Value	
	* Note: Exclud	es time spent in activities wit	h codes = 01xxxx or 0805xx	
TRTFAMILY	Total nonwork-re minutes)	lated time respondent spent	with family members (in	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0 1440	Min Value	
		ariable is computed using TU es for which who information		
TRTFRIEND		lated time respondent spent	with friends (in minutes)	Respondent File

Name	Descripti	on			File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0 1440	Min Value Max Value	
	* Note:		for which who informa		tion; time spent working and all as sleeping, are omitted from the
TRTHH			uring diary day providin 1 < 13 (in minutes)	g secondary childcare for	Respondent File, Activity Summary File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0	Min Value	
	* Note:	тртнні	1440 is the sum of all values	Max Value of TRTHH_LN for each T	
TRTHH_LN				_	
	househo	ld childrer	n < 13 (in minutes)	secondary childcare for	Activity File
	Edited U	niverse:	All activities for respo	ndents with at least one h	ousehold child < 13
	Valid En	tries:	0	Min Value	
	* Note:	TRTHH	1440 I N is the maximum for	Max Value the activity of the followin	g variables: TRTOHH_LN and
	11010.	TRTNO		the delivity of the fellowing	
TRTHHFAMILY		nwork-rela s (in minut		ent with household family	Respondent File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0 1440	Min Value	
	* Note:		able is computed using for which who information		tion; time spent working and all as sleeping, are omitted from the
TRTIER2	First and	second a	ctivity tiers		Activity File
	Edited U	niverse:	All activities		
	* Note:	This vari	able includes informati	on from TUTIER1CODE a	IND TUTIER2CODE
TRTNOCHILD	Total nor (in minut		ted time respondent sp	ent with nonown children	< 18 Respondent File
	Edited U	niverse:	All respondents		
	Valid En	tries:	0	Min Value	
			1440	Max Value	
	* Note:		for which who information		tion; time spent working and all as sleeping, are omitted from the
TRTNOHH				g secondary childcare for	Respondent File
	nonown Edited U		I children < 13 (in minu All respondents	tes)	
	Valid Ent		0	Min Value	
			1440	Max Value	
	* Note:			ues of TRTNOHH_LN for	
TRTNOHH_LN			uring activity providing a < 13 (in minutes)	secondary childcare for no	pnown Activity File
	Edited U	niverse:	All activities for respo	ndents with at least one n	onown household child < 13

Name	Description			File
	Valid Entries:	0	Min Value	
		1440	Max Value	
	codes c include	of 0101xx, 0301xx, 03 any activity or part o	I using TUCC5B. It does not include 302xx, 0303xx, 180301, 180302, or ⁻ f any activity in which no household TUCC4). TXTNOHH is the allocation	180303. It also does not child was awake
TRTO	Total time spent c children < 13 (in r		iding secondary childcare for own	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
		1440		
TOTO IN			es of TRTO_LN for each TUCASEID	
TRTO_LN	children < 13 (in r	ninutes)	ng secondary childcare for own	Activity File
	Edited Universe:	All activities for re	spondents with at least one own chil	d < 13
	Valid Entries:	0	Min Value	
	* Note: TRTO	1440 I N is the maximum f	Max Value for the activity of the following variab	es' TRTOHH I N and
TRTOULL	TRTON	HH_LN		
TRTOHH		n < 13 (in minutes)	iding secondary childcare for own	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
	* Natas TDTOU	1440	Max Value	
			alues of TRTOHH_LN for each TUC	
TRTOHH_LN	household childre	n < 13 (in minutes)	ng secondary childcare for own	Activity File
	Edited Universe:	All activities for re	spondents with at least one own hou	sehold child < 13
	Valid Entries:	0	Min Value	
	* Note: TRTOH	1440 H I N is calculated i	Max Value using TUCC5. It does not include act	ivities with activity codes
			0303xx, 180301, 180302, or 180303	
	any acti TUCC2	vity or part of any ac and TUCC4). TXTC	tivity in which no household child wa WHH is the allocation flag for this varia	is awake (determined by able.
TRTOHHCHILD	Total nonwork-rel < 18 (in minutes)	ated time responder	t spent with own household children	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
		1440	Max Value	
		s for which who info	sing TUWHO_CODE information; tin rmation is not collected, such as slee	
TRTONHH		luring diary day prov Idren < 13 (in minute	iding secondary childcare for own es)	Respondent File
	Edited Universe:	All respondents		
	Valid Entries:	0	Min Value	
		1440	Max Value	
	* Note: TRTON	HH is the sum of all	values of TRTONHH_LN for each T	JCASEID

Name	Descripti	on			File
TRTONHH_LN			uring activity p dren < 13 (in r	roviding secondary childcare ninutes)	for own Activity File
	Edited U	niverse:	All activities	for respondents with at least	one own nonhousehold child < 13
	Valid En	tries:	0 1440	Min Value Max Value	
	* Note:	codes of	HH_LN is calc 0101xx, 0301	ulated using TUCC7. It does r xx, 0302xx, 0303xx, 0401xx,	not include activities with activity 0402xx, 0403xx, 180301, 180302, the allocation flag for this variable.
TRTONHHCHILD	children	< 18 (in m	inutes)	ondent spent with own nonho	usehold Respondent File
	Edited U	niverse:	All responde	nts	
	Valid En	tries:	0 1440	Min Value Max Value	
	* Note:		iable is compu	ted using TUWHO_CODE inf	formation; time spent working and al such as sleeping, are omitted from t
TRTSPONLY	Total nor minutes)		ated time respo	ondent spent with spouse only	y (in Respondent File
	Edited U	niverse:	All responde	nts	
	Valid En	tries:	0 1440	Min Value Max Value	
	* Note:		iable is compu s for which who	ted using TUWHO_CODE inf	formation; time spent working and al such as sleeping, are omitted from t
TRTSPOUSE		nwork-rela (in minute		ondent spent with spouse (oth	ners may be Respondent File
	Edited U	niverse:	All responde	nts	
	Valid En	tries:	0 1440	Min Value	
	* Note:		iable is compu		formation; time spent working and al such as sleeping, are omitted from t
TRTUNMPART	(others n	nay be pre	ated time respo esent) (in minu	ondent spent with unmarried p tes)	partner Respondent File
	Edited U	niverse:	All responde	nts	
	Valid En	tries:	0	Min Value	
	* Note:		for which who		formation; time spent working and al such as sleeping, are omitted from
TRWERNAL	TRERNV	VA: alloca	tion flag		Respondent File
	Edited U	niverse:	TELFS = 1 c	or 2 and TEIO1COW = 1 - 5	
	Valid En	tries:	0 1	TRERNWA does not contair TRERNWA contains allocate	
TRWHONA	Who info	rmation n	ot asked for a		Who File
	Edited U	niverse:	All activities		
	Valid En	tries:	0 1	TUWHO_CODE asked TUWHO_CODE not asked	

Name	Description			File
TRYHHCHILD	Age of youngest h	ousehold ch	nild < 18	Respondent File, Activity Summary File
	Edited Universe:	TRHHCH	ILD = 1	
	Valid Entries:	0 17	Min Value Max Value	
TTHR	Hourly pay topcod	e flag		Respondent File
	Valid Entries:	0 1	Not topcoded Topcoded	
	* Note: Indicate	s topcoding	of hourly pay in earnings variables	
ТТОТ	Overtime amount	topcode flag	1	Respondent File
	Valid Entries:	0 1	Not topcoded Topcoded	
			of overtime pay in earnings variables	
TTWK	Weekly earnings t	opcode flag		Respondent File
	Valid Entries:	0 1	Not topcoded Topcoded	
		, ,	of weekly pay in earnings variables	
TUABSOT			a have a job either full or part time?	Respondent File
	Valid Entries:	1 2 3 4 5	Yes No Retired Disabled Unable to work	
TUACTDUR	Duration of activity	in minutes	(last activity not truncated at 4:00 a.m.)	Activity File
	Valid Entries:	1 9999	Min Value Max Value	
TUACTDUR24	Duration of activity	in minutes	(last activity truncated at 4:00 a.m.)	Activity File
	Valid Entries:	1 1440	Min Value Max Value	
TUACTIVITY_N	Activity line number			Activity File, Who File, EH Activity File
	Valid Entries:	1 91	Min Value Max Value	
TUBUS	Does anyone in th		d own a business or a farm?	Respondent File
	Valid Entries:	1 2	Yes No	
TUBUS1	or farm?	ays, did you	I do any unpaid work in the family business	Respondent File
	Valid Entries:	1 2	Yes No	
TUBUS2OT	Do you receive pa	_	rofits from the business?	Respondent File
	Valid Entries:	1 2	Yes No	
TUBUSL1	TULINENO of farr		s owner (first owner)	Respondent File
	Valid Entries:	0 30	Min Value Max Value	

Name	Description			File
TUBUSL2	TULINENO of far	m or business	owner (second owner)	Respondent File
	Valid Entries:	0	Min Value	
TUBUSL3	THUNENO of far	30 m or husiness	Max Value s owner (third owner)	Respondent File
1000013	Valid Entries:	0	Min Value	Respondent rife
	valiu Enules.	30	Max Value	
TUBUSL4	TULINENO of far		owner (fourth owner)	Respondent File
	Valid Entries:	0	Min Value	
THOMOFILE		30	Max Value	
TUCASEID	ATUS Case ID (1	-		All Files
TUCC2	Time first househ	old child < 13	woke up	Respondent File
	Valid Entries:	00:00:00	Min Value	
TUCC4	Time last househ	24:00:00	Max Value	Respondent File
10004				Respondent rife
	Valid Entries:	00:00:00 24:00:00	Min Value Max Value	
TUCC5	Was at least one		ousehold children < 13 in your care during	Activity File
	this activity?	<u>^</u>		
	Valid Entries:	0 1	No Yes	
		97	No additional activities involved childcar	е
TUCC5_CK	Reason responde household childre		ort secondary childcare activities for own	Respondent File
	Valid Entries:	1	No secondary childcare activities	
		2 3	Respondent didn`t know Respondent refused to answer	
		4	Child was away from home yesterday	
		5	Respondent was away from home yeste	erday
TUCC5B	Was at least one during this activity		wn household children < 13 in your care	Activity File
	Valid Entries:	0	No	
		1 97	Yes No additional activities involved childcar	٩
TUCC5B_CK	Reason responde		ort secondary childcare activities for	Respondent File
_	non-own househo			
	Valid Entries:	1	No secondary childcare activities	
		2 3	Respondent didn't know Respondent refused to answer	
		4	Child was away from home yesterday	
		5	Respondent was away from home yeste	rday
TUCC7	during this activity	•	on-household children < 13 in your care	Activity File
	Valid Entries:	0	No	
		1 97	Yes No additional activities involved childcar	P
TUCC8	Other than house child 0-12 in your	hold or own n	on-household children < 13, was there a	Activity File
	Valid Entries:	0	No	
		1	Yes	
		97	No additional activities involved childcar	e

Name	Description			File
TUCC9	Are the non-own, to you?	non-househol	d children you cared for in TUCC8 related	Respondent File
	Valid Entries:	1	Yes	
		2	No	
		3	Some are, some are not	
TUCUMDUR	truncated at 4:00 each TUCASEID	am or 1440 mii	engths in minutes; last activity not nutes (cumulative total of TUACTDUR for	Activity File
	Valid Entries:	1	Min Value	
		9999	Max Value	A
TUCUMDUR24			engths in minutes; last activity truncated at at ative total of TUACTDUR24 for each	Activity File
	Valid Entries:	1	Min Value	
		1440	Max Value	
TUDIARYDATE	Date of diary day	(date about wi	hich the respondent was interviewed)	Respondent File
	Valid Entries:	20140101	Min Value	
		20141230	Max Value	
	* Note: TUDIA	RYDATE is in `	YYYYMMDD format	
TUDIARYDAY	Day of the week	of diary day (da	ay of the week about which the respondent	Respondent File,
	was interviewed)	, , , , , , , , , , , , , , , , , , ,		Activity Summary File
	Valid Entries:	1	Sunday	
		2	Monday	
		3	Tuesday	
		4	Wednesday	
		5	Thursday	
		6	Friday	
TUDIO		7	Saturday	
TUDIS			in this household you were reported to ability prevent you from doing any kind of	Respondent File
	work for the next		ability prevent you norn doing any kind of	
	Valid Entries:	1	Yes	
		2	No	
		3	Did not have a disability last time	
TUDIS1	Does your disabil the next six mont		I from accepting any kind of work during	Respondent File
	Valid Entries:	1	Yes	
		2	No	
TUDIS2	Do you have a di during the next si	sability that pre	events you from accepting any kind of work	Respondent File
	Valid Entries:	1	Yes	
		2	No	
TUEC24	At which times or assistance yester		activities did you provide that care or	Activity File
	Valid Entries:	1	Activity identified as eldercare	
		96	All day	
		97	No more activities	
TUECLNO	Line number of e	dercare recipie	ent	EC Roster File
	Valid Entries:	2	Min Value	
	Valia Entrico.	-		

Name	Description			File
	•	ecipient is a ho	usehold member, TUECLNO = TUL	INENO; if not a household member,
	TU	JECLNO = new	line numbers (last tulineno+1)	· · · · ·
TUECYTD	Did you prov	ide any elderca	re or assistance yesterday?	Respondent File
	Valid Entries		Yes	
		2	No	
TUELDER	job, since the	e first of [REF_N	tance or help you provided as part of IONTH], have you provided any can needed help because of a condition	re of
	Valid Entries		Yes	
	+ NI-4 Th	2	No	
	* Note: Th	e reterence mo	nth is 3 months prior to the interview	w. For example, if the interview took
TUELFREQ		d you provide th		Respondent File
	Valid Entries		Daily	·
	Valia Entrica	2	Several times a week	
		3	About once a week	
		4	Several times a month	
		5	Once a month	
		6	One time	
		7	Other	
TUELNUM	Since the firs care to?	st of [REF_MON	ITH], how many people have you p	rovided this Respondent File
	Valid Entries		Min Value	
	+ • • •	5	Max Value	
			ne reference month is December.	w. For example, if the interview took
			adad at E reginigate	
	IU	JELNUM is topc	oded at 5 recipients.	
TUERN2		•	2 implied decimals)	Respondent File
TUERN2		time earnings (2	•	Respondent File
	Weekly over Valid Entries	time earnings (2 :: 0 288461	2 implied decimals) Min Value Max Value	
TUERN2 TUERNH1C	Weekly over Valid Entries What is your commissions	time earnings (2 0 288461 hourly rate of p s? (2 implied de	2 implied decimals) Min Value Max Value ay on this job, excluding overtime p cimals)	
	Weekly over Valid Entries What is your	time earnings (2 288461 hourly rate of p (2 implied de 0	2 implied decimals) Min Value Max Value ay on this job, excluding overtime p cimals) Min Value	
	Weekly over Valid Entries What is your commissions Valid Entries	time earnings (2 : 0 288461 hourly rate of p s? (2 implied de : 0 9999	2 implied decimals) Min Value Max Value ay on this job, excluding overtime p cimals) Min Value Max Value	bay, tips, or Respondent File
	Weekly over Valid Entries What is your commissions Valid Entries * Note: On	time earnings (2 : 0 288461 hourly rate of p s? (2 implied de : 0 9999	2 implied decimals) Min Value Max Value ay on this job, excluding overtime p cimals) Min Value Max Value respondent indicates that the record	bay, tips, or Respondent File
	Weekly over Valid Entries What is your commissions Valid Entries * Note: On	time earnings (2 288461 hourly rate of p s? (2 implied de 0 9999 ily asked if the r erviewer is not o	2 implied decimals) Min Value Max Value ay on this job, excluding overtime p cimals) Min Value Max Value respondent indicates that the record	bay, tips, or Respondent File
TUERNH1C	Weekly over Valid Entries What is your commissions Valid Entries * Note: On inte	time earnings (2 288461 hourly rate of p s? (2 implied de c 9999 hly asked if the r erviewer is not o veight c	2 implied decimals) Min Value Max Value ay on this job, excluding overtime p cimals) Min Value Max Value respondent indicates that the record correct Min Value	bay, tips, or Respondent File ded hourly rate read back by the Respondent File,
TUERNH1C	Weekly over Valid Entries What is your commissions Valid Entries * Note: On inte ATUS final w Valid Entries * Note: Th we	time earnings (2 288461 hourly rate of p ? (2 implied de 0 9999 nly asked if the r erviewer is not o veight : 0 9999999 e weighting method	2 implied decimals) Min Value Max Value Max Value ay on this job, excluding overtime p cimals) Min Value Max Value correct Min Value Min Value Min Value Max Value Max Value Max Value Max Value Max Value	bay, tips, or Respondent File ded hourly rate read back by the Respondent File, Activity Summary File ars 2003-2006. Since 2006, the s variable is not comparable for the
TUERNH1C	Weekly over Valid Entries What is your commissions Valid Entries * Note: On inte ATUS final w Valid Entries * Note: Th we yea	time earnings (2 288461 hourly rate of p s? (2 implied de c 0 9999 hly asked if the r erviewer is not o veight c 0 9999999 e weighting method ars 2003-2005.	2 implied decimals) Min Value Max Value Max Value ay on this job, excluding overtime p cimals) Min Value Max Value respondent indicates that the record correct Min Value Max Value	bay, tips, or Respondent File ded hourly rate read back by the Respondent File, Activity Summary File ars 2003-2006. Since 2006, the s variable is not comparable for the
TUERNH1C	Weekly over Valid Entries What is your commissions Valid Entries * Note: On inte ATUS final w Valid Entries * Note: Th we yea	time earnings (2 288461 hourly rate of p ? (2 implied de 0 9999 hly asked if the r erviewer is not o veight c 0 9999999 e weighting method ars 2003-2005.	2 implied decimals) Min Value Max Value ay on this job, excluding overtime p cimals) Min Value Max Value respondent indicates that the record correct Min Value Min Value Max Value	bay, tips, or Respondent File ded hourly rate read back by the Respondent File, Activity Summary File ars 2003-2006. Since 2006, the s variable is not comparable for the he ATUS User's Guide.
TUERNH1C	Veekly over Valid Entries What is your commissions Valid Entries * Note: On inte ATUS final w Valid Entries * Note: Th we yea	time earnings (2 288461 hourly rate of p ? (2 implied de 0 9999 hly asked if the r erviewer is not o veight c 0 9999999 e weighting method ars 2003-2005.	2 implied decimals) Min Value Max Value Max Value ay on this job, excluding overtime pro- cimals) Min Value Max Value respondent indicates that the record correct Min Value Max	bay, tips, or Respondent File ded hourly rate read back by the Respondent File, Activity Summary File ars 2003-2006. Since 2006, the s variable is not comparable for the he ATUS User's Guide.
TUERNH1C	Veekly over Valid Entries What is your commissions Valid Entries * Note: On inte ATUS final w Valid Entries * Note: Th we yea	time earnings (2 288461 hourly rate of p ? (2 implied de ? (2 implied de ? 9999 hly asked if the r erviewer is not o veight ? 0 9999999 e weighting method ars 2003-2005. even days did yo ? 1	2 implied decimals) Min Value Max Value Max Value ay on this job, excluding overtime p cimals) Min Value Max Value respondent indicates that the record correct Min Value Max Va	bay, tips, or Respondent File ded hourly rate read back by the Respondent File, Activity Summary File ars 2003-2006. Since 2006, the s variable is not comparable for the he ATUS User's Guide.
TUERNH1C	Veekly over Valid Entries What is your commissions Valid Entries * Note: On inte ATUS final w Valid Entries * Note: Th we yea	time earnings (2 288461 hourly rate of p ? (2 implied de 9999 aly asked if the r erviewer is not of reight e weighting method ars 2003-2005. even days did yours 1 2	2 implied decimals) Min Value Max Value ay on this job, excluding overtime p cimals) Min Value Max Value respondent indicates that the record correct Min Value Max Value thodology changed between the ye ology has remained the same. This For more information, please see the bu do any work for pay or profit? Yes No	bay, tips, or Respondent File ded hourly rate read back by the Respondent File, Activity Summary File ars 2003-2006. Since 2006, the s variable is not comparable for the he ATUS User's Guide.

Name	Description			File
TUIO1MFG			ion mainly manufacturing, retail trade, ng else? (main job)	Respondent File
	Valid Entries:	1	Manufacturing	
		2	Retail trade	
		3	Wholesale trade	
TUIODP1	Last time we spe	4 ko to somo	Something else one in this household, you were reported to	Respondent File
	work for (employe (main job)	er's name).	Do you still work for (employer's name)?	Respondent rife
	Valid Entries:	1	Yes	
		2	No	
TUIODP2	Have the usual a CPS interview)?		d duties of your job changed since (month of	Respondent File
	Valid Entries:	1	Yes	
		2	No	
TUIODP3		your usual	one in this household, you were reported as duties were (activities). Is this an accurate b? (main job)	Respondent File
	Valid Entries:	1	Yes	
		2	No	
TULAY	During the last se	even days v	vere you on layoff from your job?	Respondent File
	Valid Entries:	1	Yes	
		2	No	
		3	Retired	
		4	Disabled	
		5	Unable to work	
TULAY6M	Have you been g the next 6 month		dication that you will be recalled to work within	Respondent File
	Valid Entries:	1	Yes	
		2	No	
TULAYAVR	Why could you no	ot have star	ted a job in the last week?	Respondent File
	Valid Entries:	1	Own temporary illness	
		2	Going to school	
		3	Other	
TULAYDT	Has your employ	er given yo	u a date to return to work? (to layoff job)	Respondent File
	Valid Entries:	1 2	Yes No	
TULINENO	ATUS person line			ATUS-CPS File, Respondent File, Roster File, Who File, EH Respondent File, EC Roster File
	Valid Entries:	1	Min Value	
		30	Max Value	
	* Note: The pe	rson select	ed to be interviewed for ATUS is always TULIN	IENO = 1
TULK	Have you been d	oing anythi	ng to find work during the last four weeks?	Respondent File
	Valid Entries:	1	Yes	
		2	No	
		3	Retired	
		4	Disabled	
		5	Unable to work	

Name	Description			File
TULKAVR	Why could you not h	nave started a	job last week?	Respondent File
	Valid Entries:	1	Waiting for new job to begin	
		2	Own temporary illness	
	:	3	Going to school	
		4	Other	
TULKDK1	You said you have b looking? (first metho		find work. How did you go about	Respondent File
	Valid Entries:	1	Contacted employer directly/interv	iew
		2	Contacted public employment age	ncy
		3	Contacted private employment age	ency
		4	Contacted friends or relatives	
		5	Contacted school/university emplo	yment center
		6	Sent out resumes/filled out applica	tions
		7	Checked union/professional regist	ers
		8	Placed or answered ads	
		9	Other active	
		10	Looked at ads	
		11	Attended job training programs/cou	urses
			Nothing	
			Other passive	
			search methods, users must comb	oine all fields TELKM1. TULKM2
	- TULKM6	, TULKDK1 -	TULKDK6, and TULKPS1 - TULKF	PS6
TULKDK2	TULKDK1 text: (sec	ona methoa)		Respondent File
	Valid Entries:	1	Contacted employer directly/interv	iew
		2	Contacted public employment age	ncy
	:	3	Contacted private employment age	ency
		4	Contacted friends or relatives	
		5	Contacted school/university emplo	yment center
		6	Sent out resumes/filled out applica	tions
		7	Checked union/professional regist	ers
		8	Placed or answered ads	
		9	Other active	
		10	Looked at ads	
		11 .	Attended job training programs/cou	urses
		13	Other passive	
		97	No additional job search activities	
			search methods, users must comb TULKDK6, and TULKPS1 - TULKF	
TULKDK3	TULKDK1 text: (third	d method)		Respondent File
		1	Min Value	
		97	Max Value	
	* Note: See valid	values for TUI	LKDK2	
TULKDK4	TULKDK1 text: (four	rth method)		Respondent File
		1	Min Value	
		97 Voluce for TIII	Max Value	
		values for TUI		
TULKDK5	TULKDK1 text: (fifth	method)		Respondent File
	Valid Entries:	1	Min Value	
		97	Max Value	
	* Note: See valid	values for TUI	LKDK2	

Name	Description			File
TULKDK6	TULKDK1 text: (s	ixth method)	1	Respondent File
	Valid Entries:	1	Min Value	
		97	Max Value	
	* Note: See va	id values for	TULKDK2	
TULKM2	What are all of th weeks? (second		have done to find work during the last 4	Respondent File
	Valid Entries:	1	Contacted employer directly/interview	
		2	Contacted public employment agency	
		3	Contacted private employment agency	
		4	Contacted friends or relatives	I secole a
		5	Contacted school/university employmer	it center
		6	Sent out resumes/filled out applications	
		7	Checked union/professional registers Placed or answered ads	
		8 9	Other active	
		9 10	Looked at ads	
		11	Attended job training programs/courses	
		13	Other passive	
		97	No additional job search activities	
			job search methods, users must combine a (1 - TULKDK6, and TULKPS1 - TULKPS6	II fields TELKM1, TULKM2
TULKM3	TULKM2 text: (th	rd method)		Respondent File
	Valid Entries:	1 97	Min Value Max Value	
	* Note: See va	id values for	TULKM2	
TULKM4	TULKM2 text: (fo	urth method)		Respondent File
	Valid Entries:	1	Min Value	
	* Neter Coove	97 id values for	Max Value	
T1111/045			TULKMZ	
TULKM5	TULKM2 text: (fif	h method)		Respondent File
	Valid Entries:	1	Min Value	
		97	Max Value	
		id values for	IULKM2	
TULKM6	TULKM2 text: (siz	(th method)		Respondent File
	Valid Entries:	1	Min Value	
		97	Max Value	
	* Note: See va	id values for	TULKM2	
TULKPS1	method)	nore about w	hat you did to search for work? (first	Respondent File
	Valid Entries:	1	Contacted employer directly/interview	
		2	Contacted public employment agency	
		3	Contacted private employment agency	
		4 5	Contacted friends or relatives	nt center
		5 6	Contacted school/university employmer Sent out resumes/filled out applications	
		0 7	Checked union/professional registers	
		8	Placed or answered ads	
		9	Other active	
		10	Looked at ads	

Name	Descript	ion			File
	Valid En	tries:	11	Attended job training programs/courses	
			12	Nothing	
			13	Other passive	
			97	No more job search activities	
	* Note:			b search methods, users must combine all - TULKDK6, and TULKPS1 - TULKPS6	fields TELKM1, TULKM2
TULKPS2	TULKPS	61 text: (se	econd method)		Respondent File
	Valid En	tries:	1	Contacted employer directly/interview	
			2	Contacted public employment agency	
			3	Contacted private employment agency	
			4	Contacted friends or relatives	
			5	Contacted school/university employment	center
			6	Sent out resumes/filled out applications	
			7	Checked union/professional registers	
			8	Placed or answered ads	
			9	Other active	
			10 11	Looked at ads	
			13	Attended job training programs/courses Other passive	
			97	No additional job search activities	
	* Note:	In order	-	b search methods, users must combine all	fields TELKM1 THLKM2
		- TULKI	M6, TULKDK1	- TULKDK6, and TULKPS1 - TULKPS6	
TULKPS3		•	nird method)		Respondent File
	Valid En	tries:	1	Min Value	
			97	Max Value	
			id values for Tl	JLKPS2	Deen and ant Ella
TULKPS4		•	ourth method)		Respondent File
	Valid En	tries:	1	Min Value	
	* Note:	Seevel	97 id values for Tl	Max Value	
TULKPS5				JLRP32	Deependent File
TULKPSS		•	fth method)		Respondent File
	Valid En	tries:	1	Min Value	
			97	Max Value	
	* Note:	000 14	id values for Tl	JLKPS2	
TULKPS6			xth method)		Respondent File
	Valid En	tries:	1	Min Value	
	* Note:	See vali	97 id values for Tl	Max Value	
TUMONTH				y about which ATUS respondent was	Respondent File
TOMONTH	interview		y (month of day	about which ATOS respondent was	Respondent The
	Valid En	tries:	1	Min Value	
	_		12	Max Value	-
TURETOT			poke to someous someous still retired?	one in this household you were reported to	Respondent File
	Valid En		1	Yes	
			2	No	
			3	Was not retired last time	
TUSPABS		st seven o Il or part ti		spouse or unmarried partner have a job	Respondent File
	Valid En	-	1	Yes	
		u 163.	I	100	

Name	Descripti	ion				File
	Valid En		2	No		
			3	Retired		
			4	Disabled		
TUSPUSFT			5 or unmarried i	Unable to wor	k work 35 hours or more per	Respondent File
	week?	ui spouse			work 55 hours of more per	Respondent lie
	Valid En	tries:	1	Yes		
			2	No		
			3 4	Hours vary No longer has	a iob	
TUSPWK			•		nried partner do any work	Respondent File
	for pay o Valid En		1	Vee		
	valid En	tries:	1 2	Yes No		
			3	Retired		
			4	Disabled		
			5	Unable to wor	k	
TUSTARTTIM	Activity s	start time				Activity File
	Valid En	tries:	00:00:00		Min Value	
TUSTOPTIME	Activity s	ton time	24:00:00		Max Value	Activity File
	•	•	00.00.00			Activity File
	Valid En	tries:	00:00:00 24:00:00		Min Value Max Value	
TUTIER1CODE	Lexicon	Tier 1: 1st		s of 6-digit activ		Activity File
	Valid En	tries:	01		Min Value	
			50		Max Value	
	* Note:	Six-digit		are created by	combining TUTIER1CODE	, TUTIER2CODE, and
TUTIER2CODE	Lexicon			of 6-digit activi	ity code	Activity File
	Valid En	tries:	01		Min Value	
			99		Max Value	
	* Note:	Six-digit		are created by	combining TUTIER1CODE	, TUTIER2CODE, and
TUTIER3CODE	Lexicon	Tier 3: 5th	and 6th digits	of 6-digit activi	ty code	Activity File
	Valid En	tries:	01		Min Value	
	* Note:	Six diait	99 activity codes	are created by	Max Value combining TUTIER1CODE	TUTIER2CODE and
	Note.	TUTIER		ale cleated by		, TOTIENZCODE, and
TUWHO_CODE	Who was	s in the roo	om with you / V	Vho accompan	ied you?	Who File
	Valid En	tries:	18	Alone		
			19	Alone		
			20 21	Spouse	rthor	
			21	Unmarried par Own househo		
			23	Grandchild		
			24	Parent		
			25	Brother/sister		
			26	Other related	person	
			27 28	Foster child Housemate/ro	oommate	
			20	nousemale/10		

Valid Entries: 29 Roomer/Loaded 30 Other nonrelative 40 Own nonhousehold family members < 18 51 Parents (not living in household family members < 18 and older (including parents in-law) 53 Other nonhousehold family members < 18 and older (including parents in-law) 54 Friends 57 Other nonhousehold adults 18 and older 59 Boss or manager 60 Popole whom 1 supervise 61 Co-workers 500 Roomer/Low and and 19.402.002xx, 0104xx, 50015, or 500106. There is no distinction between 18 and 19.402.002xx, 0104xx, 50016, or 500106. There is no distinction between 18 and 19.402.002xx, 0104xx, 50016, or 500106. There is no distinction between 18 and 19.402.002xx, 0104xx, 50016, or 500106. There is no distinction between 18 and 19.402.002x, 0104xx, 50016, or 500106. There is no distinction between 18 and 19.402.002x, 0104xx, 50016, or 500106. There is no distinction between 18 and 19.402.002x, 0104xx, 50016, or 500106. There is no distinction between 18 and 19.402.002x, 0104xx, 50016, or 500100. There is no distinction between 18 and 19.402.002x, 0104xx, 50016, or 500106. There is no distinction between 18 and 19.402.002x, 0104xx, 50016, or 500106. There is no distinction between 18 and 19.402.002x, 0104xx, 50016, or 500160. There is no distinction between 18 and 19.402.002x, 0104xx, 50016, or 500106. There is no distinction between 18 and 19.402.002x, 0104xx, 50016, or 500160. There is no distinction between 18 and 19.402.0000000000000000000000000000000000	Name	Description	n			File
30 Other nonrelative 40 Own nonvosehold child < 18 51 Parents (not living in household) 52 Other nonhousehold family members 18 and older (including parents-in-law) 54 Friends 56 Neighbors/acquaintances 57 Other nonhousehold children < 18 58 Other nonhousehold children < 18 59 Boss or manager 60 People whon 1 supervise 61 Co-workers 62 Customers 59 Other nonhousehold children < 18 and 1942. 59 Boss or manager 60 People whon 1 supervise 61 Co-workers 62 Customers 501016. There is no distinction between 18 and 1941. Codes of 40 or greater refer to people living outside of the respondent Nas interviewed) Respondent File 2014 Max Value TUYEAR Vear of diary day (vear of day about which respondent Nas interviewed) Respondent File 2014 Max Value TXABSRSN TEABSRSN: allocation flag values TAGE TEABSRSN: allocation flag Valid Entries: 0 Min Value 53 Max Value Valid Entries: 0 Min Value Solo 7 Contange TXAGE TEABSRSN: allocation flag Valid Entries: 0 Value - no change 0 Value - no change 0 Value - no change 0 Other konvo to value 1 Blank - no change 0 Other konvo to value 1 Blank - no change 0 Other konvo to value 1 Blank - no change 0 Other konvo to value 1 Blank - no change 0 Other konvo to value 1 Blank - no change 0 Other konvo to value 1 Blank - no change 0 Other konvo to value 1 Blank - no change 0 Other konvo to value 1 Blank to longitudinal value 2 Don't know to value 3 Refused to longitudinal value 3 Refused to allocated value		-		29	Roomer/boarder	
40 Own nonhousehold chill < 18		Valia Eliai				
51 Parents (not living in household family members < 18						
52 Other nonhousehold family members < 18 53 Other nonhousehold family members 18 and older (including parents.in-law) 54 Friends 56 Neightors/acquaintances 57 Other nonhousehold children < 18 58 Other nonhousehold children < 18 59 Boss or manager 60 People whom I supervise 61 Co-workers 62 Customers 500166. There is no distinction between 18 and 19. All codes of 010 rax, 0104xx, 500105, or speople living outside of the respondent's household. TUYEAR Year of diary day (year of day about which respondent was interviewed) Respondent File 2014 Min Value 2014 Min Value 2014 Min Value 3 Respondent File Valid Entries: 0 Min Value 3 33 Retuset no change 10 Walue - no change 10 * Note: See Introduction frag value Respondent File 10 2014 Min Value 3 Retuset no change 10 12 Don't know value 13 Retuset no change 12 13						
53 Other nonhousehold family members 18 and older (including parents-in-law) 54 Friends 56 Neighbors/acquaintances 57 Other nonhousehold adults 18 and older 58 Other nonhousehold adults 18 and older 59 Boss or manager 60 People whom 1 supervise 61 Co-workers 62 Customers * Note: Not collected for activities with activity codes of 0101xx, 0102xx, 0104xx, 500105, or 500106. There is no distinction between 18 and 19. All codes of 40 or greater refer to people living outside of the respondent was interviewed) Respondent File TUYEAR Vaid Entries: 2014 Min Value 2014 Max Value Respondent File TABERSN: allocation flag Note: See Introduction for allocation flag values * Note: See Introduction for allocation flag values TXAGE Valid Entries: 0 Value - no change 01 Blank no no change 3 Refused no change 02 Don't know value 3 Refused value 3 10 Value to value 3					· • • · · · · · · · · · · · · · · · · ·	8
TVEAR Valid Entries: Valid Entries: 0 Max Value Note: See Introduction for allocation flag values TXAGE TEASESSN: allocation flag 10 Valid Entries: 0 10 10 10 11 12 11 13 14					-	
56 Neighbors/acquaintances 57 Other nonhousehold achildren < 18 58 Other nonhousehold achildren < 18 59 Boss or manager 60 People whom I supervise 61 Co-workers 62 Customers 63 Customers 63 Customers 64 Co-workers 65 Customers 65 Customers 700106. There is no distinction between 18 and 19. All codes of 40 or greater refor to people living outside of the respondent's household. TUYEAR Year of diary day (year of day about which respondent's household. TUYEAR Year of diary day (year of day about which respondent's household. TABSRSN 10cCation flag TABSRSN 10cCation flag TAGE TEASSRSN: 10cCation flag value TAGE TEASSRSN: 2001 Value no change 01 Blank - no change 02 Don't know - no change 03 Refused to value 10 Value to value 11 Blank to value 12 Don't know to value 13 Refused to value 20 Don't know to value 20 Don't know to value 20 Don't know to value 33 Refused to value 33 Refused to value 34 Refused to value 35 Refused to value 36 Refused to value 37 Refused to value 38 Refused to value 38 Refused to value 39 Refused to value 30 Value to allocated longitudinal value 40 Value to allocated				54	parents-in-law)	
57 Other nonhousehold children < 18 58 Other nonhousehold adults 18 and older 59 Boss or manager 60 People whom I supervise 61 Co-workers 62 Customers * Note: Note: Collected for activities with activity codes of 0101xx, 0102xx, 0104xx, 500105, or people living outside of the respondent's household. TUYEAR Year of diary day (year of diary about which respondent was interviewed) Respondent File Valid Entries: 2014 Min Value 2014 Max Value Respondent File TXABSRSN: TEABSRSN: allocation flag values Respondent File * Note: See Introduction for allocation flag values Respondent File TXAGE TEACE: allocation flag Respondent File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values Respondent File Valid Entries: 0 Value - no change Respondent File 10 Value - no change 0 Respondent Value 2 11 Blank to value 2 Don't know - no change 2 2 11						
58 Other nonhousehold adults 18 and older 59 Boss or manager 60 People whom I supervise 61 Co-workers 62 Customers * Note: Note collected for activities with activity codes of 0101xx, 0102xx, 0104xx, 500105, or 500106. There is no distinction between 18 and 19, 411 codes of 40 or greater refer to people living outside of the respondent's household. TUYEAR Year of diary day (year of day about which respondent's household. TABSRSN TEABSRSN: allocation flag Respondent File Valid Entries: 0 Min Value TABSRSN TEABSRSN: allocation flag Note: See Introduction for allocation flag values TXAGE TEAGE: allocation TAGE: allocation 0 Value no change 10 Value no change 10 Value value 11 Blank to allocated value 20 On't know to alue 13 Refused no value 13 Refused to value 13 Refused to value 13 Refused to value 33 Refused to longitudinal value 34 Value to allocated longitudinal value 30 Value to allocated longitudinal value 30 Value to allocated longitudinal value 30 Refused to longitudinal value 30 Refused to longitudinal value 30 Refused to longitudinal value 40 Value to allocated longitudinal value 40 Value to allocated longitudinal value 41 Blank to allocated longitudinal value 42 Don't know to allocated longitudinal value 43 Refused to allocated longitudinal value 44 Ovalue to allocated longitudinal value 45 Refused to allocated longitudinal value 46 Value to allocated longitudinal value 47 Ovalue to allocated longitudinal value 48 Refused to allocated value 49 Ovalue to allocated value 40 Value to allocated value 40 Value to allocated value 50 Value to allocated value 50 Ovalue to allocated value 50 Value to blan					•	
59 Boss or manager 60 People whom I supervise 61 Co-workers 62 Customers 50 Poople whom activity codes of 0101xx, 0102xx, 0104xx, 500105, or 500106. There is no distinction between 18 and 19. All codes of 40 or greater refer to people living outside of the respondent's household. TUYEAR Year of diary day (year of day about which respondent's household. Respondent File Valid Entries: 2014 Min Value TXABSRSN TEABSRSN: allocation flag Respondent File Valid Entries: 0 Min Value 53 Max Value Min Value *Note: See Introduction for allocation flag values Respondent File TXAGE TEAGE: allocation flag Value - no change 01 Blank - no change Respondent File 02 Don't know - no change 20 03 Refused - no change 21 10 Value - no change 22 21 Don't know to alue 22 22 Don't know to alue 23 23 Refused to ongitudinal value 24 24 Don't know to allocated longitudinal v						
60 People whom I supervise 61 Co-workers 62 61 Co-workers 62 Customers * Note: Not collected for activities with activity codes of 0101xx, 0102xx, 0104xx, 500105, or 500106. There is no distinction between 18 and 19. All codes of 40 or greater refer to people living outside of the respondent was interviewed) Respondent File TUYEAR Year of diary day (year of day about which respondent was interviewed) Respondent File Valid Entries: 2014 Min Value 2014 Max Value TXABSRSN TEABSRSN: allocation flag Respondent File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values Roster File Valid Entries: 0 Value - no change Refused - no change 01 Blank - no change 03 Refused - no change 02 Don't know - no change 10 Value to value 11 Blank k to value 22 Don't know value 12 Don't know to value 23 Refused to longitudinal value 23 Refused to longitudinal value 24 Don't know to allocated longitudinal value 24 Don't know to allocated longitudinal value<						
61 Co-workers Customes * Note: Not collected for activities with activity codes of 0101xx, 0102xx, 0104xx, 500105, or 500106. There is no distinction between 18 and 19. All codes of 40 or greater refer to people living outside of the respondent's household. TUYEAR Year of diary day (year of day about which respondent was interviewed) Respondent File Valid Entries: 2014 Min Value 2014 Max Value Respondent File Valid Entries: 0 Min Value 53 Max Value Note: * Note: See Introduction for allocation flag values Roster File TXAGE TEAGE: allocation flag Roster File Valid Entries: 0 Value - no change Note: 01 Blank - no change 0 Roster File Valid Entries: 0 Value - no change 0 02 Don't know to value 11 Blank to value 12 13 Refused - no change 0 Value to value 13 13 Refused to longitudinal value 22 23 Rofused to longitudinal value 21 Blank to longitudinal value 33 Refused to longitudinal value					÷	
 * Note: * See Introduction frag values * Note: * Note:						
* Note: Not collected for activities with activity codes of 0101xx, 0102xx, 0104xx, 500105, or 500106. There is no distinction between 18 and 19. All codes of 40 or greater refer to people living outside of the respondent's household. TUYEAR Year of diary day (year of day about which respondent was interviewed) Respondent File Valid Entries: 2014 Min Value 2014 Max Value Respondent File Yalid Entries: 2014 Max Value TXABSRSN allocation flag Respondent File Valid Entries: 0 Min Value 53 Max Value Max Value *Note: See Introduction for allocation flag values Roster File Valid Entries: 00 Value - no change Note: 01 Blank - no change 01 Blank - no change 02 Don't know - no change 01 Value to value 11 Blank to value 12 Don't know to value 12 Don't know to value 13 Refused to value 21 Blank to longitudinal value 22 Don't know to longitudinal value 22 Don't know to allocated longitudinal value 33 Refused to allocated longitudinal						
500106. There is no distinction between 18 and 19. All codes of 40 or greater refer to people living outside of the respondent's household. Respondent File TUYEAR Year of diary day (year of day about which respondent was interviewed) Respondent File Valid Entries: 2014 Min Value TXABSRSN TEABSRSN: allocation flag Respondent File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction frag values TXAGE TEAGE: allocation flag Roster File Valid Entries: 00 Value - no change Roster File 01 Blank - no change 02 Don't know - no change 03 02 Don't know - no change 11 Blank to value 11 13 Refused to nogtudinal value 22 Don't know to value 21 Don't know to longitudinal value 23 Refused to longitudinal value 22 Don't know to allocated longitudinal value 31 Blank to allocated longitudinal value 33 Refused to allocated longitudinal value 32 Don't know to allocated longitudinal value 33 Refused to allocated value		* Noto:				0104xx 500105 or
Valid Entries: 2014 Min Value TXABSRSN TEABSRSN: allocation flag Respondent File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values TXAGE TEAGE: allocation flag Roster File Valid Entries: 00 Value - no change 01 Blank - no change 03 02 Don't know - no change 03 03 Refused - no change 10 10 Value to value 11 11 Blank to value 12 12 Don't know to value 13 13 Refused to value 20 21 Blank to longitudinal value 21 22 Don't know to longitudinal value 22 13 Refused to value 30 24 Don't know to longitudinal value 31 33 Refused to longitudinal value 33 34 Refused to allocated longitudinal value 33 35 Refused to allocated value 44 40 Value to alloc		Į	500106. TI	here is no d	istinction between 18 and 19. All codes of	
2014 Max Value TXABSRSN TEABSRSN: allocation flag Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values TXAGE TEAGE: allocation for allocation flag values Valid Entries: 0 Value - no change 02 Don't know - no change 03 03 Refused - no change 03 10 Value to value 11 11 Blank to value 12 12 Don't know to value 13 13 Refused to value 20 21 Blank to longitudinal value 22 22 Don't know to allocated longitudinal value 23 23 Refused to value 23 24 Blank to longitudinal value 23 25 Don't know to allocated longitudinal value 33 Refused to longitudinal value 34 Blank to allocated longitudinal value 35 Refused to allocated longitudinal value 36 Value to allocated longitudinal value 33 Refused to allocated value <	TUYEAR	Year of dia	ary day (ye	ear of day ab	bout which respondent was interviewed)	Respondent File
TXABSRSN TEABSRSN: allocation flag Respondent File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values TXAGE TEAGE: allocation flag Roster File Valid Entries: 00 Value - no change 02 01 Blank - no change 02 Don't know - no change 02 Don't know - no change 01 Value to value 11 Blank to value 11 Blank to value 12 Don't know to value 13 Refused to value 13 Refused to value 13 Refused to longitudinal value 22 Don't know to longitudinal value 23 Refused to longitudinal value 23 Refused to longitudinal value 33 Refused to longitudinal value 32 Don't know to allocated longitudinal value 33 Refused to allocated longitudinal value 33 Refused to allocated longitudinal value 34 Refused to allocated value 40 33 Refused to allocated value 40 Value to allocated value 41 Blank to allocated value <td></td> <td>Valid Entri</td> <td>ies: 2</td> <td>2014</td> <td>Min Value</td> <td></td>		Valid Entri	ies: 2	2014	Min Value	
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values TXAGE TEAGE: allocation flag Roster File Valid Entries: 00 Value - no change 01 Blank - no change 02 03 Refused - no change 03 04 Value to value 11 11 Blank to value 12 12 Don't know to value 13 13 Refused to value 20 14 Blank to longitudinal value 22 20 Value to longitudinal value 21 21 Blank to longitudinal value 22 23 Refused to longitudinal value 24 Blank to allocated longitudinal value 30 Value to allocated longitudinal value 31 Blank to allocated longitudinal value 32 Pon't know to allocated longitudinal value 33 Refused to allocated longitudinal value 34 Blank to allocated value 40 Value to allocated value 41 Blank to allocated value </td <td></td> <td></td> <td></td> <td>2014</td> <td>Max Value</td> <td></td>				2014	Max Value	
State See Introduction flag values TXAGE TEAGE: allocation See Introduction flag values Valid Entries: 00 Value - no change 01 Blank - no change 02 02 Don't know - no change 03 03 Refused - no change 10 Value to value 11 Blank to value 12 Don't know to value 13 Refused to value 21 Blank to longitudinal value 22 Don't know to value 13 Refused to value 21 Blank to longitudinal value 22 Don't know to longitudinal value 23 Refused to longitudinal value 24 Don't know to longitudinal value 33 Refused to longitudinal value 34 Blank to allocated longitudinal value 35 Refused to allocated value 40 Value to allocated value 41 Blank to allocated value 42 Don't know to allocated value 43 Refused to allocated value 43 Refused to blank <t< td=""><td>TXABSRSN</td><td></td><td></td><td>on flag</td><td></td><td>Respondent File</td></t<>	TXABSRSN			on flag		Respondent File
* Note: See Introduction for allocation flag values TXAGE TEAGE: allocation flag Roster File Valid Entries: 00 Value - no change 02 Don't know - no change 03 Refused - no change 10 Value to value 11 Blank to value 12 Don't know to value 13 Refused to value 20 Value to longitudinal value 21 Blank to longitudinal value 22 Don't know to longitudinal value 23 Refused to longitudinal value 24 Don't know to longitudinal value 25 Don't know to longitudinal value 31 Blank to allocated longitudinal value 32 Don't know to allocated longitudinal value 33 Refused to longitudinal value 34 Blank to allocated longitudinal value 33 Refused to allocated value 41 Blank to allocated value 42 Don't know to allocated value 43 Refused to allocated value 43 Refused to allocated value 43 Refused to allocated value 43		Valid Entri				
TXAGE TEAGE: allocation flag Roster File Valid Entries: 00 Value - no change 01 Blank - no change 02 02 Don't know - no change 03 10 Value to value 11 11 Blank to value 12 12 Don't know to value 13 13 Refused to value 20 20 Value to longitudinal value 21 Blank to longitudinal value 22 Don't know to longitudinal value 23 Refused to longitudinal value 24 Don't know to longitudinal value 30 Value to allocated longitudinal value 31 Blank to allocated longitudinal value 32 Don't know to allocated longitudinal value 33 Refused to allocated longitudinal value 34 Blank to allocated longitudinal value 34 Blank to allocated value 45 Don't know to allocated value 46 Value to allocated value 47 Blank to allocated value 48 Refused to allocated value 49 Val						
Valid Entries: 00 Value - no change 01 Blank - no change 02 Don't know - no change 03 Refused - no change 10 Value to value 11 Blank to value 12 Don't know to value 13 Refused to value 14 Blank to longitudinal value 20 Value to longitudinal value 21 Blank to longitudinal value 22 Don't know to longitudinal value 23 Refused to longitudinal value 24 Don't know to longitudinal value 30 Value to allocated longitudinal value 31 Blank to allocated longitudinal value 32 Don't know to allocated longitudinal value 33 Refused to allocated longitudinal value 34 Hauset to allocated value 40 Value to allocated value 41 Blank to allocated value 42 Don't know to allocated value 43 Refused to allocated value 44 Blank to allocated value 45 Don't know to blank 53 Refu		* Noto · · ·	Soo Introd	uction for al	location flag values	
01Blank - no change02Don't know - no change03Refused - no change10Value to value11Blank to value12Don't know to value13Refused to value20Value to longitudinal value21Blank to longitudinal value22Don't know to longitudinal value23Refused to longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value33Refused to allocated longitudinal value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value43Refused to allocated value43Refused to allocated value44Blank to allocated value45Don't know to allocated value46Value to allocated value47Blank to allocated value48Refused to allocated value49Nalue to allocated value41Blank to allocated value43Refused to allocated value44Don't know to allocated value45Don't know to blank56Value to blank57Refused to blank58Refused to blank	T)(A OF					
02Don't know - no change03Refused - no change10Value to value11Blank to value12Don't know to value13Refused to value20Value to longitudinal value21Blank to longitudinal value22Don't know to longitudinal value23Refused to longitudinal value24Don't know to longitudinal value25Don't know to longitudinal value26Value to allocated longitudinal value27Don't know to allocated longitudinal value28Don't know to allocated longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	llocation fla	ag	-	Roster File
03Refused - no change10Value to value11Blank to value12Don't know to value13Refused to value13Refused to value20Value to longitudinal value21Blank to longitudinal value22Don't know to longitudinal value23Refused to longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value44Blank to allocated value45Don't know to allocated value46Value to blank50Value to blank53Refused to blank	TXAGE	TEAGE: al	llocation fla	ag DO	Value - no change	Roster File
10Value to value11Blank to value12Don't know to value13Refused to value20Value to longitudinal value21Blank to longitudinal value22Don't know to longitudinal value23Refused to longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value34Blank to allocated longitudinal value35Refused to allocated value40Value to allocated value41Blank to allocated value43Refused to allocated value43Refused to allocated value50Value to blank53Refused to blank	TXAGE	TEAGE: al	llocation fla ies: (ag 00 01	Value - no change Blank - no change	Roster File
11Blank to value12Don't know to value13Refused to value20Value to longitudinal value21Blank to longitudinal value22Don't know to longitudinal value23Refused to longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value40Value to allocated longitudinal value41Blank to allocated value42Don't know to allocated value43Refused to allocated value43Refused to allocated value43Refused to allocated value44Blank to allocated value45Don't know to allocated value46S47Don't know to allocated value48Refused to allocated value49Don't know to allocated value40Value to blank51Refused to allocated value	TXAGE	TEAGE: al	llocation fl ies: ((ag 00 01 02	Value - no change Blank - no change Don`t know - no change	Roster File
12Don't know to value13Refused to value20Value to longitudinal value21Blank to longitudinal value22Don't know to longitudinal value23Refused to longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value34Blank to allocated longitudinal value35Don't know to allocated value36Value to allocated value37Blank to allocated value38Refused to allocated value40Value to allocated value41Blank to allocated value43Refused to allocated value43Refused to allocated value50Value to blank53Refused to blank	TXAGE	TEAGE: al	llocation fla ies: (((ag 00 01 02 03	Value - no change Blank - no change Don`t know - no change Refused - no change	Roster File
13Refused to value20Value to longitudinal value21Blank to longitudinal value22Don't know to longitudinal value23Refused to longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value34Blank to allocated value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	llocation fl ies: ((((ag 00 01 02 03 10	Value - no change Blank - no change Don`t know - no change Refused - no change Value to value	Roster File
20Value to longitudinal value21Blank to longitudinal value22Don't know to longitudinal value23Refused to longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	llocation fli ies: (((ag 00 01 02 03 10 11	Value - no change Blank - no change Don`t know - no change Refused - no change Value to value Blank to value	Roster File
21Blank to longitudinal value22Don't know to longitudinal value23Refused to longitudinal value20Value to allocated longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	llocation fli ies: (((ag 00 01 02 03 10 11 12	Value - no change Blank - no change Don`t know - no change Refused - no change Value to value Blank to value Don`t know to value	Roster File
22Don't know to longitudinal value23Refused to longitudinal value20Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	Ilocation fla ies: ((((ag 00 01 02 03 10 11 12 13	Value - no change Blank - no change Don`t know - no change Refused - no change Value to value Blank to value Don`t know to value Refused to value	Roster File
23Refused to longitudinal value30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	Ilocation fla ies: ((((() () () () () () () ()	ag 00 01 02 03 10 11 12 13 20	Value - no change Blank - no change Don`t know - no change Refused - no change Value to value Blank to value Don`t know to value Refused to value Value to longitudinal value	Roster File
30Value to allocated longitudinal value31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	Ilocation fla ies: (((() () () () () () () () (ag 00 01 02 03 10 11 12 13 20 21	Value - no change Blank - no change Don`t know - no change Refused - no change Value to value Blank to value Don`t know to value Refused to value Value to longitudinal value Blank to longitudinal value	Roster File
31Blank to allocated longitudinal value32Don't know to allocated longitudinal value33Refused to allocated longitudinal value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	llocation fla ies: () () () () () () () () () () () () () (ag 00 01 02 03 10 11 12 13 20 21 22	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value	Roster File
32Don't know to allocated longitudinal value33Refused to allocated longitudinal value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	llocation fla ies: () () () () () () () () () () () () () (ag 00 01 02 03 10 11 12 13 20 21 22 23	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Refused to longitudinal value	Roster File
33Refused to allocated longitudinal value40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	llocation fla	ag 00 01 02 03 10 11 12 13 20 21 22 23 30	Value - no change Blank - no change Don`t know - no change Refused - no change Value to value Blank to value Don`t know to value Refused to value Value to longitudinal value Blank to longitudinal value Don`t know to longitudinal value Refused to longitudinal value Value to allocated longitudinal value	Roster File
40Value to allocated value41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	Ilocation fla	ag 00 01 02 03 10 11 12 13 20 21 22 23 30 31	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Refused to longitudinal value Refused to longitudinal value Value to allocated longitudinal value	
41Blank to allocated value42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	Ilocation fla	ag 00 01 02 03 10 11 12 13 20 21 22 23 30 31 32	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Refused to longitudinal value Value to allocated longitudinal value Blank to allocated longitudinal value	
42Don't know to allocated value43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	llocation fla	ag 00 01 02 03 10 11 12 13 20 21 22 23 30 31 32 33	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Refused to longitudinal value Refused to longitudinal value Value to allocated longitudinal value Blank to allocated longitudinal value Don't know to allocated longitudinal value	
43Refused to allocated value50Value to blank52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	Ilocation fla	ag 00 01 02 03 10 11 12 13 20 21 22 23 30 31 32 33 32 33 40	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Refused to longitudinal value Value to allocated longitudinal value Blank to allocated longitudinal value Don't know to allocated longitudinal value Value to allocated longitudinal value Value to allocated longitudinal value Don't know to allocated longitudinal value Value to allocated value	
50Value to blank52Don`t know to blank53Refused to blank	TXAGE	TEAGE: al	Ilocation fla	ag 200 201 202 203 10 11 12 13 20 21 22 23 30 31 32 33 40 41	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Refused to longitudinal value Value to allocated longitudinal value Blank to allocated longitudinal value Don't know to allocated longitudinal value Value to allocated value Blank to allocated value	
52Don't know to blank53Refused to blank	TXAGE	TEAGE: al	Ilocation fla	ag 200 201 202 203 10 11 12 13 20 21 22 23 30 31 32 33 40 41 42	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Refused to longitudinal value Value to allocated longitudinal value Blank to allocated longitudinal value Don't know to allocated longitudinal value Don't know to allocated longitudinal value Don't know to allocated value Don't know to allocated value Blank to allocated value Blank to allocated value Don't know to allocated value	
53 Refused to blank	TXAGE	TEAGE: al	Ilocation fla	ag 00 01 02 03 10 11 12 13 20 21 22 23 30 31 32 33 40 41 42 43	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Refused to longitudinal value Value to allocated longitudinal value Blank to allocated longitudinal value Don't know to allocated longitudinal value Don't know to allocated longitudinal value Don't know to allocated value Blank to allocated value Blank to allocated value Blank to allocated value Blank to allocated value Refused to allocated value	
	TXAGE	TEAGE: al	Ilocation fla	ag 00 01 02 03 10 11 12 13 20 21 22 23 30 31 32 33 40 41 42 43 50	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Con't know to longitudinal value Refused to longitudinal value Value to allocated longitudinal value Blank to allocated longitudinal value Don't know to allocated longitudinal value Don't know to allocated value Blank to allocated value Blank to allocated value Con't know to allocated value Blank to allocated value Don't know to allocated value Value to allocated value Value to allocated value Value to allocated value Value to allocated value	
	TXAGE	TEAGE: al	llocation fla	ag 00 01 02 03 10 11 12 13 20 21 22 23 30 31 32 33 40 41 42 43 50 52	Value - no change Blank - no change Don't know - no change Refused - no change Value to value Blank to value Don't know to value Refused to value Value to longitudinal value Blank to longitudinal value Don't know to longitudinal value Con't know to longitudinal value Blank to allocated longitudinal value Blank to allocated longitudinal value Blank to allocated longitudinal value Don't know to allocated longitudinal value Don't know to allocated value Blank to allocated value Don't know to allocated value Blank to allocated value Don't know to allocated value Value to allocated value Don't know to allocated value Value to blank Don't know to blank	

Name	Description	File
	Valid Entries: 61 Topcoded and allocated	
	* Note: There are two valid values (60 and 61) that are only valid f	
TXAGE_EC	TEAGE_EC: allocation flag	EC Roster File
	Valid Entries:0Min Value61Max Value	
	* Note: See TXAGE for allocation flag values	
TXELDUR	TEELDUR: allocation flag	EC Roster File
	Valid Entries: 0 Min Value	
	53 Max Value	
TXELWHO	* Note: See Introduction for allocation flag values	EC Roster File
TAELWHO	TEELWHO: allocation flag	EC ROSIEI FILE
	Valid Entries: 0 Min Value 53 Max Value	
	* Note: See Introduction for allocation flag values	
TXELYRS	TEELYRS: allocation flag	EC Roster File
	Valid Entries: 0 Min Value	
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXERN	TEERN: allocation flag	Respondent File
	Valid Entries: 0 Min Value	
	53 Max Value * Note: See Introduction for allocation flag values	
TXERNH10	TEERNH10: allocation flag	Respondent File
	Valid Entries: 0 Min Value	
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXERNH2	TEERNH2: allocation flag	Respondent File
	Valid Entries: 0 Min Value	
	53 Max Value	
TXERNHRO	* Note: See Introduction for allocation flag values	Deenendent File
IAERINARU	TEERNHRO: allocation flag	Respondent File
	Valid Entries:0Min Value53Max Value	
	* Note: See Introduction for allocation flag values	
TXERNHRY	TEERNHRY: allocation flag	Respondent File
	Valid Entries: 0 Min Value	
	53 Max Value	
	* Note: See Introduction for allocation flag values	
TXERNPER	TEERNPER: allocation flag	Respondent File
	Valid Entries: 0 Min Value	
	53 Max Value * Note: See Introduction for allocation flag values	
TXERNRT	TEERNRT: allocation flag	Respondent File
	Valid Entries: 0 Min Value	
	53 Max Value	

Name	Description		File
		allocation flag values	
TXERNUOT	TEERNUOT: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53 * Note: See Introduction for	Max Value	
TXERNWKP	TEERNWKP: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53	Max Value	
	* Note: See Introduction for	allocation flag values	
TXHRFTPT	TEHRFTPT: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53	Max Value	
	* Note: See Introduction for	anocation hag values	Despendent File
TXHRUSL1	TEHRUSL1: allocation flag	N41- 37- 1	Respondent File
	Valid Entries: 0 53	Min Value Max Value	
	* Note: See Introduction for		
TXHRUSL2	TEHRUSL2: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53	Max Value	
	* Note: See Introduction for	allocation flag values	
TXHRUSLT	TEHRUSLT: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53 * Note: See Introduction for	Max Value	
TXIO1COW	TEIO1COW: allocation flag		Respondent File
17401001	Valid Entries: 0	Min Value	
	53	Max Value	
	* Note: See Introduction for	allocation flag values	
TXIO1ICD	TEIO1ICD: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53	Max Value	
		allocation flag values	Dessendent File
TXIO10CD	TEIO1OCD: allocation flag		Respondent File
	Valid Entries: 0 53	Min Value Max Value	
		allocation flag values	
TXLAYAVL	TELAYAVL: allocation flag	-	Respondent File
	Valid Entries: 0	Min Value	
	53	Max Value	
		allocation flag values	
TXLAYLK	TELAYLK: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53	Max Value	

Name	Description		File
	* Note: See Introduction for alloca	tion flag values	
TXLFS	TELFS: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53 * Note: See Introduction for alloca	Max Value	
TXLKAVL	TELKAVL: allocation flag		Docpondent File
IALKAVL	· · · · ·		Respondent File
	Valid Entries: 0 53	Min Value Max Value	
	* Note: See Introduction for alloca		
TXLKM1	TELKM1: allocation flag	-	Respondent File
	Valid Entries: 0	Min Value	
	53	Max Value	
	* Note: See Introduction for alloca	ition flag values	
TXMJOT	TEMJOT: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53 * Note: See Introduction for alloca	Max Value	
		mon hay values	Deenendent File
TXRET1	TERET1: allocation flag		Respondent File
	Valid Entries: 0 53	Min Value Max Value	
	* Note: See Introduction for alloca		
TXRRP	TERRP: allocation flag		Roster File
	Valid Entries: 0	Min Value	
	53	Max Value	
	* Note: See Introduction for alloca	ition flag values	
TXSCHENR	TESCHENR: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53 * Note: See Introduction for alloca	Max Value	
TXSCHFT	TESCHFT: allocation flag		Respondent File
		Mir \(alus	Respondent The
	Valid Entries: 0 53	Min Value Max Value	
	* Note: See Introduction for alloca		
TXSCHLVL	TESCHLVL: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53	Max Value	
	* Note: See Introduction for alloca	tion flag values	
TXSEX	TESEX: allocation flag		Roster File
	Valid Entries: 0	Min Value	
	53	Max Value	
	* Note: See Introduction for alloca	ition flag values	
TXSPEMPNOT	TESPEMPNOT: allocation flag		Respondent File
	Valid Entries: 0	Min Value	
	53	Max Value	

Name	Description			File
	* Note: See	ntroduction for a	allocation flag values	
TXSPUHRS	TESPUHRS: a	location flag		Respondent File
	Valid Entries:	0	Min Value	
	* Noto: Cool	53 straduction for	Max Value	
TVTOO			allocation flag values	
TXTCC		d TRTCC: alloca	•	Respondent File
	Valid Entries:	0	TRTCC_LN and TRTCC do not co TRTCC LN and TRTCC contain a	
			s that at least one of the following var IOHH_LN, or TRTONHH_LN	
ТХТССТОТ			OT: allocation flag	Respondent File
	Valid Entries:	0 1	TRTCCTOT_LN and TRTCCTOT TRTCCTOT_LN and TRTCCTOT	
			s that at least one of the following var DHH_LN, TRTNOHH_LN, or TRTONH	iables is allocated:
TXTCOC	TRTCOC_LN a	ind TRTCOC: a	llocation flag	Respondent File
	Valid Entries:	0 1	TRTCOC_LN and TRTCOC do no TRTCOC_LN and TRTCOC conta	
	wher with a	no other non-h activity codes of	based on time spent with non-own no ousehold adult was present. Calculat 0101xx, 0301xx, 0302xx, 0303xx, 04 0401, 180402, or 180403.	tions do not include activities
ТХТНН	TRTHH_LN an	d TRTHH: alloca	ation flag	Respondent File
	Valid Entries:	0 1	TRTHH_LN and TRTHH do not co TRTHH_LN and TRTHH contain a	
		ue of 1 indicates	s that at least one of the following var	
TXTNOHH	TRTNOHH_LN	and TRTNOHH	I: allocation flag	Respondent File
	Valid Entries:	0 1	TRTNOHH_LN and TRTNOHH do TRTNOHH_LN and TRTNOHH co	
	Calcu 0303	ulations do not in xx, 180301, 180 activities in whic	based on time spent with non-own ho nclude activities with activity codes of 0302, or 180303. They also do not inc h no household child was awake (det	f 0101xx, 0301xx, 0302xx, clude any activities or parts of
ТХТО	TRTO_LN and TRTO: allocation flag		on flag	Respondent File
	Valid Entries:	0 1	TRTO_LN and TRTO do not conta TRTO_LN and TRTO contain alloc	
		ue of 1 indicates	s that at least one of the following var	
ТХТОНН	TRTOHH_LN a	ind TRTOHH: a	llocation flag	Respondent File
	Valid Entries:	0 1	TRTOHH_LN and TRTOHH do no TRTOHH_LN and TRTOHH conta	
	do no 1803	ot include activiti 02, or 180303.	based on time spent with own house ies with activity codes of 0101xx, 030 They also do not include any activities child was awake (determined by TUC	1xx, 0302xx, 0303xx, 180301, s or parts of any activities in
TXTONHH	TRTONHH_LN	and TRTONHH	I: allocation flag	Respondent File

Name	Description		File		
	Valid Entries:	0 1	TRTONHH_LN and TRTONHH do not contain allocated data TRTONHH_LN and TRTONHH contain allocated data		
	Calcula	ations do no	values are based on time spent with own non-household children < 13. ns do not include activities with activity codes of 0101xx, 0301xx, 0302xx, 401xx, 0402xx, 0403xx, 180301, 180302, 180303, 180401, 180402, or 180403.		
TXWHERE	TEWHERE: alloc	ation flag	Activity File		
	Valid Entries:	0 53	Min Value Max Value		
	* Note: See Int	roduction for	or allocation flag values		

APPENDIX A

Detailed Industry Code using the 2012 Census Industry Classification System (Starting January 2014) (TRDTIND1)

TRDTIND1	Description	TEIO1ICD
1	Agriculture	0170-0180, 0290
2	Forestry, logging, fishing, hunting, and trapping	0190-0280
3	Mining	0370-0490
4	Construction	770
5	Nonmetallic mineral product manufacturing	2470-2590
6	Primary metals and fabricated metal products	2670-2990
7	Machinery manufacturing	3070-3290
8	Computer and electronic product manufacturing	3365-3390
9	Electrical equipment, appliance manufacturing	3470, 3490
10	Transportation equipment manufacturing	3570-3690
11	Wood products	3770-3875
12	Furniture and fixtures manufacturing	3895
13	Miscellaneous and not specified manufacturing	3960-3990
14	Food manufacturing	1070-1290
15	Beverage and tobacco products	1370, 1390
16	Textile, apparel, and leather manufacturing	1470-1790
17	Paper and printing	1870-1990
18	Petroleum and coal products	2070, 2090
19	Chemical manufacturing	2170-2290
20	Plastics and rubber products	2370-2390
21	Wholesale trade	4070-4590
22	Retail trade	4670-5790
23	Transportation and warehousing	6070-6390
24	Utilities	0570-0690
25	Publishing industries (except internet)	6470-6490
26	Motion picture and sound recording industries	6570, 6590
27	Broadcasting (except internet)	6670
28	Internet publishing and broadcasting	6672
29	Telecommunications	6680, 6690
30	Internet service providers and data processing services	6695
31	Other information services	6770, 6780
32	Finance	6870-6970
33	Insurance	6990
34	Real estate	7070
35	Rental and leasing services	7080-7190
36	Professional and technical services	7270-7490
37	Management of companies and enterprises	7570
38	Administrative and support services	7580-7780
39	Waste management and remediation services	7790
40	Educational services	7860-7890

41	Hospitals	8190
42	Health care services, except hospitals	7970-8180, 8270, 8290
43	Social assistance	8370-8470
44	Arts, entertainment, and recreation	8560-8590
45	Accommodation	8660, 8670
46	Food services and drinking places	8680, 8690
47	Repair and maintenance	8770-8890
48	Personal and laundry services	8970-9090
49	Membership associations and organizations	9160-9190
50	Private households	9290
51	Public administration	9370-9590

TRDTOCC1	Description	Census Occupation Code TEIO1OCD
1	Management Occupations	0010–0430
2	Business and financial operations occupations	0500–0950
3	Computer and mathematical science occupations	1000–1240
4	Architecture and engineering occupations	1300–1560
5	Life, Physical, and social science occupations	1600–1965
6	Community and social service occupations	2000–2060
7	Legal occupations	2100–2160
8	Education, training, and library occupations	2200–2550
9	Arts, design, entertainment, sports, and media occupations	2600–2960
10	Healthcare practitioner and technical occupations	3000–3540
11	Healthcare support occupations	3600–3655
12	Protective service occupations	3700–3955
13	Food preparation and serving related occupations	4000–4160
14	Building and grounds cleaning and maintenance occupations	4200–4250
15	Personal care and service occupations	4300–4650
16	Sales and related occupations	4700–4965
17	Office and administrative support occupations	5000–5940
18	Farming, fishing, and forestry occupations	6000–6130
19	Construction and extraction occupations	6200–6940
20	Installation, maintenance, and repair occupations	7000–7630
21	Production occupations	7700–8965
22	Transportation and material moving occupations	9000–9750

Industry Codes (TEIO1ICD)

2007 Census Industry Codes available at <u>http://www.bls.gov/tus/census07icodes.pdf</u> 2012 Census Industry Codes available at <u>http://www.bls.gov/tus/census12icodes.pdf</u>

Occupation Codes (TEIO10CD)

2010 Census Occupation Classification Codes available at http://www.bls.gov/tus/census10ocodes.pdf