# American Time Use Survey (ATUS) Data Dictionary: 2009 Trips Data ATUS Variables about Trips June 2010

No statistical weights have been generated for Trips data

# Important Information about the ATUS Trips Data Dictionary

### Introduction

The American Time Use Survey (ATUS) is sponsored by the Bureau of Labor Statistics and conducted by the U.S. Census Bureau. The purpose of this document is to provide information about the variables available from one of the 2009 ATUS data files, the Trips file. This file contains supplemental information gathered through the 2009 ATUS interviews about how many times in a given month respondents were away from home for at least two nights.

This data dictionary lists all the variables available on the Trips file and their valid values. It also provides directions on how to read the data dictionary.

Three additional data dictionaries describe other 2009 ATUS data files:

- 2009 ATUS-CPS Data Dictionary: Describes the variables available on the ATUS-CPS file as well as some variables available on the Activity Summary file. The ATUS-CPS file contains data from the Current Population Survey (CPS) for persons selected to be surveyed for the ATUS and for members of their households. (The information on the ATUS-CPS file was collected two to five months before the ATUS interview and in some cases was out of date at the time the ATUS was conducted.)
- 2009 ATUS Interview Data Dictionary: Describes the variables available on five data files: the Roster file, the
  Activity file, the Who file, and the Respondent file, and the Activity Summary file. The information on these files
  was collected in the ATUS interview.
- 2009 ATUS Survey Methodology Data Dictionary: Describes the variables available on the Case History file and the Call History file.

These additional data dictionaries are available on the ATUS Web site at www.bls.gov/tus/dictionaries.htm.

### **Important Note**

The core of the ATUS is the time diary, which contains information on the survey respondent's activities on the day prior to the interview. Because the ATUS only asks respondents about "yesterday," the survey may underestimate activities that occur on overnight trips away from home. Therefore, after the time diary is completed, respondents are asked a series of questions about trips away from home that lasted at least 2 consecutive nights during a specific reference month. This information was collected and released in this file to provide researchers with some information about the number, duration, and purpose of overnight trips. The additional information about the purpose of trips may be used to adjust time-use estimates to correct for any bias that is introduced by the yesterday report method.

Please note that the 2009 Trips file does not contain weights. Therefore, these data should be used with caution:

- 1) Results from using unweighted data will not be representative of the population
- 2) Neither the ATUS final weights nor the ATUS base weights, which are designed to be used with data in other ATUS files, are appropriate for use with the Trips file

Unweighted ATUS data are not representative of the population due to differences between population groups in both sampling and nonresponse. To create weighted, representative estimates, the ATUS Respondent and Replicate Weights files contain two types of weights. The ATUS base weights (TUBWGT) account for differences in sampling intervals for respondents but not differences in nonresponse. The ATUS final weights (TUFINLWGT) account for differences in sampling and nonresponse between demographic groups. (See Chapter 3 of the Users' Guide for more information on sampling: <a href="https://www.bls.gov/tus/atususersguide.pdf">www.bls.gov/tus/atususersguide.pdf</a>.)

Neither of these weights is appropriate for use with the trips data. Specifically, the ATUS final weights (TUFINLWGT) have been designed for time-diary data where the reference period is the previous day. The reference period for trips data is either the month before the initial contact attempt or two months prior to the interview month, whichever is most recent. Because weekdays are undersampled as diary reference days and are accordingly assigned larger weights, use of TUFINLWGT to weight the trips data would give observations with weekday reference days disproportionate representation. There is also no simple correspondence between diary day and reference month for the trips data; respondents for the same diary date may have different reference months.

## 2009 ATUS Trips File

This file contains all variables collected in ATUS in 2009 about the trips people took in which they were away from home for at least two consecutive nights. These include a trip identification number, the month and year about which the information was asked, the number of nights the respondent was away on a given trip, and the purpose of the trip.

Below is a simplified example. Each ATUS respondent has a different TUCASEID, so the example contains responses from three individuals. Respondents list the number of trips they took (TUTRV1) in a given month (TUTRMNYR), and each trip has its own trip identification number (TUTRIP\_LN). The first respondent (20090101020210) reported taking one trip and has associated descriptive variables: trip purpose (TUTRV2), and total nights away from home (TUTRV5). The second respondent (20090101020211) reported taking no trips, so the descriptive variables about trips are missing (-1). The third respondent (20090201020212) reported taking three trips. Notice that the responses to TUTRV1 and TUTRMNYR are the same for all three trips for 20090201020212. The actual ATUS Trips file contains additional variables and many more lines.

TUCASEID	TUTRV1	TUTRIP_LN	TUTRV2	TUTRV5	TUTRMNYR
20090101020210	1	1	1	2	200812
20090101020211	0	-1	-1	-1	200812
20090201020212	3	1	5	2	200901
20090201020212	3	2	5	3	200901
20090201020212	3	3	4	4	200901

### Valid Values

Each variable on the Trips file has a number of valid values or a range of valid values. For example, the variable TUTRV31 has two valid values: 0 for "no" and 1 for "yes." The variable TUTRV5, on the other hand, has a range of valid values – any entry between 2 and 31 is considered valid. Individual valid values or a range of valid values are listed under most variables in the data dictionary.

Many ATUS variables have the following possible valid values:

Value	Description		
-1	Blank		
-2	Don't know		
-3	Refused		

Since so many variables have these possible values, they are not shown as valid entries for each variable.

Valid values are not shown for TUCASEID, the primary identifier for ATUS cases.

### **ATUS Naming Conventions and Definitions**


ATUS variables are named according to specified rules. All variables on the Trips file begin with "TU," which indicates that the variables were either (1) collected or assigned during the ATUS interview, or (2) computed by the processing system. All trips variables are unedited, and there are no allocation procedures for missing data. The remaining characters after the "TU" consist of a descriptive name.

Not all ATUS variables are on the file. Some variables are omitted to protect the confidentiality of ATUS respondents as required by law.

# **Organization of the Trips Data Dictionary**

Variables are listed in the data dictionary in alphabetical order.

Below is a sample entry from the ATUS trips data dictionary:



### **Linking ATUS Files**

Each of the ATUS files contains useful information, but in order to produce most estimates, the files must be linked. All of the files contain the variable TUCASEID, which is the ATUS identification number. Two other variables that can be used for linking in conjunction with TUCASEID are TULINENO (person line number) and TUACTIVITY\_N (activity line number). More information on linking ATUS data files is available on the ATUS Web site at <a href="https://www.bls.gov/tus/howto.htm#linking">www.bls.gov/tus/howto.htm#linking</a>.

The ATUS files can also be linked to CPS files. More information is available in Appendices K- M of the ATUS User's Guide (<a href="www.bls.gov/tus/atususersguide.pdf">www.bls.gov/tus/atususersguide.pdf</a>).

# 2009 ATUS Data Dictionary: Public Trips Data

Name	Description				File
TUCASEID	ATUS Case ID (14-	digit identifie	r)		All Files
TUTRIP_LN	Trip line number				Trips File
	Valid Entries:	1 15		Min Value Max Value	
TUTRMNYR	Month about which	trips question	ns were asked		Trips File
	Valid Entries:	200811 200911		Min Value	
	* Note: TUTRMN		YMM format	Max Value	
TUTRV1				TUTRMNYR? Only report nore nights in a row.	Trips File
	Valid Entries:	0		Min Value	
TUTRV2	Main purpose of trip	15		Max Value	Trips File
	Valid Entries:	1	Vacation or vis	siting friends/relatives	
		2	Business or w	ork	
		3	•	se (see TUTRV31 - TUTRV	•
TUTRV31	Other main purpose	•		ses (see TUTRV41 - TUTF	Trips File
	Valid Entries:	0	No		·
		1	Yes		
		ed if TUTRV2			
TUTRV32	Other main purpose	e: weddings d	or funerals		Trips File
	Valid Entries:	0	No		
	* Note: Only aske	ा ed if TUTRV2	Yes ? = 3		
TUTRV33	Other main purpose	e: medical rea	asons		Trips File
	Valid Entries:	0	No		
	***	1	Yes		
TUTD) (0.4	<u> </u>	ed if TUTRV2	? = 3		T: 5"
TUTRV34	Other main purpose				Trips File
	Valid Entries:	0	No Yes		
	* Note: Only aske	· ed if TUTRV2			
TUTRV41	Multiple reasons for reason for trip	r trip: vacatio	n or visiting frier	nds/relatives was one	Trips File
	Valid Entries:	0	No		
	* Note: Only aske	1 ed if TUTRV2	Yes ' = 4		
TUTRV42	Multiple reasons for			one reason for trip	Trips File
	Valid Entries:	0	No	<b>,</b>	
		1	Yes		
		ed if TUTRV2			
TUTRV43	Multiple reasons for	r trip: school i	related activities	s was one reason for trip	Trips File

Name	Description				File
	Valid Entries:	0	No		
		1	Yes		
	* Note: Only ask	ed if TUTRV2	2 = 4		
TUTRV44	Multiple reasons for	or trip: weddin	gs or funerals w	vas one reason for trip	Trips File
	Valid Entries:	0	No		
	****	1	Yes		
	* Note: Only ask	ed if TUTRV2	2 = 4		
TUTRV45	Multiple Reasons f	or trip: medica	al reasons was	one reason for trip	Trips File
	Valid Entries:	0	No		
		1	Yes		
	* Note: Only ask	ed if TUTRV2	2 = 4		
TUTRV46	Multiple reasons for	or trip: other re	ason was one	reason for trip	Trips File
	Valid Entries:	0	No		
		1	Yes		
	* Note: Only ask	ed if TUTRV2	2 = 4		
TUTRV5	Number of nights a	way for trip			Trips File
	Valid Entries:	2		Min Value	
		31		Max Value	