

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Total		1,259,320	81,530	36,680	21,130	447,140	282,240	82,220
Contact with objects and equipment	0	335,160	50,000	26,500	4,090	24,040	9,670	6,800
Contact with objects and equipment, unspecified	00	6,880	400	240	—	450	150	120
Struck against object	01	83,330	9,260	1,680	1,310	6,670	2,540	1,860
Struck against object, unspecified ..	010	4,980	370	80	60	180	60	70
Stepped on object	011	11,840	40	—	70	440	280	90
Struck against stationary object	012	49,180	7,520	1,240	980	4,540	1,460	1,450
Struck against moving object	013	8,290	660	150	60	920	460	120
Struck against object, n.e.c.	019	9,040	680	200	150	590	280	120
Struck by object	02	170,080	26,690	11,440	2,540	13,980	5,350	4,290
Struck by object, unspecified	020	6,650	1,440	750	150	1,060	240	410
Struck by falling object	021	61,400	7,620	1,170	1,620	6,890	3,260	2,270
Struck by flying object	022	18,550	8,970	6,960	90	1,170	320	240
Struck by flying object, unspecified	0220	1,650	900	640	—	130	20	70
Struck by dislodged flying object, particle	0221	9,360	6,030	5,160	—	610	210	80
Struck by discharged object or substance	0222	4,740	590	310	—	160	—	50
Struck by flying object, n.e.c.	0229	2,800	1,440	840	—	280	60	50
Struck by swinging or slipping object	023	56,910	5,130	1,180	210	2,080	490	780
Struck by swinging or slipping object, unspecified	0230	1,590	190	90	—	60	—	40
Struck by or slammed in swinging door or gate	0231	9,120	1,240	—	110	720	270	200
Struck by slipping handheld object	0232	41,960	2,720	700	70	1,040	170	440
Struck by swinging or slipping object, n.e.c.	0239	4,240	980	360	—	270	40	100
Struck by rolling, sliding objects on floor or ground level	024	5,500	120	—	—	450	240	—
Struck by object, n.e.c.	029	21,080	3,410	1,380	470	2,330	800	570
Caught in or compressed by equipment or objects	03	55,160	430	—	60	1,330	510	210
Caught in or compressed by equipment or objects, unspecified	030	3,550	—	—	—	70	20	—
Caught in running equipment or machinery	031	21,700	220	—	—	170	20	40
Compressed or pinched by rolling, sliding, or shifting objects	032	10,580	90	—	—	370	90	80
Caught in or compressed by equipment or objects, n.e.c.	039	19,330	120	—	—	710	390	80

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Total	290,460	107,860	50,190	58,510	269,490	99,720	57,940	14,300	126,530	8,750
Contact with objects and equipment	158,090	95,060	32,570	8,010	84,610	18,800	36,720	150	13,410	760
Contact with objects and equipment, unspecified	4,930	2,910	1,140	120	950	360	240	—	70	60
Struck against object	34,430	17,610	7,610	2,090	29,270	9,900	7,620	70	2,080	230
Struck against object, unspecified ..	3,060	1,900	520	90	1,090	340	100	—	90	140
Stepped on object	120	—	—	—	10,850	2,230	3,930	—	260	60
Struck against stationary object	21,530	9,590	5,370	1,660	13,210	6,070	2,390	70	1,310	—
Struck against moving object	4,940	3,300	750	100	1,540	270	700	—	170	—
Struck against object, n.e.c.	4,780	2,810	970	230	2,590	990	500	—	250	—
Struck by object	72,030	40,400	16,150	4,860	45,290	6,350	25,260	60	9,020	450
Struck by object, unspecified	2,250	1,160	450	170	1,500	390	540	—	230	—
Struck by falling object	14,610	6,530	3,280	1,700	24,580	2,860	15,300	50	5,790	240
Struck by flying object	5,610	2,710	1,410	400	2,290	640	680	—	380	—
Struck by flying object, unspecified	390	150	190	—	150	—	40	—	70	—
Struck by dislodged flying object, particle	1,990	620	480	190	460	120	100	—	210	—
Struck by discharged object or substance	2,690	1,630	660	160	1,220	210	530	—	40	—
Struck by flying object, n.e.c.	530	310	80	40	450	300	—	—	60	—
Struck by swinging or slipping object	41,390	25,660	9,280	1,950	6,930	1,110	3,510	—	1,060	100
Struck by swinging or slipping object, unspecified	1,160	200	530	—	160	—	60	—	—	—
Struck by or slammed in swinging door or gate	5,940	4,030	810	300	600	140	200	—	490	—
Struck by slipping handheld object	32,270	20,440	7,640	1,250	5,510	820	2,990	—	270	90
Struck by swinging or slipping object, n.e.c.	2,020	990	300	400	650	120	260	—	300	—
Struck by rolling, sliding objects on floor or ground level	420	190	190	—	4,360	370	2,970	—	130	—
Struck by object, n.e.c.	7,750	4,140	1,550	610	5,630	980	2,260	—	1,430	60
Caught in or compressed by equipment or objects	44,270	32,680	7,080	840	7,360	900	3,340	—	1,680	—
Caught in or compressed by equipment or objects, unspecified	2,780	2,060	410	—	620	140	280	—	70	—
Caught in running equipment or machinery	20,200	14,830	3,160	200	740	80	370	—	330	—
Compressed or pinched by rolling, sliding, or shifting objects	6,680	5,030	1,070	210	2,820	210	1,550	—	600	—
Caught in or compressed by equipment or objects, n.e.c.	14,620	10,750	2,430	410	3,170	480	1,140	—	670	—

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Caught in or crushed in collapsing materials	04	350	—	—	—	50	—	—
Caught in or crushed in collapsing materials, unspecified	040	80	—	—	—	—	—	—
Excavation or trenching cave-in	041	100	—	—	—	—	—	—
Caught in or crushed in collapsing structure	044	110	—	—	—	—	—	—
Caught in or crushed in collapsing materials, n.e.c.	049	50	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	05	14,940	13,110	13,090	—	40	—	—
Rubbed or abraded by friction or pressure, unspecified	050	90	—	—	—	—	—	—
Rubbed or abraded by kneeling on surface	051	1,090	—	—	—	—	—	—
Rubbed or abraded by objects being handled	052	260	20	20	—	—	—	—
Rubbed or abraded by foreign matter in eye	053	13,060	13,060	13,060	—	—	—	—
Rubbed or abraded by friction or pressure, n.e.c.	059	440	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	06	1,770	—	—	130	1,190	870	220
Rubbed, abraded, or jarred by vibration, unspecified	060	40	—	—	—	20	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	1,130	—	—	130	800	610	120
Rubbed, abraded, or jarred by other machine or equipment vibration	062	450	—	—	—	280	190	70
Rubbed, abraded, or jarred by vibration, n.e.c.	069	160	—	—	—	90	70	—
Contact with objects and equipment, n.e.c.	09	2,640	90	20	—	320	210	70
Falls	1	255,600	11,320	230	1,840	69,850	35,830	15,260
Fall, unspecified	10	2,280	170	—	—	630	320	150
Fall to lower level	11	79,800	2,530	—	400	21,320	11,870	3,930
Fall to lower level, unspecified	110	760	—	—	—	420	170	220
Fall down stairs or steps	111	18,920	370	—	40	4,610	2,880	820
Fall from floor, dock, or ground level	112	4,490	180	—	—	950	520	140
Fall from floor, dock, or ground level, unspecified	1120	920	—	—	—	240	130	60
Fall through existing floor opening	1121	990	—	—	—	130	50	—
Fall through floor surface	1122	540	—	—	—	170	60	—

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Caught in or crushed in collapsing materials	60	50	—	—	120	—	40	—	110	—
Caught in or crushed in collapsing materials, unspecified	40	40	—	—	—	—	—	—	—	—
Excavation or trenching cave-in	—	—	—	—	50	—	—	—	—	—
Caught in or crushed in collapsing structure	—	—	—	—	50	—	—	—	60	—
Caught in or crushed in collapsing materials, n.e.c.	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	470	140	200	—	1,300	1,130	130	—	—	—
Rubbed or abraded by friction or pressure, unspecified	—	—	—	—	40	—	—	—	—	—
Rubbed or abraded by kneeling on surface	—	—	—	—	1,090	1,080	—	—	—	—
Rubbed or abraded by objects being handled	220	110	—	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure, n.e.c.	220	20	170	—	180	—	120	—	—	—
Rubbed, abraded, or jarred by vibration	130	—	—	50	80	50	—	—	220	—
Rubbed, abraded, or jarred by vibration, unspecified	—	—	—	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	—	50	—	—	—	120	—
Rubbed, abraded, or jarred by other machine or equipment vibration	60	—	—	40	—	—	—	—	90	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	1,770	1,270	360	—	230	70	60	—	200	—
Falls	35,100	2,990	4,260	12,650	83,580	35,500	8,690	160	52,160	1,580
Fall, unspecified	230	—	—	40	760	300	—	—	440	50
Fall to lower level	10,140	850	990	4,090	27,710	7,860	4,020	50	16,930	710
Fall to lower level, unspecified	60	—	—	—	140	40	—	—	120	—
Fall down stairs or steps	1,960	150	360	750	7,470	1,990	950	—	4,320	150
Fall from floor, dock, or ground level	730	—	—	180	1,800	630	200	—	790	—
Fall from floor, dock, or ground level, unspecified	80	—	—	—	530	220	80	—	—	—
Fall through existing floor opening	260	20	—	—	190	80	—	—	400	—
Fall through floor surface	60	—	—	—	230	70	—	—	80	—

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Fall from loading dock	1123	760	—	—	—	110	70	—
Fall from ground level to lower level	1124	850	70	—	—	240	160	—
Fall from floor, dock, or ground level, n.e.c.	1129	420	80	—	—	60	50	—
Fall from ladder	113	22,140	840	—	100	5,800	3,350	1,090
Fall from piled or stacked material	114	850	—	—	—	300	250	—
Fall from roof	115	2,340	40	—	—	460	320	100
Fall from roof, unspecified	1150	630	—	—	—	80	—	40
Fall through existing roof opening	1151	250	—	—	—	20	—	—
Fall through roof surface	1152	340	—	—	—	60	—	—
Fall through skylight	1153	40	—	—	—	—	—	—
Fall from roof edge	1154	860	—	—	—	220	190	20
Fall from roof, n.e.c.	1159	220	—	—	—	70	60	20
Fall from scaffold, staging	116	3,260	100	—	—	1,130	620	200
Fall from building girders or other structural steel	117	340	40	—	—	120	20	—
Fall from nonmoving vehicle	118	14,810	460	—	180	3,870	2,130	930
Fall to lower level, n.e.c.	119	11,890	490	—	50	3,670	1,600	380
Jump to lower level	12	5,360	20	—	—	930	670	140
Jump to lower level, unspecified	120	150	—	—	—	60	20	—
Jump from scaffold, platform, loading dock	121	440	—	—	—	70	40	—
Jump from structure, structural element, n.e.c.	122	610	—	—	—	200	170	—
Jump from nonmoving vehicle	123	2,570	—	—	—	420	310	90
Jump to lower level, n.e.c.	129	1,580	—	—	—	180	130	—
Fall on same level	13	167,010	8,610	220	1,400	46,580	22,890	11,010
Fall on same level, unspecified	130	2,750	80	—	—	750	250	130
Fall to floor, walkway, or other surface	131	140,980	6,140	180	1,100	37,640	19,270	9,180
Fall onto or against objects	132	21,290	2,350	40	300	7,340	2,890	1,430
Fall on same level, n.e.c.	139	1,990	40	—	—	840	480	270
Fall, n.e.c.	19	1,150	—	—	—	390	80	—
Bodily reaction and exertion	2	511,750	340	130	9,340	324,340	222,100	55,560
Bodily reaction and exertion, unspecified	20	5,340	—	—	100	3,330	2,230	570
Bodily reaction	21	135,720	60	—	2,490	57,950	45,010	7,350
Bodily reaction, unspecified	210	6,500	—	—	210	3,460	2,550	600
Bending, climbing, crawling, reaching, twisting	211	54,130	—	—	1,500	32,870	26,820	3,280
Sudden reaction when surprised, frightened, startled	212	1,580	—	—	70	1,110	830	170
Running without other incident	213	1,200	—	—	—	120	100	—
Sitting	214	520	—	—	—	290	250	—

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Fall from loading dock	230	—	—	100	290	50	—	—	110	—
Fall from ground level to lower level	40	—	—	—	420	150	—	—	90	—
Fall from floor, dock, or ground level, n.e.c.	50	—	—	—	140	50	60	—	80	—
Fall from ladder	3,340	400	240	1,420	7,320	2,100	1,050	—	4,570	180
Fall from piled or stacked material	90	—	—	—	140	20	—	—	300	—
Fall from roof	380	—	—	90	950	140	120	—	470	—
Fall from roof, unspecified	250	—	—	20	110	—	60	—	140	—
Fall through existing roof opening	—	—	—	—	220	40	—	—	—	—
Fall through roof surface	—	—	—	—	200	70	—	—	40	—
Fall through skylight	—	—	—	—	—	—	—	—	—	—
Fall from roof edge	90	—	—	60	360	—	50	—	180	—
Fall from roof, n.e.c.	—	—	—	—	40	—	—	—	80	—
Fall from scaffold, staging	400	70	—	120	650	90	70	—	760	200
Fall from building girders or other structural steel	—	—	—	20	—	—	—	—	120	—
Fall from nonmoving vehicle	1,850	100	260	810	5,760	2,010	1,230	—	2,670	—
Fall to lower level, n.e.c.	1,310	80	80	670	3,440	850	350	—	2,810	120
Jump to lower level	160	20	—	70	4,060	1,300	670	—	140	20
Jump to lower level, unspecified	—	—	—	—	100	40	—	—	—	—
Jump from scaffold, platform, loading dock	50	—	—	—	300	130	50	—	—	—
Jump from structure, structural element, n.e.c.	—	—	—	—	390	100	60	—	20	—
Jump from nonmoving vehicle	70	—	—	—	2,000	710	290	—	70	—
Jump to lower level, n.e.c.	40	—	—	—	1,280	330	270	—	—	—
Fall on same level	24,550	2,110	3,260	8,430	50,450	25,950	3,840	100	34,540	790
Fall on same level, unspecified	610	—	80	130	810	300	—	—	500	—
Fall to floor, walkway, or other surface	20,330	1,510	2,250	7,740	44,810	23,290	3,370	90	30,120	750
Fall onto or against objects	3,410	590	930	500	4,240	2,260	410	—	3,600	40
Fall on same level, n.e.c.	200	—	—	60	580	90	—	—	320	—
Fall, n.e.c.	—	—	—	20	600	80	120	—	120	—
Bodily reaction and exertion	69,100	5,010	3,980	35,890	79,260	40,890	5,520	2,050	25,730	1,590
Bodily reaction and exertion, unspecified	950	80	—	430	520	320	70	—	360	70
Bodily reaction	5,140	600	640	1,580	63,260	30,440	4,550	100	6,350	360
Bodily reaction, unspecified	540	90	60	200	1,670	1,010	130	—	530	50
Bending, climbing, crawling, reaching, twisting	1,800	130	210	670	15,990	10,540	650	—	1,860	90
Sudden reaction when surprised, frightened, startled	60	—	—	—	220	90	—	—	100	—
Running without other incident	—	—	—	—	1,050	440	50	—	20	—
Sitting	—	—	—	—	120	50	20	—	100	—

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Slip, trip, loss of balance without fall	215	37,500	—	—	390	10,490	7,680	1,350
Standing	216	1,120	—	—	40	380	370	—
Walking without other incident	217	5,890	—	—	—	1,070	870	80
Bodily reaction, n.e.c.	219	27,280	—	—	270	8,150	5,540	1,850
Overexertion	22	316,670	180	110	6,220	250,630	169,580	42,650
Overexertion, unspecified	220	24,490	—	—	540	18,890	12,540	4,050
Overexertion in lifting	221	173,400	110	70	3,380	144,160	101,080	20,460
Overexertion in pulling or pushing objects	222	53,570	—	—	1,040	39,090	22,440	9,120
Overexertion in holding, carrying, turning, or welding objects	223	47,230	—	—	1,010	35,840	24,990	6,390
Overexertion in throwing objects	224	2,090	—	—	60	1,560	890	520
Overexertion, n.e.c.	229	15,880	—	—	190	11,080	7,650	2,110
Repetitive motion	23	48,710	40	—	510	10,180	4,560	4,650
Repetitive motion, unspecified	230	12,230	—	—	230	2,210	830	1,200
Typing or key entry	231	7,840	—	—	60	170	50	120
Repetitive use of tools	232	6,590	—	—	—	1,220	400	700
Repetitive placing, grasping, or moving objects, except tools	233	15,910	—	—	110	4,680	2,260	1,930
Repetitive motion, n.e.c.	239	6,140	40	—	100	1,910	1,020	700
Bodily conditions, n.e.c.	25	2,890	50	—	—	1,070	80	—
Bodily reaction and exertion, n.e.c.	29	2,410	—	—	20	1,180	630	320
Exposure to harmful substances or environments	3	52,830	11,260	8,870	270	3,340	260	180
Exposure to harmful substances or environments, unspecified	30	260	50	40	—	—	—	—
Contact with electric current	31	2,650	70	—	—	—	—	—
Contact with electric current, unspecified	310	160	—	—	—	—	—	—
Contact with electric current of machine, tool, appliance, or light fixture	311	1,110	—	—	—	—	—	—
Contact with wiring, transformers, or other electrical components	312	900	40	—	—	—	—	—
Contact with overhead power lines	313	40	—	—	—	—	—	—
Struck by lightning	315	100	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	320	—	—	—	—	—	—
Contact with temperature extremes	32	18,960	1,370	590	—	560	70	—
Exposure to environmental heat	321	1,590	—	—	—	—	—	—
Exposure to environmental cold	322	180	—	—	—	—	—	—
Contact with hot objects or substances	323	17,130	1,370	590	—	560	70	—
Contact with cold objects or substances	324	50	—	—	—	—	—	—

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Slip, trip, loss of balance without fall	1,100	20	340	410	22,870	9,160	1,530	—	2,480	140
Standing	—	—	—	—	610	270	150	—	90	—
Walking without other incident	20	—	—	—	4,650	1,840	540	—	120	—
Bodily reaction, n.e.c.	1,620	360	—	290	16,070	7,050	1,460	50	1,050	60
Overexertion	28,800	2,170	1,680	9,800	13,690	9,070	530	110	16,120	920
Overexertion, unspecified	2,600	200	160	870	1,280	950	—	—	1,050	100
Overexertion in lifting	12,770	600	490	4,590	4,610	3,010	160	50	7,860	450
Overexertion in pulling or pushing objects	6,170	660	340	2,090	3,900	2,550	240	50	3,180	130
Overexertion in holding, carrying, turning, or wielding objects	5,000	510	530	1,530	2,530	1,660	60	—	2,670	170
Overexertion in throwing objects	250	—	—	50	180	80	—	—	—	—
Overexertion, n.e.c.	2,010	210	140	680	1,200	810	50	—	1,310	70
Repetitive motion	33,800	2,140	1,600	24,000	1,560	900	340	—	2,430	150
Repetitive motion, unspecified	8,130	500	210	5,950	920	560	260	—	600	130
Typing or key entry	7,140	220	330	5,720	—	—	—	—	470	—
Repetitive use of tools	4,980	340	340	3,340	—	—	—	—	340	—
Repetitive placing, grasping, or moving objects, except tools	10,200	700	520	7,010	220	100	—	20	670	—
Repetitive motion, n.e.c.	3,350	380	200	1,980	390	220	50	—	350	—
Bodily conditions, n.e.c.	—	—	—	—	50	—	—	1,620	—	80
Bodily reaction and exertion, n.e.c. ...	400	—	—	80	170	140	—	170	460	—
Exposure to harmful substances or environments	14,750	1,360	6,250	410	5,480	230	2,210	10,800	6,020	920
Exposure to harmful substances or environments, unspecified	—	—	—	—	—	—	—	150	—	—
Contact with electric current	630	90	360	—	—	—	—	1,620	300	—
Contact with electric current, unspecified	—	—	—	—	—	—	—	110	20	—
Contact with electric current of machine, tool, appliance, or light fixture	220	—	150	—	—	—	—	780	100	—
Contact with wiring, transformers, or other electrical components	260	60	140	—	—	—	—	430	150	—
Contact with overhead power lines	—	—	—	—	—	—	—	—	—	—
Struck by lightning	—	—	—	—	—	—	—	90	—	—
Contact with electric current, n.e.c.	110	—	50	—	—	—	—	180	—	—
Contact with temperature extremes ...	9,400	750	4,000	340	3,510	—	1,660	1,580	2,300	210
Exposure to environmental heat	—	—	—	—	—	—	—	1,560	—	—
Exposure to environmental cold	40	—	—	—	20	—	20	—	—	110
Contact with hot objects or substances	9,320	700	4,000	340	3,480	—	1,640	—	2,270	100
Contact with cold objects or substances	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Exposure to air pressure changes	33	230	210	—	—	—	—	—
Pressure changes in airplane, other aircraft	332	210	200	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances	34	27,020	7,300	6,180	240	2,680	180	160
Exposure to caustic, noxious, or allergenic substances, unspecified	340	3,250	990	660	—	310	—	—
Inhalation of substance	341	4,960	—	—	100	1,290	—	—
Inhalation of substance, unspecified	3410	1,670	—	—	—	470	—	—
Inhalation in enclosed, restricted, or confined space	3411	570	—	—	—	150	—	—
Inhalation in open or nonconfined space	3412	2,710	—	—	90	670	—	—
Contact with skin or other exposed tissue	342	12,380	5,660	5,070	40	490	50	—
Injections, stings, venomous bites	343	4,910	290	150	70	410	120	140
Injections, stings, venomous bites, unspecified	3430	720	—	—	—	170	40	—
Needle sticks	3431	410	—	—	—	—	—	—
Bee, wasp, hornet sting	3432	2,300	270	150	—	80	60	—
Other stings or venomous bites	3433	1,190	—	—	—	120	—	—
Injections, stings, venomous bites, n.e.c.	3439	290	—	—	—	—	—	—
Ingestion of substance	344	170	—	—	—	50	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	1,350	340	310	—	130	—	—
Exposure to noise	35	180	180	—	—	—	—	—
Exposure to noise over time	351	50	50	—	—	—	—	—
Exposure to noise in single incident	352	70	70	—	—	—	—	—
Exposure to radiation	36	1,990	1,980	1,980	—	—	—	—
Exposure to welding light	362	1,900	1,900	1,900	—	—	—	—
Exposure to radiation, n.e.c.	369	80	70	70	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	1,380	—	—	—	—	—	—
Other oxygen deficiency, n.e.c.	389	20	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	140	70	40	—	—	—	—
Transportation accidents	4	62,860	3,260	100	4,590	15,740	9,740	2,270
Transportation accident, unspecified	40	1,540	110	—	460	280	180	50
Highway accident	41	38,950	2,030	70	3,580	10,520	7,400	1,410
Highway accident, unspecified	410	3,430	210	—	190	1,080	850	60

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Exposure to air pressure changes	—	—	—	—	—	—	—	—	—	—
Pressure changes in airplane, other aircraft	—	—	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances	4,700	520	1,870	70	1,960	190	540	6,110	3,330	710
Exposure to caustic, noxious, or allergenic substances, unspecified	420	—	140	—	90	—	60	920	380	140
Inhalation of substance	—	—	—	—	—	—	—	3,540	—	—
Inhalation of substance, unspecified	—	—	—	—	—	—	—	1,190	—	—
Inhalation in enclosed, restricted, or confined space	—	—	—	—	—	—	—	420	—	—
Inhalation in open or nonconfined space	—	—	—	—	—	—	—	1,930	—	—
Contact with skin or other exposed tissue	2,150	210	1,210	—	900	—	430	540	2,350	250
Injections, stings, venomous bites	2,030	250	480	40	930	160	—	560	320	310
Injections, stings, venomous bites, unspecified	120	—	40	—	110	—	—	260	20	—
Needle sticks	200	100	90	—	150	130	—	—	—	—
Bee, wasp, hornet sting	1,230	50	230	—	140	—	—	190	270	80
Other stings or venomous bites	390	70	60	—	490	—	—	—	—	140
Injections, stings, venomous bites, n.e.c.	90	—	—	—	—	—	—	70	—	80
Ingestion of substance	—	—	—	—	—	—	—	80	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	110	—	40	—	40	—	—	460	250	—
Exposure to noise	—	—	—	—	—	—	—	—	—	—
Exposure to noise over time	—	—	—	—	—	—	—	—	—	—
Exposure to noise in single incident	—	—	—	—	—	—	—	—	—	—
Exposure to radiation	—	—	—	—	—	—	—	—	—	—
Exposure to welding light	—	—	—	—	—	—	—	—	—	—
Exposure to radiation, n.e.c.	—	—	—	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	—	—	—	1,310	—	—
Other oxygen deficiency, n.e.c.	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	—	—	—	—	—	—	—	—	60	—
Transportation accidents	3,820	400	680	430	11,270	2,170	3,950	250	23,340	600
Transportation accident, unspecified	50	—	—	—	90	50	—	—	470	80
Highway accident	1,370	160	380	190	2,370	780	90	220	18,450	410
Highway accident, unspecified	40	—	—	—	170	—	—	90	1,460	170

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Collision between vehicles, mobile equipment	411	27,230	1,300	60	2,970	6,490	4,710	880
Collision between vehicles, mobile equipment, unspecified	4110	8,410	600	—	830	2,370	1,550	380
Re-entrant collision	4111	280	—	—	40	—	—	—
Moving in same direction	4112	6,610	220	40	950	1,370	1,180	110
Moving in opposite directions, oncoming	4113	1,570	200	—	60	280	230	—
Moving in intersection	4114	4,050	60	—	330	630	360	100
Moving and standing vehicle, mobile equipment in roadway	4115	4,140	80	—	630	1,130	880	170
Moving and standing vehicle, mobile equipment side of road	4116	590	90	—	—	190	120	40
Collision between vehicles, mobile equipment, n.e.c.	4119	1,580	—	—	90	480	370	50
Vehicle struck stationary object or equipment in roadway	412	430	—	—	—	210	170	—
Vehicle struck stationary object, equipment on side of road	413	1,660	60	—	80	960	640	90
Noncollision accident	414	5,730	360	—	220	1,650	940	350
Noncollision accident, unspecified	4140	120	—	—	—	20	—	—
Jack-knifed or overturned no collision	4141	2,960	180	—	90	640	250	230
Ran off highway no collision	4142	1,220	110	—	—	280	180	—
Sudden start or stop, n.e.c.	4144	560	50	—	60	230	150	—
Noncollision accident, n.e.c.	4149	850	20	—	—	490	340	50
Highway accident, n.e.c.	419	480	—	—	90	130	90	—
Nonhighway accident, except rail, air, water	42	10,190	800	—	400	2,860	1,400	480
Nonhighway accident, unspecified	420	240	—	—	—	50	40	—
Collision between vehicles or mobile equipment	421	1,420	60	—	80	350	150	90
Vehicle, mobile equipment struck stationary object	422	2,520	280	—	110	540	320	60
Noncollision accident	423	5,630	440	—	180	1,860	870	310
Noncollision accident, unspecified	4230	60	—	—	—	—	—	—
Fall from moving vehicle, mobile equipment	4231	1,200	140	—	—	500	130	70
Fell from and struck by vehicle, mobile equipment	4232	220	—	—	—	—	—	—
Overturned	4233	1,890	130	—	—	360	60	180
Loss of control	4234	240	—	—	—	70	20	—

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Collision between vehicles, mobile equipment	710	120	170	110	1,620	420	80	100	13,880	180
Collision between vehicles, mobile equipment, unspecified	250	100	40	—	450	180	—	—	3,790	70
Re-entrant collision	—	—	—	—	—	—	—	—	190	—
Moving in same direction	180	—	80	40	520	80	—	—	3,320	40
Moving in opposite directions, oncoming	50	—	—	—	50	—	—	—	910	—
Moving in intersection	120	—	—	20	180	70	—	50	2,660	—
Moving and standing vehicle, mobile equipment in roadway	50	—	—	—	70	40	—	—	2,140	—
Moving and standing vehicle, mobile equipment side of road	—	—	—	—	40	—	—	—	230	—
Collision between vehicles, mobile equipment, n.e.c.	—	—	—	20	320	20	—	—	630	—
Vehicle struck stationary object or equipment in roadway	—	20	—	—	70	—	—	—	70	—
Vehicle struck stationary object, equipment on side of road	70	—	—	—	100	40	—	—	390	—
Noncollision accident	540	—	210	40	400	290	—	—	2,480	50
Noncollision accident, unspecified	—	—	—	—	—	—	—	—	50	—
Jack-knifed or overturned no collision	390	—	190	—	170	140	—	20	1,450	—
Ran off highway no collision	—	—	—	—	100	—	—	—	670	—
Sudden start or stop, n.e.c.	—	—	—	—	40	—	—	—	180	—
Noncollision accident, n.e.c.	110	—	—	—	70	50	—	—	130	—
Highway accident, n.e.c.	—	—	—	—	—	—	—	—	170	—
Nonhighway accident, except rail, air, water	1,390	170	110	140	2,540	570	850	—	2,140	50
Nonhighway accident, unspecified	—	—	—	—	120	—	80	—	—	—
Collision between vehicles or mobile equipment	130	—	—	—	520	70	120	—	280	—
Vehicle, mobile equipment struck stationary object	360	80	—	20	770	130	370	—	450	—
Noncollision accident	790	70	—	90	990	300	240	—	1,320	40
Noncollision accident, unspecified	—	—	—	—	—	—	—	—	—	—
Fall from moving vehicle, mobile equipment	110	—	—	40	120	40	—	—	320	—
Fell from and struck by vehicle, mobile equipment	—	—	—	—	150	—	50	—	—	—
Overtaken	540	—	—	—	230	50	—	—	560	—
Loss of control	—	—	—	—	40	20	—	—	110	—

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Struck by shifting load	4235	120	—	—	—	50	—	—
Sudden start or stop, n.e.c.	4236	720	—	—	70	340	260	20
Noncollision accident, n.e.c.	4239	1,180	90	—	50	490	340	—
Nonhighway accident, n.e.c.	429	380	—	—	—	60	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	10,760	190	—	20	1,600	450	240
Pedestrian struck by vehicle, mobile equipment, unspecified	430	1,200	—	—	—	150	60	80
Pedestrian struck by vehicle, mobile equipment in roadway	431	710	40	—	—	140	110	—
Pedestrian struck by vehicle, mobile equipment on side of road	432	660	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	8,200	120	—	—	1,290	270	150
Railway accident	44	270	—	—	—	100	60	—
Collision between railway vehicle and other vehicle	442	50	—	—	—	—	—	—
Derailment	445	60	—	—	—	—	—	—
Railway accident, n.e.c.	449	150	—	—	20	70	40	—
Water vehicle accident	45	350	—	—	60	120	60	—
Collision	451	230	—	—	50	50	40	—
Fall on ship, boat	454	80	—	—	—	50	—	—
Aircraft accident	46	780	90	—	60	250	190	—
During takeoff or landing	461	80	20	—	—	40	40	—
Aircraft accident, n.e.c.	469	700	70	—	40	200	150	—
Transportation accident, n.e.c.	49	20	—	—	—	—	—	—
Fires and explosions	5	2,420	720	160	—	100	40	—
Fire unintended or uncontrolled	51	1,390	350	100	—	80	40	—
Fire, unspecified	510	100	—	—	—	—	—	—
Fire in residence, building, or other structure	511	440	190	—	—	—	—	—
Forest, brush, or other outdoor fire	512	20	—	—	—	—	—	—
Ignition of clothing from controlled heat source	513	300	—	—	—	60	40	—
Fire, n.e.c.	519	530	130	80	—	—	—	—
Explosion	52	1,030	370	70	—	20	—	—
Explosion, unspecified	520	40	—	—	—	—	—	—
Explosion of battery	521	70	50	—	—	—	—	—
Explosion of pressure vessel or piping	522	600	170	—	—	20	—	—
Explosion, n.e.c.	529	320	150	40	—	—	—	—
Assaults and violent acts	6	24,880	4,130	440	830	5,050	2,180	1,320

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Struck by shifting load	—	—	—	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	—	—	—	—	130	120	—	—	130	—
Noncollision accident, n.e.c.	110	—	—	—	270	50	130	—	170	—
Nonhighway accident, n.e.c.	100	—	50	—	130	—	50	—	60	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	940	—	190	80	6,050	720	2,900	—	1,910	50
Pedestrian struck by vehicle, mobile equipment, unspecified	80	—	40	—	820	60	490	—	110	—
Pedestrian struck by vehicle, mobile equipment in roadway	60	—	—	—	130	—	40	—	310	20
Pedestrian struck by vehicle, mobile equipment on side of road	—	—	—	—	260	—	—	—	360	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	790	—	150	40	4,840	620	2,350	—	1,120	—
Railway accident	20	—	—	—	70	20	—	—	20	—
Collision between railway vehicle and other vehicle	—	—	—	—	—	—	—	—	—	—
Derailement	—	—	—	—	—	—	—	—	—	—
Railway accident, n.e.c.	—	—	—	—	—	—	—	—	—	—
Water vehicle accident	40	—	—	—	20	—	—	—	100	—
Collision	—	—	—	—	—	—	—	—	90	—
Fall on ship, boat	20	—	—	—	—	—	—	—	—	—
Aircraft accident	—	—	—	—	120	—	70	—	240	20
During takeoff or landing	—	—	—	—	—	—	—	—	—	—
Aircraft accident, n.e.c.	—	—	—	—	120	—	70	—	240	20
Transportation accident, n.e.c.	—	—	—	—	—	—	—	—	—	—
Fires and explosions	510	—	110	20	170	20	—	—	880	20
Fire unintended or uncontrolled	200	—	60	—	120	—	—	—	600	20
Fire, unspecified	—	—	—	—	—	—	—	—	40	—
Fire in residence, building, or other structure	—	—	—	—	—	—	—	—	190	—
Forest, brush, or other outdoor fire	—	—	—	—	—	—	—	—	—	—
Ignition of clothing from controlled heat source	40	—	—	—	60	—	—	—	140	—
Fire, n.e.c.	120	—	50	—	40	—	—	—	220	—
Explosion	310	—	50	—	50	20	—	—	270	—
Explosion, unspecified	—	—	—	—	—	—	—	—	—	—
Explosion of battery	20	—	—	—	—	—	—	—	—	—
Explosion of pressure vessel or piping	200	—	20	—	40	—	—	—	160	—
Explosion, n.e.c.	90	—	20	—	—	—	—	—	80	—
Assaults and violent acts	7,230	2,360	2,080	780	2,990	1,200	340	490	3,870	310

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Assaults and violent acts, unspecified	60	100	—	—	—	—	—	—
Assaults and violent acts by person(s)	61	17,670	3,300	420	750	4,370	2,120	970
Assaults and violent acts by person(s), unspecified	610	2,270	400	—	40	700	480	150
Biting	611	340	—	—	—	—	—	—
Hitting, kicking, beating	612	8,790	2,480	320	250	2,070	680	450
Shooting	613	170	—	—	—	50	—	—
Squeezing, pinching, scratching, twisting	614	1,810	70	—	90	290	150	100
Stabbing	615	100	—	—	—	—	—	—
Threats or verbal assaults	617	50	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	4,110	310	60	370	1,240	750	280
Assaults by animals	63	7,090	790	—	70	650	40	340
Assaults by animals, unspecified ...	630	480	—	—	—	20	—	—
Nonvenomous bites	631	3,580	160	—	—	130	—	—
Assaults by animals, n.e.c.	639	3,030	600	—	—	500	40	310
Other events or exposures	9	150	—	—	—	—	—	—
Nonclassifiable	9999	13,660	470	250	160	4,660	2,420	820

See footnotes at end of table.

TABLE 56. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2004 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Assaults and violent acts, unspecified	—	—	—	—	—	—	—	—	—	—
Assaults and violent acts by person(s)	3,470	1,190	440	700	1,810	910	230	450	3,410	110
Assaults and violent acts by person(s), unspecified	300	130	50	—	220	120	—	50	510	50
Biting	270	70	90	—	—	—	—	—	—	—
Hitting, kicking, beating	980	230	140	160	920	510	180	—	2,060	—
Shooting	50	—	—	—	40	—	—	—	—	—
Squeezing, pinching, scratching, twisting	1,060	510	40	330	150	—	—	—	120	—
Stabbing	—	—	—	—	—	—	—	—	—	—
Threats or verbal assaults	—	—	—	—	—	—	—	50	—	—
Assaults and violent acts by person(s), n.e.c.	780	250	100	210	450	250	—	270	680	—
Assaults by animals	3,740	1,160	1,640	80	1,170	290	110	—	450	200
Assaults by animals, unspecified ...	330	160	120	—	70	—	—	—	—	—
Nonvenomous bites	2,170	550	880	50	710	60	60	—	180	180
Assaults by animals, n.e.c.	1,240	450	640	—	390	220	40	—	240	20
Other events or exposures	—	—	—	—	—	—	—	50	—	—
Nonclassifiable	1,860	670	260	320	2,120	910	510	320	1,110	2,960

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 00-09; Eyes = 032; Neck = 10-19; Trunk, Total = 20-29; Back = 23; Shoulder = 21; Upper extremities, Total = 30-39; Finger = 34; Hand = 33; Wrist = 32; Lower extremities, Total = 40-49; Knee = 412; Foot, toe = 43, 44; Body systems = 5; Multiple body parts = 8; All other body parts = remaining codes, including 9999 (Nonclassifiable). These codes are based

on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies